

```

1  SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0;
2  SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0;
3  SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='TRADITIONAL,ALLOW_INVALID_DATES';
4
5  DROP SCHEMA IF EXISTS `northwind` ;
6  CREATE SCHEMA IF NOT EXISTS `northwind` DEFAULT CHARACTER SET latin1 ;
7  USE `northwind` ;
8
9  -- -----
10 -- Table `northwind`.`customers`
11 -- -----
12 CREATE TABLE IF NOT EXISTS `northwind`.`customers` (
13   `id` INT(11) NOT NULL AUTO_INCREMENT,
14   `company` VARCHAR(50) NULL DEFAULT NULL,
15   `last_name` VARCHAR(50) NULL DEFAULT NULL,
16   `first_name` VARCHAR(50) NULL DEFAULT NULL,
17   `email_address` VARCHAR(50) NULL DEFAULT NULL,
18   `job_title` VARCHAR(50) NULL DEFAULT NULL,
19   `business_phone` VARCHAR(25) NULL DEFAULT NULL,
20   `home_phone` VARCHAR(25) NULL DEFAULT NULL,
21   `mobile_phone` VARCHAR(25) NULL DEFAULT NULL,
22   `fax_number` VARCHAR(25) NULL DEFAULT NULL,
23   `address` LONGTEXT NULL DEFAULT NULL,
24   `city` VARCHAR(50) NULL DEFAULT NULL,
25   `state_province` VARCHAR(50) NULL DEFAULT NULL,
26   `zip_postal_code` VARCHAR(15) NULL DEFAULT NULL,
27   `country_region` VARCHAR(50) NULL DEFAULT NULL,
28   `web_page` LONGTEXT NULL DEFAULT NULL,
29   `notes` LONGTEXT NULL DEFAULT NULL,
30   `attachments` LONGBLOB NULL DEFAULT NULL,
31   PRIMARY KEY (`id`),
32   INDEX `city` (`city` ASC),
33   INDEX `company` (`company` ASC),
34   INDEX `first_name` (`first_name` ASC),
35   INDEX `last_name` (`last_name` ASC),
36   INDEX `zip_postal_code` (`zip_postal_code` ASC),
37   INDEX `state_province` (`state_province` ASC))
38 ENGINE = InnoDB
39 DEFAULT CHARACTER SET = utf8;
40
41
42 -- -----
43 -- Table `northwind`.`employees`
44 -- -----
45 CREATE TABLE IF NOT EXISTS `northwind`.`employees` (
46   `id` INT(11) NOT NULL AUTO_INCREMENT,
47   `company` VARCHAR(50) NULL DEFAULT NULL,
48   `last_name` VARCHAR(50) NULL DEFAULT NULL,
49   `first_name` VARCHAR(50) NULL DEFAULT NULL,
50   `email_address` VARCHAR(50) NULL DEFAULT NULL,
51   `job_title` VARCHAR(50) NULL DEFAULT NULL,
52   `business_phone` VARCHAR(25) NULL DEFAULT NULL,
53   `home_phone` VARCHAR(25) NULL DEFAULT NULL,
54   `mobile_phone` VARCHAR(25) NULL DEFAULT NULL,
55   `fax_number` VARCHAR(25) NULL DEFAULT NULL,
56   `address` LONGTEXT NULL DEFAULT NULL,
57   `city` VARCHAR(50) NULL DEFAULT NULL,
58   `state_province` VARCHAR(50) NULL DEFAULT NULL,
59   `zip_postal_code` VARCHAR(15) NULL DEFAULT NULL,
60   `country_region` VARCHAR(50) NULL DEFAULT NULL,
61   `web_page` LONGTEXT NULL DEFAULT NULL,
62   `notes` LONGTEXT NULL DEFAULT NULL,
63   `attachments` LONGBLOB NULL DEFAULT NULL,
64   PRIMARY KEY (`id`),
65   INDEX `city` (`city` ASC),
66   INDEX `company` (`company` ASC),
67   INDEX `first_name` (`first_name` ASC),
68   INDEX `last_name` (`last_name` ASC),
69   INDEX `zip_postal_code` (`zip_postal_code` ASC),

```

```

70     INDEX `state_province` (`state_province` ASC))
71 ENGINE = InnoDB
72 DEFAULT CHARACTER SET = utf8;
73
74
75 -----
76 -- Table `northwind`.`privileges`
77 -----
78 CREATE TABLE IF NOT EXISTS `northwind`.`privileges` (
79   `id` INT(11) NOT NULL AUTO_INCREMENT,
80   `privilege_name` VARCHAR(50) NULL DEFAULT NULL,
81   PRIMARY KEY (`id`))
82 ENGINE = InnoDB
83 DEFAULT CHARACTER SET = utf8;
84
85
86 -----
87 -- Table `northwind`.`employee_privileges`
88 -----
89 CREATE TABLE IF NOT EXISTS `northwind`.`employee_privileges` (
90   `employee_id` INT(11) NOT NULL,
91   `privilege_id` INT(11) NOT NULL,
92   PRIMARY KEY (`employee_id`, `privilege_id`),
93   INDEX `employee_id` (`employee_id` ASC),
94   INDEX `privilege_id` (`privilege_id` ASC),
95   INDEX `privilege_id_2` (`privilege_id` ASC),
96   CONSTRAINT `fk_employee_privileges_employees1`
97     FOREIGN KEY (`employee_id`)
98     REFERENCES `northwind`.`employees` (`id`)
99     ON DELETE NO ACTION
100    ON UPDATE NO ACTION,
101   CONSTRAINT `fk_employee_privileges_privileges1`
102     FOREIGN KEY (`privilege_id`)
103     REFERENCES `northwind`.`privileges` (`id`)
104     ON DELETE NO ACTION
105     ON UPDATE NO ACTION)
106 ENGINE = InnoDB
107 DEFAULT CHARACTER SET = utf8;
108
109
110 -----
111 -- Table `northwind`.`inventory_transaction_types`
112 -----
113 CREATE TABLE IF NOT EXISTS `northwind`.`inventory_transaction_types` (
114   `id` TINYINT(4) NOT NULL,
115   `type_name` VARCHAR(50) NOT NULL,
116   PRIMARY KEY (`id`))
117 ENGINE = InnoDB
118 DEFAULT CHARACTER SET = utf8;
119
120
121 -----
122 -- Table `northwind`.`shippers`
123 -----
124 CREATE TABLE IF NOT EXISTS `northwind`.`shippers` (
125   `id` INT(11) NOT NULL AUTO_INCREMENT,
126   `company` VARCHAR(50) NULL DEFAULT NULL,
127   `last_name` VARCHAR(50) NULL DEFAULT NULL,
128   `first_name` VARCHAR(50) NULL DEFAULT NULL,
129   `email_address` VARCHAR(50) NULL DEFAULT NULL,
130   `job_title` VARCHAR(50) NULL DEFAULT NULL,
131   `business_phone` VARCHAR(25) NULL DEFAULT NULL,
132   `home_phone` VARCHAR(25) NULL DEFAULT NULL,
133   `mobile_phone` VARCHAR(25) NULL DEFAULT NULL,
134   `fax_number` VARCHAR(25) NULL DEFAULT NULL,
135   `address` LONGTEXT NULL DEFAULT NULL,
136   `city` VARCHAR(50) NULL DEFAULT NULL,
137   `state_province` VARCHAR(50) NULL DEFAULT NULL,
138   `zip_postal_code` VARCHAR(15) NULL DEFAULT NULL,

```

```

139 `country_region` VARCHAR(50) NULL DEFAULT NULL,
140 `web_page` LONGTEXT NULL DEFAULT NULL,
141 `notes` LONGTEXT NULL DEFAULT NULL,
142 `attachments` LONGBLOB NULL DEFAULT NULL,
143 PRIMARY KEY (`id`),
144 INDEX `city` (`city` ASC),
145 INDEX `company` (`company` ASC),
146 INDEX `first_name` (`first_name` ASC),
147 INDEX `last_name` (`last_name` ASC),
148 INDEX `zip_postal_code` (`zip_postal_code` ASC),
149 INDEX `state_province` (`state_province` ASC))
150 ENGINE = InnoDB
151 DEFAULT CHARACTER SET = utf8;
152
153
154 -- -----
155 -- Table `northwind`.`orders_tax_status`
156 -- -----
157 CREATE TABLE IF NOT EXISTS `northwind`.`orders_tax_status` (
158   `id` TINYINT(4) NOT NULL,
159   `tax_status_name` VARCHAR(50) NOT NULL,
160   PRIMARY KEY (`id`))
161 ENGINE = InnoDB
162 DEFAULT CHARACTER SET = utf8;
163
164
165 -- -----
166 -- Table `northwind`.`orders_status`
167 -- -----
168 CREATE TABLE IF NOT EXISTS `northwind`.`orders_status` (
169   `id` TINYINT(4) NOT NULL,
170   `status_name` VARCHAR(50) NOT NULL,
171   PRIMARY KEY (`id`))
172 ENGINE = InnoDB
173 DEFAULT CHARACTER SET = utf8;
174
175
176 -- -----
177 -- Table `northwind`.`orders`
178 -- -----
179 CREATE TABLE IF NOT EXISTS `northwind`.`orders` (
180   `id` INT(11) NOT NULL AUTO_INCREMENT,
181   `employee_id` INT(11) NULL DEFAULT NULL,
182   `customer_id` INT(11) NULL DEFAULT NULL,
183   `order_date` DATETIME NULL DEFAULT NULL,
184   `shipped_date` DATETIME NULL DEFAULT NULL,
185   `shipper_id` INT(11) NULL DEFAULT NULL,
186   `ship_name` VARCHAR(50) NULL DEFAULT NULL,
187   `ship_address` LONGTEXT NULL DEFAULT NULL,
188   `ship_city` VARCHAR(50) NULL DEFAULT NULL,
189   `ship_state_province` VARCHAR(50) NULL DEFAULT NULL,
190   `ship_zip_postal_code` VARCHAR(50) NULL DEFAULT NULL,
191   `ship_country_region` VARCHAR(50) NULL DEFAULT NULL,
192   `shipping_fee` DECIMAL(19,4) NULL DEFAULT '0.0000',
193   `taxes` DECIMAL(19,4) NULL DEFAULT '0.0000',
194   `payment_type` VARCHAR(50) NULL DEFAULT NULL,
195   `paid_date` DATETIME NULL DEFAULT NULL,
196   `notes` LONGTEXT NULL DEFAULT NULL,
197   `tax_rate` DOUBLE NULL DEFAULT '0',
198   `tax_status_id` TINYINT(4) NULL DEFAULT NULL,
199   `status_id` TINYINT(4) NULL DEFAULT '0',
200   PRIMARY KEY (`id`),
201   INDEX `customer_id` (`customer_id` ASC),
202   INDEX `customer_id_2` (`customer_id` ASC),
203   INDEX `employee_id` (`employee_id` ASC),
204   INDEX `employee_id_2` (`employee_id` ASC),
205   INDEX `id` (`id` ASC),
206   INDEX `id_2` (`id` ASC),
207   INDEX `shipper_id` (`shipper_id` ASC),

```

```

208 INDEX `shipper_id_2` (`shipper_id` ASC),
209 INDEX `id_3` (`id` ASC),
210 INDEX `tax_status` (`tax_status_id` ASC),
211 INDEX `ship_zip_postal_code` (`ship_zip_postal_code` ASC),
212 CONSTRAINT `fk_orders_customers`
213     FOREIGN KEY (`customer_id`)
214     REFERENCES `northwind`.`customers` (`id`)
215     ON DELETE NO ACTION
216     ON UPDATE NO ACTION,
217 CONSTRAINT `fk_orders_employees1`
218     FOREIGN KEY (`employee_id`)
219     REFERENCES `northwind`.`employees` (`id`)
220     ON DELETE NO ACTION
221     ON UPDATE NO ACTION,
222 CONSTRAINT `fk_orders_shippers1`
223     FOREIGN KEY (`shipper_id`)
224     REFERENCES `northwind`.`shippers` (`id`)
225     ON DELETE NO ACTION
226     ON UPDATE NO ACTION,
227 CONSTRAINT `fk_orders_orders_tax_status1`
228     FOREIGN KEY (`tax_status_id`)
229     REFERENCES `northwind`.`orders_tax_status` (`id`)
230     ON DELETE NO ACTION
231     ON UPDATE NO ACTION,
232 CONSTRAINT `fk_orders_orders_status1`
233     FOREIGN KEY (`status_id`)
234     REFERENCES `northwind`.`orders_status` (`id`)
235     ON DELETE NO ACTION
236     ON UPDATE NO ACTION)
237 ENGINE = InnoDB
238 DEFAULT CHARACTER SET = utf8;
239
240
241 -----
242 -- Table `northwind`.`products`
243 -----
244 CREATE TABLE IF NOT EXISTS `northwind`.`products` (
245     `supplier_ids` LONGTEXT NULL DEFAULT NULL,
246     `id` INT(11) NOT NULL AUTO_INCREMENT,
247     `product_code` VARCHAR(25) NULL DEFAULT NULL,
248     `product_name` VARCHAR(50) NULL DEFAULT NULL,
249     `description` LONGTEXT NULL DEFAULT NULL,
250     `standard_cost` DECIMAL(19,4) NULL DEFAULT '0.0000',
251     `list_price` DECIMAL(19,4) NOT NULL DEFAULT '0.0000',
252     `reorder_level` INT(11) NULL DEFAULT NULL,
253     `target_level` INT(11) NULL DEFAULT NULL,
254     `quantity_per_unit` VARCHAR(50) NULL DEFAULT NULL,
255     `discontinued` TINYINT(1) NOT NULL DEFAULT '0',
256     `minimum_reorder_quantity` INT(11) NULL DEFAULT NULL,
257     `category` VARCHAR(50) NULL DEFAULT NULL,
258     `attachments` LONGBLOB NULL DEFAULT NULL,
259     PRIMARY KEY (`id`),
260     INDEX `product_code` (`product_code` ASC))
261 ENGINE = InnoDB
262 DEFAULT CHARACTER SET = utf8;
263
264
265 -----
266 -- Table `northwind`.`purchase_order_status`
267 -----
268 CREATE TABLE IF NOT EXISTS `northwind`.`purchase_order_status` (
269     `id` INT(11) NOT NULL,
270     `status` VARCHAR(50) NULL DEFAULT NULL,
271     PRIMARY KEY (`id`))
272 ENGINE = InnoDB
273 DEFAULT CHARACTER SET = utf8;
274
275
276 -----

```

```

277 -- Table `northwind`.`suppliers`
278 -----
279 CREATE TABLE IF NOT EXISTS `northwind`.`suppliers` (
280   `id` INT(11) NOT NULL AUTO_INCREMENT,
281   `company` VARCHAR(50) NULL DEFAULT NULL,
282   `last_name` VARCHAR(50) NULL DEFAULT NULL,
283   `first_name` VARCHAR(50) NULL DEFAULT NULL,
284   `email_address` VARCHAR(50) NULL DEFAULT NULL,
285   `job_title` VARCHAR(50) NULL DEFAULT NULL,
286   `business_phone` VARCHAR(25) NULL DEFAULT NULL,
287   `home_phone` VARCHAR(25) NULL DEFAULT NULL,
288   `mobile_phone` VARCHAR(25) NULL DEFAULT NULL,
289   `fax_number` VARCHAR(25) NULL DEFAULT NULL,
290   `address` LONGTEXT NULL DEFAULT NULL,
291   `city` VARCHAR(50) NULL DEFAULT NULL,
292   `state_province` VARCHAR(50) NULL DEFAULT NULL,
293   `zip_postal_code` VARCHAR(15) NULL DEFAULT NULL,
294   `country_region` VARCHAR(50) NULL DEFAULT NULL,
295   `web_page` LONGTEXT NULL DEFAULT NULL,
296   `notes` LONGTEXT NULL DEFAULT NULL,
297   `attachments` LONGBLOB NULL DEFAULT NULL,
298   PRIMARY KEY (`id`),
299   INDEX `city` (`city` ASC),
300   INDEX `company` (`company` ASC),
301   INDEX `first_name` (`first_name` ASC),
302   INDEX `last_name` (`last_name` ASC),
303   INDEX `zip_postal_code` (`zip_postal_code` ASC),
304   INDEX `state_province` (`state_province` ASC))
305 ENGINE = InnoDB
306 DEFAULT CHARACTER SET = utf8;
307
308
309 -----
310 -- Table `northwind`.`purchase_orders`
311 -----
312 CREATE TABLE IF NOT EXISTS `northwind`.`purchase_orders` (
313   `id` INT(11) NOT NULL AUTO_INCREMENT,
314   `supplier_id` INT(11) NULL DEFAULT NULL,
315   `created_by` INT(11) NULL DEFAULT NULL,
316   `submitted_date` DATETIME NULL DEFAULT NULL,
317   `creation_date` DATETIME NULL DEFAULT NULL,
318   `status_id` INT(11) NULL DEFAULT '0',
319   `expected_date` DATETIME NULL DEFAULT NULL,
320   `shipping_fee` DECIMAL(19,4) NOT NULL DEFAULT '0.0000',
321   `taxes` DECIMAL(19,4) NOT NULL DEFAULT '0.0000',
322   `payment_date` DATETIME NULL DEFAULT NULL,
323   `payment_amount` DECIMAL(19,4) NULL DEFAULT '0.0000',
324   `payment_method` VARCHAR(50) NULL DEFAULT NULL,
325   `notes` LONGTEXT NULL DEFAULT NULL,
326   `approved_by` INT(11) NULL DEFAULT NULL,
327   `approved_date` DATETIME NULL DEFAULT NULL,
328   `submitted_by` INT(11) NULL DEFAULT NULL,
329   PRIMARY KEY (`id`),
330   UNIQUE INDEX `id` (`id` ASC),
331   INDEX `created_by` (`created_by` ASC),
332   INDEX `status_id` (`status_id` ASC),
333   INDEX `id_2` (`id` ASC),
334   INDEX `supplier_id` (`supplier_id` ASC),
335   INDEX `supplier_id_2` (`supplier_id` ASC),
336   CONSTRAINT `fk_purchase_orders_employees1`
337     FOREIGN KEY (`created_by`)
338     REFERENCES `northwind`.`employees` (`id`)
339     ON DELETE NO ACTION
340     ON UPDATE NO ACTION,
341   CONSTRAINT `fk_purchase_orders_purchase_order_status1`
342     FOREIGN KEY (`status_id`)
343     REFERENCES `northwind`.`purchase_order_status` (`id`)
344     ON DELETE NO ACTION
345     ON UPDATE NO ACTION,

```

```

346     CONSTRAINT `fk_purchase_orders_suppliers1`
347     FOREIGN KEY (`supplier_id`)
348     REFERENCES `northwind`.`suppliers` (`id`)
349     ON DELETE NO ACTION
350     ON UPDATE NO ACTION)
351 ENGINE = InnoDB
352 DEFAULT CHARACTER SET = utf8;
353
354
355 -----
356 -- Table `northwind`.`inventory_transactions`
357 -----
358 CREATE TABLE IF NOT EXISTS `northwind`.`inventory_transactions` (
359   `id` INT(11) NOT NULL AUTO_INCREMENT,
360   `transaction_type` TINYINT(4) NOT NULL,
361   `transaction_created_date` DATETIME NULL DEFAULT NULL,
362   `transaction_modified_date` DATETIME NULL DEFAULT NULL,
363   `product_id` INT(11) NOT NULL,
364   `quantity` INT(11) NOT NULL,
365   `purchase_order_id` INT(11) NULL DEFAULT NULL,
366   `customer_order_id` INT(11) NULL DEFAULT NULL,
367   `comments` VARCHAR(255) NULL DEFAULT NULL,
368   PRIMARY KEY (`id`),
369   INDEX `customer_order_id` (`customer_order_id` ASC),
370   INDEX `customer_order_id_2` (`customer_order_id` ASC),
371   INDEX `product_id` (`product_id` ASC),
372   INDEX `product_id_2` (`product_id` ASC),
373   INDEX `purchase_order_id` (`purchase_order_id` ASC),
374   INDEX `purchase_order_id_2` (`purchase_order_id` ASC),
375   INDEX `transaction_type` (`transaction_type` ASC),
376   CONSTRAINT `fk_inventory_transactions_orders1`
377     FOREIGN KEY (`customer_order_id`)
378     REFERENCES `northwind`.`orders` (`id`)
379     ON DELETE NO ACTION
380     ON UPDATE NO ACTION,
381   CONSTRAINT `fk_inventory_transactions_products1`
382     FOREIGN KEY (`product_id`)
383     REFERENCES `northwind`.`products` (`id`)
384     ON DELETE NO ACTION
385     ON UPDATE NO ACTION,
386   CONSTRAINT `fk_inventory_transactions_purchase_orders1`
387     FOREIGN KEY (`purchase_order_id`)
388     REFERENCES `northwind`.`purchase_orders` (`id`)
389     ON DELETE NO ACTION
390     ON UPDATE NO ACTION,
391   CONSTRAINT `fk_inventory_transactions_inventory_transaction_types1`
392     FOREIGN KEY (`transaction_type`)
393     REFERENCES `northwind`.`inventory_transaction_types` (`id`)
394     ON DELETE NO ACTION
395     ON UPDATE NO ACTION)
396 ENGINE = InnoDB
397 DEFAULT CHARACTER SET = utf8;
398
399
400 -----
401 -- Table `northwind`.`invoices`
402 -----
403 CREATE TABLE IF NOT EXISTS `northwind`.`invoices` (
404   `id` INT(11) NOT NULL AUTO_INCREMENT,
405   `order_id` INT(11) NULL DEFAULT NULL,
406   `invoice_date` DATETIME NULL DEFAULT NULL,
407   `due_date` DATETIME NULL DEFAULT NULL,
408   `tax` DECIMAL(19,4) NULL DEFAULT '0.0000',
409   `shipping` DECIMAL(19,4) NULL DEFAULT '0.0000',
410   `amount_due` DECIMAL(19,4) NULL DEFAULT '0.0000',
411   PRIMARY KEY (`id`),
412   INDEX `id` (`id` ASC),
413   INDEX `id_2` (`id` ASC),
414   INDEX `fk_invoices_orders1_idx` (`order_id` ASC),

```

```

415     CONSTRAINT `fk_invoices_orders1`
416     FOREIGN KEY (`order_id`)
417     REFERENCES `northwind`.`orders` (`id`)
418     ON DELETE NO ACTION
419     ON UPDATE NO ACTION)
420 ENGINE = InnoDB
421 DEFAULT CHARACTER SET = utf8;
422
423
424 -- -----
425 -- Table `northwind`.`order_details_status`
426 -- -----
427 CREATE TABLE IF NOT EXISTS `northwind`.`order_details_status` (
428   `id` INT(11) NOT NULL,
429   `status_name` VARCHAR(50) NOT NULL,
430   PRIMARY KEY (`id`))
431 ENGINE = InnoDB
432 DEFAULT CHARACTER SET = utf8;
433
434
435 -- -----
436 -- Table `northwind`.`order_details`
437 -- -----
438 CREATE TABLE IF NOT EXISTS `northwind`.`order_details` (
439   `id` INT(11) NOT NULL AUTO_INCREMENT,
440   `order_id` INT(11) NOT NULL,
441   `product_id` INT(11) NULL DEFAULT NULL,
442   `quantity` DECIMAL(18,4) NOT NULL DEFAULT '0.0000',
443   `unit_price` DECIMAL(19,4) NULL DEFAULT '0.0000',
444   `discount` DOUBLE NOT NULL DEFAULT '0',
445   `status_id` INT(11) NULL DEFAULT NULL,
446   `date_allocated` DATETIME NULL DEFAULT NULL,
447   `purchase_order_id` INT(11) NULL DEFAULT NULL,
448   `inventory_id` INT(11) NULL DEFAULT NULL,
449   PRIMARY KEY (`id`),
450   INDEX `id` (`id` ASC),
451   INDEX `inventory_id` (`inventory_id` ASC),
452   INDEX `id_2` (`id` ASC),
453   INDEX `id_3` (`id` ASC),
454   INDEX `id_4` (`id` ASC),
455   INDEX `product_id` (`product_id` ASC),
456   INDEX `product_id_2` (`product_id` ASC),
457   INDEX `purchase_order_id` (`purchase_order_id` ASC),
458   INDEX `id_5` (`id` ASC),
459   INDEX `fk_order_details_orders1_idx` (`order_id` ASC),
460   INDEX `fk_order_details_order_details_status1_idx` (`status_id` ASC),
461   CONSTRAINT `fk_order_details_orders1`
462     FOREIGN KEY (`order_id`)
463     REFERENCES `northwind`.`orders` (`id`)
464     ON DELETE NO ACTION
465     ON UPDATE NO ACTION,
466   CONSTRAINT `fk_order_details_products1`
467     FOREIGN KEY (`product_id`)
468     REFERENCES `northwind`.`products` (`id`)
469     ON DELETE NO ACTION
470     ON UPDATE NO ACTION,
471   CONSTRAINT `fk_order_details_order_details_status1`
472     FOREIGN KEY (`status_id`)
473     REFERENCES `northwind`.`order_details_status` (`id`)
474     ON DELETE NO ACTION
475     ON UPDATE NO ACTION)
476 ENGINE = InnoDB
477 DEFAULT CHARACTER SET = utf8;
478
479
480 -- -----
481 -- Table `northwind`.`purchase_order_details`
482 -- -----
483 CREATE TABLE IF NOT EXISTS `northwind`.`purchase_order_details` (

```

```

484 `id` INT(11) NOT NULL AUTO_INCREMENT,
485 `purchase_order_id` INT(11) NOT NULL,
486 `product_id` INT(11) NULL DEFAULT NULL,
487 `quantity` DECIMAL(18,4) NOT NULL,
488 `unit_cost` DECIMAL(19,4) NOT NULL,
489 `date_received` DATETIME NULL DEFAULT NULL,
490 `posted_to_inventory` TINYINT(1) NOT NULL DEFAULT '0',
491 `inventory_id` INT(11) NULL DEFAULT NULL,
492 PRIMARY KEY (`id`),
493 INDEX `id` (`id` ASC),
494 INDEX `inventory_id` (`inventory_id` ASC),
495 INDEX `inventory_id_2` (`inventory_id` ASC),
496 INDEX `purchase_order_id` (`purchase_order_id` ASC),
497 INDEX `product_id` (`product_id` ASC),
498 INDEX `product_id_2` (`product_id` ASC),
499 INDEX `purchase_order_id_2` (`purchase_order_id` ASC),
500 CONSTRAINT `fk_purchase_order_details_inventory_transactions1`
501 FOREIGN KEY (`inventory_id`)
502 REFERENCES `northwind`.`inventory_transactions` (`id`)
503 ON DELETE NO ACTION
504 ON UPDATE NO ACTION,
505 CONSTRAINT `fk_purchase_order_details_products1`
506 FOREIGN KEY (`product_id`)
507 REFERENCES `northwind`.`products` (`id`)
508 ON DELETE NO ACTION
509 ON UPDATE NO ACTION,
510 CONSTRAINT `fk_purchase_order_details_purchase_orders1`
511 FOREIGN KEY (`purchase_order_id`)
512 REFERENCES `northwind`.`purchase_orders` (`id`)
513 ON DELETE NO ACTION
514 ON UPDATE NO ACTION)
515 ENGINE = InnoDB
516 DEFAULT CHARACTER SET = utf8;
517
518
519 -----
520 -- Table `northwind`.`sales_reports`
521 -----
522 CREATE TABLE IF NOT EXISTS `northwind`.`sales_reports` (
523 `group_by` VARCHAR(50) NOT NULL,
524 `display` VARCHAR(50) NULL DEFAULT NULL,
525 `title` VARCHAR(50) NULL DEFAULT NULL,
526 `filter_row_source` LONGTEXT NULL DEFAULT NULL,
527 `default` TINYINT(1) NOT NULL DEFAULT '0',
528 PRIMARY KEY (`group_by`))
529 ENGINE = InnoDB
530 DEFAULT CHARACTER SET = utf8;
531
532
533 -----
534 -- Table `northwind`.`strings`
535 -----
536 CREATE TABLE IF NOT EXISTS `northwind`.`strings` (
537 `string_id` INT(11) NOT NULL AUTO_INCREMENT,
538 `string_data` VARCHAR(255) NULL DEFAULT NULL,
539 PRIMARY KEY (`string_id`))
540 ENGINE = InnoDB
541 DEFAULT CHARACTER SET = utf8;
542
543
544 SET SQL_MODE=@OLD_SQL_MODE;
545 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS;
546 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS;
547

```