

13. 元件(2)


星期一 2022年九月5日 下午 04:04

1. Carousel

class="carousel slide carousel-fade"

carousel-fade:淡入 淡出

```
<div id="carouselExampleCaptions" class="carousel slide" data-bs-ride="false">
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="0"
      class="active" aria-current="true" aria-label="Slide 1"></button>
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="1"
      aria-label="Slide 2"></button>
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="2"
      aria-label="Slide 3"></button>
  </div>
  <div class="carousel-inner">
    <div class="carousel-item active">...
    </div>
    <div class="carousel-item">...
    </div>
    <div class="carousel-item">...
    </div>
  </div>
  <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleCaptions"
    data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
  </button>
  <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleCaptions"
    data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
  </button>
</div>
```



設定輪播時間

```

<div id="carouselExampleCaptions" class="carousel slide" data-bs-ride="carousel">
  <div class="carousel-indicators">
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="0"
      class="active" aria-current="true" aria-label="Slide 1"></button>
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="1"
      aria-label="Slide 2"></button>
    <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="2"
      aria-label="Slide 3"></button>
  </div>
  <div class="carousel-inner">
    <div class="carousel-item active" data-bs-interval="1000">...
  </div>
    <div class="carousel-item" data-bs-interval="1000">...
  </div>
    <div class="carousel-item" data-bs-interval="1000">...
  </div>
  </div>
  <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleCaptions"
    data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
  </button>
  <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleCaptions"
    data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
  </button>
</div>


```

2. Close button


```

<div class="col-12">
  <button type="button" class="btn-close" aria-label="Close"></button>
</div>
<div class="col-12">
  <button type="button" class="btn-close" disabled aria-label="Close"></button>
</div>
<div class="col-12 bg-secondary">
  <button type="button" class="btn-close btn-close-white" aria-label="Close"></button>
  <button type="button" class="btn-close btn-close-white" disabled aria-label="Close"></button>
</div>

```



3. Collapse



```

<p>
  <a class="btn btn-primary" data-bs-toggle="collapse" href="#collapseExample" role="button" aria-expanded="false"
    aria-controls="collapseExample">
    Link with href
  </a>
  <button class="btn btn-primary" type="button" data-bs-toggle="collapse" data-bs-target="#collapseExample"
    aria-expanded="false" aria-controls="collapseExample">
    Button with data-bs-target
  </button>
</p>
<div class="collapse" id="collapseExample">
  <div class="card card-body">
    Some placeholder content for the collapse component. This panel is hidden by default but revealed when the user
    activates the relevant trigger.
  </div>
</div>

```

Multiple targets

```

<p>
  <a class="btn btn-primary" data-bs-toggle="collapse" href="#multiCollapseExample1" role="button"
    aria-expanded="false" aria-controls="multiCollapseExample1">Toggle first element</a>
  <button class="btn btn-primary" type="button" data-bs-toggle="collapse"
    data-bs-target="#multiCollapseExample2" aria-expanded="false"
    aria-controls="multiCollapseExample2">Toggle second element</button>
  <button class="btn btn-primary" type="button" data-bs-toggle="collapse"
    data-bs-target=".multi-collapse" aria-expanded="false"
    aria-controls="multiCollapseExample1 multiCollapseExample2">Toggle both elements</button>
</p>
<div class="row">
  <div class="col">
    <div class="collapse multi-collapse" id="multiCollapseExample1">
      <div class="card card-body">
        Some placeholder content for the first collapse component of this multi-collapse
        example. This panel is
        hidden by default but revealed when the user activates the relevant trigger.
      </div>
    </div>
  </div>
  <div class="col">
    <div class="collapse multi-collapse" id="multiCollapseExample2">
      <div class="card card-body">
        Some placeholder content for the second collapse component of this multi-collapse
        example. This panel is
        hidden by default but revealed when the user activates the relevant trigger.
      </div>
    </div>
  </div>
</div>

```

Toggle first element

Toggle second element

Toggle both elements

Some placeholder content for the first collapse component of this multi-collapse example. This panel is hidden by default but revealed when the user activates the relevant trigger.


Some placeholder content for the second collapse component of this multi-collapse example. This panel is hidden by default but revealed when the user activates the relevant trigger.

4. Dropdowns


```

<div class="row my-2" style="height: 300px">
  <div class="dropdown">
    <button class="btn btn-secondary dropdown-toggle" type="button" data-bs-toggle="dropdown"
      aria-expanded="false">
      Dropdown button
    </button>
    <ul class="dropdown-menu">
      <li><a class="dropdown-item" href="#">Action</a></li>
      <li><a class="dropdown-item" href="#">Another action</a></li>
      <li><a class="dropdown-item" href="#">Something else here</a></li>
    </ul>
  </div>
</div>

```




dropup dropstart dropend

```

<div class="row my-2" style="height: 200px">
  <div class="col-2">
    <div class="btn-group dropup">
      <button type="button" class="btn btn-secondary dropdown-toggle" data-bs-toggle="dropdown"
        aria-expanded="false">
        Dropstart
      </button>
      <ul class="dropdown-menu dropdown-menu-dark">
        <li><a class="dropdown-item active" href="#">Action</a></li>
        <li><a class="dropdown-item" href="#">Another action</a></li>
        <li><a class="dropdown-item" href="#">Something else here</a></li>
        <li>
          <hr class="dropdown-divider">
        </li>
        <li><a class="dropdown-item" href="#">Separated link</a></li>
      </ul>
    </div>
  </div>
</div>

```



5. List group

Basic example

```
<div class="row my-5">
  <div class="col-5">
    <ul class="list-group">
      <li class="list-group-item">An item</li>
      <li class="list-group-item">A second item</li>
      <li class="list-group-item">A third item</li>
      <li class="list-group-item">A fourth item</li>
      <li class="list-group-item">And a fifth one</li>
    </ul>
  </div>
</div>
```

An item
A second item
A third item
A fourth item
And a fifth one

Links

```
<div class="row my-5">
  <div class="col-5">
    <div class="list-group">
      <a href="#" class="list-group-item list-group-item-action active" aria-current="true">
        The current link item
      </a>
      <a href="#" class="list-group-item list-group-item-action">A second link item</a>
      <a href="#" class="list-group-item list-group-item-action">A third link item</a>
      <a href="#" class="list-group-item list-group-item-action">A fourth link item</a>
      <a class="list-group-item list-group-item-action disabled">A disabled link item</a>
    </div>
  </div>
</div>
```

The current link item
A second link item
A third link item
A fourth link item
A disabled link item

結合badge

```
<div class="row my-5">
  <div class="col-5">
    <ol class="list-group list-group-numbered">
      <li class="list-group-item d-flex justify-content-between align-items-start">
        <div class="ms-2 me-auto">
          <div class="fw-bold">Subheading</div>
          Content for list item
        </div>
        <span class="badge bg-primary rounded-pill">14</span>
      </li>
      <li class="list-group-item d-flex justify-content-between align-items-start">
        <div class="ms-2 me-auto">
          <div class="fw-bold">Subheading</div>
          Content for list item
        </div>
        <span class="badge bg-primary rounded-pill">14</span>
      </li>
      <li class="list-group-item d-flex justify-content-between align-items-start">
        <div class="ms-2 me-auto">
          <div class="fw-bold">Subheading</div>
          Content for list item
        </div>
        <span class="badge bg-primary rounded-pill">14</span>
      </li>
    </ol>
  </div>
</div>
```

1. Subheading Content for list item	14
2. Subheading Content for list item	14
3. Subheading Content for list item	14

list group to create tabbable panes of local content

```

<div class="row">
  <div class="col-4">
    <div class="list-group" id="list-tab" role="tablist">
      <a class="list-group-item list-group-item-action active" id="list-home-list"
        data-bs-toggle="list" href="#list-home" role="tab" aria-controls="list-home">Home</a>
      <a class="list-group-item list-group-item-action" id="list-profile-list"
        data-bs-toggle="list" href="#list-profile" role="tab"
        aria-controls="list-profile">Profile</a>
      <a class="list-group-item list-group-item-action" id="list-messages-list"
        data-bs-toggle="list" href="#list-messages" role="tab"
        aria-controls="list-messages">Messages</a>
      <a class="list-group-item list-group-item-action" id="list-settings-list"
        data-bs-toggle="list" href="#list-settings" role="tab"
        aria-controls="list-settings">Settings</a>
    </div>
  </div>
  <div class="col-8">
    <div class="tab-content" id="nav-tabContent">
      <div class="tab-pane fade show active" id="list-home" role="tabpanel"
        aria-labelledby="list-home-list">AAAAAA</div>
      <div class="tab-pane fade" id="list-profile" role="tabpanel"
        aria-labelledby="list-profile-list">BBBBBBBBBB</div>
      <div class="tab-pane fade" id="list-messages" role="tabpanel"
        aria-labelledby="list-messages-list">CCCCCCC</div>
      <div class="tab-pane fade" id="list-settings" role="tabpanel"
        aria-labelledby="list-settings-list">DDDDDD</div>
    </div>
  </div>
</div>

```

