

Theoretical Foundations of Buffer Stock Saving

January 18, 2022

Christopher D. Carroll¹

Abstract

This paper builds foundations for rigorous and intuitive understanding of ‘buffer stock’ saving models (Bewley (1977)-like models with a wealth target), pairing each theoretical result with quantitative illustrations. After describing conditions under which a consumption function exists, the paper articulates stricter ‘Growth Impatience’ conditions that guarantee alternative forms of stability — either at the population level, or for individual consumers. Together, the numerical tools and analytical results constitute a comprehensive toolkit for understanding buffer stock models.

Keywords Precautionary saving, buffer stock saving, marginal propensity to consume, permanent income hypothesis, income fluctuation problem

JEL codes D81, D91, E21

Powered by Econ-ARK

REMARK: <https://econ-ark.org/materials/bufferstocktheory>
Dashboard: Click ‘Launch Dashboard’ Button
html: <https://econ-ark.github.io/BufferStockTheory/>
PDF: <https://econ-ark.github.io/BufferStockTheory/LaTeX/BufferStockTheory.pdf>
Slides: <https://econ-ark.github.io/BufferStockTheory/LaTeX/BufferStockTheory-Slides.pdf>
GitHub: <https://github.com/econ-ark/BufferStockTheory>

The paper’s results can be automatically reproduced using the Econ-ARK toolkit by executing the notebook; for reference to the toolkit itself see Acknowledging Econ-ARK. Thanks to the Consumer Financial Protection Bureau for funding the original creation of the Econ-ARK toolkit; and to the Sloan Foundation for funding Econ-ARK’s extensive further development that brought it to the point where it could be used for this project. The toolkit can be cited with its digital object identifier, <https://doi.org/10.5281/zenodo.1001067>, as is done in the paper’s own references as Carroll, Kaufman, Kazil, Palmer, and White (2018). Thanks to Will Du, James Feigenbaum, Joseph Kaboski, Miles Kimball, Qingyin Ma, Misuzu Otsuka, Damiano Sandri, John Stachurski, Adam Szeidl, Alexis Akira Toda, Metin Uyanik, Mateo Velásquez-Giraldo, Weifeng Wu, Jiaxiong Yao, and Xudong Zheng for comments on earlier versions of this paper, John Boyd for help in applying his weighted contraction mapping theorem, Ryoji Hiraguchi for extraordinary mathematical insight that improved the paper greatly, David Zervos for early guidance to the literature, and participants in a seminar at the Johns Hopkins University, a presentation at the 2009 meetings of the Society of Economic Dynamics for their insights, and at a presentation at the Australian National University.

¹Contact: ccarroll1@jhu.edu, Department of Economics, 590 Wyman Hall, Johns Hopkins University, Baltimore, MD 21218, <https://www.econ2.jhu.edu/people/ccarroll>, and National Bureau of Economic Research.

1	Introduction	1
2	The Problem	2
2.1	Setup	2
2.2	Comparison to Existing Literature	4
2.3	The Problem Can Be Normalized By Permanent Income	5
2.4	Definition of a Nondegenerate Solution	6
2.5	Perfect Foresight Benchmarks	6
2.5.1	The Finite Human Wealth Condition	6
2.5.2	The Return Impatience Condition	7
2.5.3	Nondegenerate PF Unconstrained Solution Requires FHWC	8
2.5.4	The Growth Impatience Condition (GIC)	8
2.5.5	Perfect Foresight Finite Value of Autarky Condition PFFVAC	8
2.5.6	PF Constrained Solution Exists Under RIC or $\{\text{RIC}, \text{GIC}\}$	9
2.6	Uncertainty-Modified Conditions	11
2.6.1	A Normalized Growth Impatience Condition (GIC-Nrm)	11
2.6.2	The Finite Value of Autarky Condition (FVAC)	12
2.7	The Baseline Numerical Solution	13
2.8	Concave Consumption Function Characteristics	13
2.9	Bounds for the Consumption Functions	15
2.9.1	The Weak RIC Condition (WRIC)	15
2.10	The Problem Is a Contraction Mapping Under WRIC and FVAC	16
2.11	The Liquidity Constrained Solution as a Limit	17
2.12	Relations Between Parametric Restrictions	18
2.12.1	When the RIC Fails	20
2.12.2	When the RIC Holds	21
3	Analysis of the Converged Consumption Function	22
3.1	Limits as m Approaches Infinity	22
3.2	Limits as m Approaches Zero	26
3.3	Unique ‘Stable’ Points	27
3.3.1	‘Individual Target Wealth’ \hat{m}	27
3.3.2	Individual Balanced-Growth ‘pseudo steady state’ \tilde{m}	28
3.4	Example With Balanced-Growth \tilde{m} But No Target \hat{m}	29
4	Invariant Relationships	30
4.1	Individual Balanced Growth of Income, Consumption, and Wealth	31
4.2	Aggregate Balanced Growth and Idiosyncratic Covariances	32
4.3	Implications for Microfoundations	33
4.4	Mortality Yields Invariance	34
5	Conclusions	35

Appendices	36
A Perfect Foresight Liquidity Constrained Solution	36
A.1 If GIC Fails	36
A.2 If GIC Holds	37
A.2.1 If FHWC Holds	38
A.2.2 If FHWC Fails	39
B Existence of Concave c Function	41
C $c_t(m)$ is Twice Continuously Differentiable	43
D \mathcal{T} Is a Contraction Mapping	43
D.1 \mathcal{T} and v	45
E Convergence in Euclidian Space	46
E.1 Convergence of v_t	46
E.2 Convergence of c_t	47
F Equality of c and p Growth with Transitory Shocks	47
G The Limiting MPC's	48
H The Perfect Foresight Liquidity Constrained Solution as a Limit	50
I Endogenous Gridpoints Solution Method	52
J The Terminal/Limiting Consumption Function	53
K Relational Diagrams for the Inequality Conditions	55
K.1 The Unconstrained Perfect Foresight Model	55
L When Is Consumption Growth Declining in m?	58
M Unique, Stable Target and Steady State Points	60
M.1 Proof of Theorem 2	60
M.2 Existence and Continuity of $\mathbb{E}_t[m_{t+1}/m_t]$	60
M.3 Existence of a point where $\mathbb{E}_t[m_{t+1}/m_t] = 1$	60
M.3.1 Existence of m where $\mathbb{E}_t[m_{t+1}/m_t] < 1$	61
M.3.2 Existence of $m > 1$ where $\mathbb{E}_t[m_{t+1}/m_t] > 1$	61
M.3.3 $\mathbb{E}_t[m_{t+1}] - m_t$ is monotonically decreasing.	61
M.4 Proof of Theorem 3	62
M.4.1 Existence and Continuity of the Ratio	62
M.4.2 Existence of a stable point	63
M.4.3 $\mathbb{E}_t[\Psi_{t+1}m_{t+1}] - m_t$ is monotonically decreasing.	63
M.5 A Third Measure	64

M.6	Proof of Lemma	65
M.6.1	Pseudo-Steady-State m Is Smaller than Target m	65
M.6.2	The m Achieving Individual Expected-Log-Balanced-Growth Is Smaller than the Individual Pseudo-Steady-State m	65
N	Apparent Balanced Growth in \mathbf{c} and $\text{cov}(c, \mathbf{p})$	66
N.1	$\log c$ and $\log(\text{cov}(c, \mathbf{p}))$ Grow Linearly	66
O	Harmenberg's Method	67

List of Figures

1	Perfect Foresight Relation of GIC, FHWC, RIC, and PFFVAC	10
2	Convergence of the Consumption Rules	14
3	Relation of All Inequality Conditions	20
4	‘Stable’ (Target; Balanced Growth) m Values	24
5	Limiting MPC’s	25
6	Upper and Lower Bounds on the Consumption Function	26
7	$\{\text{FVAC}, \text{GIC}, \text{GIC-Nrm}\}$: No Target Exists But SS Does	29
8	Nondegenerate Consumption Function with FHWC and RIC	41
9	Inequality Conditions for Perfect Foresight Model	55
10	Relation of GIC, FHWC, RIC, and PFFVAC	57
11	Relation of All Inequality Conditions	58
12	Numerical Relation of All Inequality Conditions	59
13	$\log \mathbf{c}$ Appears to Grow Linearly	67
14	$\log (-\text{cov}(c, \mathbf{p}))$ Appears to Grow Linearly	67

List of Tables

1	Microeconomic Model Calibration	12
2	Model Characteristics Calculated from Parameters	14
3	Definitions and Comparisons of Conditions	19
4	Sufficient Conditions for Nondegenerate [‡] Solution	23
5	Taxonomy of Perfect Foresight Liquidity Constrained Model Outcomes	76

1 Introduction

In the presence of realistic transitory and permanent shocks to income *a la* Friedman (1957) and Muth (1960), only one further ingredient is required to construct a microeconomically testable model of consumption: A description of preferences. Zeldes (1989) was the first to calibrate a quantitatively plausible example, spawning a literature showing that such models' predictions can match household life cycle data reasonably well, whether or not explicit liquidity constraints are imposed.¹

A connected literature, starting with Bewley (1977), has derived limiting properties of related infinite-horizon problems – but only in models more complex than the Friedman-Muth case with just shocks and preferences, because standard contraction mapping theorems (from Bellman (1957) through Stokey et al. (1989) and beyond) cannot be applied when utility and/or marginal utility are unbounded. Many proof methods also rule out permanent shocks *a la* Friedman (1957) and Muth (1960).²

This paper's first contribution is to articulate conditions under which the infinite-horizon Friedman-Muth(-Zeldes) problem (without complications like a consumption floor or liquidity constraints) defines a contraction mapping whose limit is *useful* (neither zero nor ∞ everywhere) as the horizon recedes. A '*Finite Value of Autarky Condition*' is mostly sufficient (the '*Weak Return Impatience Condition*'³ is unlikely to bind). Because the infinite-horizon solution is the limit of finite-horizon recursions, many intermediate results are also applicable to finite-horizon problems.

But the main theoretical contribution is to identify, for the infinite-horizon case, conditions under which 'stable' points exist (wealth will move toward a 'target'; alternatively, there is a 'balanced growth' equilibrium) either for individual consumers or for the aggregate. The requirement for stability is always that the model's parameters satisfy a 'Growth Impatience Condition' whose details depend on the quantity whose stability is of interest. A model with any such stable point(s) qualifies as a 'buffer stock' model.⁴

Even without a formal proof of its existence, buffer stock saving has been intuitively understood to underlie key results in heterogeneous agent macroeconomics; for example, the logic of target saving is central to the claim by Krueger, Mitman, and Perri (2016) in the *Handbook of Macroeconomics* that such models explain why, during the Great Recession, middle-class consumers cut their spending more than the poor or the rich. Theory below provides the rigorous basis for this claim: Learning that the future has become more uncertain does not change the urgent imperatives of the poor (their high $u'(c)$ means they — optimally — have little room to maneuver). And, increased labor income uncertainty does not much change the behavior of the rich because it poses

¹See Carroll (1997) or Gourinchas and Parker (2002) for arguments that models with only 'natural' constraints (see below) match a wide variety of facts; for a model with explicit constraints that produces very similar results, see, e.g. Cagetti (2003).

²See the fuller discussion at the end of Section 2.1.

³This is a generalization of a condition in Ma, Stachurski, and Toda (2020).

⁴Buffer stock models are neither a subset nor a superset of Bewley (1977) models. But closed economies in which capital accumulation is limited by declining marginal productivity are always 'buffer stock' economies – the declining marginal product of capital guarantees that a Growth Impatience Condition will hold in equilibrium (see below). Less obvious applications are to populations (or economies) whose marginal saving behavior does not determine the relevant interest rate, or in which the marginal product of capital does not fall as capital is accumulated (again, see below).

little risk to their consumption. Only people in the middle have both the motivation and the wiggle-room to respond to uncertainty by substantially reducing their spending. Analytical derivations required for the proofs also explain many other results familiar from the numerical literature.

The paper begins by describing sufficient conditions for the problem to define a **sensible** (nondegenerate) limiting consumption function (while explaining how the model relates to those previously considered). The conditions are interestingly parallel to those required for the **liquidity constrained perfect foresight model**; that parallel is explored and explained. The limiting properties of the consumption function as resources approach infinity, and as they approach their lower bound, are then used to prove the contraction mapping theorem.

The next theoretical contribution is to show that a model with an ‘artificial’ liquidity constraint (it prohibits borrowing by consumers who could certainly repay) is a limiting case of the unconstrained model. The analytical appeal of the unconstrained model is that it is both mathematically convenient (the consumption function is twice continuously differentiable), and arbitrarily close (cf. Section 2.11) to less tractable models. This congenial environment makes proofs easier (if we define a proposition as holding (in the limit) when it holds as the horizon extends to infinity).

In proving the remaining theorems, the **next section** examines key properties of the model. First, **as cash approaches infinity** the expected growth rate of consumption and the marginal propensity to consume (MPC) converge to their values in the perfect foresight case. Second, **as cash approaches zero** the expected growth rate of consumption approaches infinity, and the MPC approaches a simple analytical limit. Next, the central theorems articulate conditions under which different measures of ‘growth impatience’ imply conclusions about points of stability (‘target’ or ‘balanced growth’ points).

The final section elaborates the conditions under which, even with a fixed aggregate interest rate that differs from the time preference rate, a small open economy populated by buffer stock consumers has a balanced growth equilibrium in which growth rates of consumption, income, and wealth match the exogenous growth rate of permanent income (equivalent, here, to productivity growth). In the terms of **Schmitt-Grohé and Uribe (2003)**, buffer stock saving is an appealing method of ‘closing’ a small open economy, because it requires no ad-hoc assumptions. Not even liquidity constraints.⁵

2 The Problem

2.1 Setup

The infinite horizon solution is the (limiting) first-period solution to a sequence of finite-horizon problems as the horizon (the last period of life) becomes arbitrarily distant.

That is, for the value function, fixing a terminal date T , we are interested in \mathbf{v}_{T-n} in the sequence of value functions $\{\mathbf{v}_T, \mathbf{v}_{T-1}, \dots, \mathbf{v}_{T-n}\}$. We will say that the problem

⁵The paper’s insights are instantiated in the **Econ-ARK** toolkit, whose **buffer stock saving module** flags parametric choices under which a problem is degenerate or under which stable ratios of wealth to income may not exist.

2.1 Setup

has a ‘nondegenerate’ infinite horizon solution if, corresponding to that \mathbf{v} , as $n \uparrow \infty$ there is a limiting consumption function $c(m) = \lim_{n \uparrow \infty} c_{T-n}$ which is neither $c(m) = 0$ everywhere (for all m) nor $c(m) = \infty$ everywhere (a ‘sensible’ solution).

Concretely, a consumer born n periods before date T solves the problem⁶

$$\mathbf{v}_{T-n} = \max \mathbb{E}_t \left[\sum_{i=0}^n \beta^i u(\mathbf{c}_{t+i}) \right]$$

where the Constant Relative Risk Aversion (CRRA) utility function

$$u(\bullet) = \bullet^{1-\rho} / (1-\rho)$$

exhibits relative risk aversion $\rho > 1$.⁷ The consumer’s initial condition is defined by market resources \mathbf{m}_t and permanent noncapital income \mathbf{p}_t , which both are positive,

$$\{\mathbf{p}_t, \mathbf{m}_t\} \in (0, \infty), \quad (1)$$

and the consumer cannot die in debt,

$$\mathbf{c}_T \leq \mathbf{m}_T. \quad (2)$$

In the usual exposition, a dynamic budget constraint (DBC) combines several distinct events that jointly determine next period’s \mathbf{m} (given this period’s choices); for the detailed analysis here, we disarticulate and describe every separate step:

$$\begin{aligned} \mathbf{a}_t &= \mathbf{m}_t - \mathbf{c}_t \\ \mathbf{k}_{t+1} &= \mathbf{a}_t \\ \mathbf{b}_{t+1} &= \mathbf{k}_{t+1} \mathbf{R} \\ \mathbf{p}_{t+1} &= \mathbf{p}_t \underbrace{\Phi \Psi_{t+1}}_{\equiv \Phi_{t+1}} \\ \mathbf{m}_{t+1} &= \mathbf{b}_{t+1} + \mathbf{p}_{t+1} \xi_{t+1}, \end{aligned}$$

where \mathbf{a}_t measures the consumer’s assets at the end of t , which translate one-for-one into capital \mathbf{k}_{t+1} at the beginning of the next period. Before the consumption choice, \mathbf{k}_{t+1} is augmented by a fixed interest factor $\mathbf{R} = (1+r)$ to become \mathbf{b}_{t+1} – the consumer’s financial (‘bank’) balances before next period’s consumption choice;⁸ \mathbf{m}_{t+1} (‘market resources’) is the sum of financial wealth \mathbf{b}_{t+1} and noncapital income $\mathbf{p}_{t+1} \xi_{t+1}$ (permanent noncapital income \mathbf{p}_{t+1} multiplied by the transitory-income-shock factor ξ_{t+1} described below). \mathbf{p}_{t+1} is derived from \mathbf{p}_t via application of growth factor Φ , modified by a mean-one iid shock Ψ_{t+1} , $\mathbb{E}_t[\Psi_{t+n}] = 1 \ \forall \ n \geq 1$ satisfying $\Psi \in [\underline{\Psi}, \bar{\Psi}]$ for $0 < \underline{\Psi} \leq 1 \leq \bar{\Psi} < \infty$ (and $\underline{\Psi} = \bar{\Psi} = 1$ is the degenerate case with no permanent shocks).

Following Zeldes (1989), in future periods $t+n \ \forall \ n \geq 1$ there is a small probability \wp

⁶Notation throughout follows guidelines specified for the Econ-ARK toolkit; see [Notation in the ARK](#) for rationales and details. (Consequently, there is an exact mapping between objects in the paper and objects in the code.)

⁷The main results also hold for logarithmic utility which is the limit as $\rho \rightarrow 1$ but incorporating the logarithmic special case in the proofs is omitted because it would be cumbersome.

⁸Allowing a stochastic interest factor is straightforward but adds little insight for our purposes; however, see Benhabib, Bisin, and Zhu (2015), Ma and Toda (2020), and Ma, Stachurski, and Toda (2020) for the implications of capital income risk for the distribution of wealth and other interesting questions not considered here.

2.2 Comparison to Existing Literature

that income will be zero (a ‘zero-income event’),

$$\xi_{t+n} = \begin{cases} 0 & \text{with probability } \wp > 0 \\ \theta_{t+n}/(1 - \wp) & \text{with probability } (1 - \wp) \end{cases} \quad (3)$$

where θ_{t+n} is an iid mean-one random variable ($\mathbb{E}_t[\theta_{t+n}] = 1 \forall n > 0$) whose distribution satisfies $\theta \in [\underline{\theta}, \bar{\theta}]$ where $0 < \underline{\theta} \leq 1 \leq \bar{\theta} < \infty$.⁹ Call the cumulative distribution functions \mathcal{F}_Ψ and \mathcal{F}_θ (where \mathcal{F}_ξ is derived trivially from (3) and \mathcal{F}_θ). For quick identification in tables and graphs, we will call this the ‘Friedman/Muth’ model because it is a specific implementation of Friedman (1957)’s ideas as interpreted by Muth (1960).

The model looks more special than it is. In particular, a positive probability of zero-income events may seem objectionable (despite empirical support).¹⁰ But a nonzero minimum value of ξ (motivated, say, by the existence of unemployment insurance) could be handled by capitalizing the PDV of minimum income into current market assets,¹¹ transforming that model back into this one. And no key results would change if the transitory shocks were persistent but mean-reverting (instead of IID). Also, the assumption of a positive point mass for the worst realization of the transitory shock is inessential, but simplifies the proofs and is a powerful aid to intuition.

2.2 Comparison to Existing Literature

This model differs from Bewley’s (1977) classic formulation in several ways. The CRRA utility function does not satisfy Bewley’s assumption that $u(0)$ is well-defined, or that $u'(0)$ is well-defined and finite; indeed, neither the value function nor the marginal value function will be bounded. It differs from Schectman and Escudero (1977) in that they impose liquidity constraints and positive minimum income. It differs from both of these in that it permits permanent growth in income, and also permanent shocks to income, which a large empirical literature finds to be of dominant importance in microdata.¹² It differs from Deaton (1991) because liquidity constraints are absent; there are separate transitory and permanent shocks (*a la* Muth (1960)); and the transitory shocks here can occasionally cause income to reach zero.

It differs from models found in Stokey et. al. (1989) because neither liquidity constraints nor bounds on utility or marginal utility are imposed.^{13,14} Li and Stachurski (2014) show how to allow unbounded returns by using policy function iteration, but also impose constraints.

⁹Rabault (2002) and Li and Stachurski (2014) analyze cases where the shock processes have unbounded support.

¹⁰We calibrate this probability to 0.005 to match data from the Panel Study of Income Dynamics (Carroll (1992)).

¹¹So long as unemployment benefits are proportional to \mathbf{p}_t ; see the discussion in Section 2.12.

¹²MaCurdy (1982); Abowd and Card (1989); Carroll and Samwick (1997); Jappelli and Pistaferri (2000); et. seq. Much of the literature instead incorporates highly ‘persistent’ but not completely permanent shocks, but Daly, Hryshko, and Manovskii (2016) show that when measurement problems are handled correctly, admin data yield serial correlation coefficients 0.98 – 1.00; and Hryshko and Manovskii (2020) suggests that survey data support the same conclusion.

¹³Similar restrictions are made in the well known papers by Scheinkman and Weiss (1986), Clarida (1987), and Chamberlain and Wilson (2000). See Toche (2005) for elegant analysis of a related but simpler continuous- t model.

¹⁴Alvarez and Stokey (1998) relaxed the bounds on the return function, but they address only the deterministic case.

2.3 The Problem Can Be Normalized By Permanent Income

The paper with perhaps the most commonalities is Ma, Stachurski, and Toda (2020), henceforth MST, who establish the existence and uniqueness of a solution to a general income fluctuation problem in a Markovian setting. The most important differences are that MST impose liquidity constraints and that expected marginal utility of income is finite ($\mathbb{E}[u'(Y)] < \infty$). These assumptions are not consistent with the combination of CRRA utility and income dynamics used here, whose joint properties are key to the results.¹⁵

2.3 The Problem Can Be Normalized By Permanent Income

We establish a bit more notation by reviewing the familiar result that in such problems (CRRA utility, permanent shocks) the number of states can be reduced from two (\mathbf{m} and \mathbf{p}) to one ($m = \mathbf{m}/\mathbf{p}$). Value in the last period is $u(\mathbf{m}_T)$; using (in the last line in (4)) the fact that for our CRRA utility function, $u(xy) = x^{1-\rho}u(y)$, and generically defining nonbold variables as the boldface counterpart normalized by \mathbf{p}_t (as with $m = \mathbf{m}/\mathbf{p}$), consider the problem in the second-to-last period,

$$\begin{aligned} \mathbf{v}_{T-1}(\mathbf{m}_{T-1}, \mathbf{p}_{T-1}) &= \max_{c_{T-1}} u(\mathbf{p}_{T-1}c_{T-1}) + \beta \mathbb{E}_{T-1}[u(\mathbf{p}_T m_T)] \\ &= \mathbf{p}_{T-1}^{1-\rho} \left\{ \max_{c_{T-1}} u(c_{T-1}) + \beta \mathbb{E}_{T-1}[u(\Phi_T m_T)] \right\}. \end{aligned} \quad (4)$$

Now, in a one-time deviation from the notational convention established in the last sentence, define nonbold ‘normalized value’ not as $\mathbf{v}_t/\mathbf{p}_t$ but as $v_t = \mathbf{v}_t/\mathbf{p}_t^{1-\rho}$, because this allows us to exploit features of the related problem,

$$\begin{aligned} v_t(m_t) &= \max_{\{c\}_t^T} u(c_t) + \beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho} v_{t+1}(m_{t+1})] \\ &\text{s.t.} \\ a_t &= m_t - c_t \\ k_{t+1} &= a_t/\Phi_{t+1} \\ b_{t+1} &= k_{t+1}R = (R/\Phi_{t+1})a_t = \mathcal{R}_{t+1}a_t \\ m_{t+1} &= b_{t+1} + \xi_{t+1}, \end{aligned} \quad (5)$$

where $\mathcal{R}_{t+1} \equiv (R/\Phi_{t+1})$ is a ‘permanent-income-growth-normalized’ return factor, and the reformulated problem’s first order condition is¹⁶

$$c_t^{-\rho} = R\beta \mathbb{E}_t[\Phi_{t+1}^{-\rho} c_{t+1}^{-\rho}]. \quad (6)$$

¹⁵The incorporation of permanent shocks rules out application of the tools of Matkowski and Nowak (2011), who followed and corrected an error in the fundamental work on the local contraction mapping method developed in Rincón-Zapatero and Rodríguez-Palmero (2003). Martins-da Rocha and Vailakis (2010) provide a correction to Rincón-Zapatero and Rodríguez-Palmero (2003), that works under easier conditions to verify, but only addresses the deterministic case.

¹⁶Leaving aside their assumptions about the marginal utility function and liquidity constraints, it is tempting to view this as a special case of the model of MST, with our $\mathcal{R}_{t+1} = R/\Phi_{t+1}$ (defined below equation (5)) corresponding to their stochastic rate of return on capital and the VAF $\beta\Phi_{t+1}^{1-\rho}$ defined below (29) corresponding to their stochastic discount factor. A caveat is that, here, \mathcal{R}_{t+1} and the modified discount factor are intimately connected (through Φ_{t+1}), which has profound consequences; see below.

2.4 Definition of a Nondegenerate Solution

Since $v_T(m_T) = u(m_T)$, defining $v_{T-1}(m_{T-1})$ from (5), we obtain

$$\mathbf{v}_{T-1}(\mathbf{m}_{T-1}, \mathbf{p}_{T-1}) = \mathbf{p}_{T-1}^{1-\rho} \underbrace{v_{T-1}(\mathbf{m}_{T-1}/\mathbf{p}_{T-1})}_{=m_{T-1}}.$$

This logic induces to earlier periods; if we solve the normalized one-state-variable problem (5), we will have solutions to the original problem for any $t < T$ from:

$$\begin{aligned} \mathbf{v}_t(\mathbf{m}_t, \mathbf{p}_t) &= \mathbf{p}_t^{1-\rho} v_t(m_t), \\ \mathbf{c}_t(\mathbf{m}_t, \mathbf{p}_t) &= \mathbf{p}_t c_t(m_t). \end{aligned}$$

2.4 Definition of a Nondegenerate Solution

The problem has a nondegenerate solution if, as the horizon n gets arbitrarily large, the solution in the first period of life $c_{T-n}(m)$ gets arbitrarily close to a limiting $c(m)$:

$$c(m) \equiv \lim_{n \rightarrow \infty} c_{T-n}(m)$$

that satisfies

$$0 < c(m) < \infty \tag{7}$$

for every $0 < m < \infty$.

2.5 Perfect Foresight Benchmarks

The familiar analytical solution to the perfect foresight model, obtained by setting $\wp = 0$ and $\underline{\theta} = \bar{\theta} = \underline{\Psi} = \bar{\Psi} = 1$, allows us to define remaining notation and terminology.

2.5.1 The Finite Human Wealth Condition

The dynamic budget constraint, strictly positive marginal utility, and the can't-die-in-debt condition (2) imply an exactly-holding intertemporal budget constraint (IBC):

$$\text{PDV}_t^T(\mathbf{c}) = \underbrace{\mathbf{m}_t - \mathbf{p}_t}_{\mathbf{b}_t} + \underbrace{\text{PDV}_t^T(\mathbf{p})}_{\mathbf{h}_t}, \tag{8}$$

where \mathbf{b} is beginning-of-period ‘market’ balances; with $\mathcal{R} \equiv \mathbf{R}/\Phi$ ‘human wealth’ is

$$\begin{aligned} \mathbf{h}_t &= \mathbf{p}_t + \mathcal{R}^{-1} \mathbf{p}_t + \mathcal{R}^{-2} \mathbf{p}_t + \cdots + \mathcal{R}^{t-T} \mathbf{p}_t \\ &= \underbrace{\left(\frac{1 - \mathcal{R}^{-(T-t+1)}}{1 - \mathcal{R}^{-1}} \right) \mathbf{p}_t}_{\equiv \mathbf{h}_t}. \end{aligned} \tag{9}$$

For $h \equiv \lim_{n \rightarrow \infty} h_{T-n}$ to be finite, we need the **Finite Human Wealth Condition**:

$$\text{FHC: } \underbrace{\Phi/\mathbf{R}}_{\equiv \mathcal{R}^{-1}} < 1. \tag{10}$$

where we call Φ/R the ‘Finite Human Wealth Factor’ (FHWF) because if this factor is less than one human wealth will be finite because (noncapital) income growth is smaller than the interest rate at which that income is being discounted.

2.5.2 The Return Impatience Condition

Without constraints, the consumption Euler equation always holds; with $u'(\mathbf{c}) = \mathbf{c}^{-\rho}$,

$$\mathbf{c}_{t+1}/\mathbf{c}_t = \underbrace{(\mathbf{R}\beta)^{1/\rho}}_{\equiv \mathbf{P}} \quad (11)$$

where the archaic letter ‘**thorn**’ represents what we will call the ‘Absolute Patience Factor’ because, if the ‘absolute impatience condition’ holds,¹⁷

$$\text{AIC: } \mathbf{P} < 1, \quad (12)$$

the consumer’s level of spending will be too large to sustain indefinitely. We call such a consumer ‘absolutely impatient.’

A ‘Return Patience Factor’ relates absolute patience to the return factor:

$$\text{RPF: } \mathbf{P}_R \equiv \mathbf{P}/R \quad (13)$$

and since consumption is growing by \mathbf{P} but discounted by R :

$$\text{PDV}_t^T(\mathbf{c}) = \left(\frac{1 - \mathbf{P}_R^{T-t+1}}{1 - \mathbf{P}_R} \right) \mathbf{c}_t$$

from which the IBC (8) implies

$$\mathbf{c}_t = \overbrace{\left(\frac{1 - \mathbf{P}_R}{1 - \mathbf{P}_R^{T-t+1}} \right)}^{\equiv \kappa_t} (\mathbf{b}_t + \mathbf{h}_t) \quad (14)$$

defining a normalized finite-horizon perfect foresight consumption function:

$$\bar{\mathbf{c}}_{T-n}(m_{T-n}) = \overbrace{(m_{T-n} - 1 + h_{T-n})}^{\equiv b_{T-n}} \underline{\kappa}_{T-n}$$

where $\underline{\kappa}_t$ is the marginal propensity to consume (MPC) — answering the question ‘if the consumer had an extra unit of resources, how much more spending would occur?’ (The overbar signifies that $\bar{\mathbf{c}}$ will be an upper bound as we modify the problem to incorporate constraints and uncertainty; analogously, $\underline{\kappa}$ is the MPC’s lower bound).

The horizon-exponentiated term in the denominator of (14) is why, for $\underline{\kappa}$ to be strictly positive as $n = T - t$ goes to infinity, we must impose the Return Impatience Condition:

$$\text{RIC: } \mathbf{P}_R < 1, \quad (15)$$

¹⁷Impatience conditions have figured in intertemporal optimization problems since the beginning, e.g. in Ramsey (1928). These issues are so central that it would be hopeless to attempt to cite conditions in every other paper that correspond to conditions named and briefly exposted here. I make no claim to novelty for any condition aside from those implicated in my theorems, whose forerunners *will* be articulated.

2.5 Perfect Foresight Benchmarks

so that

$$0 < \underline{\kappa} \equiv 1 - \mathbf{P}_R = \lim_{n \rightarrow \infty} \underline{\kappa}_{T-n}. \quad (16)$$

The **RIC** thus implies that the consumer cannot be so pathologically patient as to wish, in the limit as the horizon approaches infinity, to spend nothing today out of an increase in current wealth (the **RIC** rules out the degenerate limiting solution $\bar{c}(m) = 0$). We call a consumer who satisfies the **RIC** ‘return impatient.’

2.5.3 Nondegenerate PF Unconstrained Solution Requires FHC

Given that the **RIC** holds, and (as before) defining limiting objects by the absence of a time subscript, the limiting upper bound consumption function will be

$$\bar{c}(m) = (m + h - 1)\underline{\kappa}, \quad (17)$$

and so in order to rule out the degenerate limiting solution $\bar{c}(m) = \infty$ we need h to be finite; that is, we must impose the Finite Human Wealth Condition (**FHC**), eq. (10).

2.5.4 The Growth Impatience Condition (GIC)

By analogy to the **RPF**, we define a ‘growth patience factor’ as

$$\text{GPF: } \mathbf{P}_\Phi = \mathbf{P}/\Phi, \quad (18)$$

which defines a ‘growth impatience condition’:

$$\text{GIC: } \mathbf{P}_\Phi < 1. \quad (19)$$

2.5.5 Perfect Foresight Finite Value of Autarky Condition PFFVAC

Under ‘autarky,’ capital markets do not exist; the consumer has no choice but to spend permanent noncapital income \mathbf{p} in every period. Because $u(xy) = x^{1-\rho}u(y)$, the value the consumer would achieve is

$$\begin{aligned} \mathbf{v}_t^{\text{autarky}} &= u(\mathbf{p}_t) + \beta u(\mathbf{p}_t \Phi) + \beta^2 u(\mathbf{p}_t \Phi^2) + \dots \\ &= u(\mathbf{p}_t) \left(\frac{1 - (\beta \Phi^{1-\rho})^{T-t+1}}{1 - \beta \Phi^{1-\rho}} \right) \end{aligned}$$

which (for $\Phi > 0$) asymptotes to a finite number as $n = T - t$ approaches $+\infty$ if any of these equivalent conditions holds:

$$\begin{aligned} \text{PF-FVAC: } & \overbrace{\beta \Phi^{1-\rho}}^{\equiv \mathcal{R}} < 1 \\ & \beta \mathbf{R} \Phi^{-\rho} < \mathbf{R}/\Phi \equiv \mathcal{R} \\ & \mathbf{P}_R < \mathcal{R}^{1-1/\rho}, \end{aligned} \quad (20)$$

where we call \beth ¹⁸ the ‘Perfect Foresight Value Of Autarky Factor’ (PF-VAF), and the variants of (20) constitute alternative versions of the **Perfect Foresight Finite Value of Autarky Condition**; they guarantee that a perfect-foresight consumer who always spends all permanent income has ‘finite autarky value.’¹⁹

If the **FHWC** is satisfied, the **PF-FVAC** implies that the **RIC** is satisfied.²⁰ Likewise, if the **FHWC** and the **GIC** are both satisfied, **PF-FVAC** follows:

$$\begin{aligned} \beth &< \Phi < R \\ \beth_R &< \Phi/R < (\Phi/R)^{1-1/\rho} < 1 \end{aligned} \tag{22}$$

(the last line holds because **FHWC** $\Rightarrow 0 \leq (\Phi/R) < 1$ and $\rho > 1 \Rightarrow 0 < 1 - 1/\rho < 1$).

The first panel of Table 4 summarizes: The PF-Unconstrained model has a nondegenerate limiting solution if we impose the **RIC** and **FHWC** (these conditions are necessary as well as sufficient). Together the **PF-FVAC** and the **FHWC** imply the **RIC**. If we impose the **GIC** and the **FHWC**, both the **PF-FVAC** and the **RIC** follow, so **GIC+FHWC** are also sufficient. But there are circumstances under which the **RIC** and **FHWC** can hold while the **PF-FVAC** fails (**PF-FVAC**). For example, if $\Phi = 0$, the problem is a standard ‘cake-eating’ problem with a nondegenerate solution under the **RIC** (when the consumer has access to capital markets).

Possibly the easiest way to grasp the relations among these conditions is by studying Figure 1. Each node represents a quantity defined above. The arrow associated with each inequality imposes that condition. For example, one way we wrote the **PF-FVAC** in equation (20) is $\beth < R^{1/\rho}\Phi^{1-1/\rho}$, so imposition of the **PF-FVAC** is captured by the diagonal arrow connecting \beth and $R^{1/\rho}\Phi^{1-1/\rho}$. Traversing the boundary of the diagram clockwise starting at \beth involves imposing first the **GIC** then the **FHWC**, and the consequent arrival at the bottom right node tells us that these two conditions jointly imply the **PF-FVAC**. Reversal of a condition reverses the arrow’s direction; so, for example, the bottom-most arrow going to $R^{1/\rho}\Phi^{1-1/\rho}$ imposes **FHWC**; but we can cancel the cancellation and reverse the arrow. This would allow us to traverse the diagram in a clockwise direction from \beth through Φ to $R^{1/\rho}\Phi^{1-1/\rho}$ to R , revealing that imposition of **GIC** and **FHWC** (and, redundantly, **FHWC** again) let us conclude that the **RIC** holds because the starting point is \beth and the endpoint is R . (Consult Appendix K for an exposition of diagrams of this type, which are a simple application of Category Theory Riehl (2017)).

2.5.6 PF Constrained Solution Exists Under RIC or {~~RIC~~, GIC}

We next sketch the perfect foresight constrained solution because it defines a benchmark (and limit) for the unconstrained problem with uncertainty (our ultimate interest).

¹⁸This is another kind of discount factor, so we use the Hebrew ‘bet’ which is a cognate of the Greek ‘beta’.

¹⁹This is related to the key impatience condition in Alvarez and Stokey (1998).

²⁰Divide both sides of the second inequality in (20) by R :

$$\beth/R < (\Phi/R)^{1-1/\rho} \tag{21}$$

and **FHWC** \Rightarrow the RHS is < 1 because $(\Phi/R) < 1$ (and the RHS is raised to a positive power (because $\rho > 1$)).



Figure 1 Perfect Foresight Relation of GIC, FHW, RIC, and PFFVAC

An arrowhead points to the larger of the two quantities being compared. For example, the diagonal arrow indicates that $\mathbf{D} < R^{1/\rho}\Gamma^{1-1/\rho}$, which is one way of writing the **PF-FVAC**, equation (20)

If a liquidity constraint requiring $b \geq 0$ is ever to be relevant, it must be relevant at the lowest possible level of market resources, $m_t = 1$, defined by the lower bound, $b_t = 0$ (if it were relevant at any higher level of m , it would certainly be relevant here: $u' > 0$). The constraint is ‘relevant’ if it prevents the choice that would otherwise be optimal; at $m_t = 1$ it is relevant if the marginal utility from spending all of today’s resources $c_t = m_t = 1$, exceeds the marginal utility from doing the same thing next period, $c_{t+1} = 1$; that is, if such choices would violate the Euler equation (6):

$$1^{-\rho} > R\beta\Phi^{-\rho}1^{-\rho}, \quad (23)$$

which is just a restatement of the **GIC**.

We now examine implications of possible configurations of the conditions. (Tables 3 and 4 (and appendix table 5) codify.)

GIC and RIC. If the **GIC** fails but the **RIC** (15) holds, Appendix A shows that, for some $0 < m_{\#} < 1$, an unconstrained consumer behaving according to the perfect foresight solution (17) would choose $c < m$ for all $m > m_{\#}$. In this case the solution to the constrained consumer’s problem is simple: For any $m \geq m_{\#}$ the constraint does not bind (and will never bind in the future); for such m the constrained consumption function is identical to the unconstrained one. If the consumer were somehow²¹ to arrive at an $m < m_{\#} < 1$ the constraint would bind and the consumer would consume $c = m$. Using \bullet for the version of a function \bullet in the presence of constraints (and recalling that

²¹“Somehow” because $m < 1$ could only be obtained by entering the period with $b < 0$ which the constraint forbids.

2.6 Uncertainty-Modified Conditions

$\bar{c}(m)$ is the unconstrained perfect foresight solution):

$$\dot{c}(m) = \begin{cases} m & \text{if } m < m_{\#} \\ \bar{c}(m) & \text{if } m \geq m_{\#}. \end{cases}$$

GIC and RIC. When the **RIC** and **GIC** both hold, Appendix A shows that the limiting constrained consumption function is piecewise linear, with $\dot{c}(m) = m$ up to a first ‘kink point’ at $m_{\#}^0 > 1$, and with discrete declines in the MPC at a set of kink points $\{m_{\#}^1, m_{\#}^2, \dots\}$. As $m \uparrow \infty$ the constrained consumption function $\dot{c}(m)$ becomes arbitrarily close to the unconstrained $\bar{c}(m)$, and the marginal propensity to consume function $\kappa(m) \equiv \dot{c}'(m)$ limits to $\underline{\kappa}$.²² Similarly, the value function $\dot{v}(m)$ is nondegenerate and limits into the value function of the unconstrained consumer.

This logic holds even when the finite human wealth condition fails (**FHWC**), because the constraint prevents the (limiting) consumer²³ from borrowing against unbounded human wealth to finance unbounded current consumption. Under these circumstances, the consumer who starts with any $b_t > 0$ will, over time, run those resources down so that after some finite number of periods τ the consumer will reach $b_{t+\tau} = 0$, and thereafter will set $\mathbf{c} = \mathbf{p}$ for eternity (which the **PF-FVAC** says yields finite value). Using the same steps as for equation (20), value of the interim program is also finite:

$$\mathbf{v}_{t+\tau} = \Phi^{\tau(1-\rho)} u(\mathbf{p}_t) \left(\frac{1 - (\beta \Phi^{1-\rho})^{T-(t+\tau)+1}}{1 - \beta \Phi^{1-\rho}} \right).$$

So, even under **FHWC**, the limiting consumer’s value for any finite m will be the sum of two finite numbers: One due to the unconstrained choice made over the finite horizon leading up to $b_{t+\tau} = 0$, and one reflecting the value of consuming $\mathbf{p}_{t+\tau}$ thereafter.

GIC and RIC. The most peculiar possibility occurs when the **RIC** fails. Under these circumstances the **FHWC** must also fail (Appendix A), and the constrained consumption function is nondegenerate. (See appendix Figure 8 for a numerical example). While $\lim_{m \uparrow \infty} \kappa(m) = 0$, nevertheless the limiting constrained consumption function $\dot{c}(m)$ is finite, strictly positive, and strictly increasing in m . This result interestingly reconciles the conflicting intuitions from the unconstrained case, where **RIC** would suggest a degenerate limit of $\dot{c}(m) = 0$ while **FHWC** would suggest a degenerate limit of $\dot{c}(m) = \infty$.

We now examine the case with uncertainty but without constraints, which turns out to be a close parallel to the model with constraints but without uncertainty.

2.6 Uncertainty-Modified Conditions

2.6.1 A Normalized Growth Impatience Condition (GIC-Nrm)

When noncapital income uncertainty is introduced, the expectation of beginning-of-period bank balances b_{t+1} can be rewritten as:

$$\mathbb{E}_t[b_{t+1}] = a_t \mathbb{E}_t[(R/\Phi_{t+1})] = a_t (R/\Phi) \mathbb{E}_t[\Psi_{t+1}^{-1}]$$

²²See Carroll, Holm, and Kimball (2019) for details.

²³That is, one obeying $c(m) = \lim_{n \uparrow \infty} c_{T-n}(m)$.

2.6 Uncertainty-Modified Conditions

Table 1 Microeconomic Model Calibration

Calibrated Parameters			
Description	Parameter	Value	Source
Permanent Income Growth Factor	Φ	1.03	PSID: Carroll (1992)
Interest Factor	R	1.04	Conventional
Time Preference Factor	β	0.96	Conventional
Coefficient of Relative Risk Aversion	ρ	2	Conventional
Probability of Zero Income	\wp	0.005	PSID: Carroll (1992)
Std Dev of Log Permanent Shock	σ_Ψ	0.1	PSID: Carroll (1992)
Std Dev of Log Transitory Shock	σ_θ	0.1	PSID: Carroll (1992)

where Jensen's inequality guarantees that the expectation of the inverse of the permanent shock is greater than one. Now define

$$\underline{\Psi} \equiv (\mathbb{E}[\Psi^{-1}])^{-1} \quad (24)$$

which satisfies $\underline{\Psi} < 1$ (thanks again to Mr. Jensen), so it is convenient to define

$$\underline{\Phi} \equiv \Phi \underline{\Psi} < \Phi$$

because this allows us to write uncertainty-adjusted versions of earlier equations and conditions in a manner exactly parallel to those for the perfect foresight case; for example, we define a normalized Growth Patience Factor:

$$\text{GPF-Nrm: } \mathbf{P}_{\underline{\Phi}} = \mathbf{P}/\underline{\Phi} = \mathbb{E}[\mathbf{P}/(\Phi \underline{\Psi})] \quad (25)$$

with a corresponding normalized version of the Growth Impatience Condition:

$$\text{GIC-Nrm: } \mathbf{P}_{\underline{\Phi}} < 1, \quad (26)$$

that is stronger than the perfect foresight version (19) because $\underline{\Phi} < \Phi$.

2.6.2 The Finite Value of Autarky Condition (FVAC)

Analogously to (20), value for a consumer who spent exactly their permanent income every period would reflect the product of the expectation of the (independent) future shocks to permanent income:

$$\begin{aligned} \mathbf{v}_t &= \mathbb{E}_t [\mathbf{u}(\mathbf{p}_t) + \beta \mathbf{u}(\mathbf{p}_t \Phi_{t+1}) + \dots + \beta^{T-t} \mathbf{u}(\mathbf{p}_t \Phi_{t+1} \dots \Phi_T)] \\ &= \mathbf{u}(\mathbf{p}_t) \left(\frac{1 - (\beta \Phi^{1-\rho} \mathbb{E}[\Psi^{1-\rho}])^{T-t+1}}{1 - \beta \Phi^{1-\rho} \mathbb{E}[\Psi^{1-\rho}]} \right), \end{aligned}$$

suggesting the definition of a utility-compensated equivalent of the permanent shock,

$$\underline{\underline{\Psi}} = (\mathbb{E}[\Psi^{1-\rho}])^{1/(1-\rho)}, \quad (27)$$

2.7 The Baseline Numerical Solution

which will satisfy $\underline{\Psi} < 1$ for $\rho > 1$ and nondegenerate Ψ . Defining

$$\underline{\Phi} = \Phi \underline{\Psi}, \quad (28)$$

\mathbf{v}_t will be positive and finite as T approaches ∞ if

$$\begin{aligned} \text{FVAC: } 0 < \overbrace{\beta \underline{\Phi}^{1-\rho}}^{\underline{\Xi} = \text{VAF}} < 1 \\ 0 < \beta < \underline{\Phi}^{\rho-1}, \end{aligned} \quad (29)$$

and (29) is the ‘finite value of autarky condition’ because it guarantees value is finite for a consumer who always consumes (now stochastic) permanent income ($\underline{\Xi}$ is the ‘Value of Autarky Factor’ (‘VAF’)).²⁴ For nondegenerate Ψ , this condition is stronger (harder to satisfy – requiring lower β) – than the perfect foresight version (20) because $\underline{\Phi} < \Phi$.²⁵

2.7 The Baseline Numerical Solution

Figure 2, familiar from the literature, depicts the successive consumption rules that apply in the last period of life ($c_T(m)$), the second-to-last period, and earlier periods under baseline parameter values listed in Table 2. (The 45 degree line is $c_T(m) = m$ because in the last period of life it is optimal to spend all remaining resources.)

In the figure, the consumption rules appear to converge to a nondegenerate $c(m)$. Our next purpose is to show that this appearance is not deceptive.

2.8 Concave Consumption Function Characteristics

A precondition for the main theorem is that the maximization problem defines a sequence of continuously differentiable strictly increasing strictly concave²⁶ functions $\{c_T, c_{T-1}, \dots\}$. The straightforward but tedious proof is relegated to Appendix B. For present purposes, the important point is that the income process induces what Aiyagari (1994) dubbed a ‘natural borrowing constraint’: $c_t(m) < m$ for all periods $t < T$ because a consumer who spent all available resources would arrive in period $t + 1$ with balances b_{t+1} of zero, and then might earn zero income over the remaining horizon, risking the possibility of a requirement to spend zero, yielding negative infinite utility. To avoid this calamity, the consumer never spends everything. Zeldes (1989) seems to have been the first to argue, based on his numerical results, that the natural borrowing

²⁴In a stationary environment — that is, with $\underline{\Phi} = 1$ — this corresponds to an impatience condition imposed by Ma, Stachurski, and Toda (2020); but their remaining conditions do not correspond to those here, because their problem differs and their method of proof differs.

²⁵Rewrite (29) as

$$\begin{aligned} \beta R &< R \underline{\Phi}^{\rho-1} \\ (\beta R)^{1/\rho} &< R^{1/\rho} \Phi^{1-1/\rho} \underline{\Psi}^{1-1/\rho} \\ \mathbf{P}_\Phi &< (R/\Phi)^{1/\rho} \underline{\Psi}^{1-1/\rho} \end{aligned}$$

where the last equation is the same as the PF-FVAC condition except that the RHS is multiplied by $\underline{\Psi}^{1-1/\rho}$ which is strictly less than 1.

²⁶With one obvious exception: $c_T(m)$ is linear (and so only weakly concave).

Table 2 Model Characteristics Calculated from Parameters

Description	Symbol and Formula	Approximate Calculated Value
Finite Human Wealth Factor	$\mathcal{R}^{-1} \equiv \Phi/R$	0.990
PF Value of Autarky Factor	$\sqsupset \equiv \beta\Phi^{1-\rho}$	0.932
Growth Compensated Permanent Shock	$\underline{\Psi} \equiv (\mathbb{E}[\Psi^{-1}])^{-1}$	0.990
Uncertainty-Adjusted Growth	$\underline{\Phi} \equiv \Phi\underline{\Psi}$	1.020
Utility Compensated Permanent Shock	$\underline{\underline{\Psi}} \equiv (\mathbb{E}[\Psi^{1-\rho}])^{1/(1-\rho)}$	0.990
Utility Compensated Growth	$\underline{\underline{\Phi}} \equiv \Phi\underline{\underline{\Psi}}$	1.020
Absolute Patience Factor	$\mathbf{P} \equiv (R\beta)^{1/\rho}$	0.999
Return Patience Factor	$\mathbf{P}_R \equiv \mathbf{P}/R$	0.961
Growth Patience Factor	$\mathbf{P}_\Phi \equiv \mathbf{P}/\Phi$	0.970
Normalized Growth Patience Factor	$\underline{\mathbf{P}}_\Phi \equiv \mathbf{P}/\underline{\Phi}$	0.980
Value of Autarky Factor	$\sqsupset \equiv \beta\Phi^{1-\rho}\underline{\underline{\Psi}}^{1-\rho}$	0.941
Weak Return Impatience Factor	$\wp^{1/\rho}\mathbf{P} \equiv (\wp\beta R)^{1/\rho}$	0.071


Figure 2 Convergence of the Consumption Rules

constraint was a quantitatively plausible alternative to ‘artificial’ or ‘ad hoc’ borrowing constraints.²⁷

Strict concavity and continuous differentiability of the consumption function are key elements in many of the arguments below, but are not characteristics of models with ‘artificial’ borrowing constraints (though the analytical convenience of these features is considerable – see below).

2.9 Bounds for the Consumption Functions

The consumption functions depicted in Figure 2 appear to have limiting slopes as $m \downarrow 0$ and as $m \uparrow \infty$. This section confirms that impression and derives those slopes, which will be needed in the contraction mapping proof.²⁸

Assume (as justified above) that a continuously differentiable concave consumption function exists in period $t + 1$, with an origin at $c_{t+1}(0) = 0$, a minimal MPC $\hat{\kappa}_{t+1} > 0$, and maximal MPC $\bar{\kappa}_{t+1} \leq 1$. (If $t + 1 = T$ these will be $\hat{\kappa}_T = \bar{\kappa}_T = 1$; for earlier periods they will exist by recursion.)

Under our imposed assumption that human wealth is finite, the MPC bound as wealth approaches infinity is easy to understand: As the *proportion* of consumption that will be financed out of human wealth approaches zero, the proportional difference between the solution to the model with uncertainty and the perfect foresight model shrinks to zero. In the course of proving this, Appendix G provides a recursive expression (used below) for the (inverse of the) limiting MPC:

$$\underline{\kappa}_t^{-1} = 1 + \mathbf{P}_R \underline{\kappa}_{t+1}^{-1}. \quad (30)$$

2.9.1 The Weak RIC Condition (WRIC)

Appendix equation (84) reflects the derivation of a parallel expression for the limiting maximal MPC as $m_t \downarrow 0$:

$$\bar{\kappa}_t^{-1} = 1 + \wp^{1/\rho} \mathbf{P}_R \bar{\kappa}_{t+1}^{-1} \quad (31)$$

where $\{\bar{\kappa}_{T-n}^{-1}\}_{n=0}^{\infty}$ is a decreasing convergent sequence if the ‘weak return patience factor’ $\wp^{1/\rho} \mathbf{P}_R$ satisfies:

$$\text{WRIC: } 1 \geq \wp^{1/\rho} \mathbf{P}_R, \quad (32)$$

a condition we dub the ‘Weak Return Impatience Condition’ because with $\wp < 1$ it will hold more easily (for a larger set of parameter values) than the RIC ($\mathbf{P}_R < 1$). The essence of the argument is that as wealth approaches zero, the overriding consideration

²⁷The same (numerical) point applies for infinite horizon models (calibrated to actual empirical data on household income dynamics); cf. Carroll (1992).

²⁸Benhabib, Bisin, and Zhu (2015) show that the consumption function becomes linear as wealth approaches infinity in a model with capital income risk and liquidity constraints; Ma and Toda (2020) show that these results generalize to the limits derived here if capital income is added to the model.

that limits consumption is the (recursive) fear of the zero-income events. (That is why the probability of the zero income event \wp appears in the expression.)

We are now in position to observe that the optimal consumption function must satisfy

$$\underline{\kappa}_t m_t \leq c_t(m_t) \leq \bar{\kappa}_t m_t \quad (33)$$

because consumption starts at zero and is continuously differentiable, is strictly concave,²⁹ and always exhibits a slope between $\underline{\kappa}_t$ and $\bar{\kappa}_t$ (formal proof: Appendix D).

2.10 The Problem Is a Contraction Mapping Under WRIC and FVAC

As mentioned above, standard theorems in the contraction mapping literature before and after Stokey et. al. (1989) typically require utility or marginal utility to be bounded over the space of possible values of m , which does not hold here because the possibility (however unlikely) of an unbroken string of zero-income events through the end of the horizon means that utility (and marginal utility) are unbounded as $m \downarrow 0$. Although a recent literature examines the existence and uniqueness of solutions to Bellman equations in the presence of ‘unbounded returns’ (see, e.g., Matkowski and Nowak (2011)), the techniques in that literature cannot be used to solve the problem here because the required conditions are violated by a problem that incorporates permanent shocks.³⁰

Fortunately, Boyd (1990) provided a weighted contraction mapping theorem that Alvarez and Stokey (1998) showed could be used to address the homogeneous case (of which CRRA is an example) in a deterministic framework; later, Durán (2003) showed how to extend the Boyd (1990) approach to the stochastic case.

Definition 1. Consider any function $\bullet \in \mathcal{C}(\mathcal{A}, \mathcal{B})$ where $\mathcal{C}(\mathcal{A}, \mathcal{B})$ is the space of continuous functions from \mathcal{A} to \mathcal{B} . Suppose $F \in \mathcal{C}(\mathcal{A}, \mathcal{B})$ with $\mathcal{B} \subseteq \mathbb{R}$ and $F > 0$. Then \bullet is F -bounded if the F -norm of \bullet ,

$$\|\bullet\|_F = \sup_m \left[\frac{|\bullet(m)|}{F(m)} \right], \quad (34)$$

is finite.

For $\mathcal{C}_F(\mathcal{A}, \mathcal{B})$ defined as the set of functions in $\mathcal{C}(\mathcal{A}, \mathcal{B})$ that are F -bounded; w, x, y, and z as examples of F -bounded functions; and using $\mathbf{0}(m) = 0$ to indicate the function that returns zero for any argument, Boyd (1990) proves the following.

Boyd’s Weighted Contraction Mapping Theorem. Let $T : \mathcal{C}_F(\mathcal{A}, \mathcal{B}) \rightarrow \mathcal{C}(\mathcal{A}, \mathcal{B})$ such that^{31,32}

- (1) T is non-decreasing, i.e. $x \leq y \Rightarrow \{Tx\} \leq \{Ty\}$
- (2) $\{T\mathbf{0}\} \in \mathcal{C}_F(\mathcal{A}, \mathcal{B})$

²⁹Carroll and Kimball (1996)

³⁰See Yao (2012) for a detailed discussion of the reasons the existing literature up through Matkowski and Nowak (2011) cannot handle the problem described here.

³¹We will usually denote the function that results from the mapping as, e.g., $\{Tw\}$.

³²To non-theorists, this notation may be slightly confusing; the inequality relations in (1) and (3) are taken to mean ‘for any specific element \bullet in the domain of the functions in question’ so that, e.g., $x \leq y$ is short for $x(\bullet) \leq y(\bullet) \forall \bullet \in \mathcal{A}$. In this notation, $\zeta \alpha F$ in (3) is a *function* which can be applied to any argument \bullet (because F is a function).

2.11 The Liquidity Constrained Solution as a Limit

(3) *There exists some real $0 < \alpha < 1$ such that*

$$\{\mathsf{T}(\mathbf{w} + \zeta F)\} \leq \{\mathsf{T}\mathbf{w}\} + \zeta \alpha F \quad \text{holds for all real } \zeta > 0 \quad .$$

Then T defines a contraction with a unique fixed point.

For our problem, take \mathcal{A} as $\mathbb{R}_{>0}$ and \mathcal{B} as \mathbb{R} , and define

$$\{\mathsf{Ez}\}(a_t) = \mathbb{E}_t [\Phi_{t+1}^{1-\rho} z(a_t \mathcal{R}_{t+1} + \xi_{t+1})] \quad .$$

Using this, we introduce the mapping $\mathcal{T} : \mathcal{C}_F(\mathcal{A}, \mathcal{B}) \rightarrow \mathcal{C}(\mathcal{A}, \mathcal{B})$.³³ Our operator \mathcal{T} satisfies the conditions that Boyd requires of his operator T if we impose two restrictions on parameter values.³⁴ The first is the **WRIC** necessary for convergence of the maximal MPC, equation (32) above. More serious is the Finite Value of Autarky Condition, equation (29). (The interpretation of these restrictions is elaborated in Section 2.12 below.) Imposing these restrictions, we are now in position to state the central theorem of the paper.

Theorem 1. *\mathcal{T} is a contraction mapping if the weak return impatience condition (32) and the finite value of autarky condition (29) hold.*

Intuitively, Boyd's theorem shows that if you can find a F that is everywhere finite but goes to infinity 'as fast or faster' than the function you are normalizing with F , the normalized problem defines a contraction mapping. The intuition for the **FVAC** condition is that, with an infinite horizon, with any strictly positive initial amount of bank balances b_0 , in the limit your value can always be made greater than you would get by consuming exactly the sustainable amount (say, by consuming $(r/R)b_0 - \epsilon$ for some arbitrarily small $\epsilon > 0$).

We use the bounding function

$$F(m) = \eta + m^{1-\rho}, \tag{35}$$

for some real scalar $\eta > 0$ whose value is determined in the course of the proof.³⁵ Under this definition of F , $\{\mathcal{J}\mathbf{0}\}(m_t) = u(\bar{\kappa}m_t)$ is clearly F -bounded.

The cumbersome details of the proof are relegated to Appendix D. Given that the value function converges, Appendix E.2 shows that the consumption functions converge.³⁶

2.11 The Liquidity Constrained Solution as a Limit

This section explains why a related problem commonly considered in the literature (e.g., by Deaton (1991)), with a liquidity constraint and a positive minimum value of income, is the limit of the problem considered here as the probability \wp of the zero-income event approaches zero.

The 'related' problem makes two changes to the problem defined above:

³³Note that the existence of the maximum is assured by the continuity of $\{\mathsf{Ez}\}(a_t)$ (it is continuous because it is the sum of continuous F -bounded functions z) and the compactness of $[\underline{\kappa}m_t, \bar{\kappa}m_t]$.

³⁴See the appendix.

³⁵Thanks to John Boyd for suggesting this bounding function.

³⁶MST's proof is for convergence of the consumption policy function directly, rather than of the value function, which is why their conditions are on u' , which governs behavior.

1. An ‘artificial’ liquidity constraint is imposed: $a_t \geq 0$
2. The probability of zero-income events is zero: $\wp = 0$

The essence of the argument is simple. Imposing the artificial constraint without changing \wp would not change behavior at all: The possibility of earning zero income over the remaining horizon already prevents the consumer from ending the period with zero assets. So, for precautionary reasons, the consumer will save something.

But the *extent* to which the consumer feels the need to make this precautionary provision depends on the *probability* that it will turn out to matter. As $\wp \downarrow 0$, that probability becomes arbitrarily small, so the *amount* of precautionary saving induced by the zero-income events approaches zero as $\wp \downarrow 0$. But “zero” is the amount of precautionary saving that would be induced by a zero-probability event for the impatient liquidity constrained consumer.

Another way to understand this is just to think of the liquidity constraint reflecting a component of the utility function that is zero whenever the consumer ends the period with (strictly) positive assets, but negative infinity if the consumer ends the period with (weakly) negative assets.

See Appendix H for the formal proof justifying the foregoing intuitive discussion.³⁷

The conditions required for convergence and nondegeneracy are thus strikingly similar between the liquidity constrained perfect foresight model and the model with uncertainty but no explicit constraints: The liquidity constrained perfect foresight model is just the limiting case of the model with uncertainty as the degree of all three kinds of uncertainty (zero-income events, other transitory shocks, and permanent shocks) approaches zero.

2.12 Relations Between Parametric Restrictions

The full relationship among conditions is represented in Figure 3. Though the diagram looks complex, it is merely a modified version of the earlier simple diagram (Figure 1) with further (mostly intermediate) inequalities inserted. (Arrows with a “because” now label relations that always hold under the model’s assumptions.)³⁸

The ‘weakness’ of the additional condition sufficient for contraction beyond the **FVAC**, the **WRIC**, can be seen by asking ‘under what circumstances would the **FVAC** hold but the **WRIC** fail?’ Algebraically, the requirement is

$$\beta \Phi^{1-\rho} \underline{\Psi}^{1-\rho} < 1 < (\wp \beta)^{1/\rho} / R^{1-1/\rho}. \quad (36)$$

If we require $R \geq 1$, the **WRIC** is redundant because now $\beta < 1 < R^{\rho-1}$, so that (with $\rho > 1$ and $\beta < 1$) the **RIC** (and **WRIC**) must hold. But neither theory nor evidence demand that $R \geq 1$. We can therefore approach the question of the **WRIC**’s relevance by asking just how low R must be for the condition to be relevant. Suppose for illustration that $\rho = 2$, $\underline{\Psi}^{1-\rho} = 1.01$, $\Phi^{1-\rho} = 1.01^{-1}$ and $\wp = 0.10$. In that case (36) reduces to

$$\beta < 1 < (0.1\beta/R)^{1/2}$$

³⁷It seems likely that a similar argument would apply even in the context of a model like that of MST, perhaps with some weak restrictions on returns.

³⁸Again, readers unfamiliar with such diagrams should see Appendix K for a more detailed exposition.

2.12 Relations Between Parametric Restrictions

Table 3 Definitions and Comparisons of Conditions

Perfect Foresight Versions	Uncertainty Versions
Finite Human Wealth Condition (FHC)	
$\Phi/R < 1$ <p>The growth factor for permanent income Φ must be smaller than the discounting factor R for human wealth to be finite.</p>	$\Phi/R < 1$ <p>The model's risks are mean-preserving spreads, so the PDV of future income is unchanged by their introduction.</p>
Absolute Impatience Condition (AIC)	
$\mathbf{P} < 1$ <p>The unconstrained consumer is sufficiently impatient that the level of consumption will be declining over time:</p> $\mathbf{c}_{t+1} < \mathbf{c}_t$	$\mathbf{P} < 1$ <p>If wealth is large enough, the expectation of consumption next period will be smaller than this period's consumption:</p> $\lim_{m_t \rightarrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}] < \mathbf{c}_t$
Return Impatience Conditions	
Return Impatience Condition (RIC)	Weak RIC (WRIC)
$\mathbf{P}/R < 1$ <p>The growth factor for consumption \mathbf{P} must be smaller than the discounting factor R, so that the PDV of current and future consumption will be finite:</p> $c'(m) = 1 - \mathbf{P}/R < 1$	$\wp^{1/\rho} \mathbf{P}/R < 1$ <p>If the probability of the zero-income event is $\wp = 1$ then income is always zero and the condition becomes identical to the RIC. Otherwise, weaker.</p> $c'(m) < 1 - \wp^{1/\rho} \mathbf{P}/R < 1$
Growth Impatience Conditions	
GIC	GIC-Nrm
$\mathbf{P}/\Phi < 1$ <p>For an unconstrained PF consumer, the ratio of \mathbf{c} to \mathbf{p} will fall over time. For constrained, guarantees the constraint eventually binds. Guarantees</p> $\lim_{m_t \uparrow \infty} \mathbb{E}_t[\Psi_{t+1} m_{t+1}/m_t] = \mathbf{P}_\Phi$	$\mathbf{P} \mathbb{E}[\Psi^{-1}]/\Phi < 1$ <p>By Jensen's inequality stronger than GIC. Ensures consumers will not expect to accumulate m unboundedly.</p> $\lim_{m_t \rightarrow \infty} \mathbb{E}_t[m_{t+1}/m_t] = \mathbf{P}_\Psi$
Finite Value of Autarky Conditions	
PF-FVAC	FVAC
$\beta \Phi^{1-\rho} < 1$ <p>equivalently $\mathbf{P} < R^{1/\rho} \Phi^{1-1/\rho}$</p> <p>The discounted utility of constrained consumers who spend their permanent income each period should be finite.</p>	$\beta \Phi^{1-\rho} \mathbb{E}[\Psi^{1-\rho}] < 1$ <p>By Jensen's inequality, stronger than the PF-FVAC because for $\rho > 1$ and nondegenerate Ψ, $\mathbb{E}[\Psi^{1-\rho}] > 1$.</p>

but since $\beta < 1$ by assumption, the binding requirement is that

$$R < \beta/10$$



Figure 3 Relation of All Inequality Conditions

See Table 2 for Numerical Values of Nodes Under Baseline Parameters

so that for example if $\beta = 0.96$ we would need $R < 0.096$ (that is, a perpetual riskfree rate of return of worse than -90 percent a year) in order for the **WRIC** to bind.

Perhaps the best way of thinking about this is to note that the space of parameter values for which the **WRIC** is relevant shrinks out of existence as $\varphi \rightarrow 0$, which Section 2.11 showed was the precise limiting condition under which behavior becomes arbitrarily close to the liquidity constrained solution (in the absence of other risks). On the other hand, when $\varphi = 1$, the consumer has no noncapital income (so that the **FHWC** holds) and with $\varphi = 1$ the **WRIC** is identical to the **RIC**; but the **RIC** is the only condition required for a solution to exist for a perfect foresight consumer with no noncapital income. Thus the **WRIC** forms a sort of ‘bridge’ between the liquidity constrained and the unconstrained problems as φ moves from 0 to 1.

2.12.1 When the RIC Fails

In the perfect foresight problem (Section 2.5.3), the **RIC** was necessary for existence of a nondegenerate solution. It is surprising, therefore, that in the presence of uncertainty, the much weaker **WRIC** is sufficient for nondegeneracy (assuming that the **FVAC** holds). We can directly derive the features the problem must exhibit (given the **FVAC**) under

~~RIC~~ (that is, $R < (R\beta)^{1/\rho}$):

$$\begin{aligned}
 & \overbrace{R < (R\beta)^{1/\rho} < (R(\Phi\underline{\Psi})^{\rho-1})^{1/\rho}}^{\text{implied by FVAC}} \\
 & R < (R/\Phi)^{1/\rho} \Phi \underline{\Psi}^{1-1/\rho} \\
 & R/\Phi < \underline{\Psi}
 \end{aligned} \tag{37}$$

but since $\underline{\Psi} < 1$ (cf. the argument below (27)), this requires $R/\Phi < 1$; so, given the **FVAC**, the ~~RIC~~ can fail only if human wealth is unbounded. As an illustration of the convenience of our diagrams, note that this algebraically complicated conclusion could be easily reached diagrammatically in figure 3 by starting at the R node and imposing ~~RIC~~, which reverses the **RIC** arrow and lets us traverse the diagram along any clockwise path to the **PF-VAF** node at which point we realize that we *cannot* impose the **FHWC** because that would let us conclude $R > R$.

As in the perfect foresight constrained problem, unbounded limiting human wealth (~~FHWC~~) here does not lead to a degenerate limiting consumption function (finite human wealth is not required for the convergence theorem). But, from equation (30) and the discussion surrounding it, an implication of ~~RIC~~ is that $\lim_{m \uparrow \infty} c'(m) = 0$. Thus, interestingly, in the special $\{\text{RIC}, \text{FHWC}\}$ case (unavailable in the perfect foresight model) the presence of uncertainty both permits unlimited human wealth (in the $n \uparrow \infty$ limit) and at the same time prevents unlimited human wealth from resulting in (limiting) infinite consumption (at any finite m). Intuitively, in the presence of uncertainty, pathological patience (which in the perfect foresight model results in a limiting consumption function of $c(m) = 0$) plus unbounded human wealth (which the perfect foresight model prohibits because it leads to a limiting consumption function $c(m) = \infty$ for any finite m) combine to yield a unique finite limiting (as $n \uparrow \infty$) level of consumption and MPC for any finite value of m . Note the close parallel to the conclusion in the perfect foresight liquidity constrained model in the $\{\text{GIC}, \text{RIC}\}$ case. There, too, the tension between infinite human wealth and pathological patience was resolved with a nondegenerate consumption function whose limiting MPC was zero.³⁹

2.12.2 When the RIC Holds

FHWC. If the **RIC** and **FHWC** both hold, a perfect foresight solution exists (see 2.5.3 above). As $m \uparrow \infty$ the limiting c and v functions become arbitrarily close to those in the perfect foresight model, because human wealth pays for a vanishingly small portion of spending. This will be the main case analyzed in detail below.

FHWC. The more exotic case is where **FHWC** fails; in the perfect foresight model, $\{\text{RIC}, \text{FHWC}\}$ is the degenerate case with limiting $\bar{c}(m) = \infty$. Here, the **FVAC** implies that the **PF-FVAC** holds (traverse Figure 3 clockwise from **D** by imposing **FVAC** and continue to the **PF-VAF** node): Reversing the arrow connecting the R and **PF-VAF**

³⁹Ma and Toda (2020) derive conditions under which the limiting MPC is zero in an even more general case where there is also capital income risk.

nodes implies that under EHWC :

$$\begin{aligned} & \overbrace{\mathbf{p} < (\mathbf{R}/\Phi)^{1/\rho}\Phi}^{\text{PF-FVAC}} \\ & \mathbf{p} < \Phi \end{aligned}$$

where the transition from the first to the second lines is justified because $\text{EHWC} \Rightarrow (\mathbf{R}/\Phi)^{1/\rho} < 1$. So, $\{\text{RIC}, \text{EHWC}\}$ implies the GIC holds. However, we are not entitled to conclude that the GIC-Nrm holds: $\mathbf{p} < \Phi$ does not imply $\mathbf{p} < \underline{\Psi}\Phi$ where $\underline{\Psi} < 1$.

We have now established the principal points of comparison between the perfect foresight solutions and the solutions under uncertainty; these are codified in the remaining parts of Tables 3 and 4.

3 Analysis of the Converged Consumption Function

Figures 4-6 capture the main properties of the converged consumption rule when the RIC , GIC-Nrm , and EHWC all hold.⁴⁰

Figure 4 shows the expected growth factors for consumption, the level of market resources, and the market resources ratio, $\mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t]$ and $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t]$, and $\mathbb{E}_t[m_{t+1}/m_t]$, for a consumer behaving according to the converged consumption rule, while Figures 5—6 illustrate theoretical bounds for the consumption function and the MPC.

Three points are worth highlighting.

First, as $m_t \uparrow \infty$ the expected consumption growth factor goes to \mathbf{p} , indicated by the lower bound in Figure 4, and the marginal propensity to consume approaches $\underline{\kappa} = (1 - \mathbf{p}_R)$ (see Figure 5) — the same as the perfect foresight MPC. Second, as m_t approaches zero the consumption growth factor approaches ∞ (Figure 4) and the MPC approaches $\bar{\kappa} = (1 - \wp^{1/\rho}\mathbf{p}_R)$ (Figure 5). Third, there is a value of the market resources ratio $m_t = \tilde{m}$ at which the expected growth rate of the level of market resources \mathbf{m} matches the expected growth rate of permanent income Φ , and a different (larger) target ratio \hat{m} where $\mathbb{E}[m_{t+1}/m_t] = 1$ (and the expected growth rate of consumption is lower than Φ). Thus, at the individual level, this model does not have a single m at which \mathbf{p} , \mathbf{m} , and \mathbf{c} all are expected to grow at the same rate.

3.1 Limits as m Approaches Infinity

Define

$$\underline{c}(m) = \underline{\kappa}m$$

which is the solution to an infinite-horizon problem with no noncapital income ($\xi_{t+n} = 0 \ \forall \ n \geq 1$); clearly $\underline{c}(m) < c(m)$, since allowing the possibility of future noncapital income cannot reduce current consumption. Our imposition of the RIC guarantees that $\underline{\kappa} > 0$, so this solution satisfies our definition of nondegeneracy, and because this solution is always available it defines a lower bound on both the consumption and value functions.

⁴⁰These figures reflect the converged rule corresponding to the parameter values indicated in Table 2.

3.1 Limits as m Approaches Infinity

Table 4 Sufficient Conditions for Nondegenerate[‡] Solution

Consumption Model(s)	Conditions	Comments
$\bar{c}(m)$: PF Unconstrained $\underline{c}(m) = \underline{\kappa}m$ Section 2.5.3: Section 2.5.3: Eq (21): Eq (22):	RIC, FHCW [°]	RIC $\Rightarrow v(m) < \infty$; FHCW $\Rightarrow 0 < v(m) $ PF model with no human wealth ($h = 0$) RIC prevents $\bar{c}(m) = \underline{c}(m) = 0$ FHCW prevents $\bar{c}(m) = \infty$ PF-FVAC+FHCW \Rightarrow RIC GIC+FHCW \Rightarrow PF-FVAC
$\dot{c}(m)$: PF Constrained Section 2.5.6: Appendix A: Appendix A:	GIC , RIC GIC , RIC GIC , RIC	FHCW holds ($\Phi < \mathbf{D} < R \Rightarrow \Phi < R$) $\dot{c}(m) = \bar{c}(m)$ for $m > m_{\#} < 1$ (RIC would yield $m_{\#} = 0$ so $\dot{c}(m) = 0$) $\lim_{m \rightarrow \infty} \dot{c}(m) = \bar{c}(m)$, $\lim_{m \rightarrow \infty} \dot{\kappa}(m) = \underline{\kappa}$ kinks where horizon to $b = 0$ changes* $\lim_{m \rightarrow \infty} \dot{\kappa}(m) = 0$ kinks where horizon to $b = 0$ changes*
$c(m)$: Friedman/Muth Section 2.10: Section 2.12: Figure 3: Section 2.12.2: Section 2.12.1: Section 3.3: Section 3.3.2: Section 3.3.1:	Section 3.1, Section 3.2 FVAC, WRIC	$\underline{c}(m) < c(m) < \bar{c}(m)$ $\underline{v}(m) < v(m) < \bar{v}(m)$ Sufficient for Contraction WRIC is weaker than RIC FVAC is stronger than PF-FVAC FHCW +RIC \Rightarrow GIC, $\lim_{m \rightarrow \infty} \kappa(m) = \underline{\kappa}$ RIC \Rightarrow FHCW , $\lim_{m \rightarrow \infty} \kappa(m) = 0$ “Buffer Stock Saving” Conditions GIC $\Rightarrow \exists \tilde{m}$ s.t. $0 < \tilde{m} < \infty$ GIC-Nrm $\Rightarrow \exists \hat{m}$ s.t. $0 < \hat{m} < \infty$

[‡]For feasible m satisfying $0 < m < \infty$, a nondegenerate limiting consumption function defines a unique optimal value of c satisfying $0 < c(m) < \infty$; a nondegenerate limiting value function defines a corresponding unique value of $-\infty < v(m) < 0$.

[°]RIC, FHCW are necessary as well as sufficient for the perfect foresight case. *That is, the first kink point in $c(m)$ is $m_{\#}$ s.t. for $m < m_{\#}$ the constraint will bind now, while for $m > m_{\#}$ the constraint will bind one period in the future. The second kink point corresponds to the m where the constraint will bind two periods in the future, etc.

**In the Friedman/Muth model, the RIC+FHCW are sufficient, but *not* necessary for nondegeneracy

3.1 Limits as m Approaches Infinity



Figure 4 ‘Stable’ (Target; Balanced Growth) m Values

Assuming the **FHWC** holds, the infinite horizon perfect foresight solution (17) constitutes an upper bound on consumption in the presence of uncertainty, since the introduction of uncertainty strictly decreases the level of consumption at any m (Carroll and Kimball (1996)). Thus,

$$\begin{aligned} \underline{c}(m) &< c(m) < \bar{c}(m) \\ 1 &< c(m)/\underline{c}(m) < \bar{c}(m)/\underline{c}(m). \end{aligned} \quad (38)$$

But

$$\begin{aligned} \lim_{m \uparrow \infty} \bar{c}(m)/\underline{c}(m) &= \lim_{m \uparrow \infty} (m - 1 + h)/m \\ &= 1, \end{aligned}$$

so as $m \uparrow \infty$, $c(m)/\underline{c}(m) \rightarrow 1$, and the continuous differentiability and strict concavity of $c(m)$ therefore implies

$$\lim_{m \uparrow \infty} c'(m) = \underline{c}'(m) = \bar{c}'(m) = \underline{\kappa}$$

because any other fixed limit would eventually lead to a level of consumption either exceeding $\bar{c}(m)$ or lower than $\underline{c}(m)$. Figure 5 illustrates these limits by plotting the numerical solution.

3.1 Limits as m Approaches Infinity



Figure 5 Limiting MPC's

Next we establish the limit of the expected consumption growth factor as $m_t \uparrow \infty$:

$$\lim_{m_t \uparrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t] = \lim_{m_t \uparrow \infty} \mathbb{E}_t[\Phi_{t+1}c_{t+1}/c_t].$$

But

$$\mathbb{E}_t[\Phi_{t+1}c_{t+1}/\bar{c}_t] \leq \mathbb{E}_t[\Phi_{t+1}c_{t+1}/c_t] \leq \mathbb{E}_t[\Phi_{t+1}\bar{c}_{t+1}/\underline{c}_t]$$

and

$$\lim_{m_t \uparrow \infty} \Phi_{t+1}\underline{c}(m_{t+1})/\bar{c}(m_t) = \lim_{m_t \uparrow \infty} \Phi_{t+1}\bar{c}(m_{t+1})/\underline{c}(m_t) = \lim_{m_t \uparrow \infty} \Phi_{t+1}m_{t+1}/m_t,$$

while (for convenience defining $a(m_t) = m_t - c(m_t)$),

$$\begin{aligned} \lim_{m_t \uparrow \infty} \Phi_{t+1}m_{t+1}/m_t &= \lim_{m_t \uparrow \infty} \left(\frac{\text{Ra}(m_t) + \Phi_{t+1}\xi_{t+1}}{m_t} \right) \\ &= (\text{R}\beta)^{1/\rho} = \mathbf{p} \end{aligned} \tag{39}$$

because $\lim_{m_t \uparrow \infty} a'(m) = \mathbf{p}_R$ ⁴¹ and $\Phi_{t+1}\xi_{t+1}/m_t \leq (\Phi\bar{\Psi}\bar{\theta}/(1-\wp))/m_t$ which goes to zero as m_t goes to infinity.

⁴¹ $\lim_{m_t \uparrow \infty} a(m_t)/m_t = 1 - \lim_{m_t \uparrow \infty} c(m_t)/m_t = 1 - \lim_{m_t \uparrow \infty} c'(m_t) = \mathbf{p}_R$.

3.2 Limits as m Approaches Zero



Figure 6 Upper and Lower Bounds on the Consumption Function

Hence we have

$$\mathbf{P} \leq \lim_{m_t \uparrow \infty} \mathbb{E}_t[\mathbf{c}_{t+1}/\mathbf{c}_t] \leq \mathbf{P}$$

so as cash goes to infinity, consumption growth approaches its value \mathbf{P} in the perfect foresight model.

3.2 Limits as m Approaches Zero

Equation (31) shows that the limiting value of $\bar{\kappa}$ is

$$\bar{\kappa} = 1 - \mathbf{R}^{-1}(\wp \mathbf{R} \beta)^{1/\rho}.$$

Defining $e(m) = c(m)/m$ we have

$$\lim_{m \downarrow 0} e(m) = (1 - \wp^{1/\rho} \mathbf{P}_R) = \bar{\kappa}.$$

Now using the continuous differentiability of the consumption function along with L'Hôpital's rule, we have

$$\lim_{m \downarrow 0} c'(m) = \lim_{m \downarrow 0} e(m) = \bar{\kappa}.$$

Figure 5 visually confirms that the numerical solution obtains this limit for the MPC as m approaches zero.

3.3 Unique ‘Stable’ Points

For consumption growth, as $m \downarrow 0$ we have

$$\begin{aligned}
\lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{c(m_{t+1})}{c(m_t)} \right) \Phi_{t+1} \right] &> \lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\mathcal{R}_{t+1}a(m_t) + \xi_{t+1})}{\bar{\kappa}m_t} \right) \Phi_{t+1} \right] \\
&= \wp \lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\mathcal{R}_{t+1}a(m_t))}{\bar{\kappa}m_t} \right) \Phi_{t+1} \right] \\
&\quad + (1 - \wp) \lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\mathcal{R}_{t+1}a(m_t) + \theta_{t+1}/(1 - \wp))}{\bar{\kappa}m_t} \right) \Phi_{t+1} \right] \\
&> (1 - \wp) \lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\theta_{t+1}/(1 - \wp))}{\bar{\kappa}m_t} \right) \Phi_{t+1} \right] \\
&= \infty
\end{aligned}$$

where the second-to-last line follows because $\lim_{m_t \downarrow 0} \mathbb{E}_t \left[\left(\frac{\underline{c}(\mathcal{R}_{t+1}a(m_t))}{\bar{\kappa}m_t} \right) \Phi_{t+1} \right]$ is positive, and the last line follows because the minimum possible realization of θ_{t+1} is $\underline{\theta} > 0$ so the minimum possible value of expected next-period consumption is positive.⁴²

3.3 Unique ‘Stable’ Points

Theorems whose substance is described here (and whose details are in an appendix) articulate alternative (but closely related) stability criteria.

3.3.1 ‘Individual Target Wealth’ \hat{m}

One kind of ‘stable’ point is a ‘target’ value \hat{m} such that if $m_t = \hat{m}$, then $\mathbb{E}_t[m_{t+1}] = m_t$. Existence of such a target turns out to require the **GIC-Nrm** condition.

Theorem 2. *For the nondegenerate solution to the problem defined in Section 2.1 when **FVAC**, **WRIC**, and **GIC-Nrm** all hold, there exists a unique cash-on-hand-to-permanent-income ratio $\hat{m} > 0$ such that*

$$\mathbb{E}_t[m_{t+1}/m_t] = 1 \text{ if } m_t = \hat{m}. \quad (40)$$

Moreover, \hat{m} is a point of ‘stability’ in the sense that

$$\begin{aligned}
\forall m_t \in (0, \hat{m}), \quad \mathbb{E}_t[m_{t+1}] &> m_t \\
\forall m_t \in (\hat{m}, \infty), \quad \mathbb{E}_t[m_{t+1}] &< m_t.
\end{aligned} \quad (41)$$

Since $m_{t+1} = (m_t - c(m_t))\mathcal{R}_{t+1} + \xi_{t+1}$, the implicit equation for \hat{m} is

$$\begin{aligned}
\mathbb{E}_t[(\hat{m} - c(\hat{m}))\mathcal{R}_{t+1} + \xi_{t+1}] &= \hat{m} \\
(\hat{m} - c(\hat{m})) \underbrace{\mathcal{R} \mathbb{E}_t[\Psi^{-1}]}_{\equiv \bar{\mathcal{R}}} + 1 &= \hat{m}.
\end{aligned} \quad (42)$$

This is the most restrictive among several competing definitions of stability.

⁴²None of the arguments in either of the two prior sections depended on the assumption that the consumption functions had converged. With more cumbersome notation, each derivation could have been replaced by the corresponding finite-horizon versions. This strongly suggests that it should be possible to extend the circumstances under which the problem can be shown to define a contraction mapping to the union of the parameter values under which $\{\mathbf{RIC}, \mathbf{FHC}\}$ hold and $\{\mathbf{FVAC}, \mathbf{WRIC}\}$ hold. That extension is not necessary for our purposes here, so we leave it for future work.

3.3 Unique ‘Stable’ Points

3.3.2 Individual Balanced-Growth ‘pseudo steady state’ \check{m}

A less restrictive definition of ‘stability’ derives from a traditional question in macroeconomic models: whether there is a ‘balanced growth’ equilibrium in which aggregate variables (income, consumption, market resources) all grow forever by the same factor Φ . For our model, Figure 4 showed that there is no single m for which $\mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t = \mathbb{E}_t[\mathbf{c}_{t+1}]/\mathbf{c}_t = \Phi$ for an individual consumer. Nevertheless, the next section will show that economies populated by heterogeneous collections of such consumers can exhibit balanced growth in the aggregate, and in the cross-section of households.

As an input to that analysis, we show here that if the **GIC** holds, the problem will exhibit a balanced-growth ‘pseudo-steady-state’ point, by which we mean that there is some \check{m} such that, for all $m_t > \check{m}$, $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] < \Phi$, and conversely if $m_t < \check{m}$ then $\mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] > \Phi$.

The critical m will be the \check{m} at which \mathbf{m} growth matches Φ :

$$\begin{aligned} \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &= \mathbb{E}_t[\mathbf{p}_{t+1}]/\mathbf{p}_t \\ \mathbb{E}_t[m_{t+1}\Phi\Psi_{t+1}\mathbf{p}_t]/(m_t\mathbf{p}_t) &= \mathbb{E}_t[\mathbf{p}_t\Phi\Psi_{t+1}]/\mathbf{p}_t \\ \mathbb{E}_t \left[\Psi_{t+1} \underbrace{((m_t - c(m_t)\mathcal{R})/(\Phi\Psi_{t+1})) + \xi_{t+1}}_{m_{t+1}} \right] / m_t &= 1 \\ \mathbb{E}_t \left[(\check{m} - c(\check{m})) \overbrace{\mathcal{R}/\Phi}^{\mathcal{R}} + \Psi_{t+1}\xi_{t+1} \right] &= \check{m} \\ (\check{m} - c(\check{m}))\mathcal{R} + 1 &= \check{m}. \end{aligned} \tag{43}$$

The only difference between (43) and (42) is the substitution of \mathcal{R} for $\bar{\mathcal{R}}$.^{43,44}

Theorem 3. *For the nondegenerate solution to the problem defined in Section 2.1 when **FVAC**, **WRIC**, and **GIC** all hold, there exists a unique pseudo-steady-state cash-on-hand-to-income ratio $\check{m} > 0$ such that*

$$\mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] = 1 \text{ if } m_t = \check{m}. \tag{44}$$

Moreover, \check{m} is a point of stability in the sense that

$$\begin{aligned} \forall m_t \in (0, \check{m}), \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &> \Phi \\ \forall m_t \in (\check{m}, \infty), \mathbb{E}_t[\mathbf{m}_{t+1}]/\mathbf{m}_t &< \Phi. \end{aligned} \tag{45}$$

⁴³A third ‘stable point’ is the \check{m} where $\mathbb{E}_t[\log \mathbf{m}_{t+1}] = \log \Phi \mathbf{m}_t$; this can be conveniently rewritten as $\mathbb{E}_t[\log((\check{m} - c(\check{m}))\mathcal{R} + \Psi_{t+1}\xi_{t+1})] = \log \check{m}_t$. Because the expectation of the log of a stochastic variable is less than the log of the expectation, if a solution for \check{m} exists it will satisfy $\check{m} > \hat{m}$; in turn, if \hat{m} exists, $\hat{m} > \check{m}$. \check{m} is guaranteed to exist when the **GIC-Szeidl** condition is satisfied (see below). For our purposes, little would be gained by an analysis of this point parallel to those of the other points of stability; but to accommodate potential practical uses, the **Econ-ARK** toolkit computes the value of this point as **mBalLog**.

⁴⁴Our choice to call to this the individual problem’s ‘individual balanced-growth pseudo-steady-state’ \check{m} is motivated by what happens in the case where all draws of all future shocks just happen to take on their expected value of 1.0. (They unexpectedly always take on their expected values). In that infinitely improbable case, the economy *would* exhibit balanced growth:

$$\mathbb{E}_t[m_{t+1}/m_t | \Psi_{t+1} = \xi_{t+1} = 1] = \Phi(\check{m} - c(\check{m})\mathcal{R} + 1)/\check{m} = \Phi.$$

3.4 Example With Balanced-Growth \tilde{m} But No Target \hat{m}



Figure 7 {FVAC,GIC,~~GIC-Nrm~~}: No Target Exists But SS Does

The proofs of these theorems are intuitive, and almost completely parallel; to save space, they are relegated to Appendix M. They involve three steps:

1. Existence and continuity of $\mathbb{E}_t[m_{t+1}/m_t]$ or $\mathbb{E}_t[m_{t+1}\Psi_{t+1}/m_t]$
 - This follows from existence and continuity of the constituents
2. Existence of the equilibrium point
 - This follows from existence of upper and lower bound limiting MPCs, existence and continuity of the decision rule, and the Intermediate Value Theorem
3. Monotonicity of $\mathbb{E}_t[m_{t+1} - m_t]$ or $\mathbb{E}_t[m_{t+1}\Psi_{t+1} - m_t]$
 - This follows from concavity of the consumption function

3.4 Example With Balanced-Growth \tilde{m} But No Target \hat{m}

Because the equations defining target and pseudo-steady-state m , (42) and (43), differ only by substitution of \mathcal{R} for $\bar{\mathcal{R}} = \mathcal{R}\mathbb{E}[\Psi^{-1}]$, if there are no permanent shocks ($\Psi \equiv 1$), the conditions are identical. For many parameterizations (e.g., under the baseline parameter values used for constructing figure 4), \hat{m} and \tilde{m} will not differ much.

An illuminating exception is exhibited in Figure 7, which modifies the baseline parameter values by quadrupling the variance of the permanent shocks, enough to cause

failure of the **GIC-Nrm**; now there is no target wealth level \hat{m} . But the pseudo-steady-state still exists because it turns off realizations of the permanent shock. It is tempting to conclude that the reason target \hat{m} does not exist is that the increase in the size of the shocks induces a precautionary motive that increases the consumer's effective patience. But that interpretation is cannot be correct, because as market resources approach infinity, precautionary saving against noncapital income risk becomes negligible (as the proportion of consumption financed out of such income approaches zero). The correct explanation is more prosaic: The increase in uncertainty boosts the expected uncertainty-adjusted rate of return factor from \mathcal{R} to $\bar{\mathcal{R}} > \mathcal{R}$ which reflects the fact that in the presence of uncertainty the expectation of the inverse of the growth factor increases: $\underline{\Phi} > \Phi$. That is, in the limit as $m \uparrow \infty$ the increase in effective impatience reflected in $\mathbf{P}_{\underline{\Phi}} < \mathbf{P}_{\Phi}$ is entirely due to the certainty-equivalence growth adjustment, not to a (limiting) change in precaution. In fact, the next section will show that an aggregate balanced growth equilibrium will exist even when realizations of the permanent shock are not turned off: The required condition for aggregate balanced growth is the regular **GIC**, which ignores the magnitude of permanent shocks, not the **GIC-Nrm**.⁴⁵

Before we get to the formal arguments, the key insight can be understood by considering an economy that starts, at date t , with the entire population at $m_t = \tilde{m}$, but then evolves according to the model's assumed dynamics between t and $t + 1$. Equation (43) will still hold, so for this first period, at least, the economy will exhibit balanced growth: the growth factor for aggregate \mathbf{m} will match the growth factor for permanent income Φ . It is true that there will be people for whom $b_{t+1} = a_t \mathbf{R} / (\Phi \Psi_{t+1})$ is boosted by a small draw of Ψ_{t+1} . But their contribution to the *level* of the aggregate variable is given by $\mathbf{b}_{t+1} = b_{t+1} \Psi_{t+1}$, so their b_{t+1} is reweighted by an amount that exactly unwinds that divisor-boosting. This means that it is possible for each individual consumer to have a target wealth ratio of infinity, and yet for the economy as a whole to exhibit a balanced growth equilibrium with a finite aggregate balanced growth steady state \tilde{M} (whis is not numerically the same as the individual **pseudo-steady-state** ratio \tilde{m} because the problem's nonlinearities have consequences when aggregated).⁴⁶

4 Invariant Relationships

Assume a continuum of *ex ante* identical buffer-stock households on the unit interval, with constant total mass normalized to one and indexed by $i \in [0, 1]$.

Szeidl (2013) proved that such a population will be characterized by invariant distri-

⁴⁵Szeidl (2013)'s impatience condition, discussed below, also tightens as uncertainty increases, but this is also not a consequence of a precaution-induced increase in patience – it represents an increase in the tightness of the requirements of the ‘mixing condition’ used in his proof.

⁴⁶Still, the pseudo-steady-state can be calculated from the policy function without any simulation, and therefore serves as a low-cost starting point for the numerical simulation process; see **Harmenberg-Aggregation** for an example.

4.1 Individual Balanced Growth of Income, Consumption, and Wealth

butions of m , c , and a under the condition⁴⁷

$$\text{GIC-Szeidl: } \log \mathbf{P}_\Phi < \mathbb{E}[\log \Psi] \quad (46)$$

which is stronger than our **GIC** ($\mathbf{P}_\Phi < 1$), but weaker than our **GIC-Nrm** ($\mathbf{P}_\Phi < 1$).⁴⁸

Harmenberg (2021) substitutes a clever change of probability-measure into Szeidl's proof, with the implication that if the **GIC** holds, invariant *permanent-income-weighted* distributions exist. This allows him to prove a conjecture from an earlier draft of this paper (Carroll (2020, Submitted)) that under the **GIC**, aggregate consumption grows at the same rate Φ as aggregate noncapital income in the long run (with the corollary that aggregate assets and market resources grow at that same rate). Harmenberg (2021) shows that his reformulation of the problem can reduce costs of calculation enormously.⁴⁹ In confirmation, this notebook finds that the Harmenberg method reduces the simulation size required for a given degree of accuracy by roughly a factor of 100 (!) under the baseline parameter values defined above.

The remainder of this section briefly draws out some implications of these points.

4.1 Individual Balanced Growth of Income, Consumption, and Wealth

Define $\mathbb{M}[\bullet]$ to yield the mean of its argument in the population (as distinct from the expectations operator $\mathbb{E}[\bullet]$ which represents beliefs about the future). Using boldface capitals for aggregates, the growth factor for aggregate noncapital income is:

$$\begin{aligned} \mathbf{Y}_{t+1}/\mathbf{Y}_t &= \mathbb{M}[\xi_{t+1}\Phi\Psi_{t+1}\mathbf{p}_t] / \mathbb{M}[\mathbf{p}_t\xi_t] \\ &= \Phi \end{aligned}$$

because of the independence assumptions we have made about ξ and Ψ .

Consider an economy that satisfies the Szeidl impatience condition (46) and has existed for long enough by date t that we can consider it as Szeidl-converged. In such an economy a microeconomist with a population-representative panel dataset could calculate the growth rate of consumption for each individual household, and take the average:

$$\begin{aligned} \mathbb{M}[\Delta \log \mathbf{c}_{t+1}] &= \mathbb{M}[\log c_{t+1}\mathbf{p}_{t+1} - \log c_t\mathbf{p}_t] \\ &= \mathbb{M}[\log \mathbf{p}_{t+1} - \log \mathbf{p}_t] + \mathbb{M}[\log c_{t+1} - \log c_t]. \end{aligned} \quad (47)$$

Because this economy is Szeidl-converged, distributions of c_t and c_{t+1} will be identical, so that the second term in (47) disappears; hence, mean cross-sectional growth rates of consumption and permanent income are the same:

$$\mathbb{M}[\Delta \log \mathbf{c}_{t+1}] = \mathbb{M}[\Delta \log \mathbf{p}_{t+1}] = \log \Phi. \quad (48)$$

⁴⁷Szeidl (2013)'s equation (9), in our notation, is:

$$\begin{aligned} \mathbb{E} \log R(1 - \kappa) &< \mathbb{E} \log \Phi\Psi \\ \mathbb{E} \log R\mathbf{P}_R &< \mathbb{E} \log \Phi\Psi \\ \log \mathbf{P}_\Phi &< \mathbb{E} \log \Psi \end{aligned}$$

which, exponentiated, yields (46).

⁴⁸Under our default (though not required) assumption that $\log \Psi \sim \mathcal{N}(-\sigma_\Psi^2/2, \sigma_\Psi^2)$; the **GIC-Nrm** in this case, is $\mathbf{P}_\Phi < \exp(-\sigma^2)$, so if the **GIC-Nrm** holds then Szeidl's condition will hold.

⁴⁹The Harmenberg method is implemented in the Econ-ARK; see the last part of `test_Harmenbergs_method.sh`.

4.2 Aggregate Balanced Growth and Idiosyncratic Covariances

In a Harmenberg-invariant economy (and therefore also any Szeidl-invariant economy), a similar proposition holds in the cross-section as a direct implication of the fact that a constant proportion of total permanent income is accounted for by the successive sets of consumers with any particular m . This fact is one way of interpreting Harmenberg's definition of the density of the permanent-income-invariant distribution of m ; call this density $p(m)$.⁵⁰ Call $\mathbf{c}_t(m)$ the total amount of consumption at date t by persons with market resources m , and note that in the invariant economy this is given by the converged consumption function $c(m)$ multiplied by the amount of permanent income accruing to such people $p(m)\mathbf{p}_t$. Since $p(m)$ is invariant and aggregate permanent income grows according to $\mathbf{P}_{t+1} = \Phi\mathbf{P}_t$, for any m :

$$\begin{aligned}\log \mathbf{c}_{t+1}(m) - \log \mathbf{c}_t(m) &= \log c(m)p(m)\mathbf{P}_{t+1} - \log c(m)p(m)\mathbf{P}_t \\ &= \log \Phi.\end{aligned}$$

4.2 Aggregate Balanced Growth and Idiosyncratic Covariances

Harmenberg shows that the covariance between the individual consumption ratio c and the idiosyncratic component of permanent income \mathbf{p} does not shrink to zero; thus, covariances are another potential measurement for construction of microfoundations.

Consider a date- t Harmenberg-converged economy, and define the mean value of the consumption ratio as $\mathbf{c}_{t+n} \equiv \mathbb{M}[c_{t+n}]$. Normalizing period- t aggregate permanent income to $\mathbf{P}_t = 1$, total consumption at $t+1$ and $t+2$ are

$$\begin{aligned}\mathbf{C}_{t+1} &= \mathbb{M}[c_{t+1}\mathbf{p}_{t+1}] = \mathbf{c}_{t+1}\Phi^1 + \text{cov}_{t+1}(c_{t+1}, \mathbf{p}_{t+1}) \\ \mathbf{C}_{t+2} &= \mathbb{M}[c_{t+2}\mathbf{p}_{t+2}] = \mathbf{c}_{t+2}\Phi^2 + \text{cov}_{t+2}(c_{t+2}, \mathbf{p}_{t+2})\end{aligned}\tag{49}$$

and Harmenberg's proof that $\mathbf{C}_{t+2} - \Phi\mathbf{C}_{t+1} = 0$ allows us to obtain:

$$(\mathbf{c}_{t+2} - \mathbf{c}_{t+1})\Phi^2 = \Phi\text{cov}_{t+1} - \text{cov}_{t+2}.\tag{50}$$

In a Szeidl-invariant economy, $\mathbf{c}_{t+2} = \mathbf{c}_{t+1}$, so the economy exhibits balanced growth in the covariance:

$$\text{cov}_{t+2} = \Phi\text{cov}_{t+1}.\tag{51}$$

The more interesting case is when the economy is Harmenberg- but not Szeidl-invariant. In that case, if the cov and the \mathbf{c} terms have constant growth factors Ω_{cov} and $\Omega_{\mathbf{c}}$,⁵¹ an equation corresponding to (50) will hold in $t+n$:

$$\begin{aligned}(\overbrace{\Omega_{\mathbf{c}}^n \mathbf{c}_t}^{\mathbf{c}_{t+n}} - \Omega_{\mathbf{c}}^{n-1} \mathbf{c}_t)\Phi^n &= (\Phi\Omega_{\text{cov}}^{n-1} - \Omega_{\text{cov}}^n)\text{cov}_t \\ (\Omega_{\mathbf{c}}\Phi)^{n-1}(\Omega_{\mathbf{c}} - 1)\mathbf{c}_t\Phi &= \Omega_{\text{cov}}^{n-1}(\Phi - \Omega_{\text{cov}})\text{cov}_t\end{aligned}\tag{52}$$

so for the LHS and RHS to grow at the same rates we need

$$\Omega_{\text{cov}} = \Omega_{\mathbf{c}}\Phi.\tag{53}$$

⁵⁰In his notation, this is $\tilde{\psi}^m$.

⁵¹This 'if' is a conjecture, not something proven by Harmenberg (or anyone else). But see appendix N for an example of a Harmenberg-invariant economy in which simulations suggest this proposition holds.

This is intuitive: In the Szeidl-invariant economy, it just reproduces our result above that the covariance exhibits balanced growth because $\Omega_c = 1$. The revised result just says that in the Harmenberg case where the mean value \mathbf{c} of the consumption ratio c can grow, the covariance must rise in proportion to any ongoing expansion of \mathbf{c} (as well as in proportion to the growth in \mathbf{p}).

4.3 Implications for Microfoundations

Thus we have microeconomic propositions, for both growth rates and for covariances of observable variables,⁵² that can be tested in either cross-section or panel microdata to judge (and calibrate) the microfoundations that should hold for any macroeconomic analysis that requires balanced growth for its conclusions.

At first blush, these points are reassuring; one of the most persuasive arguments for the agenda of building microfoundations of macroeconomics is that newly available ‘big data’ allow us to measure cross-sectional covariances with great precision, so that we can use microeconomic natural experiments to disentangle questions that are hopelessly entangled in aggregate time-series data. Knowing that such covariances ought to be a stable feature of a stably growing economy is therefore encouraging.

But this discussion also highlights an uncomfortable point: In the model as specified, permanent income does not have a limiting distribution; it becomes ever more dispersed as the economy with infinite-horizon consumers continues to exist indefinitely.

A few microeconomic data sources attempt direct measurement of ‘permanent income’; Carroll, Slacalek, Tokuoka, and White (2017), for example, show that their assumptions about the magnitude of permanent shocks (and mortality; see below) yield a simulated distribution of permanent income that roughly matches answers in the U.S. *Survey of Consumer Finances* (‘SCF’) to a survey question designed to elicit a direct measure of permanent income. They use those results to calibrate a model that matches empirical facts about the distribution of permanent income and wealth, and to show that the model also does a reasonable job of matching empirical facts about the marginal propensity to consume. The quantitative credibility of the argument depends on the model’s match to the distribution of permanent income inequality, which would not be possible in a model without a nondegenerate steady-state distribution of permanent income.

For macroeconomists who want to build microfoundations by comparing the microeconomic implications of their models to micro data (directly – not in ratios to difficult-to-measure ‘permanent income’), it would be something of a challenge to determine how to construct empirical-data-comparable simulated results from a model with no limiting distribution of permanent income.

Death can solve this problem.

⁵²Parallel results to those for consumption can be obtained for other measures like market assets.

4.4 Mortality Yields Invariance

Most heterogeneous-agent models incorporate a constant positive probability of death, following Blanchard (1985) and Yaari (1965). In the Blanchardian model, if the probability of death exceeds a threshold that depends on the size of the permanent shocks, Carroll, Slacalek, Tokuoka, and White (2017) show that the limiting distribution of permanent income has a finite variance. Blanchard (1985) assumes a universal annuitization scheme in which estates of dying consumers are redistributed to survivors in proportion to survivors' wealth, giving the recipients a higher effective rate of return. This treatment has considerable analytical advantages, most notably that the effect of mortality on the time preference factor is the exact inverse of its effect on the (effective) interest factor. That is, if the 'pure' time preference factor is β and probability of remaining alive (not dead) is \mathcal{L} , then the assumption that no utility accrues after death makes the effective discount factor $\underline{\beta} = \beta\mathcal{L}$ while the enhancement to the rate of return from the annuity scheme yields an effective interest factor $\bar{R} = R/\mathcal{L}$ (recall that because of white-noise mortality, the average wealth of the two groups is identical). Combining these, the effective patience factor in the new economy $\underline{\beta}\bar{R}$ is unchanged from its value in the infinite horizon model:

$$\underline{\beta}\bar{R} = (\beta\mathcal{L}R/\mathcal{L})^{1/\rho} = (R\beta)^{1/\rho} = \mathbf{P}. \quad (54)$$

The only adjustments this requires to the analysis above are therefore to the few elements that involve a role for the interest factor distinct from its contribution to \mathbf{P} (principally, the \mathbf{RIC} , which becomes \mathbf{P}/\bar{R}).

Blanchard (1985)'s innovation was valuable not only for the insight it provided but also because when he wrote, the principal alternative, the Life Cycle model of Modigliani (1966), was computationally challenging given then-available technologies. Despite its (considerable) conceptual value, Blanchard's analytical solution is now rarely used because essentially all modern modeling incorporates uncertainty, constraints, and other features that rule out analytical solutions anyway.

The simplest alternative to Blanchard is to follow Modigliani in constructing a realistic description of income over the life cycle and assuming that any wealth remaining at death occurs accidentally (not implausible, given the robust finding that for the great majority of households, bequests amount to less than 2 percent of lifetime earnings, Hendricks (2001, 2016)).

Even if bequests are accidental, a macroeconomic model must make some assumption about how they are disposed of: As windfalls to heirs, estate tax proceeds, etc. We again consider the simplest choice, because it represents something of a polar alternative to Blanchard. Without a bequest motive, there are no behavioral effects of a 100 percent estate tax; we assume such a tax is imposed and that the revenues are effectively thrown in the ocean: The estate-related wealth effectively vanishes from the economy.

The chief appeal of this approach is the simplicity of the change it makes in the condition required for the economy to exhibit a balanced growth equilibrium (for consumers without a life cycle income profile). If \mathcal{L} is the probability of remaining alive,

the condition changes from the plain **GIC** to a looser mortality-adjusted **GIC**:

$$\mathcal{L}\mathbf{D}_{\Phi} < 1. \quad (55)$$

With no income growth, what is required to prohibit unbounded growth in aggregate wealth is the condition that prevents the per-capita wealth-to-permanent-income ratio of surviving consumers from growing faster than the rate at which mortality diminishes their collective population. With income growth, the aggregate wealth-to-income ratio will head to infinity only if a cohort of consumers is patient enough to make the desired rate of growth of wealth fast enough to counteract combined erosive forces of mortality and productivity.

5 Conclusions

Numerical solutions to optimal consumption problems, in both life cycle and infinite horizon contexts, have become standard tools since the first reasonably realistic models were constructed in the late 1980s. One contribution of this paper is to show that finite horizon (‘life cycle’) versions of the simplest such models, with assumptions about income shocks (transitory and permanent) dating back to [Friedman \(1957\)](#) and standard specifications of preferences — and without plausible (but computationally and mathematically inconvenient) complications like liquidity constraints — have attractive properties (like continuous differentiability of the consumption function, and analytical limiting MPC’s as resources approach their minimum and maximum possible values).

The main focus of the paper, though, is on the limiting solution of the finite horizon model as the horizon extends to infinity. This simple model has other appealing features: A ‘**Finite Value of Autarky**’ condition guarantees convergence of the consumption function, under the mild additional requirement of a ‘**Weak Return Impatience Condition**’ that will never bind for plausible parameterizations, but provides intuition for the bridge between this model and models with explicit liquidity constraints. The paper also provides a roadmap for the model’s relationships to the perfect foresight model without and with constraints. The constrained perfect foresight model provides an upper bound to the consumption function (and value function) for the model with uncertainty, which explains why the conditions for the model to have a nondegenerate solution closely parallel those required for the perfect foresight constrained model to have a nondegenerate solution.

The main use of infinite horizon versions of such models is in heterogeneous agent macroeconomics. The paper articulates intuitive ‘**Growth Impatience Conditions**’ under which populations of such agents, with Blanchardian (tighter) or Modiglianian (looser) mortality will exhibit balanced growth. Finally, the paper provides the analytical basis for many results about buffer-stock saving models that are so well understood that even without analytical foundations researchers uncontroversially use them as explanations of real-world phenomena like the cross-sectional pattern of consumption dynamics in the Great Recession.

Appendices

A Perfect Foresight Liquidity Constrained Solution

Under perfect foresight in the presence of a liquidity constraint requiring $b \geq 0$, this appendix taxonomizes the varieties of the limiting consumption function $\dot{c}(m)$ that arise under various parametric conditions. Results are summarized in table 5.

A.1 If GIC Fails

A consumer is ‘growth patient’ if the perfect foresight growth impatience condition fails (~~GIC~~, $1 < \mathbf{D}/\Phi$). Under ~~GIC~~ the constraint does not bind at the lowest feasible value of $m_t = 1$ because $1 < (R\beta)^{1/\rho}/\Phi$ implies that spending everything today (setting $c_t = m_t = 1$) produces lower marginal utility than is obtainable by reallocating a marginal unit of resources to the next period at return R .⁵³

$$\begin{aligned} 1 &< (R\beta)^{1/\rho}\Phi^{-1} \\ 1 &< R\beta\Phi^{-\rho} \\ u'(1) &< R\beta u'(\Phi). \end{aligned}$$

Similar logic shows that under these circumstances the constraint will never bind at $m = 1$ for a constrained consumer with a finite horizon of n periods, so for $m \geq 1$ such a consumer’s consumption function will be the same as for the unconstrained case examined in the main text.

RIC fails, FHCW holds. If the ~~RIC~~ fails ($1 < \mathbf{D}_R$) while the finite human wealth condition holds, the limiting value of this consumption function as $n \uparrow \infty$ is the degenerate function

$$\dot{c}_{T-n}(m) = 0(b_t + h). \quad (56)$$

(that is, consumption is zero for any level of human or nonhuman wealth).

RIC fails, FHCW fails. ~~FHCW~~ implies that human wealth limits to $h = \infty$ so the consumption function limits to either $\dot{c}_{T-n}(m) = 0$ or $\dot{c}_{T-n}(m) = \infty$ depending on the relative speeds with which the MPC approaches zero and human wealth approaches ∞ .⁵⁴

Thus, the requirement that the consumption function be nondegenerate implies that for a consumer satisfying ~~GIC~~ we must impose the ~~RIC~~ (and the ~~FHCW~~ can be shown to be a consequence of ~~GIC~~ and ~~RIC~~). In this case, the consumer’s optimal behavior is easy to describe. We can calculate the point at which the unconstrained consumer

⁵³The point at which the constraint would bind (if that point could be attained) is the $m = c$ for which $u'(c_{\#}) = R\beta u'(\Phi)$ which is $c_{\#} = \Phi/(R\beta)^{1/\rho}$ and the consumption function will be defined by $\dot{c}(m) = \min[m, c_{\#} + (m - c_{\#})\underline{\kappa}]$.

⁵⁴The knife-edge case is where $\mathbf{D} = \Phi$, in which case the two quantities counterbalance and the limiting function is $\dot{c}(m) = \min[m, 1]$.

would choose $c = m$ from Equation (17):

$$\begin{aligned} m_{\#} &= (m_{\#} - 1 + h)\underline{\kappa} \\ m_{\#}(1 - \underline{\kappa}) &= (h - 1)\underline{\kappa} \\ m_{\#} &= (h - 1) \left(\frac{\underline{\kappa}}{1 - \underline{\kappa}} \right) \end{aligned} \tag{57}$$

which (under these assumptions) satisfies $0 < m_{\#} < 1$.⁵⁵ For $m < m_{\#}$ the unconstrained consumer would choose to consume more than m ; for such m , the constrained consumer is obliged to choose $\bar{c}(m) = m$.⁵⁶ For any $m > m_{\#}$ the constraint will never bind and the consumer will choose to spend the same amount as the unconstrained consumer, $\bar{c}(m)$.

(Stachurski and Toda (2019) obtain a similar lower bound on consumption and use it to study the tail behavior of the wealth distribution.)

A.2 If GIC Holds

Imposition of the **GIC** reverses the inequality in (56), and thus reverses the conclusion: A consumer who starts with $m_t = 1$ will desire to consume more than 1. Such a consumer will be constrained, not only in period t , but perpetually thereafter.

Now define $b_{\#}^n$ as the b_t such that an unconstrained consumer holding $b_t = b_{\#}^n$ would behave so as to arrive in period $t + n$ with $b_{t+n} = 0$ (with $b_{\#}^0$ trivially equal to 0); for example, a consumer with $b_{t-1} = b_{\#}^1$ was on the ‘cusp’ of being constrained in period $t - 1$: Had b_{t-1} been infinitesimally smaller, the constraint would have been binding (because the consumer would have desired, but been unable, to enter period t with negative, not zero, b). Given the **GIC**, the constraint certainly binds in period t (and thereafter) with resources of $m_t = m_{\#}^0 = 1 + b_{\#}^0 = 1$: The consumer cannot spend more (because constrained), and will not choose to spend less (because impatient), than $c_t = c_{\#}^0 = 1$.

We can construct the entire ‘prehistory’ of this consumer leading up to t as follows. Maintaining the assumption that the constraint has never bound in the past, c must have been growing according to \mathbf{P}_{Φ} , so consumption n periods in the past must have been

$$c_{\#}^n = \mathbf{P}_{\Phi}^{-n} c_t = \mathbf{P}_{\Phi}^{-n}. \tag{58}$$

⁵⁵Note that $0 < m_{\#}$ is implied by **RIC** and $m_{\#} < 1$ is implied by **GIC**.

⁵⁶As an illustration, consider a consumer for whom $\mathbf{D} = 1$, $R = 1.01$ and $\Phi = 0.99$. This consumer will save the amount necessary to ensure that growth in market wealth exactly offsets the decline in human wealth represented by $\Phi < 1$; total wealth (and therefore total consumption) will remain constant, even as market wealth and human wealth trend in opposite directions.

The PDV of consumption from $t - n$ until t can thus be computed as

$$\begin{aligned}\mathbb{C}_{t-n}^t &= c_{t-n}(1 + \mathbf{P}/R + \cdots + (\mathbf{P}/R)^n) \\ &= c_{\#}^n(1 + \mathbf{P}_R + \cdots + \mathbf{P}_R^n) \\ &= \mathbf{P}_{\Phi}^{-n} \left(\frac{1 - \mathbf{P}_R^{n+1}}{1 - \mathbf{P}_R} \right) \\ &= \left(\frac{\mathbf{P}_{\Phi}^{-n} - \mathbf{P}_R}{1 - \mathbf{P}_R} \right)\end{aligned}$$

and note that the consumer's human wealth between $t - n$ and t (the relevant time horizon, because from t onward the consumer will be constrained and unable to access post- t income) is

$$h_{\#}^n = 1 + \cdots + \mathcal{R}^{-n} \quad (59)$$

while the intertemporal budget constraint says

$$\mathbb{C}_{t-n}^t = b_{\#}^n + h_{\#}^n$$

from which we can solve for the $b_{\#}^n$ such that the consumer with $b_{t-n} = b_{\#}^n$ would unconstrainedly plan (in period $t - n$) to arrive in period t with $b_t = 0$:

$$b_{\#}^n = \mathbb{C}_{t-n}^t - \overbrace{\left(\frac{1 - \mathcal{R}^{-(n+1)}}{1 - \mathcal{R}^{-1}} \right)}^{h_{\#}^n}. \quad (60)$$

Defining $m_{\#}^n = b_{\#}^n + 1$, consider the function $\mathring{c}(m)$ defined by linearly connecting the points $\{m_{\#}^n, c_{\#}^n\}$ for integer values of $n \geq 0$ (and setting $\mathring{c}(m) = m$ for $m < 1$). This function will return, for any value of m , the optimal value of c for a liquidity constrained consumer with an infinite horizon. The function is piecewise linear with 'kink points' where the slope discretely changes; for infinitesimal ϵ the MPC of a consumer with assets $m = m_{\#}^n - \epsilon$ is discretely higher than for a consumer with assets $m = m_{\#}^n + \epsilon$ because the latter consumer will spread a marginal dollar over more periods before exhausting it.

In order for a unique consumption function to be defined by this sequence (60) for the entire domain of positive real values of b , we need $b_{\#}^n$ to become arbitrarily large with n . That is, we need

$$\lim_{n \rightarrow \infty} b_{\#}^n = \infty. \quad (61)$$

A.2.1 If FHC Holds

The FHC requires $\mathcal{R}^{-1} < 1$, in which case the second term in (60) limits to a constant as $n \uparrow \infty$, and (61) reduces to a requirement that

$$\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_{\Phi}^{-n} - (\mathbf{P}_R/\mathbf{P}_{\Phi})^n \mathbf{P}_R}{1 - \mathbf{P}_R} \right) = \infty$$

$$\begin{aligned}\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_{\Phi}^{-n} - \mathcal{R}^{-n} \mathbf{P}_R}{1 - \mathbf{P}_R} \right) &= \infty \\ \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_{\Phi}^{-n}}{1 - \mathbf{P}_R} \right) &= \infty.\end{aligned}$$

Given the **GIC** $\mathbf{P}_{\Phi}^{-1} > 1$, this will hold iff the **RIC** holds, $\mathbf{P}_R < 1$. But given that the **FHWC** $R > \Phi$ holds, the **GIC** is stronger (harder to satisfy) than the **RIC**; thus, the **FHWC** and the **GIC** together imply the **RIC**, and so a well-defined solution exists. Furthermore, in the limit as n approaches infinity, the difference between the limiting constrained consumption function and the unconstrained consumption function becomes vanishingly small, because the date at which the constraint binds becomes arbitrarily distant, so the effect of that constraint on current behavior shrinks to nothing. That is,

$$\lim_{m \rightarrow \infty} \bar{c}(m) - \bar{c}(m) = 0. \quad (62)$$

A.2.2 If FHWC Fails

If the **FHWC** fails, matters are a bit more complex.

Given failure of **FHWC**, (61) requires

$$\begin{aligned}\lim_{n \rightarrow \infty} \left(\frac{\mathcal{R}^{-n} \mathbf{P}_R - \mathbf{P}_{\Phi}^{-n}}{\mathbf{P}_R - 1} \right) + \left(\frac{1 - \mathcal{R}^{-(n+1)}}{\mathcal{R}^{-1} - 1} \right) &= \infty \\ \lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_R}{\mathbf{P}_R - 1} - \frac{\mathcal{R}^{-1}}{\mathcal{R}^{-1} - 1} \right) \mathcal{R}^{-n} - \left(\frac{\mathbf{P}_{\Phi}^{-n}}{\mathbf{P}_R - 1} \right) &= \infty\end{aligned}$$

If RIC Holds. When the **RIC** holds, rearranging (63) gives

$$\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_{\Phi}^{-n}}{1 - \mathbf{P}_R} \right) - \mathcal{R}^{-n} \left(\frac{\mathbf{P}_R}{1 - \mathbf{P}_R} + \frac{\mathcal{R}^{-1}}{\mathcal{R}^{-1} - 1} \right) = \infty$$

and for this to be true we need

$$\begin{aligned}\mathbf{P}_{\Phi}^{-1} &> \mathcal{R}^{-1} \\ \Phi/\mathbf{P} &> \Phi/R \\ 1 &> \mathbf{P}/R\end{aligned}$$

which is merely the **RIC** again. So the problem has a solution if the **RIC** holds. Indeed, we can even calculate the limiting MPC from

$$\lim_{n \rightarrow \infty} \kappa_{\#}^n = \lim_{n \rightarrow \infty} \left(\frac{c_{\#}^n}{b_{\#}^n} \right) \quad (63)$$

which with a bit of algebra⁵⁷ can be shown to asymptote to the MPC in the perfect

⁵⁷Calculate the limit of

$$\left(\frac{\mathbf{P}_{\Phi}^{-n}}{\mathbf{P}_{\Phi}^{-n}/(1 - \mathbf{P}_R) - (1 - \mathcal{R}^{-1}\mathcal{R}^{-n})/(1 - \mathcal{R}^{-1})} \right) = \left(\frac{1}{1/(1 - \mathbf{P}_R) + \mathcal{R}^{-n}\mathcal{R}^{-1}/(1 - \mathcal{R}^{-1})} \right) \quad (64)$$

foresight model:⁵⁸

$$\lim_{m \rightarrow \infty} \dot{\kappa}(m) = 1 - \mathbf{P}_R. \quad (65)$$

If RIC Fails. Consider now the **RIC** case, $\mathbf{P}_R > 1$. We can rearrange (63) as

$$\lim_{n \rightarrow \infty} \left(\frac{\mathbf{P}_R(\mathcal{R}^{-1} - 1)}{(\mathcal{R}^{-1} - 1)(\mathbf{P}_R - 1)} - \frac{\mathcal{R}^{-1}(\mathbf{P}_R - 1)}{(\mathcal{R}^{-1} - 1)(\mathbf{P}_R - 1)} \right) \mathcal{R}^{-n} - \left(\frac{\mathbf{P}_\Phi^{-n}}{\mathbf{P}_R - 1} \right) = \infty. \quad (66)$$

which makes clear that with **FHWC** $\Rightarrow \mathcal{R}^{-1} > 1$ and **RIC** $\Rightarrow \mathbf{P}_R > 1$ the numerators and denominators of both terms multiplying \mathcal{R}^{-n} can be seen transparently to be positive. So, the terms multiplying \mathcal{R}^{-n} in (63) will be positive if

$$\begin{aligned} \mathbf{P}_R \mathcal{R}^{-1} - \mathbf{P}_R &> \mathcal{R}^{-1} \mathbf{P}_R - \mathcal{R}^{-1} \\ \mathcal{R}^{-1} &> \mathbf{P}_R \\ \Phi &> \mathbf{P} \end{aligned}$$

which is merely the **GIC** which we are maintaining. So the first term's limit is $+\infty$. The combined limit will be $+\infty$ if the term involving \mathcal{R}^{-n} goes to $+\infty$ faster than the term involving $-\mathbf{P}_\Phi^{-n}$ goes to $-\infty$; that is, if

$$\begin{aligned} \mathcal{R}^{-1} &> \mathbf{P}_\Phi^{-1} \\ \Phi/R &> \Phi/\mathbf{P} \\ \mathbf{P}/R &> 1 \end{aligned}$$

which merely confirms the starting assumption that the **RIC** fails.

What is happening here is that the $c_\#^n$ term is increasing backward in time at rate dominated in the limit by Φ/\mathbf{P} while the $b_\#$ term is increasing at a rate dominated by Φ/R term and

$$\Phi/R > \Phi/\mathbf{P} \quad (67)$$

because **RIC** $\Rightarrow \mathbf{P} > R$.

Consequently, while $\lim_{n \uparrow \infty} b_\#^n = \infty$, the limit of the *ratio* $c_\#^n/b_\#^n$ in (63) is zero. Thus, surprisingly, the problem has a well defined solution with infinite human wealth if the **RIC** fails. It remains true that **RIC** implies a limiting MPC of zero,

$$\lim_{m \rightarrow \infty} \dot{\kappa}(m) = 0, \quad (68)$$

but that limit is approached gradually, starting from a positive value, and consequently the consumption function is *not* the degenerate $\dot{c}(m) = 0$. (Figure 8 presents an example for $\rho = 2$, $R = 0.98$, $\beta = 1.00$, $\Phi = 0.99$; note that the horizontal axis is bank balances $b = m - 1$; the part of the consumption function below the depicted points is uninteresting — $c = m$ — so not worth plotting).

We can summarize as follows. Given that the **GIC** holds, the interesting question is whether the **FHWC** holds. If so, the **RIC** automatically holds, and the solution limits into

⁵⁸For an example of this configuration of parameters, see the notebook `doApndxLiqConstr.nb` in the Mathematica software archive.



Figure 8 Nondegenerate Consumption Function with \overline{EHWC} and \overline{RIC}

the solution to the unconstrained problem as $m \uparrow \infty$. But even if the \overline{FHWC} fails, the problem has a well-defined and nondegenerate solution, whether or not the \overline{RIC} holds.

Although these results were derived for the perfect foresight case, we know from work elsewhere in this paper and in other places that the perfect foresight case is an upper bound for the case with uncertainty. If the upper bound of the MPC in the perfect foresight case is zero, it is not possible for the upper bound in the model with uncertainty to be greater than zero, because for any $\kappa > 0$ the level of consumption in the model with uncertainty would eventually exceed the level of consumption in the absence of uncertainty.

Ma and Toda (2020) characterize the limits of the MPC in a more general framework that allows for capital and labor income risks in a Markovian setting with liquidity constraints, and find that in that much more general framework the limiting MPC is also zero.

B Existence of Concave c Function

To show that (5) defines a sequence of continuously differentiable strictly increasing concave functions $\{c_T, c_{T-1}, \dots, c_{T-k}\}$, we start with a definition. We will say that a function $n(z)$ is ‘nice’ if it satisfies

1. $n(z)$ is well-defined iff $z > 0$
2. $n(z)$ is strictly increasing
3. $n(z)$ is strictly concave
4. $n(z)$ is \mathbf{C}^3

5. $n(z) < 0$
6. $\lim_{z \downarrow 0} n(z) = -\infty$.

(Notice that an implication of niceness is that $\lim_{z \downarrow 0} n'(z) = \infty$.)

Assume that some v_{t+1} is nice. Our objective is to show that this implies v_t is also nice; this is sufficient to establish that v_{t-n} is nice by induction for all $n > 0$ because $v_T(m) = u(m)$ and $u(m) = m^{1-\rho}/(1-\rho)$ is nice by inspection.

Now define an end-of-period value function $\mathbf{v}_t(a)$ as

$$\mathbf{v}_t(a) = \beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho} v_{t+1}(\mathcal{R}_{t+1}a + \xi_{t+1})]. \quad (69)$$

Since there is a positive probability that ξ_{t+1} will attain its minimum of zero and since $\mathcal{R}_{t+1} > 0$, it is clear that $\lim_{a \downarrow 0} \mathbf{v}_t(a) = -\infty$ and $\lim_{a \downarrow 0} \mathbf{v}'_t(a) = \infty$. So $\mathbf{v}_t(a)$ is well-defined iff $a > 0$; it is similarly straightforward to show the other properties required for $\mathbf{v}_t(a)$ to be nice. (See Hiraguchi (2003).)

Next define $\underline{v}_t(m, c)$ as

$$\underline{v}_t(m, c) = u(c) + \mathbf{v}_t(m - c) \quad (70)$$

which is \mathbf{C}^3 since \mathbf{v}_t and u are both \mathbf{C}^3 , and note that our problem's value function defined in (5) can be written as

$$v_t(m) = \max_c \underline{v}_t(m, c). \quad (71)$$

\underline{v}_t is well-defined if and only if $0 < c < m$. Furthermore, $\lim_{c \downarrow 0} \underline{v}_t(m, c) = \lim_{c \uparrow m} \underline{v}_t(m, c) = -\infty$, $\frac{\partial^2 \underline{v}_t(m, c)}{\partial c^2} < 0$, $\lim_{c \downarrow 0} \frac{\partial \underline{v}_t(m, c)}{\partial c} = +\infty$, and $\lim_{c \uparrow m} \frac{\partial \underline{v}_t(m, c)}{\partial c} = -\infty$. It follows that the $c_t(m)$ defined by

$$c_t(m) = \arg \max_{0 < c < m} \underline{v}_t(m, c) \quad (72)$$

exists and is unique, and (5) has an internal solution that satisfies

$$u'(c_t(m)) = \mathbf{v}'_t(m - c_t(m)). \quad (73)$$

Since both u and \mathbf{v}_t are strictly concave, both $c_t(m)$ and $a_t(m) = m - c_t(m)$ are strictly increasing. Since both u and \mathbf{v}_t are three times continuously differentiable, using (73) we can conclude that $c_t(m)$ is continuously differentiable and

$$c'_t(m) = \frac{\mathbf{v}''_t(a_t(m))}{u''(c_t(m)) + \mathbf{v}''_t(a_t(m))}. \quad (74)$$

Similarly we can easily show that $c_t(m)$ is twice continuously differentiable (as is $a_t(m)$) (See Appendix C.) This implies that $v_t(m)$ is nice, since $v_t(m) = u(c_t(m)) + \mathbf{v}_t(a_t(m))$.

C $c_t(m)$ is Twice Continuously Differentiable

First we show that $c_t(m)$ is \mathbf{C}^1 . Define y as $y \equiv m + dm$. Since $u'(c_t(y)) - u'(c_t(m)) = v'_t(a_t(y)) - v'_t(a_t(m))$ and $\frac{a_t(y) - a_t(m)}{dm} = 1 - \frac{c_t(y) - c_t(m)}{dm}$,

$$\frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)} = \left(\frac{u'(c_t(y)) - u'(c_t(m))}{c_t(y) - c_t(m)} + \frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)} \right) \frac{c_t(y) - c_t(m)}{dm}$$

Since c_t and a_t are continuous and increasing, $\lim_{dm \rightarrow +0} \frac{u'(c_t(y)) - u'(c_t(m))}{c_t(y) - c_t(m)} < 0$ and $\lim_{dm \rightarrow +0} \frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)} < 0$ are satisfied. Then $\frac{u'(c_t(y)) - u'(c_t(m))}{c_t(y) - c_t(m)} + \frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)} < 0$ for sufficiently small dm . Hence we obtain a well-defined equation:

$$\frac{c_t(y) - c_t(m)}{dm} = \frac{\frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)}}{\frac{u'(c_t(y)) - u'(c_t(m))}{c_t(y) - c_t(m)} + \frac{v'_t(a_t(y)) - v'_t(a_t(m))}{a_t(y) - a_t(m)}}.$$

This implies that the right-derivative, $c_t'^+(m)$ is well-defined and

$$c_t'^+(m) = \frac{v_t''(a_t(m))}{u''(c_t(m)) + v_t''(a_t(m))}.$$

Similarly we can show that $c_t'^+(m) = c_t'^-(m)$, which means $c_t'(m)$ exists. Since v_t is \mathbf{C}^3 , $c_t'(m)$ exists and is continuous. $c_t'(m)$ is differentiable because v_t'' is \mathbf{C}^1 , $c_t(m)$ is \mathbf{C}^1 and $u''(c_t(m)) + v_t''(a_t(m)) < 0$. $c_t''(m)$ is given by

$$c_t''(m) = \frac{a_t'(m) v_t'''(a_t) [u''(c_t) + v_t''(a_t)] - v_t''(a_t) [c_t' u'''(c_t) + a_t' v_t'''(a_t)]}{[u''(c_t) + v_t''(a_t)]^2}. \quad (75)$$

Since $v_t''(a_t(m))$ is continuous, $c_t''(m)$ is also continuous.

D \mathcal{T} Is a Contraction Mapping

We must show that our operator \mathcal{T} satisfies all of Boyd's conditions.

Boyd's operator \mathcal{T} maps from $\mathcal{C}_F(\mathcal{A}, \mathcal{B})$ to $\mathcal{C}(\mathcal{A}, \mathcal{B})$. A preliminary requirement is therefore that $\{\mathcal{T}z\}$ be continuous for any F -bounded z , $\{\mathcal{T}z\} \in \mathcal{C}(\mathbb{R}_{++}, \mathbb{R})$. This is not difficult to show; see Hiraguchi (2003).

Consider condition (1). For this problem,

$$\begin{aligned} \{\mathcal{T}x\}(m_t) &\text{ is } \max_{c_t \in [\underline{\kappa}m_t, \bar{\kappa}m_t]} \{u(c_t) + \beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho} x(m_{t+1})]\} \\ \{\mathcal{T}y\}(m_t) &\text{ is } \max_{c_t \in [\underline{\kappa}m_t, \bar{\kappa}m_t]} \{u(c_t) + \beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho} y(m_{t+1})]\}, \end{aligned}$$

so $x(\bullet) \leq y(\bullet)$ implies $\{\mathcal{T}x\}(m_t) \leq \{\mathcal{T}y\}(m_t)$ by inspection.⁵⁹

⁵⁹For a fixed m_t , recall that m_{t+1} is just a function of c_t and the stochastic shocks.

Condition (2) requires that $\{\mathcal{T}\mathbf{0}\} \in \mathcal{C}_F(\mathcal{A}, \mathcal{B})$. By definition,

$$\{\mathcal{T}\mathbf{0}\}(m_t) = \max_{c_t \in [\underline{\kappa}m_t, \bar{\kappa}m_t]} \left\{ \left(\frac{c_t^{1-\rho}}{1-\rho} \right) + \beta 0 \right\}$$

the solution to which is patently $u(\bar{\kappa}m_t)$. Thus, condition (2) will hold if $(\bar{\kappa}m_t)^{1-\rho}$ is F -bounded, which it is if we use the bounding function

$$F(m) = \eta + m^{1-\rho}, \quad (76)$$

defined in the main text.

Finally, we turn to condition (3), $\{\mathcal{T}(z + \zeta F)\}(m_t) \leq \{\mathcal{T}z\}(m_t) + \zeta \alpha F(m_t)$. The proof will be more compact if we define \check{c} and \check{a} as the consumption and assets functions⁶⁰ associated with $\mathcal{T}z$ and \hat{c} and \hat{a} as the functions associated with $\mathcal{T}(z + \zeta F)$; using this notation, condition (3) can be rewritten

$$u(\hat{c}) + \beta \{E(z + \zeta F)\}(\hat{a}) \leq u(\check{c}) + \beta \{Ez\}(\check{a}) + \zeta \alpha F.$$

Now note that if we force the \smile consumer to consume the amount that is optimal for the \wedge consumer, value for the \smile consumer must decline (at least weakly). That is,

$$u(\hat{c}) + \beta \{Ez\}(\hat{a}) \leq u(\check{c}) + \beta \{Ez\}(\check{a}).$$

Thus, condition (3) will certainly hold under the stronger condition

$$\begin{aligned} u(\hat{c}) + \beta \{E(z + \zeta F)\}(\hat{a}) &\leq u(\hat{c}) + \beta \{Ez\}(\hat{a}) + \zeta \alpha F \\ \beta \{E(z + \zeta F)\}(\hat{a}) &\leq \beta \{Ez\}(\hat{a}) + \zeta \alpha F \\ \beta \zeta \{EF\}(\hat{a}) &\leq \zeta \alpha F \\ \beta \{EF\}(\hat{a}) &\leq \alpha F \\ \beta \{EF\}(\hat{a}) &< F. \end{aligned}$$

where the last line follows because $0 < \alpha < 1$ by assumption.⁶¹

Using $F(m) = \eta + m^{1-\rho}$ and defining $\hat{a}_t = \hat{a}(m_t)$, this condition is

$$\beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho}(\hat{a}_t \mathcal{R}_{t+1} + \xi_{t+1})^{1-\rho}] - m_t^{1-\rho} < \eta(1 - \underbrace{\beta \mathbb{E}_t \Phi_{t+1}^{1-\rho}}_{=\beth})$$

which by imposing **PF-FVAC** (equation (20), which says $\beth < 1$) can be rewritten as:

$$\eta > \frac{\beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho}(\hat{a}_t \mathcal{R}_{t+1} + \xi_{t+1})^{1-\rho}] - m_t^{1-\rho}}{1 - \beth}. \quad (77)$$

But since η is an arbitrary constant that we can pick, the proof thus reduces to showing

⁶⁰Section 2.8 proves existence of a continuously differentiable consumption function, which implies the existence of a corresponding continuously differentiable assets function.

⁶¹The remainder of the proof could be reformulated using the second-to-last line at a small cost to intuition.

that the numerator of (77) is bounded from above:

$$\begin{aligned}
& (1 - \wp)\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}(\hat{a}_t \mathcal{R}_{t+1} + \theta_{t+1}/(1 - \wp))^{1-\rho}] + \wp\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}(\hat{a}_t \mathcal{R}_{t+1})^{1-\rho}] - m_t^{1-\rho} \\
& \leq (1 - \wp)\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}((1 - \bar{\kappa})m_t \mathcal{R}_{t+1} + \theta_{t+1}/(1 - \wp))^{1-\rho}] \\
& \quad + \wp\beta R^{1-\rho}((1 - \bar{\kappa})m_t)^{1-\rho} - m_t^{1-\rho} \\
& = (1 - \wp)\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}((1 - \bar{\kappa})m_t \mathcal{R}_{t+1} + \theta_{t+1}/(1 - \wp))^{1-\rho}] \\
& \quad + m_t^{1-\rho} \left(\wp\beta R^{1-\rho} \left(\wp^{1/\rho} \frac{(R\beta)^{1/\rho}}{R} \right)^{1-\rho} - 1 \right) \\
& = (1 - \wp)\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}((1 - \bar{\kappa})m_t \mathcal{R}_{t+1} + \theta_{t+1}/(1 - \wp))^{1-\rho}] + m_t^{1-\rho} \left(\underbrace{\wp^{1/\rho} \frac{(R\beta)^{1/\rho}}{R}}_{<1 \text{ by WRIC}} - 1 \right) \\
& < (1 - \wp)\beta \mathbb{E}_t [\Phi_{t+1}^{1-\rho}(\theta/(1 - \wp))^{1-\rho}] = \beth(1 - \wp)^\rho \theta^{1-\rho}.
\end{aligned}$$

We can thus conclude that equation (77) will certainly hold for any:

$$\eta > \underline{\eta} = \frac{\beth(1 - \wp)^\rho \theta^{1-\rho}}{1 - \beth} \quad (78)$$

which is a positive finite number under our assumptions.

The proof that \mathcal{T} defines a contraction mapping under the conditions (32) and (29) is now complete.

D.1 \mathcal{T} and v

In defining our operator \mathcal{T} we made the restriction $\underline{\kappa}m_t \leq c_t \leq \bar{\kappa}m_t$. However, in the discussion of the consumption function bounds, we showed only (in (33)) that $\underline{\kappa}_t m_t \leq c_t(m_t) \leq \bar{\kappa}_t m_t$. (The difference is in the presence or absence of time subscripts on the MPC's.) We have therefore not proven (yet) that the sequence of value functions (5) defines a contraction mapping.

Fortunately, the proof of that proposition is identical to the proof above, except that we must replace $\bar{\kappa}$ with $\bar{\kappa}_{T-1}$ and the **WRIC** must be replaced by a slightly stronger (but still quite weak) condition. The place where these conditions have force is in the step at (78). Consideration of the prior two equations reveals that a sufficient stronger condition is

$$\begin{aligned}
& \wp\beta(R(1 - \bar{\kappa}_{T-1}))^{1-\rho} < 1 \\
& (\wp\beta)^{1/(1-\rho)}(1 - \bar{\kappa}_{T-1}) > 1 \\
& (\wp\beta)^{1/(1-\rho)}(1 - (1 + \wp^{1/\rho}\mathbf{P}_R)^{-1}) > 1
\end{aligned}$$

where we have used (31) for $\bar{\kappa}_{T-1}$ (and in the second step the reversal of the inequality occurs because we have assumed $\rho > 1$ so that we are exponentiating both sides by the negative number $1 - \rho$). To see that this is a weak condition, note that for small values

of \wp this expression can be further simplified using $(1 + \wp^{1/\rho} \mathbf{P}_R)^{-1} \approx 1 - \wp^{1/\rho} \mathbf{P}_R$ so that it becomes

$$\begin{aligned} (\wp\beta)^{1/(1-\rho)} \wp^{1/\rho} \mathbf{P}_R &> 1 \\ (\wp\beta) \wp^{(1-\rho)/\rho} \mathbf{P}_R^{1-\rho} &< 1 \\ \beta \wp^{1/\rho} \mathbf{P}_R^{1-\rho} &< 1. \end{aligned}$$

Calling the weak return patience factor $\mathbf{P}_R^\wp = \wp^{1/\rho} \mathbf{P}_R$ and recalling that the **WRIC** was $\mathbf{P}_R^\wp < 1$, the expression on the LHS above is $\beta \mathbf{P}_R^{-\rho}$ times the **WRPF**. Since we usually assume β not far below 1 and parameter values such that $\mathbf{P}_R \approx 1$, this condition is clearly not very different from the **WRIC**.

The upshot is that under these slightly stronger conditions the value functions for the original problem define a contraction mapping with a unique $v(m)$. But since $\lim_{n \rightarrow \infty} \underline{\kappa}_{T-n} = \underline{\kappa}$ and $\lim_{n \rightarrow \infty} \bar{\kappa}_{T-n} = \bar{\kappa}$, it must be the case that the $v(m)$ toward which these v_{T-n} 's are converging is the *same* $v(m)$ that was the endpoint of the contraction defined by our operator \mathcal{T} . Thus, under our slightly stronger (but still quite weak) conditions, not only do the value functions defined by (5) converge, they converge to the same unique v defined by \mathcal{T} .⁶²

E Convergence in Euclidian Space

E.1 Convergence of v_t

Boyd's theorem shows that \mathcal{T} defines a contraction mapping in an F -bounded space. We now show that \mathcal{T} also defines a contraction mapping in Euclidian space.

Calling v^* the unique fixed point of the operator \mathcal{T} , since $v^*(m) = \mathcal{T}v^*(m)$,

$$\|v_{T-n+1} - v^*\|_F \leq \alpha^{n-1} \|v_T - v^*\|_F. \quad (79)$$

On the other hand, $v_T - v^* \in \mathcal{C}_F(\mathcal{A}, \mathcal{B})$ and $\kappa = \|v_T - v^*\|_F < \infty$ because v_T and v^* are in $\mathcal{C}_F(\mathcal{A}, \mathcal{B})$. It follows that

$$|v_{T-n+1}(m) - v^*(m)| \leq \kappa \alpha^{n-1} |F(m)|. \quad (80)$$

Then we obtain

$$\lim_{n \rightarrow \infty} v_{T-n+1}(m) = v^*(m). \quad (81)$$

Since $v_T(m) = \frac{m^{1-\rho}}{1-\rho}$, $v_{T-1}(m) \leq \frac{(\bar{\kappa}m)^{1-\rho}}{1-\rho} < v_T(m)$. On the other hand, $v_{T-1} \leq v_T$ means $\mathcal{T}v_{T-1} \leq \mathcal{T}v_T$, in other words, $v_{T-2}(m) \leq v_{T-1}(m)$. Inductively one gets $v_{T-n}(m) \geq v_{T-n-1}(m)$. This means that $\{v_{T-n+1}(m)\}_{n=1}^\infty$ is a decreasing sequence, bounded below by v^* .

⁶²It seems likely that convergence of the value functions for the original problem could be proven even if only the **WRIC** were imposed; but that proof is not an essential part of the enterprise of this paper and is therefore left for future work.

E.2 Convergence of c_t

Given the proof that the value functions converge, we now show the pointwise convergence of consumption functions $\{c_{T-n+1}(m)\}_{n=1}^{\infty}$.

Consider any convergent subsequence $\{c_{T-n(i)}(m)\}$ of $\{c_{T-n+1}(m)\}_{n=1}^{\infty}$ converging to c^* . By the definition of $c_{T-n}(m)$, we have

$$\begin{aligned} u(c_{T-n(i)}(m)) + \beta \mathbb{E}_{T-n(i)}[\Phi_{T-n(i)+1}^{1-\rho} v_{T-n(i)+1}(m)] \\ \geq u(c_{T-n(i)}) + \beta \mathbb{E}_{T-n(i)}[\Phi_{T-n(i)+1}^{1-\rho} v_{T-n(i)+1}(m)], \end{aligned} \quad (82)$$

for any $c_{T-n(i)} \in [\underline{\kappa}m, \bar{\kappa}m]$. Now letting $n(i)$ go to infinity, it follows that the left hand side converges to $u(c^*) + \beta \mathbb{E}_t[\Phi_t^{1-\rho} v(m)]$, and the right hand side converges to $u(c_{T-n(i)}) + \beta \mathbb{E}_t[\Phi_t^{1-\rho} v(m)]$. So the limit of the preceding inequality as $n(i)$ approaches infinity implies

$$u(c^*) + \beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho} v(m)] \geq u(c_{T-n(i)}) + \beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho} v(m)]. \quad (83)$$

Hence, $c^* \in \arg \max_{c_{T-n(i)} \in [\underline{\kappa}m, \bar{\kappa}m]} \{u(c_{T-n(i)}) + \beta \mathbb{E}_t[\Phi_{t+1}^{1-\rho} v(m)]\}$. By the uniqueness of $c(m)$, $c^* = c(m)$.

F Equality of c and p Growth with Transitory Shocks

Section 4.1 asserted that in the absence of permanent shocks it is possible to prove that the growth factor for aggregate consumption approaches that for aggregate permanent income. This section establishes that result.

First define $a(m)$ as the function that yields optimal end-of-period assets as a function of m .

Suppose the population starts in period t with an arbitrary value for $\text{cov}_t(a_{t+1,i}, \mathbf{p}_{t+1,i})$. Then if \hat{m} is the invariant mean level of m we can define an ‘average marginal propensity to save away from \hat{m} ’ function:

$$\bar{a}'(\Delta) = \Delta^{-1} \int_{\hat{m}}^{\hat{m}+\Delta} a'(z) dz$$

where the combination of the bar and the $'$ are meant to signify that this is the average value of the derivative over the interval. Since $\Psi_{t+1,i} = 1$, $\mathcal{R}_{t+1,i}$ is a constant at \mathcal{R} , so if we define \hat{a} as the value of a corresponding to $m = \hat{m}$, we can write

$$a_{t+1,i} = \hat{a} + (m_{t+1,i} - \hat{m}) \bar{a}'(\overbrace{\mathcal{R}a_{t,i} + \xi_{t+1,i}}^{m_{t+1,i}} - \hat{m})$$

so

$$\text{cov}_t(a_{t+1,i}, \mathbf{p}_{t+1,i}) = \text{cov}_t(\bar{a}'(\mathcal{R}a_{t,i} + \xi_{t+1,i} - \hat{m}), \Phi \mathbf{p}_{t,i}).$$

But since $R^{-1}(\phi R \beta)^{1/\rho} < \bar{a}'(m) < \mathbf{P}_R$,

$$|\text{cov}_t((\phi R \beta)^{1/\rho} a_{t+1,i}, \mathbf{p}_{t+1,i})| < |\text{cov}_t(a_{t+1,i}, \mathbf{p}_{t+1,i})| < |\text{cov}_t(\mathbf{P} a_{t+1,i}, \mathbf{p}_{t+1,i})|$$

and for the version of the model with no permanent shocks the **GIC-Nrm** says that $\mathbf{P} < \Phi$, while the **FHWC** says that $\Phi < R$; combining these facts we get:

$$|\text{cov}_t(a_{t+1,i}, \mathbf{p}_{t+1,i})| < \Phi |\text{cov}_t(a_{t,i}, \mathbf{p}_{t,i})|.$$

This means that from any arbitrary starting value, the relative size of the covariance term shrinks to zero over time (compared to the $\check{\mathbf{A}}\Phi^n$ term which is growing steadily by the factor Φ). Thus, $\lim_{n \rightarrow \infty} \mathbf{A}_{t+n+1}/\mathbf{A}_{t+n} = \Phi$.

This logic unfortunately does not go through when there are permanent shocks, because the $\mathcal{R}_{t+1,i}$ terms are not independent of the permanent income shocks.

To see the problem clearly, define $\check{\mathcal{R}} = \mathbb{M}[\mathcal{R}_{t+1,i}]$ and consider a first order Taylor expansion of $\bar{a}'(m_{t+1,i})$ around $\hat{m}_{t+1,i} = \check{\mathcal{R}}a_{t,i} + 1$,

$$\bar{a}'_{t+1,i} \approx \bar{a}'(\hat{m}_{t+1,i}) + \bar{a}''(\hat{m}_{t+1,i})(m_{t+1,i} - \hat{m}_{t+1,i}).$$

The problem comes from the \bar{a}'' term (which we implicitly define as the derivative of \bar{a}'). The concavity of the consumption function implies convexity of the a function, so this term is strictly positive but we have no theory to place bounds on its size as we do for its level \bar{a}' . We cannot rule out by theory that a positive shock to permanent income (which has a negative effect on $m_{t+1,i}$) could have a (locally) unboundedly positive effect on \bar{a}'' (as for instance if it pushes the consumer arbitrarily close to the self-imposed liquidity constraint).

G The Limiting MPC's

For $m_t > 0$ we can define $e_t(m_t) = c_t(m_t)/m_t$ and $a_t(m_t) = m_t - c_t(m_t)$ and the Euler equation (6) can be rewritten

$$\begin{aligned} e_t(m_t)^{-\rho} &= \beta R \mathbb{E}_t \left[\left(e_{t+1}(m_{t+1}) \left(\frac{\overbrace{Ra_t(m_t) + \Phi_{t+1}\xi_{t+1}}^{=m_{t+1}\Phi_{t+1}}}{m_t} \right) \right)^{-\rho} \right] \\ &= (1 - \wp) \beta R m_t^\rho \mathbb{E}_t [(e_{t+1}(m_{t+1}) m_{t+1} \Phi_{t+1})^{-\rho} | \xi_{t+1} > 0] \\ &\quad + \wp \beta R^{1-\rho} \mathbb{E}_t \left[\left(e_{t+1}(\mathcal{R}_{t+1} a_t(m_t)) \frac{m_t - c_t(m_t)}{m_t} \right)^{-\rho} | \xi_{t+1} = 0 \right]. \end{aligned}$$

Consider the first conditional expectation in (6), recalling that if $\xi_{t+1} > 0$ then $\xi_{t+1} \equiv \theta_{t+1}/(1 - \wp)$. Since $\lim_{m_t \downarrow 0} a_t(m) = 0$, $\mathbb{E}_t[(e_{t+1}(m_{t+1}) m_{t+1} \Phi_{t+1})^{-\rho} | \xi_{t+1} > 0]$ is contained within bounds defined by $(e_{t+1}(\underline{\theta}/(1 - \wp)) \Phi \underline{\Psi} \underline{\theta}/(1 - \wp))^{-\rho}$ and $(e_{t+1}(\bar{\theta}/(1 - \wp)) \Phi \bar{\Psi} \bar{\theta}/(1 - \wp))^{-\rho}$ both of which are finite numbers, implying that the whole term multiplied by $(1 - \wp)$ goes to zero as m_t^ρ goes to zero. As $m_t \downarrow 0$ the expectation in the other term goes to $\bar{\kappa}_{t+1}^{-\rho} (1 - \bar{\kappa}_t)^{-\rho}$. (This follows from the strict concavity and differentiability of the consumption function.) It follows that the limiting

$\bar{\kappa}_t$ satisfies $\bar{\kappa}_t^{-\rho} = \beta \wp \mathbf{R}^{1-\rho} \bar{\kappa}_{t+1}^{-\rho} (1 - \bar{\kappa}_t)^{-\rho}$. Exponentiating by ρ , we can conclude that

$$\bar{\kappa}_t = \wp^{-1/\rho} (\beta \mathbf{R})^{-1/\rho} \mathbf{R} (1 - \bar{\kappa}_t) \bar{\kappa}_{t+1}$$

$$\underbrace{\wp^{1/\rho} \mathbf{R}^{-1} (\beta \mathbf{R})^{1/\rho}}_{\equiv \wp^{1/\rho} \mathbf{P}_R} \bar{\kappa}_t = (1 - \bar{\kappa}_t) \bar{\kappa}_{t+1}$$

which yields a useful recursive formula for the maximal marginal propensity to consume:

$$(\wp^{1/\rho} \mathbf{P}_R \bar{\kappa}_t)^{-1} = (1 - \bar{\kappa}_t)^{-1} \bar{\kappa}_{t+1}^{-1}$$

$$\bar{\kappa}_t^{-1} (1 - \bar{\kappa}_t) = \wp^{1/\rho} \mathbf{P}_R \bar{\kappa}_{t+1}^{-1}$$

$$\bar{\kappa}_t^{-1} = 1 + \wp^{1/\rho} \mathbf{P}_R \bar{\kappa}_{t+1}^{-1}.$$

As noted in the main text, we need the **WRIC** (32) for this to be a convergent sequence:

$$0 \leq \wp^{1/\rho} \mathbf{P}_R < 1, \quad (84)$$

Since $\bar{\kappa}_T = 1$, iterating (84) backward to infinity (because we are interested in the limiting consumption function) we obtain:

$$\lim_{n \rightarrow \infty} \bar{\kappa}_{T-n} = \bar{\kappa} \equiv 1 - \wp^{1/\rho} \mathbf{P}_R \quad (85)$$

and we will therefore call $\bar{\kappa}$ the ‘limiting maximal MPC.’

The minimal MPC’s are obtained by considering the case where $m_t \uparrow \infty$. If the **FHWC** holds, then as $m_t \uparrow \infty$ the proportion of current and future consumption that will be financed out of capital approaches 1. Thus, the terms involving ξ_{t+1} in (84) can be neglected, leading to a revised limiting Euler equation

$$(m_t e_t(m_t))^{-\rho} = \beta \mathbf{R} \mathbb{E}_t [(e_{t+1}(a_t(m_t) \mathcal{R}_{t+1}) (\mathbf{R} a_t(m_t)))^{-\rho}]$$

and using L’Hôpital’s rule $\lim_{m_t \rightarrow \infty} e_t(m_t) = \underline{\kappa}_t$, and $\lim_{m_t \rightarrow \infty} e_{t+1}(a_t(m_t) \mathcal{R}_{t+1}) = \underline{\kappa}_{t+1}$ so a further limit of the Euler equation is

$$(m_t \underline{\kappa}_t)^{-\rho} = \beta \mathbf{R} (\underline{\kappa}_{t+1} \mathbf{R} (1 - \underline{\kappa}_t) m_t)^{-\rho}$$

$$\underbrace{\mathbf{R}^{-1} \mathbf{P}}_{\equiv \mathbf{P}_R = (1 - \underline{\kappa})} \underline{\kappa}_t = (1 - \underline{\kappa}_t) \underline{\kappa}_{t+1}$$

and the same sequence of derivations used above yields the conclusion that if the **RIC** $0 \leq \mathbf{P}_R < 1$ holds, then a recursive formula for the minimal marginal propensity to consume is given by

$$\underline{\kappa}_t^{-1} = 1 + \underline{\kappa}_{t+1}^{-1} \mathbf{P}_R \quad (86)$$

so that $(\{\underline{\kappa}_{T-n}^{-1}\})_{n=0}^{\infty}$ is also an increasing convergent sequence, and we define

$$\underline{\kappa}^{-1} \equiv \lim_{n \uparrow \infty} \underline{\kappa}_{T-n}^{-1} \quad (87)$$

as the limiting (inverse) marginal MPC. If the **RIC** does *not* hold, then $\lim_{n \rightarrow \infty} \underline{\kappa}_{T-n}^{-1} = \infty$ and so the limiting MPC is $\underline{\kappa} = 0$.

For the purpose of constructing the limiting perfect foresight consumption function, it is useful further to note that the PDV of consumption is given by

$$c_t \underbrace{\left(1 + \mathbf{p}_R + \mathbf{p}_R^2 + \cdots\right)}_{=1+\mathbf{p}_R(1+\mathbf{p}_R\kappa_{t+2}^{-1})\dots} = c_t \kappa_{T-n}^{-1}.$$

which, combined with the intertemporal budget constraint, yields the usual formula for the perfect foresight consumption function:

$$c_t = (b_t + h_t)\kappa_t \quad (88)$$

H The Perfect Foresight Liquidity Constrained Solution as a Limit

Formally, suppose we change the description of the problem by making the following two assumptions:

$$\begin{aligned} \wp &= 0 \\ c_t &\leq m_t, \end{aligned}$$

and we designate the solution to this consumer's problem $\hat{c}_t(m)$. We will henceforth refer to this as the problem of the 'restrained' consumer (and, to avoid a common confusion, we will refer to the consumer as 'constrained' only in circumstances when the constraint is actually binding).

Redesignate the consumption function that emerges from our original problem for a given fixed \wp as $c_t(m; \wp)$ where we separate the arguments by a semicolon to distinguish between m , which is a state variable, and \wp , which is not. The proposition we wish to demonstrate is

$$\lim_{\wp \downarrow 0} c_t(m; \wp) = \hat{c}_t(m). \quad (89)$$

We will first examine the problem in period $T - 1$, then argue that the desired result propagates to earlier periods. For simplicity, suppose that the interest, growth, and time-preference factors are $\beta = R = \Phi = 1$, and there are no permanent shocks, $\Psi = 1$; the results below are easily generalized to the full-fledged version of the problem.

The solution to the restrained consumer's optimization problem can be obtained as follows. Assuming that the consumer's behavior in period T is given by $c_T(m)$ (in practice, this will be $c_T(m) = m$), consider the unrestrained optimization problem

$$\hat{a}_{T-1}^*(m) = \arg \max_a \left\{ u(m - a) + \int_{\underline{\theta}}^{\bar{\theta}} v_T(a + \theta) d\mathcal{F}_{\theta} \right\}. \quad (90)$$

As usual, the envelope theorem tells us that $v'_T(m) = u'(c_T(m))$ so the expected

marginal value of ending period $T - 1$ with assets a can be defined as

$$\mathfrak{v}'_{T-1}(a) \equiv \int_{\underline{\theta}}^{\bar{\theta}} u'(c_T(a + \theta)) d\mathcal{F}_{\theta},$$

and the solution to (90) will satisfy

$$u'(m - a) = \mathfrak{v}'_{T-1}(a). \quad (91)$$

$\mathfrak{a}_{T-1}^*(m)$ therefore answers the question “With what level of assets would the restrained consumer like to end period $T - 1$ if the constraint $c_{T-1} \leq m_{T-1}$ did not exist?” (Note that the restrained consumer’s income process remains different from the process for the unrestrained consumer so long as $\wp > 0$.) The restrained consumer’s actual asset position will be

$$\mathfrak{a}_{T-1}(m) = \max[0, \mathfrak{a}_{T-1}^*(m)],$$

reflecting the inability of the restrained consumer to spend more than current resources, and note (as pointed out by Deaton (1991)) that

$$m_{\#}^1 = (\mathfrak{v}'_{T-1}(0))^{-1/\rho}$$

is the cusp value of m at which the constraint makes the transition between binding and non-binding in period $T - 1$.

Analogously to (91), defining

$$\mathfrak{v}'_{T-1}(a; \wp) \equiv \left[\wp a^{-\rho} + (1 - \wp) \int_{\underline{\theta}}^{\bar{\theta}} (c_T(a + \theta/(1 - \wp)))^{-\rho} d\mathcal{F}_{\theta} \right], \quad (92)$$

the Euler equation for the original consumer’s problem implies

$$(m - a)^{-\rho} = \mathfrak{v}'_{T-1}(a; \wp) \quad (93)$$

with solution $\mathfrak{a}_{T-1}^*(m; \wp)$. Now note that for any fixed $a > 0$, $\lim_{\wp \downarrow 0} \mathfrak{v}'_{T-1}(a; \wp) = \mathfrak{v}'_{T-1}(a)$. Since the LHS of (91) and (93) are identical, this means that $\lim_{\wp \downarrow 0} \mathfrak{a}_{T-1}^*(m; \wp) = \mathfrak{a}_{T-1}^*(m)$. That is, for any fixed value of $m > m_{\#}^1$ such that the consumer subject to the restraint would voluntarily choose to end the period with positive assets, the level of end-of-period assets for the unrestrained consumer approaches the level for the restrained consumer as $\wp \downarrow 0$. With the same a and the same m , the consumers must have the same c , so the consumption functions are identical in the limit.

Now consider values $m \leq m_{\#}^1$ for which the restrained consumer is constrained. It is obvious that the baseline consumer will never choose $a \leq 0$ because the first term in (92) is $\lim_{a \downarrow 0} \wp a^{-\rho} = \infty$, while $\lim_{a \downarrow 0} (m - a)^{-\rho}$ is finite (the marginal value of end-of-period assets approaches infinity as assets approach zero, but the marginal utility of consumption has a finite limit for $m > 0$). The subtler question is whether it is possible to rule out strictly positive a for the unrestrained consumer.

The answer is yes. Suppose, for some $m < m_{\#}^1$, that the unrestrained consumer is considering ending the period with any positive amount of assets $a = \delta > 0$. For any such δ we have that $\lim_{\wp \downarrow 0} \mathfrak{v}'_{T-1}(a; \wp) = \mathfrak{v}'_{T-1}(a)$. But by assumption we are considering a set of circumstances in which $\mathfrak{a}_{T-1}^*(m) < 0$, and we showed earlier that $\lim_{\wp \downarrow 0} \mathfrak{a}_{T-1}^*(m; \wp) =$

$\bar{a}_{T-1}^*(m)$. So, having assumed $a = \delta > 0$, we have proven that the consumer would optimally choose $a < 0$, which is a contradiction. A similar argument holds for $m = m_{\#}^1$.

These arguments demonstrate that for any $m > 0$, $\lim_{\wp \downarrow 0} c_{T-1}(m; \wp) = \bar{c}_{T-1}(m)$ which is the period $T - 1$ version of (89). But given equality of the period $T - 1$ consumption functions, backwards recursion of the same arguments demonstrates that the limiting consumption functions in previous periods are also identical to the constrained function.

Note finally that another intuitive confirmation of the equivalence between the two problems is that our formula (85) for the maximal marginal propensity to consume satisfies

$$\lim_{\wp \downarrow 0} \bar{\kappa} = 1,$$

which makes sense because the marginal propensity to consume for a constrained re-strained consumer is 1 by our definitions of ‘constrained’ and ‘restrained.’

I Endogenous Gridpoints Solution Method

The model is solved using an extension of the method of endogenous gridpoints (Carroll (2006)): A grid of possible values of end-of-period assets \vec{a} is defined, and at these points, marginal end-of-period- t value is computed as the discounted next-period expected marginal utility of consumption (which the Envelope theorem says matches expected marginal value). The results are then used to identify the corresponding levels of consumption at the beginning of the period:⁶³

$$\begin{aligned} u'(\mathbf{c}_t(\vec{a})) &= R\beta \mathbb{E}_t[u'(\Phi_{t+1}c_{t+1}(\mathcal{R}_{t+1}\vec{a} + \xi_{t+1}))] \\ \vec{c}_t \equiv \mathbf{c}_t(\vec{a}) &= (R\beta \mathbb{E}_t[(\Phi_{t+1}c_{t+1}(\mathcal{R}_{t+1}\vec{a} + \xi_{t+1}))^{-\rho}])^{-1/\rho}. \end{aligned}$$

The dynamic budget constraint can then be used to generate the corresponding m ’s:

$$\vec{m}_t = \vec{a} + \vec{c}_t.$$

An approximation to the consumption function could be constructed by linear interpolation between the $\{\vec{m}, \vec{c}\}$ points. But a vastly more accurate approximation can be made (for a given number of gridpoints) if the interpolation is constructed so that it also matches the marginal propensity to consume at the gridpoints. Differentiating (94) with respect to a (and dropping policy function arguments for simplicity) yields a marginal propensity to *have consumed* \mathbf{c}^a at each gridpoint:

$$\begin{aligned} u''(\mathbf{c}_t)\mathbf{c}_t^a &= R\beta \mathbb{E}_t[u''(\Phi_{t+1}c_{t+1})\Phi_{t+1}c_{t+1}^m \mathcal{R}_{t+1}] \\ &= R\beta \mathbb{E}_t[u''(\Phi_{t+1}c_{t+1})Rc_{t+1}^m] \\ \mathbf{c}_t^a &= R\beta \mathbb{E}_t[u''(\Phi_{t+1}c_{t+1})Rc_{t+1}^m]/u''(\mathbf{c}_t) \end{aligned}$$

⁶³The software can also solve a version of the model with explicit liquidity constraints, where the Envelope condition does not hold.

and the marginal propensity to consume at the beginning of the period is obtained from the marginal propensity to have consumed by noting that, if we define $\mathbf{m}(a) = \mathbf{c}(a) - a$,

$$\begin{aligned} c &= \mathbf{m} - a \\ \mathbf{c}^a + 1 &= \mathbf{m}^a \end{aligned}$$

which, together with the chain rule $\mathbf{c}^a = \mathbf{c}^m \mathbf{m}^a$, yields the MPC from

$$\begin{aligned} \mathbf{c}^m(\mathbf{c}^a + 1) &= \mathbf{c}^a \\ \mathbf{c}^m &= \mathbf{c}^a / (1 + \mathbf{c}^a) \end{aligned}$$

and we call the vector of MPC's at the \vec{m}_t gridpoints $\vec{\kappa}_t$.

J The Terminal/Limiting Consumption Function

For any set of parameter values that satisfy the conditions required for convergence, the problem can be solved by setting the terminal consumption function to $c_T(m) = m$ and constructing $\{c_{T-1}, c_{T-2}, \dots\}$ by time iteration (a method that will converge to $c(m)$ by standard theorems). But $c_T(m) = m$ is very far from the final converged consumption rule $c(m)$,⁶⁴ and thus many periods of iteration will likely be required to obtain a candidate rule that even remotely resembles the converged function.

A natural alternative choice for the terminal consumption rule is the solution to the perfect foresight liquidity constrained problem, to which the model's solution converges (under specified parametric restrictions) as all forms of uncertainty approach zero (as discussed in the main text). But a difficulty with this idea is that the perfect foresight liquidity constrained solution is 'kinked.' The slope of the consumption function changes discretely at the points $\{m_{\#}^1, m_{\#}^2, \dots\}$. This is a practical problem because it rules out the use of derivatives of the consumption function in the approximate representation of $c(m)$, thereby preventing the enormous increase in efficiency obtainable from a higher-order approximation.

Our solution is simple: The formulae in another appendix that identify kink points on $c(m)$ for integer values of n (e.g., $c_{\#}^n = \mathbf{P}_{\Phi}^{-n}$) are continuous functions of n ; the conclusion that $c(m)$ is piecewise linear between the kink points does not require that the *terminal consumption rule* (from which time iteration proceeds) also be piecewise linear. Thus, for values $n \geq 0$ we can construct a smooth function $\check{c}(m)$ that matches the true perfect foresight liquidity constrained consumption function at the set of points corresponding to integer periods in the future, but satisfies the (continuous, and greater at non-kink points) consumption rule defined from the appendix's formulas by noninteger values of n at other points.⁶⁵

This strategy generates a smooth limiting consumption function — except at the remaining kink point defined by $\{m_{\#}^0, c_{\#}^0\}$. Below this point, the solution must match

⁶⁴Unless $\beta \approx +0$.

⁶⁵In practice, we calculate the first and second derivatives of c and use piecewise polynomial approximation methods that match the function at these points.

$c(m) = m$ because the constraint is binding. At $m = m_{\#}^0$ the MPC discretely drops (that is, $\lim_{m \uparrow m_{\#}^0} c'(m) = 1$ while $\lim_{m \downarrow m_{\#}^0} c'(m) = \kappa_{\#}^0 < 1$).

Such a kink point causes substantial problems for numerical solution methods (like the one we use, described below) that rely upon the smoothness of the limiting consumption function.

Our solution is to use, as the terminal consumption rule, a function that is identical to the (smooth) continuous consumption rule $\check{c}(m)$ above some $n \geq \underline{n}$, but to replace $\check{c}(m)$ between $m_{\#}^0$ and $m_{\#}^{\underline{n}}$ with the unique polynomial function $\hat{c}(m)$ that satisfies the following criteria:

1. $\hat{c}(m_{\#}^0) = c_{\#}^0$
2. $\hat{c}'(m_{\#}^0) = 1$
3. $\hat{c}'(m_{\#}^{\underline{n}}) = (dc_{\#}^{\underline{n}}/dn)(dm_{\#}^{\underline{n}}/dn)^{-1}|_{n=\underline{n}}$
4. $\hat{c}''(m_{\#}^{\underline{n}}) = (d^2c_{\#}^{\underline{n}}/dn^2)(d^2m_{\#}^{\underline{n}}/dn^2)^{-1}|_{n=\underline{n}}$

where \underline{n} is chosen judgmentally in a way calculated to generate a good compromise between smoothness of the limiting consumption function $\check{c}(m)$ and fidelity of that function to the $c(m)$ (see the actual code for details).

We thus define the terminal function as

$$c_T(m) = \begin{cases} 0 < m \leq m_{\#}^0 & m \\ m_{\#}^0 < m < m_{\#}^{\underline{n}} & \check{c}(m) \\ m_{\#}^{\underline{n}} < m & c(m) \end{cases} \quad (94)$$

Since the precautionary motive implies that in the presence of uncertainty the optimal level of consumption is below the level that is optimal without uncertainty, and since $\check{c}(m) \geq c(m)$, implicitly defining $m = e^{\mu}$ (so that $\mu = \log m$), we can construct

$$\chi_t(\mu) = \log(1 - c_t(e^{\mu})/c_T(e^{\mu})) \quad (95)$$

which must be a number between $-\infty$ and $+\infty$ (since $0 < c_t(m) < \check{c}(m)$ for $m > 0$). This function turns out to be much better behaved (as a numerical observation; no formal proof is offered) than the level of the optimal consumption rule $c_t(m)$. In particular, $\chi_t(\mu)$ is well approximated by linear functions both as $m \downarrow 0$ and as $m \uparrow \infty$.

Differentiating with respect to μ and dropping consumption function arguments yields

$$\chi_t'(\mu) = \left(\frac{-\left(\frac{c_t'c_T - c_t c_T'}{c_T^2} e^{\mu}\right)}{1 - c_t/c_T} \right) \quad (96)$$

which can be solved for

$$c_t' = (c_t c_T' / c_T) - ((c_T - c_t) / m) \chi_t'. \quad (97)$$

Similarly, we can solve (95) for

$$c_t(m) = (1 - e^{\chi_t(\log m)}) c_T(m). \quad (98)$$




Figure 9 Inequality Conditions for Perfect Foresight Model
(Start at a node and follow arrows)

Thus, having approximated χ_t , we can recover from it the level and derivative(s) of c_t .

K Relational Diagrams for the Inequality Conditions

This appendix explains in detail the paper’s ‘inequalities’ diagrams (Figures 1, 3).

K.1 The Unconstrained Perfect Foresight Model

A simple illustration is presented in Figure 9, whose three nodes represent values of the absolute patience factor \mathbf{P} , the permanent-income growth factor Φ , and the riskfree interest factor R . The arrows represent imposition of the labeled inequality condition (like, the uppermost arrow, pointing from \mathbf{P} to Φ , reflects imposition of the **GIC** condition (clicking **GIC** should take you to its definition; definitions of other conditions are also linked below)).⁶⁶ Annotations inside parenthetical expressions containing \equiv are there to make the diagram readable for someone who may not immediately remember terms and definitions from the main text. (Such a reader might also want to be reminded that R, β , and Γ are all in \mathbb{R}_{++} , and that $\rho > 1$).

Navigation of the diagram is simple: Start at any node, and deduce a chain of inequalities by following any arrow that exits that node, and any arrows that exit from successive nodes. Traversal must stop upon arrival at a node with no exiting arrows. So, for example, we can start at the \mathbf{P} node and impose the **GIC** and then the **FWC**, and see that imposition of these conditions allows us to conclude that $\mathbf{P} < R$.

One could also impose $\mathbf{P} < R$ directly (without imposing **GIC** and **FWC**) by following the downward-sloping diagonal arrow exiting \mathbf{P} . Although alternate routes from one node to another all justify the same core conclusion ($\mathbf{P} < R$, in this case), \neq symbol

⁶⁶For convenience, the equivalent (\equiv) mathematical statement of each condition is expressed nearby in parentheses.

in the center is meant to convey that these routes are not identical in other respects. This notational convention is used in **category theory diagrams**,⁶⁷ to indicate that the diagram is not **commutative**.⁶⁸

Negation of a condition is indicated by the reversal of the corresponding arrow. For example, negation of the **RIC**, $\overleftarrow{\text{RIC}} \equiv \mathbf{D} > \mathbf{R}$, would be represented by moving the arrowhead from the bottom right to the top left of the line segment connecting \mathbf{D} and \mathbf{R} .

If we were to start at \mathbf{R} and then impose $\overleftarrow{\text{FWC}}$, that would reverse the arrow connecting \mathbf{R} and Φ , but the Φ node would then have no exiting arrows so no further deductions could be made. However, if we *also* reversed **GIC** (that is, if we imposed $\overleftarrow{\text{GIC}}$), that would take us to the \mathbf{D} node, and we could deduce $\mathbf{R} > \mathbf{D}$. However, we would have to stop traversing the diagram at this point, because the arrow exiting from the \mathbf{D} node points back to our starting point, which (if valid) would lead us to the conclusion that $\mathbf{R} > \mathbf{R}$. Thus, the reversal of the two earlier conditions (imposition of $\overleftarrow{\text{FWC}}$ and $\overleftarrow{\text{GIC}}$) requires us also to reverse the final condition, giving us $\overleftarrow{\text{RIC}}$.⁶⁹

Under these conventions, Figure 1 in the main text presents a modified version of the diagram extended to incorporate the **PF-FVAC** (reproduced here for convenient reference).

This diagram can be interpreted, for example, as saying that, starting at the \mathbf{D} node, it is possible to derive the **PF-FVAC**⁷⁰ by imposing both the **GIC** and the **FWC**; or by imposing **RIC** and $\overleftarrow{\text{FWC}}$. Or, starting at the Φ node, we can follow the imposition of the **FWC** (twice — reversing the arrow labeled $\overleftarrow{\text{FWC}}$) and then $\overleftarrow{\text{RIC}}$ to reach the conclusion that $\mathbf{D} < \Phi$. Algebraically,

$$\begin{aligned} \text{FWC} : \quad & \Phi < \mathbf{R} \\ \overleftarrow{\text{RIC}} : \quad & \mathbf{R} < \mathbf{D} \\ & \Phi < \mathbf{D} \end{aligned} \tag{99}$$

which leads to the negation of both of the conditions leading into \mathbf{D} . $\overleftarrow{\text{GIC}}$ is obtained directly as the last line in (99) and $\overleftarrow{\text{PF-FVAC}}$ follows if we start by multiplying the Return Patience Factor ($\text{RPF} = \mathbf{D}/\mathbf{R}$) by the **FHWF** ($= \Phi/\mathbf{R}$) raised to the power $1/\rho - 1$, which is negative since we imposed $\rho > 1$. **FWC** implies **FHWF** < 1 so when **FHWF** is raised to a negative power the result is greater than one. Multiplying the **RPF** (which exceeds 1 because $\overleftarrow{\text{RIC}}$) by another number greater than one yields a product that must

⁶⁷For a popular introduction to category theory, see Riehl (2017).

⁶⁸But the rest of our notation does not necessarily abide by the other conventions of category theory diagrams.

⁶⁹The corresponding algebra is

$$\begin{aligned} \overleftarrow{\text{FWC}} : \quad & \mathbf{R} < \Phi \\ \overleftarrow{\text{GIC}} : \quad & \Phi < \mathbf{D} \\ \Rightarrow \overleftarrow{\text{RIC}} : \quad & \mathbf{R} < \mathbf{D}, \end{aligned}$$

⁷⁰in the form $\mathbf{D} < (\mathbf{R}/\Phi)^{1/\rho} \Phi$



Figure 10 Relation of GIC, FHWC, RIC, and PFVAC

An arrowhead points to the larger of the two quantities being compared. For example, the diagonal arrow indicates that $\mathbf{P} < R^{1/\rho}\Phi^{1-1/\rho}$, which is an alternative way of writing the **PF-FVAC**, (20)

be greater than one:

$$\begin{aligned}
 1 &< \overbrace{\left(\frac{(R\beta)^{1/\rho}}{R} \right)}^{>1 \text{ from RIC}} \overbrace{\left(\Phi/R \right)^{1/\rho-1}}^{>1 \text{ from FHWC}} \\
 1 &< \left(\frac{(R\beta)^{1/\rho}}{(R/\Phi)^{1/\rho} R \Phi / R} \right) \\
 R^{1/\rho}\Phi^{1-1/\rho} &= (R/\Phi)^{1/\rho}\Phi < \mathbf{P}
 \end{aligned}$$

which is one way of writing **PF-FVAC**.

The complexity of this algebraic calculation illustrates the usefulness of the diagram, in which one merely needs to follow arrows to reach the same result.

After the warmup of constructing these conditions for the perfect foresight case, we can represent the relationships between all the conditions in both the perfect foresight case and the case with uncertainty as shown in Figure 3 in the paper (reproduced here).

Finally, the next diagram substitutes the values of the various objects in the diagram under the baseline parameter values and verifies that all of the asserted inequality conditions hold true.



Figure 11 Relation of All Inequality Conditions

L When Is Consumption Growth Declining in m ?

Figure 4 depicts the expected consumption growth factor as a strictly declining function of the cash-on-hand ratio. To investigate this, define

$$\Upsilon(m_t) \equiv \Phi_{t+1}c(\mathcal{R}_{t+1}a(m_t) + \xi_{t+1})/c(m_t) = \mathbf{c}_{t+1}/\mathbf{c}_t$$

and the proposition in which we are interested is

$$(d/dm_t) \mathbb{E}_t[\underbrace{\Upsilon(m_t)}_{\equiv \Upsilon_{t+1}}] < 0$$

or differentiating through the expectations operator, what we want is

$$\mathbb{E}_t \left[\Phi_{t+1} \left(\frac{c'(m_{t+1})\mathcal{R}_{t+1}a'(m_t)c(m_t) - c(m_{t+1})c'(m_t)}{c(m_t)^2} \right) \right] < 0. \quad (100)$$

Henceforth indicating appropriate arguments by the corresponding subscript (e.g. $c'_{t+1} \equiv c'(m_{t+1})$), since $\Phi_{t+1}\mathcal{R}_{t+1} = \mathbf{R}$, the portion of the LHS of equation (100) in brackets can be manipulated to yield

$$\begin{aligned} \mathbf{c}_t \Upsilon'_{t+1} &= c'_{t+1}a'_t \mathbf{R} - c'_t \Phi_{t+1} \mathbf{c}_{t+1}/\mathbf{c}_t \\ &= c'_{t+1}a'_t \mathbf{R} - c'_t \Upsilon_{t+1}. \end{aligned}$$



Figure 12 Numerical Relation of All Inequality Conditions

Now differentiate the Euler equation with respect to m_t :

$$\begin{aligned}
 1 &= R\beta \mathbb{E}_t[\Upsilon_{t+1}^{-\rho}] \\
 0 &= \mathbb{E}_t[\Upsilon_{t+1}^{-\rho-1} \Upsilon'_{t+1}] \\
 &= \mathbb{E}_t[\Upsilon_{t+1}^{-\rho-1}] \mathbb{E}_t[\Upsilon'_{t+1}] + \text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, \Upsilon'_{t+1}) \\
 \mathbb{E}_t[\Upsilon'_{t+1}] &= -\text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, \Upsilon'_{t+1}) / \mathbb{E}_t[\Upsilon_{t+1}^{-\rho-1}]
 \end{aligned} \tag{101}$$

but since $\Upsilon_{t+1} > 0$ we can see from (101) that (100) is equivalent to

$$\text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, \Upsilon'_{t+1}) > 0$$

which, using (101), will be true if

$$\text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, c'_{t+1} a'_t R - c'_t \Upsilon_{t+1}) > 0$$

which in turn will be true if both

$$\text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, c'_{t+1}) > 0$$

and

$$\text{cov}_t(\Upsilon_{t+1}^{-\rho-1}, \Upsilon_{t+1}) < 0.$$

The latter proposition is obviously true under our assumption $\rho > 1$. The former will be true if

$$\text{cov}_t((\Phi \Psi_{t+1} c(m_{t+1}))^{-\rho-1}, c'(m_{t+1})) > 0.$$

The two shocks cause two kinds of variation in m_{t+1} . Variations due to ξ_{t+1} satisfy

the proposition, since a higher draw of ξ both reduces $c_{t+1}^{-\rho-1}$ and reduces the marginal propensity to consume. However, permanent shocks have conflicting effects. On the one hand, a higher draw of Ψ_{t+1} will reduce m_{t+1} , thus increasing both $c_{t+1}^{-\rho-1}$ and c'_{t+1} . On the other hand, the $c_{t+1}^{-\rho-1}$ term is multiplied by $\Phi\Psi_{t+1}$, so the effect of a higher Ψ_{t+1} could be to decrease the first term in the covariance, leading to a negative covariance with the second term. (Analogously, a lower permanent shock Ψ_{t+1} can also lead a negative correlation.)

M Unique, Stable Target and Steady State Points

This appendix proves Theorems 2-3 and:

Lemma 1. *If \check{m} and \hat{m} both exist, then $\check{m} \leq \hat{m}$.*

M.1 Proof of Theorem 2

The elements of the proof of Theorem 2 are:

- Existence and continuity of $\mathbb{E}_t[m_{t+1}/m_t]$
- Existence of a point where $\mathbb{E}_t[m_{t+1}/m_t] = 1$
- $\mathbb{E}_t[m_{t+1}] - m_t$ is monotonically decreasing

M.2 Existence and Continuity of $\mathbb{E}_t[m_{t+1}/m_t]$

The consumption function exists because we have imposed sufficient conditions (the **WRIC** and **FVAC**; Theorem 1).

Section 2.8 shows that for all t , $a_{t-1} = m_{t-1} - c_{t-1} > 0$. Since $m_t = a_{t-1}\mathcal{R}_t + \xi_t$, even if ξ_t takes on its minimum value of 0, $a_{t-1}\mathcal{R}_t > 0$, since both a_{t-1} and \mathcal{R}_t are strictly positive. With m_t and m_{t+1} both strictly positive, the ratio $\mathbb{E}_t[m_{t+1}/m_t]$ inherits continuity (and, for that matter, continuous differentiability) from the consumption function.

M.3 Existence of a point where $\mathbb{E}_t[m_{t+1}/m_t] = 1$.

This follows from:

1. Existence and continuity of $\mathbb{E}_t[m_{t+1}/m_t]$ (just proven)
2. Existence a point where $\mathbb{E}_t[m_{t+1}/m_t] < 1$
3. Existence a point where $\mathbb{E}_t[m_{t+1}/m_t] > 1$
4. The Intermediate Value Theorem

M.3.1 Existence of m where $\mathbb{E}_t[m_{t+1}/m_t] < 1$

If RIC holds. Logic exactly parallel to that of Section 3.1 leading to equation (39), but dropping the Φ_{t+1} from the RHS, establishes that

$$\begin{aligned} \lim_{m_t \uparrow \infty} \mathbb{E}_t[m_{t+1}/m_t] &= \lim_{m_t \uparrow \infty} \mathbb{E}_t \left[\frac{\mathcal{R}_{t+1}(m_t - c(m_t)) + \xi_{t+1}}{m_t} \right] \\ &= \mathbb{E}_t[(\mathcal{R}/\Phi_{t+1})\mathbf{P}_R] \\ &= \mathbb{E}_t[\mathbf{P}/\Phi_{t+1}] \\ &< 1 \end{aligned} \tag{102}$$

where the inequality reflects imposition of the **GIC-Nrm** (26).

If RIC fails. When the **RIC** fails, the fact that $\lim_{m \uparrow \infty} c'(m) = 0$ (see equation (30)) means that the limit of the RHS of (102) as $m \uparrow \infty$ is $\bar{\mathcal{R}} = \mathbb{E}_t[\mathcal{R}_{t+1}]$. In the next step of this proof, we will prove that the combination **GIC-Nrm** and **RIC** implies $\bar{\mathcal{R}} < 1$.

So we have $\lim_{m \uparrow \infty} \mathbb{E}_t[m_{t+1}/m_t] < 1$ whether the **RIC** holds or fails.

M.3.2 Existence of $m > 1$ where $\mathbb{E}_t[m_{t+1}/m_t] > 1$

Paralleling the logic for c in Section 3.2: the ratio of $\mathbb{E}_t[m_{t+1}]$ to m_t is unbounded above as $m_t \downarrow 0$ because $\lim_{m_t \downarrow 0} \mathbb{E}_t[m_{t+1}] > 0$.

Intermediate Value Theorem. If $\mathbb{E}_t[m_{t+1}/m_t]$ is continuous, and takes on values above and below 1, there must be at least one point at which it is equal to one.

M.3.3 $\mathbb{E}_t[m_{t+1}] - m_t$ is monotonically decreasing.

Now define $\zeta(m_t) \equiv \mathbb{E}_t[m_{t+1}] - m_t$ and note that

$$\begin{aligned} \zeta(m_t) < 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] < 1 \\ \zeta(m_t) = 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] = 1 \\ \zeta(m_t) > 0 &\leftrightarrow \mathbb{E}_t[m_{t+1}/m_t] > 1, \end{aligned} \tag{103}$$

so that $\zeta(\hat{m}) = 0$. Our goal is to prove that $\zeta(\bullet)$ is strictly decreasing on $(0, \infty)$ using the fact that

$$\begin{aligned} \zeta'(m_t) &\equiv \left(\frac{d}{dm_t} \right) \zeta(m_t) = \mathbb{E}_t \left[\left(\frac{d}{dm_t} \right) (\mathcal{R}_{t+1}(m_t - c(m_t)) + \xi_{t+1} - m_t) \right] \\ &= \bar{\mathcal{R}}(1 - c'(m_t)) - 1. \end{aligned} \tag{104}$$

Now, we show that (given our other assumptions) $\zeta'(m)$ is decreasing (but for different reasons) whether the **RIC** holds or fails.

If RIC holds. Equation (16) indicates that if the **RIC** holds, then $\underline{\kappa} > 0$. We show at the bottom of Section 2.9.1 that if the **RIC** holds then $0 < \underline{\kappa} < c'(m_t) < 1$ so that

$$\bar{\mathcal{R}}(1 - c'(m_t)) - 1 < \bar{\mathcal{R}}(1 - \underbrace{(1 - \mathbf{P}_R)}_{\underline{\kappa}}) - 1$$

$$\begin{aligned}
&= \bar{\mathcal{R}} \mathbf{P}_R - 1 \\
&= \mathbb{E}_t \left[\frac{\mathbf{R}}{\mathbf{\Phi} \mathbf{\Psi}} \frac{\mathbf{P}}{\mathbf{R}} \right] - 1 \\
&= \underbrace{\mathbb{E}_t \left[\frac{\mathbf{P}}{\mathbf{\Phi} \mathbf{\Psi}} \right]}_{=\mathbf{P}_\Phi} - 1
\end{aligned}$$

which is negative because the **GIC-Nrm** says $\mathbf{P}_\Phi < 1$.

If RIC fails. Under **RIC**, recall that $\lim_{m \uparrow \infty} c'(m) = 0$. Concavity of the consumption function means that c' is a decreasing function, so everywhere

$$\bar{\mathcal{R}} (1 - c'(m_t)) < \bar{\mathcal{R}}$$

which means that $\zeta'(m_t)$ from (104) is guaranteed to be negative if

$$\bar{\mathcal{R}} \equiv \mathbb{E}_t \left[\frac{\mathbf{R}}{\mathbf{\Phi} \mathbf{\Psi}} \right] < 1. \quad (105)$$

But the combination of the **GIC-Nrm** holding and the **RIC** failing can be written:

$$\underbrace{\mathbb{E}_t \left[\frac{\mathbf{P}}{\mathbf{\Phi} \mathbf{\Psi}} \right]}_{\mathbf{P}_\Phi} < 1 < \underbrace{\frac{\mathbf{P}_R}{\mathbf{R}}}_{\mathbf{P}_\Psi},$$

and multiplying all three elements by \mathbf{R}/\mathbf{P} gives

$$\mathbb{E}_t \left[\frac{\mathbf{R}}{\mathbf{\Phi} \mathbf{\Psi}} \right] < \mathbf{R}/\mathbf{P} < 1$$

which satisfies our requirement in (105).

M.4 Proof of Theorem 3

The elements of the proof are:

- Existence and continuity of $\mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t]$
- Existence of a point where $\mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] = 1$
- $\mathbb{E}_t[\Psi_{t+1}m_{t+1} - m_t]$ is monotonically decreasing

M.4.1 Existence and Continuity of the Ratio

Since by assumption $0 < \underline{\Psi} \leq \Psi_{t+1} \leq \bar{\Psi} < \infty$, our proof in M.2 that demonstrated existence and continuity of $\mathbb{E}_t[m_{t+1}/m_t]$ implies existence and continuity of $\mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t]$.

M.4.2 Existence of a stable point

Since by assumption $0 < \underline{\Psi} \leq \Psi_{t+1} \leq \bar{\Psi} < \infty$, our proof in Subsection M.2 that the ratio of $\mathbb{E}_t[m_{t+1}]$ to m_t is unbounded as $m_t \downarrow 0$ implies that the ratio $\mathbb{E}_t[\Psi_{t+1}m_{t+1}]$ to m_t is unbounded as $m_t \downarrow 0$.

The limit of the expected ratio as m_t goes to infinity is most easily calculated by modifying the steps for the prior theorem explicitly:

$$\begin{aligned}
 \lim_{m_t \uparrow \infty} \mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] &= \lim_{m_t \uparrow \infty} \mathbb{E}_t \left[\frac{\Phi_{t+1} ((R/\Phi_{t+1})a(m_t) + \xi_{t+1}) / \Phi}{m_t} \right] \\
 &= \lim_{m_t \uparrow \infty} \mathbb{E}_t \left[\frac{(R/\Phi)a(m_t) + \Psi_{t+1}\xi_{t+1}}{m_t} \right] \\
 &= \lim_{m_t \uparrow \infty} \left[\frac{(R/\Phi)a(m_t) + 1}{m_t} \right] \\
 &= (R/\Phi)\mathbf{P}_R \\
 &= \mathbf{P}_\Phi \\
 &< 1
 \end{aligned} \tag{106}$$

where the last two lines are merely a restatement of the **GIC** (19).

The Intermediate Value Theorem says that if $\mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t]$ is continuous, and takes on values above and below 1, there must be at least one point at which it is equal to one.

M.4.3 $\mathbb{E}_t[\Psi_{t+1}m_{t+1}] - m_t$ is monotonically decreasing.

Define $\zeta(m_t) \equiv \mathbb{E}_t[\Psi_{t+1}m_{t+1}] - m_t$ and note that

$$\begin{aligned}
 \zeta(m_t) < 0 &\leftrightarrow \mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] < 1 \\
 \zeta(m_t) = 0 &\leftrightarrow \mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] = 1 \\
 \zeta(m_t) > 0 &\leftrightarrow \mathbb{E}_t[\Psi_{t+1}m_{t+1}/m_t] > 1,
 \end{aligned} \tag{107}$$

so that $\zeta(\hat{m}) = 0$. Our goal is to prove that $\zeta(\bullet)$ is strictly decreasing on $(0, \infty)$ using the fact that

$$\begin{aligned}
 \zeta'(m_t) &\equiv \left(\frac{d}{dm_t} \right) \zeta(m_t) = \mathbb{E}_t \left[\left(\frac{d}{dm_t} \right) (\mathcal{R}(m_t - c(m_t)) + \Psi_{t+1}\xi_{t+1} - m_t) \right] \\
 &= (R/\Phi) (1 - c'(m_t)) - 1.
 \end{aligned} \tag{108}$$

Now, we show that (given our other assumptions) $\zeta'(m)$ is decreasing (but for different reasons) whether the **RIC** holds or fails (**RIC**).

If **RIC holds.** Equation (16) indicates that if the **RIC** holds, then $\underline{\kappa} > 0$. We show at the bottom of Section 2.9.1 that if the **RIC** holds then $0 < \underline{\kappa} < c'(m_t) < 1$ so that

$$\begin{aligned}
 \mathcal{R}(1 - c'(m_t)) - 1 &< \mathcal{R}(1 - \underbrace{(1 - \mathbf{P}_R)}_{\underline{\kappa}}) - 1 \\
 &= (R/\Phi)\mathbf{P}_R - 1
 \end{aligned}$$

which is negative because the **GIC** says $\mathbf{P}_\Phi < 1$.

If RIC fails. Under **RIC**, recall that $\lim_{m \uparrow \infty} c'(m) = 0$. Concavity of the consumption function means that c' is a decreasing function, so everywhere

$$\mathcal{R} (1 - c'(m_t)) < \mathcal{R}$$

which means that $\zeta'(m_t)$ from (108) is guaranteed to be negative if

$$\mathcal{R} \equiv (\mathcal{R}/\Phi) < 1. \quad (109)$$

But we showed in Section 2.6 that the only circumstances under which the problem has a nondegenerate solution while the **RIC** fails were ones where the **FHWC** also fails (that is, (109) holds).

M.5 A Third Measure

A footnote in Section 3 mentions reasons why it may be useful to calculate $\mathbb{E}_t[\log(\mathbf{m}_{t+1}/\log \mathbf{m}_t)]$. Here we show that one way of doing that is to calculate a nonlinear adjustment factor for the expectation of the growth factor.

$$\begin{aligned} \log(\mathbf{m}_{t+1}/\mathbf{m}_t) &= \log(\Phi \Psi_{t+1} m_{t+1}) - \log m_t \\ &= \log \Phi (a_t \mathcal{R} + \Psi_{t+1} \xi_{t+1}) - \log m_t \\ &= \log \Phi (a_t \mathcal{R} + 1 + (\Psi_{t+1} \xi_{t+1} - 1)) - \log m_t \end{aligned}$$

Now define $\check{m}_{t+1} = a_t \mathcal{R} + 1$, and compute the expectation:

$$\begin{aligned} \mathbb{E}_t[\log(\mathbf{m}_{t+1}/\mathbf{m}_t)] &= \mathbb{E}_t[\log \Phi (\check{m}_{t+1} + (\Psi_{t+1} \xi_{t+1} - 1))] - \log m_t \\ &= \log \Phi + \mathbb{E}_t[\log \check{m}_{t+1} (1 + (\Psi_{t+1} \xi_{t+1} - 1) \check{m}_{t+1}^{-1})] - \log m_t \\ &= \underbrace{\log \Phi + \log \check{m}_{t+1} - \log m_t}_{\equiv \log \mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t]} + \mathbb{E}_t[\log(1 + (\Psi_{t+1} \xi_{t+1} - 1) \check{m}_{t+1}^{-1})] \end{aligned}$$

and exponentiating tells us that

$$\exp(\mathbb{E}_t[\log \mathbf{m}_{t+1}/\mathbf{m}_t]) = \mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] \exp(\mathbb{E}_t[\log(1 + (\Psi_{t+1} \xi_{t+1} - 1) \check{m}_{t+1}^{-1})]) \quad (110)$$

and this latter factor is a number that approaches 1 from below as m_t rises. Thus the expected growth rate of the log is smaller than the log of the growth rate of the expected growth factor. This implies that the m at which ‘balanced growth’ can be expected in the log, \check{m} , exceeds the corresponding point for the ratio, \check{m} .

Furthermore, in the limit as \mathbf{m}_t gets arbitrarily large, if the **RIC** holds and thus $\underline{\kappa} > 0$, a_{t+1} rises without bound, as does $\check{m}_{t+1} = a_{t+1} \mathcal{R} + 1$, so the approximation $\log(1 + \epsilon) \approx \epsilon$ becomes arbitrarily good. Consequently, the last term on the RHS of (110) can be approximated as

$$\begin{aligned} \mathbb{E}_t[\log(1 + (\Psi_{t+1} \xi_{t+1} - 1) \check{m}_{t+1}^{-1})] &\approx \mathbb{E}_t[(\Psi_{t+1} \xi_{t+1} - 1) \check{m}_{t+1}^{-1}] \\ &= 0 \end{aligned}$$

This demonstrates that

$$\lim_{\mathbf{m}_t \uparrow \infty} \exp(\mathbb{E}_t[\log \mathbf{m}_{t+1}/\mathbf{m}_t]) = \mathbb{E}_t[\mathbf{m}_{t+1}/\mathbf{m}_t] \quad (111)$$

M.6 Proof of Lemma

M.6.1 Pseudo-Steady-State m Is Smaller than Target m

Designate

$$\begin{aligned}\check{m}_{t+1}(a) &= 1 + a\mathcal{R} \\ \hat{m}_{t+1}(a) &= 1 + a \underbrace{\mathcal{R}/\underline{\Psi}}_{\mathcal{R} > \mathcal{R}}\end{aligned}\tag{112}$$

so that we can implicitly define the target and pseudo-steady-state points as

$$\begin{aligned}\hat{m} &= \hat{m}_{t+1}(\hat{m} - c(\hat{m})) \\ \check{m} &= \check{m}_{t+1}(\check{m} - c(\check{m}))\end{aligned}\tag{113}$$

Then subtract:

$$\begin{aligned}\hat{m} - \check{m} &= (\hat{a}\underline{\Psi}^{-1} - \check{a})\mathcal{R} \\ &= (a(\hat{m})\underline{\Psi}^{-1} - a(\check{m}))\mathcal{R} \\ &= (a(\hat{m})\underline{\Psi}^{-1} - (a(\hat{m} + \check{m} - \hat{m})))\mathcal{R} \\ &\approx (a(\hat{m})\underline{\Psi}^{-1} - (a(\hat{m}) + (\check{m} - \hat{m})a'(\hat{m})))\mathcal{R} \\ (\hat{m} - \check{m})(1 - \underbrace{a'(\hat{m})\mathcal{R}}_{< \mathbf{P}_{\Phi} < 1}) &= (\underline{\Psi}^{-1} - 1)\hat{a}\mathcal{R}\end{aligned}\tag{114}$$

The RHS of this equation is strictly positive because $\underline{\Psi}^{-1} > 1$ and both \hat{a} and \mathcal{R} are positive; while on the LHS, $(1 - \mathcal{R}a') > 0$. So the equation can only hold if $\hat{m} - \check{m} > 0$. That is, the target ratio exceeds the pseudo-steady-state ratio.⁷¹

M.6.2 The m Achieving Individual Expected-Log-Balanced-Growth Is Smaller than the Individual Pseudo-Steady-State m

Expected log balanced growth occurs when

$$\begin{aligned}\mathbb{E}_t[\log \mathbf{m}_{t+1}] &= \log \Phi \mathbf{m}_t \\ \mathbb{E}_t[\log \mathbf{p}_{t+1} m_{t+1}] &= \log \Phi \mathbf{p}_t m_t \\ \mathbb{E}_t[\log \Psi_{t+1} m_{t+1}] &= \log \Phi m_t \\ \mathbb{E}_t[\log (a(m_t)\mathcal{R} + \Psi_{t+1}\xi_{t+1}\Phi)] &= \log \Phi m_t \\ \mathbb{E}_t[\log (a(m_t)\mathcal{R} + \Psi_{t+1}\xi_{t+1})] &= \log m_t\end{aligned}\tag{115}$$

and we call the m that satisfies this equation \tilde{m} .

Subtract the definition of \tilde{m} from that of \check{m} :

$$\exp(\mathbb{E}_t[\log (a(\tilde{m})\mathcal{R} + \Psi_{t+1}\xi_{t+1})]) - (a(\check{m})\mathcal{R} + 1) = \tilde{m} - \check{m}\tag{116}$$

Now we use the fact that the expectation of the log is less than the log of the

⁷¹The use of the first order Taylor approximation could be substituted, clumsily, with the average of a' over the interval to remove the approximation in the derivations above.

expectation,

$$\exp(\mathbb{E}_t[\log(a(\tilde{m})\mathcal{R} + \Psi_{t+1}\xi_{t+1})]) < (a(\tilde{m})\mathcal{R} + 1) \quad (117)$$

so

$$\begin{aligned} \exp(\mathbb{E}_t[\log(a(\tilde{m})\mathcal{R} + 1)]) - (a(\tilde{m})\mathcal{R} + 1) &< \tilde{m} - \check{m} \\ (a(\tilde{m})\mathcal{R} + 1) - (a(\check{m})\mathcal{R} + 1) &< \tilde{m} - \check{m} \\ (a(\tilde{m}) - a(\tilde{m} + \check{m} - \tilde{m}))\mathcal{R} &< \tilde{m} - \check{m} \\ (a(\tilde{m}) - (a(\tilde{m}) + (\check{m} - \tilde{m})\bar{a}'))\mathcal{R} &< \tilde{m} - \check{m} \\ (\tilde{m} - \check{m})\bar{a}'\mathcal{R} &< \tilde{m} - \check{m} \\ \underbrace{\bar{a}'\mathcal{R}}_{< \mathbf{P}_\Phi} &< 1 \end{aligned} \quad (118)$$

where we are interpreting \bar{a}' as the mean of the value of a' over the interval between \tilde{m} and \check{m} .

N Apparent Balanced Growth in \mathfrak{c} and $\text{cov}(c, \mathbf{p})$

Section 4.2 demonstrates some propositions under the assumption that, when an economy satisfies the **GIC**, there will be constant growth factors $\Omega_{\mathfrak{c}}$ and Ω_{cov} respectively for \mathfrak{c} (the average value of the consumption ratio) and $\text{cov}(c, \mathbf{p})$. In the case of a Szeidl-invariant economy, the main text shows that these are $\Omega_{\mathfrak{c}} = 1$ and $\Omega_{\text{cov}} = \Phi$. If the economy is Harmenberg- but not Szeidl-invariant, no proof is offered that these growth factors will be constant.

N.1 $\log c$ and $\log(\text{cov}(c, \mathbf{p}))$ Grow Linearly

Figures 13 and 14 plot the results of simulations of an economy that satisfies Harmenberg- but not Szeidl-invariance with a population of 4 million agents over the last 1000 periods (of a 2000 period simulation). The first figure shows that $\log \mathfrak{c}$ increases apparently linearly. The second figure shows that $\log(-\text{cov}(c, \mathbf{p}))$ also increases apparently linearly. (These results are produced by the notebook [ApndxBalancedGrowthcNrmAndCov.ipynb](#)).




Figure 13 $\log \mathfrak{c}$ Appears to Grow Linearly




Figure 14 $\log (-\text{cov}(c, \mathbf{p}))$ Appears to Grow Linearly

O Harmenberg's Method

Harmenberg defines a ‘density kernel’ describing the law of motion for the normalized state $\pi(m_{t+1}, m_t, \Psi_{t+1})$ and defines f_{Ψ} as the density of the permanent shock distribution; we correspondingly define F_{Ψ} as the CDF of permanent shocks.

The joint cumulative distribution boldface χ for m_{t+1} and p_{t+1} as a function of the

stochastic variables and the joint marginal distributions (nonbold χ) in period t is:

$$\chi_{t+1}(m_{t+1}, p_{t+1}) = \int_{\underline{m}_{t+1}}^{m_{t+1}} \int_{\underline{p}_{t+1}}^{p_{t+1}} \int_{p_t} \int_{m_t} \pi_t(m_{t+1}, m_t, \Psi_{t+1}) \chi_t(m_t, p_t) dm_t dp_t dF_{\Psi(p_{t+1})} dm_{t+1}$$

where

$$\begin{aligned} \Psi_{t+1} &= p_{t+1}/(\Phi p_t) \\ F_{\Psi(p_{t+1})} &= \int_{\underline{\Psi}}^{\Psi(p_{t+1})} f_{\Psi} d\Psi \\ dF_{\Psi(p_{t+1})} &= \left(\frac{d(p_{t+1}/(\Phi p_t))}{dp_{t+1}} \right) f_{\Psi}(\Psi_{t+1}) dp_{t+1} \\ &= \left(\frac{1}{\Phi p_t} \right) f_{\Psi}(\Psi_{t+1}) dp_{t+1} \end{aligned}$$

Harmenberg (2021)'s first equation corresponds to the marginal density obtained by differentiating the above CDF with respect to m_{t+1} and p_{t+1} and says that the 'Markov operator that maps a distribution $\chi \in D(m \times p)$ to the next-period χ ' (that is, defines the dynamics of the joint marginal distribution of m and p) is given by

$$\chi_{t+1}(m_{t+1}, p_{t+1}) = \int_{p_t} \left[\int_{m_t} \pi_t \left(m_{t+1}, m_t, \overbrace{\frac{p_{t+1}}{\Phi p_t}}^{\Psi_{t+1}} \right) f_{\Psi} \left(\frac{p_{t+1}}{\Phi p_t} \right) \chi_t(m_t, p_t) \left(\frac{1}{\Phi p_t} \right) dm_t \right] dp_t \quad (119)$$

A somewhat awkward notational scheme allows us to define an almost completely parallel representation of the corresponding discrete transition process:

1. $\{i, j, k\}$ index elements of vectors identifying possible values of Ψ_{t+1} , m_t , and m_{t+1}
 - We use the capital of the Roman letter to count the number of possible entries
 - e.g., there are K possible different values for m : $\{m_t^0, m_t^1, \dots, m_t^K\}$
2. n indexes the level of permanent income now: $p_t[n]$
3. $\Pi_t[k, j, i]$ indicates the probability of making a transition from value j of m_t to value k of m_{t+1} given that the realization of Ψ_{t+1} is $\Psi_{t+1}[i]$
4. $F_{\Psi}[i]$ is the probability of drawing the i 'th value of Ψ_{t+1}

then for a person whose location is described in period t as being at permanent income level p_t^n and market resources ratio $m_t[j]$, the elements of the matrix in the next period are given by:

$$X_{t+1}[k, q] = \sum_n \left(\sum_j \Pi_t[k, j, \iota(n, q)] F_{\Psi}[\iota(n, q)] X_t[j, n] \right) \quad (120)$$

where $m_{t+1}[k]$ is the k 'th element of the vector m_{t+1} , $p_{t+1}[q]$ is the q 'th element of p_{t+1} , and $\iota(n, q)$ is a function that calculates the index value of i that would achieve the transition from p_t^n to $p_{t+1}[q]$.^{72,73} Harmenberg defines

$$\chi_t^m(m_t) := \int_{p_t} \chi_t(m_t, p_t) dp_t \quad (121)$$

which measures the population density of persons whose market resources are m_t . In matrix terms, the corresponding representation is:

$$X_t^m[j] = \sum_n X_t[j, n] \quad (122)$$

which makes it easy to see that $X_t^m[j]$ just measures the total probability mass associated with all possible levels of permanent income for agents at m_t^j . That is, it tells us *how many agents* have $m_t = m_t^j$.

In order to compute the absolute aggregate *amount* of market resources \mathbf{m}_t (boldface indicates levels) owned by people with a market resources *ratio* of m_t^j , we need to know the total *amount* of permanent income accruing to those people:

$$\mathbf{m}_t[j] = m_t^j \underbrace{\sum_n p_t^n X_t[j, n]}_{\equiv \tilde{X}^m[j] \Phi^t} \quad (123)$$

where $\tilde{X}^m[j]$ is what Harmenberg calls the Permanent Income Weighted measure. Under the assumption that aggregate permanent income was 1.0 in period 0 and has grown by the factor Φ thereafter, the following direct formula for \tilde{X}^m can be seen to capture the *proportion of aggregate permanent income earned* by people at the given m_t :

$$\tilde{X}^m[j] = \Phi^{-t} \sum_n p_t^n X_t[j, n] \quad (124)$$

With this in hand, it is a simple matter to compute the total aggregate mass of \mathbf{M} :

$$\mathbf{M}_t = \Phi^t \sum_j m_t^j \tilde{X}^m[j] \quad (125)$$

or for that matter consumption:

$$\mathbf{C}_t = \Phi^t \sum_j c(m_t^j) \tilde{X}^m[j] \quad (126)$$

Harmenberg formulates his corresponding propositions in the continuous description

⁷²Of course, unless the is highly unlikely that $\iota(n, q)$ would yield an integer unless the elements of q were chosen as the unique elements defined by all possible combinations of p_t and F_Ψ ; one option is to allocate probabilities in proportion to distance to the nearest integer values of $\iota(n, q)$ above and below the current point. (There are other options, which may not be meaningfully better).

⁷³The $1/\Phi p_t$ is present in the continuous version but not the discrete version because the latter captures masses and the former captures densities.

of the problem using probability measures, e.g.:

$$\tilde{\chi}_t^m(m_t) = \int_{p_t} p_t \chi(m_t, p_t) dp_t \quad (127)$$

$$\mathbf{C}_t = \Phi^t \int_{m_t} c(m_t) \tilde{\chi}^m(m_t) dm_t \quad (128)$$

The point here is ‘that the permanent-income-weighted distribution is a sufficient statistic for computing aggregate consumption, aggregate savings, and similar aggregate variables’. Thus, rather than requiring us to keep track of the multidimensional joint distribution over m and \mathbf{p} , we need only know the distribution of permanent-income-weighted m .

The crucial last step is to define the law of motion for the weighted system. In the continuous formulation, Harmenberg shows (his Theorem 1) that, if we define a ‘permanent-income-shock-weighted’ version of the original permanent shock distribution⁷⁴ as

$$\tilde{f}_{\Psi}(\Psi_{t+1}) = \Psi_{t+1} f_{\Psi}(\Psi_{t+1}) \quad (129)$$

then the laws of motion are respectively given by

$$\begin{aligned} \chi_{t+1}^m(m_{t+1}) &= \int_{m_t} \int_{\Psi_{t+1}} \pi(m_{t+1}, m_t, \Psi_{t+1}) \chi_t^m(m_t) f_{\Psi}(\Psi_{t+1}) d\Psi_{t+1} dm_t \\ \tilde{\chi}_{t+1}^m(m_{t+1}) &= \int_{m_t} \int_{\Psi_{t+1}} \pi(m_{t+1}, m_t, \Psi_{t+1}) \tilde{\chi}_t^m(m_t) \tilde{f}_{\Psi}(\Psi_{t+1}) d\Psi_{t+1} dm_t \end{aligned} \quad (130)$$

(where the difference between the two is the presence or absence of the \sim accent in three places).

The key steps in the proof are the change in variables in which $\Psi_{t+1} = p_{t+1}/(\Phi p_t)$ and a change in the order of integration which is permitted by **Fubini’s theorem**.

Omitting the Φ term (equivalently, setting it to $\Phi = 1$), the discrete version of the proof is

$$\tilde{X}^m[\mathbf{k}] = \sum_{\mathbf{q}} p_{t+1}^{\mathbf{q}} X_{t+1}[\mathbf{k}, \mathbf{q}] \quad (131)$$

$$\approx \sum_{\mathbf{q}} \sum_{\mathbf{j}} \sum_{\mathbf{n}} p_{t+1}^{\mathbf{q}} \Pi(\mathbf{k}, \mathbf{j}, \mathbf{q}) \tilde{F}_{\Psi}(\iota(\mathbf{n}, \mathbf{q})) X_t(\mathbf{j}, \mathbf{n}) \quad (132)$$

and the \approx captures the fact that in the discrete context the necessity to allocate masses to points on the grid will lead to approximation error.

The change of variables is accomplished by realizing that just as there was an ι that gave us the appropriate Ψ required to get from p_t to p_{t+1} , we can define a $\varrho(\mathbf{n}, \mathbf{i})$ that lets us approximate the \mathbf{q} needed as an argument to Π and the index for $p_{t+1}^{\mathbf{q}}$. Now we

⁷⁴(Harmenberg calls this the ‘permanent-income-neutral measure,’ which is slightly confusing as it does not involve the level of permanent income but only the shocks thereto).

can sum over the permanent shocks indexed by \mathbf{i} :

$$X^m[\mathbf{k}] = \sum_{\mathbf{j}} \sum_{\mathbf{i}} \sum_{\mathbf{n}} p_{t+1}^{\varphi(\mathbf{n}, \mathbf{i})} \Pi(\mathbf{k}, \mathbf{j}, \varphi(\mathbf{n}, \mathbf{i})) F_{\Psi}(\mathbf{i}) X_t(\mathbf{j}, \mathbf{n}) \quad (133)$$

$$= \sum_{\mathbf{j}} \sum_{\mathbf{i}} p_{t+1}^{\varphi(\mathbf{n}, \mathbf{i})} \Pi(\mathbf{k}, \mathbf{j}, \varphi(\mathbf{n}, \mathbf{i})) F_{\Psi}(\mathbf{i}) X_t^m(\mathbf{j}) \quad (134)$$

where the second line follows because the summation of $X_t(\mathbf{j}, \mathbf{n})$ over \mathbf{n} is exactly the step that yields $X_t^m(\mathbf{j})$.

The steps for the permanent-income-weighted version of the proposition are identical, with the substitution of weighted for unweighted versions of the various probability objects.

References

- ABOWD, JOHN M., AND DAVID CARD (1989): “On the Covariance Structure of Earnings and Hours Changes,” *Econometrica*, 57, 411–445.
- AIYAGARI, S. RAO (1994): “Uninsured Idiosyncratic Risk and Aggregate Saving,” *Quarterly Journal of Economics*, 109, 659–684.
- ALVAREZ, FERNANDO, AND NANCY L STOKEY (1998): “Dynamic programming with homogeneous functions,” *Journal of economic theory*, 82(1), 167–189.
- BELLMAN, RICHARD (1957): *Dynamic Programming*. Princeton University Press, Princeton, NJ, USA, 1 edn.
- BENHABIB, JESS, ALBERTO BISIN, AND SHENGHAO ZHU (2015): “The wealth distribution in Bewley economies with capital income risk,” *Journal of Economic Theory*, 159, 489–515, Available at <https://www.nber.org/papers/w20157.pdf>.
- BEWLEY, TRUMAN (1977): “The Permanent Income Hypothesis: A Theoretical Formulation,” *Journal of Economic Theory*, 16, 252–292.
- BLANCHARD, OLIVIER J. (1985): “Debt, Deficits, and Finite Horizons,” *Journal of Political Economy*, 93(2), 223–247.
- BOYD, JOHN H. (1990): “Recursive Utility and the Ramsey Problem,” *Journal of Economic Theory*, 50(2), 326–345.
- CAGETTI, MARCO (2003): “Wealth Accumulation Over the Life Cycle and Precautionary Savings,” *Journal of Business and Economic Statistics*, 21(3), 339–353.
- CARROLL, CHRISTOPHER D. (1992): “The Buffer-Stock Theory of Saving: Some Macroeconomic Evidence,” *Brookings Papers on Economic Activity*, 1992(2), 61–156, <https://www.econ2.jhu.edu/people/ccarroll/BufferStockBPEA.pdf>.
- (1997): “Buffer Stock Saving and the Life Cycle/Permanent Income Hypothesis,” *Quarterly Journal of Economics*, CXII(1), 1–56.
- (2006): “The Method of Endogenous Gridpoints for Solving Dynamic Stochastic Optimization Problems,” *Economics Letters*, 91(3), 312–320, <https://www.econ2.jhu.edu/people/ccarroll/EndogenousGridpoints.pdf>.
- (2020, Submitted): “Theoretical Foundations of Buffer Stock Saving,” *Quantitative Economics*.
- CARROLL, CHRISTOPHER D., MARTIN HOLM, AND MILES S. KIMBALL (2019): “Liquidity Constraints and Precautionary Saving,” *Manuscript, Johns Hopkins University*, <https://www.econ2.jhu.edu/people/ccarroll/papers/LiqConstr>.

- CARROLL, CHRISTOPHER D., ALEXANDER M. KAUFMAN, JACQUELINE L. KAZIL, NATHAN M. PALMER, AND MATTHEW N. WHITE (2018): “The Econ-ARK and HARK: Open Source Tools for Computational Economics,” in *Proceedings of the 17th Python in Science Conference*, ed. by Fatih Akici, David Lippa, Dillon Niederhut, and M Pacer, pp. 25 – 30. doi: [10.5281/zenodo.1001067](https://doi.org/10.5281/zenodo.1001067).
- CARROLL, CHRISTOPHER D., AND MILES S. KIMBALL (1996): “On the Concavity of the Consumption Function,” *Econometrica*, 64(4), 981–992, <https://www.econ2.jhu.edu/people/ccarroll/concavity.pdf>.
- CARROLL, CHRISTOPHER D., AND ANDREW A. SAMWICK (1997): “The Nature of Precautionary Wealth,” *Journal of Monetary Economics*, 40(1), 41–71.
- CARROLL, CHRISTOPHER D., JIRI SLACALEK, KIICHI TOKUOKA, AND MATTHEW N. WHITE (2017): “The Distribution of Wealth and the Marginal Propensity to Consume,” *Quantitative Economics*, 8, 977–1020, At <https://www.econ2.jhu.edu/people/ccarroll/papers/cstwMPC>.
- CHAMBERLAIN, GARY, AND CHARLES A. WILSON (2000): “Optimal Intertemporal Consumption Under Uncertainty,” *Review of Economic Dynamics*, 3(3), 365–395.
- CLARIDA, RICHARD H. (1987): “Consumption, Liquidity Constraints, and Asset Accumulation in the Face of Random Fluctuations in Income,” *International Economic Review*, XXVIII, 339–351.
- DALY, MOIRA, DMYTRO HRYSHKO, AND IOURII MANOVSKII (2016): “Improving the measurement of earnings dynamics,” Discussion paper, National Bureau of Economic Research.
- DEATON, ANGUS S. (1991): “Saving and Liquidity Constraints,” *Econometrica*, 59, 1221–1248, <https://www.jstor.org/stable/2938366>.
- DURÁN, JORGE (2003): “Discounting long run average growth in stochastic dynamic programs,” *Economic Theory*, 22(2), 395–413.
- FRIEDMAN, MILTON A. (1957): *A Theory of the Consumption Function*. Princeton University Press.
- GOURINCHAS, PIERRE-OLIVIER, AND JONATHAN PARKER (2002): “Consumption Over the Life Cycle,” *Econometrica*, 70(1), 47–89.
- HARMENBERG, KARL (2021): “Aggregating heterogeneous-agent models with permanent income shocks,” *Journal of Economic Dynamics and Control*, 129, 104185.
- HENDRICKS, LUTZ (2001): *Bequests and Retirement Wealth in the United States*. University of Arizona.

- (2016): “Wealth Distribution and Bequests,” *Lecture Notes, Economics 821, University of North Carolina*.
- HIRAGUCHI, RYOJI (2003): “On the Convergence of Consumption Rules,” *Manuscript, Johns Hopkins University*.
- HRYSHKO, DMYTRO, AND IOURII MANOVSKII (2020): “How much consumption insurance in the US?,” *Manuscript, University of Alberta*.
- JAPPELLI, TULLIO, AND LUIGI PISTAFERRI (2000): “Intertemporal Choice and Consumption Mobility,” *Econometric Society World Congress 2000 Contributed Paper Number 0118*.
- KRUEGER, DIRK, KURT MITMAN, AND FABRIZIO PERRI (2016): “Macroeconomics and Household Heterogeneity,” *Handbook of Macroeconomics*, 2, 843–921.
- LI, HUIYU, AND JOHN STACHURSKI (2014): “Solving the income fluctuation problem with unbounded rewards,” *Journal of Economic Dynamics and Control*, 45, 353–365.
- MA, QINGYIN, JOHN STACHURSKI, AND ALEXIS AKIRA TODA (2020): “The income fluctuation problem and the evolution of wealth,” *Journal of Economic Theory*, 187.
- MA, QINGYIN, AND ALEXIS AKIRA TODA (2020): “A Theory of the Saving Rate of the Rich,” .
- MACURDY, THOMAS (1982): “The Use of Time Series Processes to Model the Error Structure of Earnings in a Longitudinal Data Analysis,” *Journal of Econometrics*, 18(1), 83–114.
- MARTINS-DA ROCHA, V FILIPE, AND YIANNIS VAILAKIS (2010): “Existence and uniqueness of a fixed point for local contractions,” *Econometrica*, 78(3), 1127–1141.
- MATKOWSKI, JANUSZ, AND ANDRZEJ S. NOWAK (2011): “On Discounted Dynamic Programming With Unbounded Returns,” *Economic Theory*, 46, 455–474.
- MODIGLIANI, FRANCO (1966): “The Life Cycle Hypothesis, the Demand for Wealth, and the Supply of Capital,” *Social Research*, 33, 160–217.
- MUTH, JOHN F. (1960): “Optimal Properties of Exponentially Weighted Forecasts,” *Journal of the American Statistical Association*, 55(290), 299–306.
- RABAULT, GUILLAUME (2002): “When do borrowing constraints bind? Some new results on the income fluctuation problem,” *Journal of Economic Dynamics and Control*, 26(2), 217–245.
- RAMSEY, FRANK (1928): “A Mathematical Theory of Saving,” *Economic Journal*, 38(152), 543–559.
- RIEHL, EMILY (2017): *Category theory in context*. Courier Dover Publications.

- RINCÓN-ZAPATERO, JUAN PABLO, AND CARLOS RODRÍGUEZ-PALMERO (2003): “Existence and uniqueness of solutions to the Bellman equation in the unbounded case,” *Econometrica*, 71(5), 1519–1555.
- SCHECHTMAN, JACK, AND VERA ESCUDERO (1977): “Some results on ‘An Income Fluctuation Problem’,” *Journal of Economic Theory*, 16, 151–166.
- SCHEINKMAN, JOSÉ, AND LAURENCE WEISS (1986): “Borrowing Constraints and Aggregate Economic Activity,” *Econometrica*, 54(1), 23–46.
- SCHMITT-GROHÉ, STEPHANIE, AND MARTIN URIBE (2003): “Closing small open economy models,” *Journal of international Economics*, 61(1), 163–185.
- STACHURSKI, JOHN, AND ALEXIS AKIRA TODA (2019): “An Impossibility Theorem for Wealth in Heterogeneous-Agent Models with Limited Heterogeneity,” *Journal of Economic Theory*, 182, 1–24.
- STOKEY, NANCY L., ROBERT E. LUCAS, AND EDWARD C. PRESCOTT (1989): *Recursive Methods in Economic Dynamics*. Harvard University Press.
- SZEIDL, ADAM (2013): “Stable Invariant Distribution in Buffer-Stock Saving and Stochastic Growth Models,” *Manuscript, Central European University*, Available at http://www.personal.ceu.hu/staff/Adam_Szeidl/papers/invariant_revision.pdf.
- TOCHE, PATRICK (2005): “A Tractable Model of Precautionary Saving in Continuous Time,” *Economics Letters*, 87(2), 267–272.
- YAARI, MENAHEM E (1965): “Uncertain lifetime, life insurance, and the theory of the consumer,” *The Review of Economic Studies*, 32(2), 137–150.
- YAO, JIAXIONG (2012): “The Theoretical Foundations of Buffer Stock Saving: A Note,” *Manuscript, Johns Hopkins University*.
- ZELDES, STEPHEN P. (1989): “Optimal Consumption with Stochastic Income: Deviations from Certainty Equivalence,” *Quarterly Journal of Economics*, 104(2), 275–298.

Table 5 Taxonomy of Perfect Foresight Liquidity Constrained Model Outcomes

For constrained \dot{c} and unconstrained \bar{c} consumption functions

Main Condition Subcondition	Math	Outcome, Comments or Results
GIC and RIC	$1 < \mathbf{P}/\Phi$ $\mathbf{P}/R < 1$	Constraint never binds for $m \geq 1$ FHWC holds ($R > \Phi$); $\dot{c}(m) = \bar{c}(m)$ for $m \geq 1$
and RIC GIC and RIC	$1 < \mathbf{P}/R$ $\mathbf{P}/\Phi < 1$ $\mathbf{P}/R < 1$	$\dot{c}(m)$ is degenerate: $\dot{c}(m) = 0$ Constraint binds in finite time $\forall m$ FHWC may or may not hold $\lim_{m \uparrow \infty} \bar{c}(m) - \dot{c}(m) = 0$ $\lim_{m \uparrow \infty} \dot{\kappa}(m) = \underline{\kappa}$
and RIC	$1 < \mathbf{P}/R$	FHWC $\lim_{m \uparrow \infty} \dot{\kappa}(m) = 0$

Conditions are applied from left to right; for example, the second row indicates conclusions in the case where ~~GIC~~ and RIC both hold, while the third row indicates that when the **GIC** and the ~~RIC~~ both fail, the consumption function is degenerate; the next row indicates that whenever the **GIC** holds, the constraint will bind in finite time.