

# A sample article title

FIRST AUTHOR

First Department of the First Author, University and Second Department of the First Author, University

SECOND AUTHOR

Department of the Second and Third Authors, University

THIRD AUTHOR

Department of the Second and Third Authors, University

The abstract should summarize the contents of the paper. It should be clear, descriptive, self-explanatory and not longer than 150 words. It should also be suitable for publication in abstracting services. Please avoid using math formulas as much as possible. We recommend 3–8 keywords and up to 3 JEL codes.

KEYWORDS. First keyword, second keyword, third keyword.

JEL CLASSIFICATION. First JEL, second JEL.

## 1. INTRODUCTION

This template helps you to create a properly formatted LaTeX2e manuscript. Prepare your paper in the same style as used in this sample .pdf file. Try to avoid excessive use of italics and bold face; underlining is generally banned (except for exceptional cases). Please do not use any LaTeX2e or TeX commands that affect the layout or formatting of your document (i.e., commands like `\textheight`, `\textwidth`, etc.). Note that the Introduction should be Section 1 it should not immediately follow the abstract without a heading.

## 2. SECTION HEADINGS

Here are some subsections:

### 2.1 *A subsection*

Regular text.

---

First Author: [first@somewhere.com](mailto:first@somewhere.com)

Second Author: [second@somewhere.com](mailto:second@somewhere.com)

Third Author: [third@somewhere.com](mailto:third@somewhere.com)

We thank four anonymous referees. The Editor should not be thanked anonymously or by name in this footnote, or elsewhere in the paper. The first author gratefully acknowledges financial support from the National Science Foundation through Grant XXX-0000000.

### 2.1.1 A subsubsection Regular text.

**Paragraph heading** If you want to add mini-headings for paragraphs without numbers please use `\paragraph*{ }`.

## 3. TEXT

### 3.1 Lists

The following is an example of an *itemized* list, two levels deep.

- This is the first item of an itemized list. Each item in the list is marked with a “tick.” The document style determines what kind of tick mark is used.
- This is the second item of the list. It contains another list nested inside of it.
  - This is the first item of an itemized list that is nested within the itemized list.
  - This is the second item of the inner list. LaTeX allows you to nest lists deeper than you really should.  
This is the rest of the second item of the outer list.
- This is the third item of the list.

The following is an example of an *enumerated* list, two levels deep.

1. This is the first item of an enumerated list. Each item in the list is marked with a “tick.” The document style determines what kind of tick mark is used.
2. This is the second item of the list. It contains another list nested inside of it.
  - (a) This is the first item of an enumerated list that is nested within.
  - (b) This is the second item of the inner list. LaTeX allows you to nest lists deeper than you really should.  
This is the rest of the second item of the outer list.
3. This is the third item of the list.

Do not use (1), (2), etc. for items in order to avoid confusion with numbered equations.

### 3.2 Punctuation

Avoid unnecessary hyphenation; many hyphenated words can be treated as one or two words. Dashes come in three sizes: a hyphen, an intra-word dash like “*U*-statistics” or “the time-homogeneous model”; a medium dash (also called an “en-dash”) for number ranges or between two equal entities like “1–2” or “Cauchy–Schwarz inequality”; and a punctuation dash (also called an “em-dash”) in place of a comma, semicolon, colon or parentheses—like this.

Generating an ellipsis ... with the right spacing around the periods requires using `\ldots`.

*Theoretical Economics* is using longer spaces after periods, please add \ after periods that are not at the end of a sentence, in order to have regular spaces. For example, if there is an abbreviation (e.g., econ. theory) which is not the end of an article but appears in a middle of a sentence, please code it as (e.g., econ.\ theory).

### 3.3 Citation

Only include in the reference list entries for which there are text citations, and make sure all citations are included in the reference list. Simple author and year cite: [Aumann \(1987\)](#). Multiple bibliography items cite: [Peck \(1994\)](#), [Enelow and Hinich \(1990\)](#), [Wittman \(1990\)](#), [Cahuc et al. \(2006\)](#). Parenthetical cite: ([Aumann, 1987](#)). Multiple narrative cites: [Peck \(1994\)](#), [Enelow and Hinich \(1990\)](#), [Wittman \(1990\)](#).

Econometrica asks that papers with five or more authors be cited using the initials of the first four authors followed by a plus sign, which the class renders from the bibliography entry rather than from the citation: [Hortaçsu et al. \(2023\)](#).

If your paper has an approved supplement, reference it at the end of the introduction and cite it, for example “the Supplemental Appendix ([Cahuc et al. \(2006\)](#)) contains results for empirical tests”. When referring to material inside the supplement, use plain text rather than a cross-reference, since the supplement is a separate document.

## 4. FONTS

Please use text fonts in text mode, e.g.:

- Regular text `\textrm{ }`
- *Italic* `\textit{ }`
- **Bold** `\textbf{ }`
- Small Caps `\textsc{ }`
- Sans serif `\textsf{ }`
- Typewriter `\texttt{ }`

Please use mathematical fonts in mathematical mode, e.g.:

- ABCabc123 `\mathrm{ }`
- *ABCabc123* `\mathit{ }`
- **ABCabc123** `\mathbf{ }`
- ***ABCabc123*** $\alpha\beta\gamma$  `\boldsymbol{ }`
- $\mathcal{ABC}$  `\mathcal{ }`
- $\mathbb{ABC}$  `\mathbb{ }`
- ABCabc123 `\mathsf{ }`

- `ABCabc123 \mathhtt{}`
- `\mathcal{A}\mathcal{B}\mathcal{C}abc123 \mathfrak{}`

Note that `\mathcal`, `\mathbb` belongs to capital letters-only font typefaces.

## 5. NOTES

Footnotes<sup>1</sup> pose no problems in text.<sup>2</sup> Please do not add footnotes on math.

## 6. NUMBERS

A decimal point always should be preceded by a whole number and never should be left “naked.” Decimal expressions of numbers less than 1 always should be preceded by a zero (0) to enhance the visibility of the decimal. For example, .3 should be 0.3. This applies to text, tables, and figures.

## 7. QUOTATIONS

Text is displayed by indenting it from the left margin. There are short quotations

This is a short quotation. It consists of a single paragraph of text. There is no paragraph indentation. It should be coded between `\begin{quote}` and `\end{quote}`.

and longer ones.

This is a longer quotation. It consists of two paragraphs of text. The beginning of each paragraph is indicated by an extra indentation.

This is the second paragraph of the quotation. It is just as dull as the first paragraph. It should be coded between `\begin{quotation}` and `\end{quotation}`.

## 8. ENVIRONMENTS

Please use regular counters (Theorem 1) as opposed to counters belonging on sections (Theorem 3.1). Results (Lemmas, Propositions, Theorems, Claims) can be on the same or different counters.

### 8.1 Examples for *plain-style environments*

THEOREM 1. *This is the body of Theorem 1.*

PROOF. This is the body of the proof of the theorem above.

□

PROPOSITION 1. *This is the body of Proposition 1.*

<sup>1</sup>This is an example of a footnote.

<sup>2</sup>Note that footnote number is after punctuation.

AXIOM 1. *This is the body of Axiom 1. Axioms should be on a different counter from results (e.g. Theorems, Propositions, Lemmas).*

THEOREM 2 (Title of the Theorem). *This is the body of Theorem 2. Theorem 2 has additional title.*

LEMMA 3. *This is the body of Lemma 3. Lemma 3 is numbered after Theorem 2 because we used `[theorem]` in `\newtheorem`.*

OBSERVATION 1. *This is the body of the fact. Fact is unnumbered because we used the command `\newtheorem*` instead of `\newtheorem`.*

PROOF OF THEOREM 2. This is the body of the proof of Theorem 2.

□

## 8.2 Assumptions and algorithms

Released `myst-to-tex` omits `prf:assumption` and `prf:algorithm` from the LaTeX export, so the three blocks in this section render on the website but are absent from this PDF. See [jupyter-book/mystmd#3030](https://jupyter-book.com/mystmd/#3030); the fix is open as [#3031](https://github.com/jupyter-book/mystmd/pull/3031).

Write the steps of an algorithm as an ordinary Markdown list when the paper is also published as a website. It numbers correctly in both outputs, and nothing is lost on either side.

For pseudocode typography (line numbers in a gutter, `for ... do` keywords), nest an `algorithmic` block instead. It renders in both outputs, keeping the loop structure on the website as well; only the `\Return` keyword is dropped there, and its argument text survives:

## 8.3 Examples for definition-style environments

The following environments can be numbered or not; if numbered, they should be on different counters from results.

DEFINITION 1. *This is the body of Definition 1. Definitions should be on a different counter from results (e.g. Theorems, Propositions, Lemmas).*

EXAMPLE 1. *This is the body of the example. Example is unnumbered because we used `\newtheorem*` instead of `\newtheorem`.*

◇

REMARK 1. *This is the body of the remark.*

## 9. EQUATIONS AND THE LIKE

Only number equations to which there is a subsequent reference. See equations below (1)–(7). Please punctuate equations as you would punctuate a sentence, that is add a comma between two equations and add a period if it ends a sentence.

Two equations:

$$C_s = K_M \frac{\mu/\mu_x}{1 - \mu/\mu_x} \quad (1)$$

and

$$G = \frac{P_{\text{opt}} - P_{\text{ref}}}{P_{\text{ref}}} 100(\%). \quad (2)$$

Equation arrays:

$$\frac{dS}{dt} = -\sigma X + s_F F, \quad (3)$$

$$\frac{dX}{dt} = \mu X, \quad (4)$$

$$\frac{dP}{dt} = \pi X - k_h P, \quad (5)$$

$$\frac{dV}{dt} = F. \quad (6)$$

One long equation, note that the equation number is on the last line:

$$\begin{aligned} \mu_{\text{normal}} &= \mu_x \frac{C_s}{K_x C_x + C_s} \\ &= \mu_{\text{normal}} - Y_{x/s} (1 - H(C_s)) (m_s + \pi/Y_{p/s}) \\ &= \mu_{\text{normal}}/Y_{x/s} + H(C_s) (m_s + \pi/Y_{p/s}). \end{aligned} \quad (7)$$

Note that variables made of more than one letter should use command `\mathit`, e.g., `sov = 550`, where `sov` is sum of votes. Abbreviations used in subscripts or superscripts should use `\mathrm`, e.g., `tmax - tmin = 10`. Operator names should use `\operatorname`, e.g. `AR(1)`. Also, note that  $\emptyset$  symbol is preferred to  $\varnothing$ .

## 10. TABLES AND FIGURES

Cross-references to labeled tables: As you can see in Table 1 and also in Table 2.

Sample of cross-reference to figure: Figure 1 shows that it is not easy to get something on paper. Note that figures will be in grayscale in the printed version.

TABLE 1. The spherical case ( $I_1 = 0, I_2 = 0$ ).

| Equil. Points | $x$          | $y$          | $z$          | $C$          | S |
|---------------|--------------|--------------|--------------|--------------|---|
| $L_1$         | -2.485252241 | 0.000000000  | 0.017100631  | 8.230711648  | U |
| $L_2$         | 0.000000000  | 0.000000000  | 3.068883732  | 0.000000000  | S |
| $L_3$         | 0.009869059  | 0.000000000  | 4.756386544  | -0.000057922 | U |
| $L_4$         | 0.210589855  | 0.000000000  | -0.007021459 | 9.440510897  | U |
| $L_5$         | 0.455926604  | 0.000000000  | -0.212446624 | 7.586126667  | U |
| $L_6$         | 0.667031314  | 0.000000000  | 0.529879957  | 3.497660052  | U |
| $L_7$         | 2.164386674  | 0.000000000  | -0.169308438 | 6.866562449  | U |
| $L_8$         | 0.560414471  | 0.421735658  | -0.093667445 | 9.241525367  | U |
| $L_9$         | 0.560414471  | -0.421735658 | -0.093667445 | 9.241525367  | U |
| $L_{10}$      | 1.472523232  | 1.393484549  | -0.083801333 | 6.733436505  | U |
| $L_{11}$      | 1.472523232  | -1.393484549 | -0.083801333 | 6.733436505  | U |

*Note:* This is how table note should be presented. Please do not use asterisks or bold face to denote statistical significance. We encourage authors to report standard errors and coverage sets or confidence intervals.

TABLE 2. Sample posterior estimates for each model.

| Model   | Parameter | Mean   | Std. Dev. | Quantile |        |       |
|---------|-----------|--------|-----------|----------|--------|-------|
|         |           |        |           | 2.5%     | 50%    | 97.5% |
| Model 0 | $\beta_0$ | -12.29 | 2.29      | -18.04   | -11.99 | -8.56 |
|         | $\beta_1$ | 0.10   | 0.07      | -0.05    | 0.10   | 0.26  |
|         | $\beta_2$ | 0.01   | 0.09      | -0.22    | 0.02   | 0.16  |
| Model 1 | $\beta_0$ | -4.58  | 3.04      | -11.00   | -4.44  | 1.06  |
|         | $\beta_1$ | 0.79   | 0.21      | 0.38     | 0.78   | 1.20  |
|         | $\beta_2$ | -0.28  | 0.10      | -0.48    | -0.28  | -0.07 |
| Model 2 | $\beta_0$ | -11.85 | 2.24      | -17.34   | -11.60 | -7.85 |
|         | $\beta_1$ | 0.73   | 0.21      | 0.32     | 0.73   | 1.16  |
|         | $\beta_2$ | -0.60  | 0.14      | -0.88    | -0.60  | -0.34 |
|         | $\beta_3$ | 0.22   | 0.17      | -0.10    | 0.22   | 0.55  |




FIGURE 1. The dotted lines show the values of  $u(x)$  for  $x$  in the discrete support of  $F$ . The solid lines show  $u_{\text{conv}}(x)$ .

## APPENDIX A: TITLE OF THE FIRST APPENDIX

This file is spliced into the article body with `include`, between raw LaTeX blocks that open and close the `{appendix}` environment. It is not a `parts.appendix` frontmatter entry, and headings here are # level for the reasons given in the article. If there is only one appendix, then please refer to it in text as ... in the Appendix, with no letter and no cross-reference. If there is more than one appendix, then please refer to them as ... in Appendix A, Appendix B, etc.

Raw LaTeX is needed because MyST’s LaTeX renderer labels every section-type target “Section” and **discards the link text**: `@appA, [Appendix A] (#appA), [Appendix {number}] (#appA)` and `[Appendix %s] (#appA)` all render “Section A”. Supplying the word yourself and letting `\ref` supply the letter gives “Appendix A”, and it still nests correctly (“Appendix B.1”). The trade-off is that raw LaTeX does not appear in HTML output.

## APPENDIX B: TITLE OF THE SECOND APPENDIX

B.1 *First subsection of Appendix B*

If your appendix is long, make sure to divide it into subsections and refer to them in text. Use the standard LaTeX commands for headings in a `{appendix}` environment. Headings and other objects will be numbered automatically.

$$\mathcal{P} = (j_{k,1}, j_{k,2}, \dots, j_{k,m(k)}). \quad (8)$$

Sample of cross-reference to formula (8) in Appendix B.1. Note that it is better to refer to Appendix B.1 as opposed to Appendix B, because it is easier for the reader to locate the necessary place.

Keeping the word “Appendix” outside the raw role is deliberate. The role is dropped in HTML, so putting the whole phrase inside it leaves a gap in the sentence on the web-site; this way the PDF reads “Appendix B.1” and the web page reads “Appendix”, losing only the number rather than the noun.

## REFERENCES

- Aumann, Robert (1987), “Correlated equilibrium as an expression of Bayesian rationality.” *Econometrica*, 55(1), 1–18. [3]
- Cahuc, P., F. Postel-Vinay, and J.-M. Robin (2006), “Supplement to ‘Wage bargaining with on-the-job search: Theory and evidence.’” *Quantitative Economics Supplemental Material*. [3]
- Enelow, James and Melvin Hinich, eds. (1990), *Advances in the Spatial Theory of Voting*. Cambridge University Press, Cambridge, U.K. [3]
- Hortaçsu, Ali, Olivia R. Natan, Hayden Parsley, Timothy Schwieg, and Kevin R. Williams (2023), “Demand estimation with infrequent purchases and small market sizes.” *Quantitative Economics*, 14(4), 1251–1294. [3]



Peck, James (1994), “Competition in transactions mechanisms: The emergence of competition.” Unpublished Manuscript, Ohio State University. [3]

Wittman, Donald (1990), *Spatial strategies when candidates have policy preferences*, 66–98. Cambridge University Press, Cambridge, U.K. In *Advances in the Spatial Theory of Voting*, M. Hinich and J. Enelow, eds. [3]

Co-editor [Name Surname; will be inserted later] handled this manuscript.