Submitted to *Quantitative Economics*

1		1
2	A sample article title	2
3		3
4	FIRST AUTHOR	4
5		5
6	SECOND AUTHOR	6
7		7
8	THIRD AUTHOR	8
9		9
10	The abstract should summarize the contents of the paper. It should be	10
11	clear, descriptive, self-explanatory and not longer than 150 words. It	11
12	should also be suitable for publication in abstracting services. Please	12
13	avoid using math formulas as much as possible. We recommend 3–8	13
14	keywords and up to 3 JEL codes.	14
15		15
16	KEYWORDS. First keyword, second keyword, third keyword.	16
17	JEL CLASSIFICATION. First JEL, second JEL.	17
18		18
19	1. Introduction	19
20		20
	This template helps you to create a properly formatted $\LaTeX 2_{arepsilon}$ manuscript. Pre-	
21	pare your paper in the same style as used in this sample .pdf file. Try to avoid	21
22	excessive use of italics and bold face; underlining is generally banned (except for	22
23	exceptional cases). Please do not use any $\mathbb{E}T_{E}X$ or $T_{E}X$ commands that affect	23
24	the layout or formatting of your document (i.e., commands like \t extheight,	24
25		25
26	First Author: first@somewhere.com	26
27	Second Author: second@somewhere.com	27
28	Third Author: third@somewhere.com	28
29	We thank four anonymous referees. The Editor should not be thanked anonymously or by name in	29
30	this footnote, or elsewhere in the paper. The first author gratefully acknowledges financial support	30
31	from the National Science Foundation through Grant XXX-0000000.	31
32		32

1	(ii) This is the second item of the list. It contains another list nested inside of it.	1
2	(a) This is the first item of an enumerated list that is nested within.	2
3	(a) 11110 10 the mot near of an enamorated not that is nested within	3
4	(b) This is the second item of the inner list. Let allows you to nest lists	4
5	deeper than you really should.	5
6 7	This is the rest of the second item of the outer list.	6 7
8	(iii) This is the third item of the list.	8
9		9
10	•	10
11	tions.	11
12	3.2 Dunctuation	12
13		13
14	* **	14
15	(a) This is the first item of an enumerated list that is nested within. (b) This is the second item of the inner list. Effect allows you to nest lists deeper than you really should. This is the rest of the second item of the outer list. (iii) This is the third item of the list. Do not use (1), (2), etc. for items in order to avoid confusion with numbered equations. 3.2 Punctuation Avoid unnecessary hyphenation; many hyphenated words can be treated as one or two words. Dashes come in three sizes: a hyphen, an intra-word dash like "U-statistics" or "the time-homogeneous model"; a medium dash (also called an "endash") for number ranges or between two equal entities like "1-2" or "Cauchy-Schwarz inequality"; and a punctuation dash (also called an "emdash") in place of a comma, semicolon, colon or parentheses—like this. Generating an ellipsis with the right spacing around the periods requires using \ldots. Theoretical Economics is using longer spaces after periods, please add \ after periods that are not at the end of a sentence, in order to have regular spaces. For example, if there is an abbreviation (e.g., econ.\ theory) which is not the end of an article but appears in a middle of a sentence, please code it as (e.g., econ. theory). 3.3 Citation Only include in the reference list entries for which there are text citations, and make sure all citations are included in the reference list. Simple author and year cite: Aumann (1987). Multiple bibliography items cite: (Peck, 1994, Enelow	
16	<u> </u>	16 17
17	or two words. Dashes come in three sizes: a hyphen, an intra-word dash like " U -statistics" or "the time-homogeneous model"; a medium dash (also called an "endash") for number ranges or between two equal entities like " 1 – 2 " or "Cauchy–Schwarz inequality"; and a punctuation dash (also called an "em-dash") in place	
18		18
19	•	19
20		20
21		21
22		23
24		24
25		25
26	theory).	26
27		27
28	3.3 Citation	28
29	Only include in the reference list entries for which there are text citations, and	29
30	make sure all citations are included in the reference list. Simple author and	30
31	year cite: Aumann (1987). Multiple bibliography items cite: (Peck, 1994, Enelow	31
32	and Hinich, 1990, Wittman, 1990, Cahuc et al., 2006). Author only cite: Wittman	32

1	(1990). Year only cite: (Wittman, 1990). Citing bibliography with object Aumann	1
2	(1987). Citing within brackets is done with the same commands (e.g., (Peck, 1994,	2
3	Enelow and Hinich, 1990, Wittman, 1990)).	3
4		4
5	4. 17.	5
6	4. Fonts	6
7	Please use text fonts in text mode, e.g.:	7
8		8
9	• Roman	9
10	• <i>Italic</i>	10
11		11
12	• Bold	12
13	• SMALL CAPS	13
14		14
15	• Sans serif	15
16	• Typewriter	16
17		17
18	Please use mathematical fonts in mathematical mode, e.g.:	18
19	• ABCabc123	19
20		20
21	• $ABCabc123 \setminus \{\}$	21
23	• ABCabc123	23
24	ADC 1.109 - 0 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24
25	• $ABCabc123lphaeta\gamma$	25
26	• $\mathcal{ABC} \setminus \{\}$	26
27		27
28	• ABC	28
29	• ABCabc123	29
30	• ADG-1-102 \+ l-++ ()	30
31	• ABCabc123	31
32	• ABCabc123	32

1	Note that \mathcal, \mathbb belongs to capital letters-only font typefaces.	1							
2		2							
3	5. Notes	3							
4	Footnotes ¹ pose no problems in text. ² Please do not add footnotes on math.	4							
5		5							
6	6. Numbers	6							
7	A decimal point always should be preceded by a whole number and never should	7							
8	5. NOTES otnotes¹ pose no problems in text.² Please do not add footnotes on math. 6. NUMBERS decimal point always should be preceded by a whole number and never should left "naked." Decimal expressions of numbers less than 1 always should be exceeded by a zero (0) to enhance the visibility of the decimal. For example, .3 ould be 0.3. This applies to text, tables, and figures. 7. QUOTATIONS at is displayed by indenting it from the left margin. There are short quotations This is a short quotation. It consists of a single paragraph of text. There is no paragraph indentation. It should be coded between \begin{quote} and \end{quote}. d longer ones. This is a longer quotation. It consists of two paragraphs of text. The beginning of each paragraph is indicated by an extra indentation. This is the second paragraph of the quotation. It is just as dull as the first paragraph. It should be coded between \begin{quotation} and \end{quotation}. 20. ENVIRONMENTS 23. ENVIRONMENTS 24. ENVIRONMENTS 25. EAST Results (Lemmas, Propositions, Theorems, Claims) can on the same or different counters. 26. But Examples for plain-style environments 27. EXECREM 1. This is the body of Theorem 1. This is an example of a footnote.								
9		9							
10		10							
11	S. C.	11							
12	7. QUOTATIONS	12							
13	Tayt is displayed by indenting it from the left margin. There are short quotations	13							
14		14							
15									
16	graph indentation. It should be coded between \begin{quote} and \end{quote}.								
17	and longer ones.								
18	This is a longer quotation. It consists of two paragraphs of text. The beginning of								
19	each paragraph is indicated by an extra indentation.								
20									
21	It should be coded between \begin{quotation} and \end{quotation}.								
	0. Полите полительно								
2.4	8. ENVIRONMENTS								
25	Please use regular counters (Theorem 1) as opposed to counters belonging on								
26	sections (Theorem 3.1). Results (Lemmas, Propositions, Theorems, Claims) can								
27	be on the same or different counters.								
28									
29	5. NOTES chances of pose no problems in text. Please do not add footnotes on math. 6. NUMBERS 6. Recimal point always should be preceded by a whole number and never should left "naked." Decimal expressions of numbers less than 1 always should be ceded by a zero (0) to enhance the visibility of the decimal. For example, .3 and ligures. 7. QUOTATIONS 12. This applies to text, tables, and figures. 7. QUOTATIONS 13. This is a short quotation. It consists of a single paragraph of text. There is no paragraph indentation. It should be coded between \begin{quote} and \end{quote}. d longer ones. 14. This is a longer quotation. It consists of two paragraphs of text. The beginning of each paragraph is indicated by an extra indentation. 15. This is the second paragraph of the quotation. It is just as dull as the first paragraph. It should be coded between \begin{quotation} tis just as dull as the first paragraph. It should be coded between \begin{quotation} and \end{quotation}. 16. Senvironments 17. Quotations 18. Environments 18. Environments 19. Senvironments 20. All Examples for plain-style environments 21. This is the body of Theorem 1. 22. This is an example of a footnote.								
30	Footnotes¹ pose no problems in text.² Please do not add footnotes on math. 6. NUMBERS 7. Adecimal point always should be preceded by a whole number and never should be left "naked." Decimal expressions of numbers less than 1 always should be preceded by a zero (0) to enhance the visibility of the decimal. For example, .3 should be 0.3. This applies to text, tables, and figures. 7. QUOTATIONS Text is displayed by indenting it from the left margin. There are short quotations This is a short quotation. It consists of a single paragraph of text. There is no paragraph indentation. It should be coded between \begin{quote} and \end{quote}. and longer ones. This is a longer quotation. It consists of two paragraphs of text. The beginning of each paragraph is indicated by an extra indentation. This is the second paragraph of the quotation. It is just as dull as the first paragraph. It should be coded between \begin{quotation} and \end{quotation}. 8. ENVIRONMENTS Please use regular counters (Theorem 1) as opposed to counters belonging on sections (Theorem 3.1). Results (Lemmas, Propositions, Theorems, Claims) can be on the same or different counters. 8.1 Examples for plain-style environments THEOREM 1. This is the body of Theorem 1. 1. This is an example of a footnote.								
31	This is an example of a footnote.	31							
32		32							

A sample running head title 5

Submitted to *Quantitative Economics*

1	PROOF. This is the body of the proof of the theorem above. $\hfill\Box$	1
2	CLAIM 1. This is the body of Claim 1.	2
4 5	AXIOM 1. This is the body of Axiom 1. Axioms should be on a different counter from results (e.g. Theorems, Propositions, Lemmas).	4 5
6 7 8	THEOREM 2 (Title of the Theorem). <i>This is the body of Theorem 2. Theorem 2 has additional title.</i>	6 7 8
9 10 11	LEMMA 3. This is the body of Lemma 3. Lemma 3 is numbered after Theorem 2 because we used [theorem] in $\ne m$	9 10 11
12 13	FACT. This is the body of the fact. Fact is unnumbered because we used the command $\newtheorem*$ instead of $\newtheorem*$.	12 13
14 15	PROOF OF THEOREM 2. This is the body of the proof of Theorem 2. \Box	14 15
16 17	8.2 Examples for remark-style environments	16 17
18 19	The following environments can be numbered or not; if numbered, they should be on different counters from results.	18 19
202122	DEFINITION 1. This is the body of Definition 1. Definitions should be on a different counter from results (e.g. Theorems, Propositions, Lemmas).	20 21 22
23	EXAMPLE. This is the body of the example. Example is unnumbered because we used \newtheorem* instead of \newtheorem.	23 24
25 26	REMARK 1. This is the body of the remark.	25 26
27 28	9. EQUATIONS AND THE LIKE	27 28
29 30	Only number equations to which there is a subsequent reference. See equations below (1)–(??). Please punctuate equations as you would punctuate a sentence,	29 30
31 32	that is add a comma between two equations and add a period if it ends a sentence.	31

1

6

9

10

18

19

2.4

2.5

2.6

27

2.8

29

30

6

10

18

19

2.4

30

31

Two equations:

$$C_s = K_M \frac{\mu/\mu_x}{1 - \mu/\mu_x} \tag{1}$$

5 and 5

$$G = \frac{P_{\text{opt}} - P_{\text{ref}}}{P_{\text{ref}}} 100(\%).$$
 (2)

Equation arrays:

$$\frac{dS}{dt} = -\sigma X + s_F F,\tag{3}$$

$$\frac{dX}{dt} = \mu X,$$

$$12$$

$$\frac{dX}{dt} = \mu X,$$

$$(4)$$

$$\frac{dP}{dt} = \pi X - k_h P, \tag{5}$$

$$\frac{dV}{dt} = F.$$
 (6) $\frac{16}{17}$

One long equation:

$$\mu_{\text{normal}} = \mu_x \frac{C_s}{K_x C_x + C_s}$$
 20

$$= \mu_{\text{normal}} - Y_{x/s} (1 - H(C_s)) (m_s + \pi/Y_{p/s})$$
 22

$$= \mu_{\text{normal}}/Y_{x/s} + H(C_s)(m_s + \pi/Y_{p/s}). \tag{7}$$

Note that variables made of more than one letter should use command $_{25}$ \mathit, e.g., sov = 550, where sov is sum of votes. Abbreviations used in subscripts or superscripts should use \mathrm, e.g., $t_{\max} - t_{\min} = 10$. Operator names $_{27}$ should use \operatorname, e.g. AR(1). Also, note that \emptyset symbol is preferred to $_{28}$.

10. Tables and figures

Cross-references to labeled tables: As you can see in Table 1 and also in Table 2.

TABLE 1. The spherical case $(I_1 = 0, I_2 = 0)$.

Equil. Points	x	y	z	C	S
L_1	-2.485252241	0.000000000	0.017100631	8.230711648	U
L_2	0.000000000	0.000000000	3.068883732	0.000000000	S
L_3	0.009869059	0.000000000	4.756386544	-0.000057922	U
L_4	0.210589855	0.000000000	-0.007021459	9.440510897	U
L_5	0.455926604	0.000000000	-0.212446624	7.586126667	U
L_6	0.667031314	0.000000000	0.529879957	3.497660052	U
L_7	2.164386674	0.000000000	-0.169308438	6.866562449	U
L_8	0.560414471	0.421735658	-0.093667445	9.241525367	U
L_9	0.560414471	-0.421735658	-0.093667445	9.241525367	U
L_{10}	1.472523232	1.393484549	-0.083801333	6.733436505	U
L_{11}	1.472523232	-1.393484549	-0.083801333	6.733436505	U

Note: This is how table note should be presented. Please do not use asterisks or bold face to denote statistical significance. We encourage authors to report standard errors and coverage sets or confidence intervals.

TABLE 2. Sample posterior estimates for each model.

				Quantile		
Model	Parameter	Mean	Std. Dev.	2.5%	50%	97.5%
Model 0	eta_0	-12.29	2.29	-18.04	-11.99	-8.56
	eta_1	0.10	0.07	-0.05	0.10	0.26
	eta_2	0.01	0.09	-0.22	0.02	0.16
Model 1	eta_0	-4.58	3.04	-11.00	-4.44	1.06
	eta_1	0.79	0.21	0.38	0.78	1.20
	eta_2	-0.28	0.10	-0.48	-0.28	-0.07
Model 2	eta_0	-11.85	2.24	-17.34	-11.60	-7.85
	eta_1	0.73	0.21	0.32	0.73	1.16
	eta_2	-0.60	0.14	-0.88	-0.60	-0.34
	eta_3	0.22	0.17	-0.10	0.22	0.55

Sample of cross-reference to figure: Figure 1 shows that it is not easy to get 29 something on paper. Note that figures will be in grayscale in the printed version. Appendices should be provided in {appendix} environment. If there is only

one appendix, then please refer to it in text as ... in the Title. 1.3

2.4

2.5

2.8

2.6




FIGURE 1. The dotted lines show the values of u(x) for x in the discrete support of F. The solid lines show $u_{conv}(x)$.

.1 Title of the first appendix

If there are more than one appendix, then please refer to it as ... in Appendix Title of the first appendix, Appendix Title of the second appendix, etc.

.2 Title of the second appendix

.2.1 First subsection of Appendix Title of the second appendix If your appendix is long, make sure to divide it into subsections and refer to them in text. Use the standard LaTeX commands for headings in {appendix}. Headings and other objects will be numbered automatically.

$$\mathcal{P} = (j_{k,1}, j_{k,2}, \dots, j_{k,m(k)}). \tag{8}$$

Sample of cross-reference to formula (8) in Appendix First subsection of Appendix Title of the second appendix. Note that it is better to refer to Appendix First subsection of Appendix Title of the second appendix as opposed to Appendix Title of the second appendix, because it is easier for the reader to locate the necessary place.

REFERENCES

Aumann, Robert (1987), "Correlated equilibrium as an expression of Bayesian rationality." *Econometrica*, 55 (1), 1–18. [3, 4]

1	Cahuc, P., F. Postel-Vinay, and JM. Robin (2006), "Supplement to `Wage bargain-	1
2	ing with on-the-job search: Theory and evidence'." Quantitative Economics Sup-	2
3	plemental Material. [3]	3
4	Enelow, James and Melvin Hinich, eds. (1990), Advances in the Spatial Theory of	4
5	Voting. Cambridge University Press, Cambridge, U.K. [3, 4]	5
6	Peck, James (1994), "Competition in transactions mechanisms: The emergence	6
7	of competition." Unpublished Manuscript, Ohio State University. [3, 4]	7
8		8
9	Wittman, Donald (1990), Spatial strategies when candidates have policy prefer-	9
10	ences, 66–98. Cambridge University Press, Cambridge, U.K. [3, 4]	10
11		11
12		12
13		13
14		14
15		15
16		16
17 18		17 18
19		19
20		20
21		21
22		22
23		23
24		24
25		25
26		26
27		27
28		28
29		29
30		30
31		31
32		32