


"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT ©1976, DIGITAL EQUIPMENT CORPORATION"

digital

DRB 126 EN-01149-16-N176(325)

卷之三


ט



"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND IS NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION

REV:	CHK	CHANGE


digital	DRW: <i>J. J. Derby</i>	DATE: 10-NOV-76	ENG: <i>J. O. Allen</i>	DATE: 23 Nov 76	TITLE: CCA CTL, CSH FORCE MATCH & WD VAL		
	CHK: <i>J. J. Derby</i>	DATE: 11-NOV-76	BOARD LOCATION: 4AF21	SHEET: 1 OF 1	SIZE: D	CODE: CS	NUMBER: M8529-YA-MBX1
MBXIEF.DRW 4.1253		112-NOV-76 22:16	NEXT HIGHER ASSEMBLY:		REV.		
FIRST USED ON OPTION/MODEL: KL10 B-DD-M8529-YA							



"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION"

REVISION
CHG CHANGE N


DIGITAL	S. Joosby S. Stephen	DRW. 18-NOV-76	ENG. J.D. Allen 23 Nov 76	TITLE: MB SEL CTL, CSH TO MB WD RQ IN	
MBXREF.DRW.4.175		DATE 18-NOV-76	BOARD LOCATION: 4AF21		
FIRST USED ON OPTION/MODEL: KL10		ISHEET 1 OF 1			
NEXT HIGHER ASSEMBLY: B-D-DB-M8529-YA		SIZE D	CODE CS	NUMBER M8529-YA-MBX2	REV




NOTE: (ENGINEERING REF ONLY)
3 LOADS ON STUB EM2.
TIME CRITICAL

"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT (C)1976, DIGITAL EQUIPMENT CORPORATION"

digital	DRN. <i>J. Farley</i>	DATE 17-NOV-76	ENG. <i>J.D. Allen</i>	DATE 28-Nov-76	TITLE: SBUS DIAG CTL, MB PAR, CTOMB RQ		
CH 10	DATE 11-NOV-76	BOARD LOCATION: 4AF21		SHEET 1 OF 1	SIZE D	CODE CS	NUMBER M8529-YA-MBX3
MBX3EF.DPH(4,175)		17-NOV-76 12:44	NEXT HIGHER ASSEMBLY:		REV.		
FIRST USED ON OPTION/MODEL: KL10 B-DD-M8529-YA							






5 OF 7

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION

REVISIONS
CHG CHANGE NO. REV

SIZE CODE	D	CS	M8529-YA-MBX5	NUMBER	REV.
SIZE CODE	D	CS	M8529-YA-MBX5	NUMBER	REV.
SIZE CODE	D	CS	M8529-YA-MBX5	NUMBER	REV.
SIZE CODE	D	CS	M8529-YA-MBX5	NUMBER	REV.

DATE 12-Nov-76 ENG. J. J. Allen DATE 23-Nov-76
DRAWN BY [Signature] CHECKED BY [Signature]
MBX5EF.DPK(4.175) DATE 12-Nov-76 11:53 NEXT HIGHER ASSEMBLY:
FIRST USED ON OPTION/MODEL: KL10 B-DD-M8529-YA



"THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION"

REVISIONS
CHK CHANGE NO. REV.

DATE ENG. / / DATE 30-Nov-76 TITLE: MBOX CONTROL LOGIC
PWR., GND, CAPS
DATE RELEASED: 30-Nov-76 SHEET 1 OF 2
FIRST USED ON OPTION/MODEL: KL10PV 1B-DD-M8529-YA
SIZE CODE NUMBER REV.
D CS M8529-YA-MBX7

- NOTE:
1. THE FOLLOWING PIN NUMBERS
APPLY TO ECL DIP PACKAGES
GND -5.2 MANUFACTURER'S
PART NUMBER
1 8 ALL 10,000 SERIES
16 UNLESS OTHERWISE
SPECIFIED
1 8 18118 & 18218
15 16
16 8 18158 & 18173

7 OF 7

D	RESISTOR LOC(PIN)	SHOWN DRW#	ON REF	VALUE	TERMINATES SIGNAL	RESISTOR LOC(PIN)	SHOWN DRW#	ON REF	VALUE	TERMINATES SIGNAL	RESISTOR LOC(PIN)	SHOWN DRW#	ON REF	VALUE	TERMINATES SIGNAL	RESISTOR LOC(PIN)	SHOWN DRW#	ON REF	VALUE	TERMINATES SIGNAL
	R167(1)	MBX3	C4	68Ω	XE20(14)	R147(1)	MBX1	A2	68Ω	XE69(2)	R4(1)	MBX2	C2	68Ω	-CHAN READ H	R65(1)	MBX2	B3	68Ω	MBC4 CORE ADR 35 H
	R115(1)	MBX3	C6	68Ω	XE20(15)	R143(1)	MBX1	A2	68Ω	XE69(3)	R123(1)	MBX4	C5	68Ω	CLK1 MBX H	R89(1)	MBX6	B7	68Ω	-MBC4 CORE DATA VAL -2 H
	R170(1)	MBX3	C2	68Ω	XE20(2)	R71(1)	MBX1	B7	68Ω	XE69(7)	R67(1)	MBX1	B7	68Ω	-CON CACHE LOOK EN H	R188(1)	MBX3	A7	68Ω	-MBC4 MEM START H
	R162(1)	MBX3	C5	68Ω	XE20(3)	R206(1)	MBX2	C6	68Ω	XE7(14)	R242(1)	MBX5	D6	68Ω	-CSH ADR PAR BAD H	R145(1)	MBX1	C4	68Ω	MBX1 CCA CYC DONE A H
	R51(1)	MBX2	D3	68Ω	XE3(15)	R149(1)	MBX2	D6	68Ω	XE7(15)	R216(1)	MBX4	B5	68Ω	-CSH CHAN CYC H	R100(1)	MBX1	C4	68Ω	-MBX1 CCA CYC DONE A H
	R49(1)	MBX2	D3	68Ω	XE3(2)	R155(1)	MBX2	C6	68Ω	XE7(2)	R46(1)	MBX1	A7	68Ω	CSH WD 0 VAL H	R42(1)	MBX1	A1	68Ω	MBX1 CCA HOLD ADR H
	R171(1)	MBX6	C4	68Ω	XE32(15)	R148(1)	MBX2	D6	68Ω	XE7(3)	R150(1)	MBX2	D5	68Ω	CSH WD 0 WR H	R199(1)	MBX1	A1	68Ω	-MBX1 CCA HOLD ADR H
	R24(1)	MBX2	B7	68Ω	XE33(2)	R38(1)	MBX3	B5	68Ω	XE70(14)	R43(1)	MBX1	A7	68Ω	CSH WD 1 VAL H	R58(1)	MBX1	B4	68Ω	-MBX1 CCA SEL 1 H
	R29(1)	MBX2	B7	68Ω	XE33(3)	R82(1)	MBX3	B5	68Ω	XE70(15)	R153(1)	MBX2	D5	68Ω	CSH WD 1 WR H	R44(1)	MBX1	A4	68Ω	MBX1 CSH CCA CYC A H
	R174(1)	MBX6	C2	68Ω	XE39(14)	R246(1)	MBX5	D4	68Ω	XE71(13)	R48(1)	MBX1	A7	68Ω	CSH WD 2 VAL H	R94(1)	MBX1	D2	68Ω	MBX1 CSH CCA ONE PAGE H
	R178(1)	MBX5	C3	68Ω	XE39(3)	R90(1)	MBX3	B7	68Ω	XE72(3)	R208(1)	MBX2	C5	68Ω	CSH WD 2 WR H	R151(1)	MBX1	A6	68Ω	MBX1 CSH WD 0 VAL B H
	R60(1)	MBX4	C2	68Ω	XE44(14)	R195(1)	MBX5	D4	68Ω	XE73(2)	R47(1)	MBX1	A7	68Ω	CSH WD 3 VAL H	R152(1)	MBX1	A6	68Ω	MBX1 CSH WD 1 VAL B H
	R220(1)	MBX3	C7	68Ω	XE44(2)	R194(1)	MBX5	D4	68Ω	XE73(3)	R207(1)	MBX2	C5	68Ω	CSH WD 3 WR H	R209(1)	MBX1	A6	68Ω	MBX1 CSH WD 2 VAL B H
	R101(1)	MBX3	C7	68Ω	XE44(3)	R192(1)	MBX1	A2	68Ω	XE74(3)	R91(1)	MBX1	C2	68Ω	-CSH1 CCA CYC H	R211(1)	MBX1	A6	68Ω	MBX1 CSH WD 3 VAL B H
	R57(1)	MBX4	A7	68Ω	XE44(9)	R87(1)	MBX5	D3	68Ω	XE75(15)	R132(1)	MBX5	B3	68Ω	-CSH1 MB CYC H	R196(1)	MBX1	D4	68Ω	MBX1 EBOX PAGED A H
	R126(1)	MBX4	B3	68Ω	XE45(14)	R244(1)	MBX5	D6	68Ω	XE76(15)	R251(1)	MBX1	D7	68Ω	-CSH1 MB REQ GRANT H	R239(1)	MBX1	D4	68Ω	MBX1 READY TO GO A H
	R75(1)	MBX4	B2	68Ω	XE45(15)	R35(1)	MBX1	A2	68Ω	XE77(14)	R128(1)	MBX5	C7	68Ω	-CSH1 PGRF CYC A H	R247(1)	MBX1	D4	68Ω	-MBX1 READY TO GO A H
	R25(1)	MBX2	A7	68Ω	XE45(6)	R201(1)	MBX1	A7	68Ω	XE77(15)	R205(1)	MBX1	D4	68Ω	CSH1 READY TO GO H	R252(1)	MBX1	D6	68Ω	-MBX1 REFILL ADR EN A H
	R23(1)	MBX2	A7	68Ω	XE45(7)	R200(1)	MBX1	A7	68Ω	XE77(2)	R236(1)	MBX5	A6	68Ω	CSH2 E CACHE WR CYC H	R52(1)	MBX1	A4	68Ω	MBX1 RESET H
	R175(1)	MBX6	B4	68Ω	XE46(15)	R37(1)	MBX1	A7	68Ω	XE77(3)	R135(1)	MBX4	B5	68Ω	-CSH2 E CORE RD RD H	R180(1)	MBX1	A4	68Ω	-MBX1 RESET H
	R231(1)	MBX3	B2	68Ω	XE48(14)	R36(1)	MBX1	A7	68Ω	XE79(5)	R27(1)	MBX5	C4	68Ω	-CSH2 ONE WORD RD H	R125(1)	MBX2	B4	68Ω	MBX2 ANY VAL HOLD H
	R228(1)	MBX3	B2	68Ω	XE48(15)	R58(1)	MBX2	C3	68Ω	XE8(15)	R241(1)	MBX3	D5	68Ω	-CSH3 ADR READY H	R172(1)	MBX2	D7	68Ω	MBX2 CACHE TO MB CONT H
	R232(1)	MBX3	A2	68Ω	XE48(2)	R59(1)	MBX2	D3	68Ω	XE8(2)	R138(1)	MBX2	B5	68Ω	CSH3 ANY VAL HOLD IN H	R8(1)	MBX2	C1	68Ω	MBX2 CHAN READ A H
	R234(1)	MBX3	A2	68Ω	XE48(3)	R96(1)	MBX1	B4	68Ω	XE80(2)	R203(1)	MBX2	A4	68Ω	-CSH3 MB WR RG CLR NXT H	R1(1)	MBX2	C1	68Ω	-MBX2 CHAN READ A H
	R81(1)	MBX4	C2	68Ω	XE50(2)	R139(1)	MBX2	A5	68Ω	XE81(15)	R34(1)	MBX4	B3	68Ω	-CSH4 ONE WORD WR TO H	R210(1)	MBX2	C6	68Ω	MBX2 CHAN WR CYC H
	R235(1)	MBX3	A2	68Ω	XE54(14)	R190(1)	MBX1	B1	68Ω	XE85(15)	R29(1)	MBX4	D2	68Ω	-CSH4 WRITEBACK T1 A H	R104(1)	MBX2	B3	68Ω	MBX2 CORE WD 0 COMING H
	R233(1)	MBX3	A2	68Ω	XE54(15)	R243(1)	MBX1	C5	68Ω	XE85(2)	R238(1)	MBX2	B7	68Ω	-CSH5 CHAN T4 H	R107(1)	MBX2	B3	68Ω	MBX2 CORE WD 1 COMING H
	R113(1)	MBX3	D7	68Ω	XE55(3)	R144(1)	MBX1	B2	68Ω	XE86(3)	R237(1)	MBX2	B7	68Ω	-CSH5 PAGE REFILL T8 H	R103(1)	MBX2	B3	68Ω	MBX2 CORE WD 2 COMING H
	R78(1)	MBX6	B2	68Ω	XE56(15)	R186(1)	MBX3	A7	68Ω	-APR EBOX SBUS DIAG H	R238(1)	MBX2	B7	68Ω	-CSH5 T2 H	R102(1)	MBX2	B3	68Ω	MBX2 CORE WD 3 COMING H
	R22(1)	MBX2	A7	68Ω	XE57(6)	R95(1)	MBX5	D4	68Ω	APR2 C DIR P ERR H	R202(1)	MBX1	C4	68Ω	-CSH6 CCA CYC DONE H	R32(1)	MBX2	D5	68Ω	MBX2 CSH PGRF CYC B H
	R20(1)	MBX2	A7	68Ω	XE57(7)	R76(1)	MBX6	B2	68Ω	-CCL CH LOAD MB H	R204(1)	MBX1	A3	68Ω	-CSH6 CCA INVAL T4 H	R114(1)	MBX2	D5	68Ω	MBX2 CSH TO MB WD 0 H
	R163(1)	MBX3	D7	68Ω	XE59(14)	R66(1)	MBX6	B4	68Ω	CCL CH MB SEL 1 H	R136(1)	MBX1	C7	68Ω	CSH6 EBOX LOAD REG H	R161(1)	MBX2	D5	68Ω	MBX2 CSH TO MB WD 1 H
	R138(1)	MBX3	A2	68Ω	XE59(3)	R121(1)	MBX6	C4	68Ω	CCL CH MB SEL 2 H	R249(1)	MBX1	D3	68Ω	IR AC 10 H	R166(1)	MBX2	C5	68Ω	MBX2 CSH TO MB WD 2 H
	R173(1)	MBX6	B2	68Ω	XE61(14)	R33(1)	MBX2	C7	68Ω	CCL CHAN TD MEM H	R250(1)	MBX1	D3	68Ω	IR AC 11 H	R169(1)	MBX2	C5	68Ω	MBX2 CSH TO MB WD 3 H
	R111(1)	MBX2	A4	68Ω	XE62(14)	R21(1)	MBX2	A7	68Ω	CCW CHA 34 H	R248(1)	MBX1	D3	68Ω	IR AC 12 H	R154(1)	MBX2	B6	68Ω	-MBX2 CTOMB LOAD H
	R189(1)	MBX2	A2	68Ω	XE65(2)	R26(1)	MBX2	A7	68Ω	CCW CHA 35 H	R110(1)	MBX3	D2	68Ω	MB PAR BIT IN H	R3(1)	MBX2	D2	68Ω	MBX2 MB 0 WR RQ H
	R39(1)	MBX3	B5	68Ω	XE65(3)	R217(1)	MBX4	D5	68Ω	CCW WD0 REQ H	R40(1)	MBX3	B5	68Ω	-MBX3 A CHANGE COMING A H	R19(1)	MBX2	D1	68Ω	-MBX2 MB 0 WR RQ H
	R140(1)	MBX5	B3	68Ω	XE65(9)	R215(1)	MBX4	D5	68Ω	CCW WD1 REQ H	R177(1)	MBX4	B7	68Ω	-MBX3 CSH WR WR DATA H	R108(1)	MBX2	D2	68Ω	MBX2 MB 1 WR RQ H
	R83(1)	MBX5	D5	68Ω	XE66(2)	R216(1)	MBX4	D5	68Ω	CCW WD2 REQ H	R86(1)	MBX5	B3	68Ω</td						

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION

REVISIONS	
CHG	CHANGE NO.

- NOTE:
 1. ALL TERMINATORS HAVE PIN TWO CONNECTED TO -2.0V AND ARE 5% 1/4WATT UNLESS OTHERWISE SPECIFIED
 2. ENTRIES ARE SORTED BY SIGNAL NAME
 3. % INDICATES OUTPUT OF DIP LOC AND
 () INDICATES PIN NUMBER
 4. R212 AND R213 ARE NOT TO BE USED OR INSTALLED

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R17(1)	MBX2	D1	68Ω	-MBX2 MB 2 WR RQ H
R5(1)	MBX2	C2	68Ω	MBX2 MB 3 WR RQ H
R9(1)	MBX2	D1	68Ω	-MBX2 MB 3 WR RQ H
R63(1)	MBX2	B1	68Ω	MBX2 MB SEL 1A H
R59(1)	MBX2	C1	68Ω	-MBX2 MB SEL 1A H
R109(1)	MBX2	B1	68Ω	MBX2 MB SEL 1B H
R119(1)	MBX2	B1	68Ω	MBX2 MB SEL 2A H
R106(1)	MBX2	C1	68Ω	-MBX2 MB SEL 2A H
R223(1)	MBX2	B1	68Ω	MBX2 MB SEL 2B H
R93(1)	MBX2	A3	68Ω	MBX2 MB SEL HOLD FF IN H
R141(1)	MBX2	A4	68Ω	-MBX2 MB WR RQ CLR FF H
R97(1)	MBX2	C7	68Ω	MBX2 MB WR RQ ANT H
R105(1)	MBX2	C3	68Ω	-MBX2 MB WR RQ CLR H
R7(1)	MBX2	C7	68Ω	MBX2 MB WR RQ P1 H
R6(1)	MBX2	C7	68Ω	MBX2 MB WR RQ P2 H
R112(1)	MBX3	B7	68Ω	MBX3 CORE BUSTY 1A H
R240(1)	MBX3	B7	68Ω	-MBX3 CORE BUSTY 1A H
R69(1)	MBX3	D6	68Ω	MBX3 CTOMB WD 0 RQ H
R73(1)	MBX3	D5	68Ω	MBX3 CTOMB WD 1 RQ H
R74(1)	MBX3	D3	68Ω	MBX3 CTOMB WD 2 RQ H
R78(1)	MBX3	D2	68Ω	MBX3 CTOMB WD 3 RQ H
R65(1)	MBX3	B3	68Ω	MBX3 DIAG CYC DONE H
R72(1)	MBX3	A7	68Ω	MBX3 EBOX DIAG CYC H
R133(1)	MBX3	A7	68Ω	-MBX3 EBOX DIAG CYC H
R61(1)	MBX3	B7	68Ω	MBX3 HI
R41(1)	MBX3	C6	68Ω	MBX3 MB REQ ALLOW H
R92(1)	MBX3	C7	68Ω	-MBX3 MB REQ ALLOW H
R137(1)	MBX3	B6	68Ω	-MBX3 MB REQ ALLOW FF H
R117(1)	MBX3	D6	68Ω	MBX3 MB2 DATA CODE 1 H
R118(1)	MBX3	D6	68Ω	MBX3 MB2 DATA CODE 2 H
R157(1)	MBX3	D6	68Ω	MBX3 MB2 PAR H
R164(1)	MBX3	D5	68Ω	MBX3 MB1 DATA CODE 1 H
R116(1)	MBX3	D5	68Ω	MBX3 MB1 DATA CODE 2 H
R159(1)	MBX3	D5	68Ω	MBX3 MB1 PAR H
R165(1)	MBX3	D3	68Ω	MBX3 MB2 DATA CODE 1 H
R64(1)	MBX3	D3	68Ω	MBX3 MB2 DATA CODE 2 H
R158(1)	MBX3	D3	68Ω	MBX3 MB2 PAR H
R120(1)	MBX3	D2	68Ω	MBX3 MB3 DATA CODE 1 H
R168(1)	MBX3	D2	68Ω	MBX3 MB3 DATA CODE 2 H
R169(1)	MBX3	D2	68Ω	MBX3 MB3 PAR H

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R104(1)	MBX3	B4	68Ω	-MBX3 SBUS DIAG 0 H
R31(1)	MBX3	B3	68Ω	MBX3 SBUS DIAG 1 H
R102(1)	MBX3	B4	68Ω	-MBX3 SBUS DIAG 1 H
R107(1)	MBX3	B3	68Ω	MBX3 SBUS DIAG 2 H
R06(1)	MBX3	B4	68Ω	-MBX3 SBUS DIAG 2 H
R221(1)	MBX3	B4	68Ω	-MBX3 SBUS DIAG CYC H
R227(1)	MBX4	A2	68Ω	MBX4 CACHE TO MB DONE H
R127(1)	MBX4	C2	68Ω	-MBX4 CACHE TO MB T1 H
R224(1)	MBX4	B2	68Ω	-MBX4 CACHE TO MB T3 H
R176(1)	MBX4	A2	68Ω	MBX4 CACHE TO MB T4 H
R45(1)	MBX4	C4	68Ω	MBX4 CLK A H
R94(1)	MBX4	C4	68Ω	MBX4 CLK B H
R146(1)	MBX4	C4	68Ω	MBX4 CLK C H
R53(1)	MBX4	C4	68Ω	MBX4 CLK D H
R156(1)	MBX4	C4	68Ω	MBX4 CLK E H
R245(1)	MBX4	C4	68Ω	MBX4 CLK F H
R58(1)	MBX4	B5	68Ω	-MBX4 CSH CHAN CYC A H
R193(1)	MBX4	B5	68Ω	MBX4 E CORE RD RQ A H
R253(1)	MBX4	B5	68Ω	-MBX4 E CORE RD RQ A H
R18(1)	MBX4	D5	68Ω	-MBX4 WD 0 NEEDED H
R11(1)	MBX4	D5	68Ω	-MBX4 WD 1 NEEDED H
R16(1)	MBX4	D5	68Ω	-MBX4 WD 2 NEEDED H
R10(1)	MBX4	C5	68Ω	-MBX4 WD 3 NEEDED H
R68(1)	MBX5	D3	68Ω	MBX5 C DIR PAR ERR H
R134(1)	MBX5	C3	68Ω	MBX5 ONE WORD RD A H
R14(1)	MBX5	C3	68Ω	-MBX5 ONE WORD RD A H
R56(1)	MBX5	B3	68Ω	MBX5 PA 34 A H
R60(1)	MBX5	B3	68Ω	-MBX5 PA 34 A H
R62(1)	MBX5	A3	68Ω	MBX5 PA 35 A H
R55(1)	MBX5	A3	68Ω	-MBX5 PA 35 A H
R129(1)	MBX5	C6	68Ω	MBX5 RD NON-VAL WDS H
R12(1)	MBX5	C6	68Ω	-MBX5 RD NON-VAL WDS H
R13(1)	MBX5	A6	68Ω	-MBX5 WR WDS IN MB H
R77(1)	MBX6	B6	68Ω	-MBX6 CORE DATA VALID -1 B H
R191(1)	MBX6	A6	68Ω	-MBX6 CORE DATA VALID B H
R219(1)	MBX6	C6	68Ω	MBX6 DIAG B4 H
R226(1)	MBX6	C6	68Ω	MBX6 DIAG B5 H
R225(1)	MBX6	B6	68Ω	MBX6 DIAG B6 H
R222(1)	MBX6	B6	68Ω	-MBX6 DIAG EN H
R179(1)	MBX5	C3	68Ω	-MCL2 VMA PAUSE H

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R142(1)	MBX1	B5	68Ω	-MCL6 EBOX CACHE H
R131(1)	MBX5	B3	68Ω	-MEM TO C DIAG EN H
R229(1)	MBX3	A5	68Ω	-MEM WR RQ H
R212(1)	MBX1	C6	68Ω	NC SEE NOTE 4
R213(1)	MBX2	A3	68Ω	NC SEE NOTE 4
R198(1)	MBX1	B5	68Ω	-PAG1 PT CACHE H
R124(1)	MBX4	B3	68Ω	-PHASE CHANGE COMING H
R101(1)	MBX1	B2	68Ω	-PMA2 CCA CRY OUT H
R28(1)	MBX5	B3	68Ω	PMA4 PA 34 H
R30(1)	MBX5	A3	68Ω	PMA4 PA 35 H
R183(1)	MBX5	A6	68Ω	PMA5 CSH WRITEBACK CYC H
R197(1)	MBX1	B5	68Ω	-PMA5 EBOX PAGED H

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION	REVISIONS	DRW. <i>C. Smith</i>	DATE 19-OCT-76	ENG. <i>J.O. Allen</i>	DATE 19-OCT-76	TITLE: MBOX CONTROL TERMINATORS
CHG. CHANGE NO.	REV.	CHG. DATE	BOARD LOCATION	CHG. DATE	BOARD LOCATION	
FPC-22-DRAW 4.175 113-ACT-76 11722 NEXT HIGHER ASSEMBLY:						
FIRST USED ON OPTION/MODEL: KL10 B-DD-M8529-YA						
SIZE	CODE	NUMBER	REV.			
D	CS	M8529-YA-RES				