



Cos	TON	MER	/										R	EV	ISI	NC	CC	ΙN	R	DL	S	HE	ΕT	•					
			MIFG SET	DRAWING NO	NO OF SHT	DESCRIPTION	OPTION NO/FILE DATE								(F)	• • • • • • • • • • • • • • • • • • •	'RE	VIS	310	NS	3								
П	I	I				MODULE REVISION			A E	3 [0	; C		D																\Box
H	+	+	+	D-UA-M8524-Ø-Ø	5	SCAD. PC FLAGS		-	+	Δ Ε	1 -	1	DI	 	$-\vdash$	-	╁╌╁		-	+		-	1	\dashv		-	\vdash		1-1
H		十		D-CS-M8524-Ø-SCD1	11	SCAD. PC FLAGS SCAD.SCADA.			- 17	À /	X A	ТВ	B				++	\dashv	\dashv	+	+-	+	+		\dashv	+	\vdash		+
		I				SCADB												1											
\vdash	+	+-		D-CS-M8524-Ø-SCD2	11	SCAD, PC FLAGS SC.SCM.FE			- 1 /	A	<u> </u>	18	B	\vdash		-	1-1	\perp		_		_							
H	十	+		D-CS-M8524-Ø-SCD3 D-CS-M8524-Ø-SCD4	1	SCAD, PC FLAGS ARMM.DIAG MIXER SCAD, PC FLAGS PC FLAGS			: 		7 7	B	+>	\vdash		+-	1-1			-	-	+	+		-			-	╂╌┨
	十	\top	1-1	D-CS-M8524-Ø-SCD5	 	SCAD. PC FLAGS PC FLAGS			- 17	RTE	H	C	12				++	十	\dashv	+	+	+	+		+	+-	H	-	╂╌┨
				D-CS-M8524-Ø-SCD6		SCD. PC FLAGS POWER.GND.CAPS			- 1/	4 A	NΙΑ	ΙB	LC							工									口
\vdash	-	+	+	D-C5-M8524-Ø-RES	11	SCAD. PC FLAGS TERMINATORS		\vdash	- 1	3 E	<u> </u>	IC	↓C			4_	+	\perp	$-\Gamma$	\bot		+	\bot	-I	\bot			$\perp \Gamma$	П
	+	+	╀┤		1			$\vdash \vdash$	+	+	+	+-	+-	╁	\dashv	+-	+ +	+	+	+	+	+	1-1				 		+
												1	1		$\neg \vdash$	1	1 1	_	\dashv	+	+-	1	1-1			+		-	+
П	\bot	1		V 00 00504 0 4	1-	004D D0 51400				T.	Ţ	1		М			П	工	\Box	\Box			П						\square
	+	+	+-	K-CO-M8524-Ø-4	+-	SCAD, PC FLAGS (CALDEC DATA BASE)		-	BE		<u> </u>	ĮΒ	B				11		-	-	-	 	1 1	\longrightarrow	\dashv			_	
	十	+	1-1	D-AH-M8524-Ø-5	4	SCAD, PC FLAGS			A			A	Δ	F			╁╌╁	\dashv		+		+-	+	\dashv		+-			+
		工		B-MH-M8524-Ø-6	11	MODULE ECO HISTORY			EF -	- -	` -			w	_	+-	† †	+	-	1	1	 	1 1		_	+	1-1	+	+1
			\Box											I															
H	+	+	+					\vdash			- -		-	S						—		-							Ш
H	\dashv	╁	1 1		 			$\vdash \vdash$	-	+-	+	+-	+	ш	-		+-+	+		+		╂	+	-+		-	╂		1 1
									\neg	+	+	1	1	u		+	+	_	\dashv	+	-	1-	+	\dashv	\dashv	+-	 	\dashv	H
	\perp													S		工													
H	+	+		5010653 P00-M8524-ØØ	-	ETCH CIRCUIT BOARD					<u> </u>	В	B			4_	1 1												\Box
H	\dashv	十	+	FUU-M6524-00	+	PROCESS SHEET (REF ONLY)		+	• + -	- -	╁═	-	+-	N O		+	+-+	+		+		┼	╂╌┤	-+					lacksquare
									\top	+	+	+-	Z		_	+-	1-1	\dashv	\dashv	+	+	+	+	\dashv	\dashv	╅	-	-	+
\square	_	1											0	S							Ĭ.				工				
H	+	+	┨		-			\vdash		——	_	┷			_		1			4_		<u> </u>							\Box
	+	+	1 1						+	+	+	+	18	VE				-		+	+-		1-1		+				$igcup_{igstar}$
		工							\top	+	+	+-	E E	_		-	+++	\dashv	$\neg \vdash$	+	+-	+	╁╼┪	-	+	-		\dashv	+1
	\bot	\perp	\Box		-									T						工									
	+	- -	+		1				\bot		\bot			\Box				\perp		1	T					1		工	
1	+	+	H		1-			\vdash	\dashv	+	+-	+-	유	YO	\dashv	+-	++	+		+	+-	+-	1-1	\dashv	+	+-		+	+
		工						\Box	_	1	+	+	6	A	-+	+	+ +	\dashv		+	+-	+	 	\dashv	+		\vdash		+
	T	\perp											≥	7						上	工	上						士	
-	+	+-	+		 				_	4	4	4	RE				\Box	\perp	— [T	\bot				\perp			\perp	
1 6	RIN	T	C =	= PRINT OF DOCUMENT = INCLUDES ALL PRINT	rs in	IDICATED ON DOCUMENT		ON O	5	M8524-1	003	204	00005 F	R		Principal Control Control	Tracket are the tracket								- German				
С	SET	ES	3	- CONFIDENTIAL AUTHO	UHIZE	ED SIGNATURE REQUIRED				Σ Σ Σ Σ	3 2	S S	Ö						The second secon			C EL TOTAL DE CONTRACTOR DE							
								TITLE		SC	AD	PC	FLA	GS			SHEE	T 2 C)F 3	- 1	ZECO B D	1	M852		JMBEI	₹		RE	





CVS PRM	TO	ME/R SE T											RE	VIS	SION	N C	ON	TR	OL	SI	1EE	T					
	X		MFG SE	DRAWING NO	NO OF SHT	DESCRIP TION	OPTION NO/FILE DATE	-	W I	.AYO	T VE	ers i c						ISIC								. 7	
	十		1		1	MODULE REVISION			Ē	7		_			1 1												
	I								_	-+	+	+		+	+		-				\vdash		1-1				
	\perp			D-UA-M8524-Ø-Ø	5	SCAD, PC FLAGS			E	\top	_	† †	-+	\dashv	+ +	\dashv	+-	├─┼	-+-	+-	\vdash		++			\sqcup	
				D-CS-M8524-Ø-SCD1	1	SCAD, PC FLAGS SCAD, SCADA,			В		_	1-1		\dashv	+ +	-+-	+	\vdash	+	+	-		+			\sqcup	
	\bot		1_			SCADB								+	+ +	+	+	 	+	+	-		+-+		-	\vdash	
-	-		↓	D-CS-M8524-Ø-SCD2	$\frac{1}{1}$	SCAD, PC FLAGS SC, SCM, FE			В					1	1		+	 		+	\vdash	+-	+-+		+	-	
\perp	+		1	D-CS-M8524-Ø-SCD3	$\frac{1}{1}$	SCAD, PC FLAGS ARMM, DIAG MIXER			С								 			+-	 		+ +			+	+
-	+		₩	D-CS-M8524-Ø-SCD4	1	SCAD, PC FLAGS PC FLAGS			c								1		_	+		+	+		-	╁	+
1	+		╁	D-CS-M8524-Ø-SCD5	1 1	SCAD. PC FLAGS PC FLAGS			c								1			†		+-	╅╅		+	┝╌┼	+
├ ─ ├	+		+	D-CS-M8524-Ø-SCD6	┵÷	SCD, PC FLAGS POWER, GND, CAPS			C			\Box								1		_	1-+	-+-	+	┝╌┼	+-1
+	+	+-	+	D-CS-M8524-Ø-RES	+	SCAD, PC FLAGS TERMINATORS		$\vdash \vdash$	c					\bot						1		\top	1 1	_	+		+-
+	+		+-		+-			$\vdash \vdash$			-	\vdash		4	$\perp T$								1 1	十	1		+-1
	+	+-	+		+			$\vdash \vdash$	\dashv		+	\sqcup			$\perp \perp$									1	1	1	+-1
1	+	+	 		+			\vdash	\dashv	-+-		 		+-	+				\perp							1	+-1
		+		K-CO-M8524-Ø-4	1	SCAD, PC FLAGS		\vdash	c		+	┝╌┼		-	+		lacksquare										71
	\top	1		1. 30 1.03 2 1 P	 	(CALDEC DATA BASE)			4	-+-	+				+												1
	\top			D-AH-M8524-Ø-5	4	SCAD, PC FLAGS		 	В		+-		+	┿	+-+	-	\vdash			4-4							\Box
				B-MH-M8524-Ø-6	1	MODULE ECO HISTORY			- +	-+-	╅─	╂─┼	+	+	┼╌┼		-	_		+							\Box
	T				Ī			 	十	╌┼╴	╅	╂──┼		+	╁╌╁		 			+		—					
	$oxed{\Box}$								+	+	+	1		+	┿		-		-	+							
	\perp								_	+	1-	1		+	+-+	+-	╂╌┨			+			-		+		\bot
									\top		1-			+	╂──╂╌	+-	1		+-	╁		-	\vdash	\bot	4		$\perp \downarrow$
	\bot												\dashv	+	† †		1			╂╌╂		┥	-		+	\dashv	\bot
												\vdash	_	+-	† †	╅	 		+-	+-+		+-	-		+		44
	\perp			5010653	4-	ETCH CIRCUIT BOARD		(c					_	1	+-	1	-+-	+-	+ +		+	-		+		44
	+		1	POO-M8524-ØØ		PROCESS SHEET (REF ONLY)			- 1				_	1		+	1-1		+-	1-1		+			+		+
1	+		1														1		+	1-1	_	+	\vdash		+	\dashv	+-1
}	+		-		1									1					+	† †		+-	-		╂╌┼		+
	+	+	╂		+														1				-	+-	+-+		+
}	+	+-	╂╌┤		+																	+-	-	+-	++	+	+
1	+	+	+ - +		++				\rightarrow		-								\top	1 1		+-		+-	++		+-1
	+-	+	1 1		+						-			1						ĪĪ	1	1		-	† †	+	H
1	+	+	1-1		++			-			4_			4											1 1		
	+	+	╂─┤		+			\dashv						1													\vdash
	+		1 1		+ +				\dashv		+	-		-	 												H
					1 1				+		╅┈┥	+	+	+	├├-	+-	$\vdash \!$		1_	\sqcup	\bot						
	I							+	+	+	+	-	+	+	 	+	├─┤			+		\perp					
	$\prod_{i=1}^{n}$				1 1			-+	\dashv	+-	+	-+	+-	+			-		+	+		+				\perp	
	\Box							-+	\dashv	+-	+	-+	\dashv	+	-	+	$\vdash \dashv$		+	╂┷┼		+			\vdash	\bot	\sqcup
								-	+	_	1-1			1-	-	+			+-	╁┷┼		╁╌┥			+		\sqcup
003 PR 00	IN	T	C =	= PRINT OF DOCUMENT = INCLUCES ALL PRINT = CONFIDENTIAL AUTH	FS IN	LUDED IN PRINT SET DICATED ON DOCUMENT D SIGNATURE REQUIRED		ECO NO	60000																		
								TITLE			44			11		+			-								
	j sa							HILE		CAD	PC 1	FLAG	s			SHE	ET 3 (DF 3	1	DD	1	N 8524	UMBEF -Ø	?		RE	

















RESISTOR LOC(PIN)	SHOUN DRU#	ON VI REF	ALUE	TERMINATES SIGNAL		ISTOR (PIN)	SHOUN OF DRU# RE	F	TERMINATES SIGNAL	RESISTOR LOC(PIN)	DRU#	N ON REF	VALUE	TERMINATES SIGNAL	RESISTOR LOC(PIN)		REF	VALUE	TERMINATES SIGNAL
R75(1)	SCD4	B1 68	3ຄ :	%E10(2)			SCD2 B		%E65(3)	R70(1)	SCD5		68ρ	-CON PI CYCLE A H	R226(1)		C4		SCD1 SCAD 02 H
R78(1)		B3 68		%E14(14)		3(1)	SCD2 Ca		%E65(9)	R124(1)	SCD4		68a	CON TRAP EN A H	R172(1)		C4	68a	SCD1 SCAD 03 H
R82(1)		B6 68		%E14(2)		8(1)	SCD4 AG		%E85(15) %E85(2)	R140(1)	SCD1		68a	CRAM # 00 H	R225(1)		C4	68a	SCD1 SCAD 84 H
R10(1)		85 66 D1 66		%E15(14) %E18(2)		7(1) (1)	SCD4 A7		-AC CRY -02 A H	R227(1) R73(1)	SCD1		68a 68a	CRAM # 01 H CRAM # 02 H	R223(1) R179(1)		C.4	68a 68a	SCD1 SCAD 05 H SCD1 SCAD 06 H
R15(1) R22(1)		D1 66		E20(14)	R87		SCD4 D		-AD CRY 01 H	R80(1)	SCD1		68a	CRAM # 93 H	R96(1)	SCD1	C3	68a	SCD1 SCAD 07 H
		D6 68		ESØ(3)		(1)	SCD4 D7		-AD OVERFLOW DO H	R98(1)	SCD1		68n	CRAM # 84 H	R97(1)	SCD1	C3	68Ω	SCD1 SCAD 08 H
		C1 69		KE21(2)			SCD1 AL		AR 00 D H	R46(1)	SCD1		68s	CRAM # 05 H	R94(1)	SCD1	C3	68Ω	SCD1 SCAD 09 H
		B4 66		E21(9)	R19		SCD1 A	68s	AR OT CH	R139(1)	SCD1	B 3	68a	CRAM # 06 H	R56(1)	SCD1	D7	68n	-SCD1 SCAD 2 H
R81(1)	SCD4	B7 68		E22(15)	R84	(1)	SCD1 AS	68Ω	AR 92 C H	R168(1)	SCD1	B1	68Ω	CRAM # 07 H	R237(1)	SCD1	D7	68Ω	-SCD1 SCAD 4 H
R200(1)	SCD5	CS 66	3Ω 3	ESS(5)	R26	(1)	SCD1 A3	68Ω	AR 03 CH	R99(1)	SCD1	B 1	68a	CRAM # 98 H	R244(1)	SCD1	C4	68Ω	SCD1 SCAD CRY 02 OUT H
R86(1)	SCD4	05 68	3Ω ;	(E24(14)	R77	(1)	SCD1 A1	68Ω	AR 84 CH	R32(1)	SCD3	B 3	68α	CRAM COND 03 A H	R64(1)	SCD1	C3	68a	SCD1 SCAD CRY 06 OUT H
R21(1)	SCD4 I	04 68	βΩ ?	(E24(3)	R13	4(1)	SCD1 A1	68s	AR 05 C H	R30(1)	2CD3	B 3	68n	CRAM COND 84 A H	R57(1)	SCD1	C7	68r	SCD1 SCAD CRY IN H
R216(1)	SCD3	AZ 68	30 3	E56(5)	R13	6(1)	SCD1 B4	68Ω	AP. 96 C H	R35(1)	SCD3	B 3	68s	CRAM COND 05 A H	R109(1)	SCD1	C7	68₽	SCD1 SCAD SØ H
R217(1)	SCD3	AZ 68	. Ωί	(E26(5)	R13	3(1)	SCD1 B4	68Ω	AP 07 C H	R146(1)	SCDS	85	68n	CRAM FE LOAD H	R107(1)	SCD1	C7	68Ω	SCD1 SCAD S1 H
R11(1)	SCD4	06 66	<u>βο</u> ;	(E30(14)	R16	9(1)	SCD1 B3	68Ω	AR DB C H	R108(1)	SCD1	C8	68 <u>0</u>	CRAM SCAD 1 H	R239(1)	SCD1	A6	68a	SCD1 SCADA 00 H
R16(1)	SCD4 (C7 69	βΩ ;	(E30(3)	R83	(1)	SCD1 B3	68Ω	AR 89 C H	R110(1)	SCD1	D8	68 Ω	CRAM SCAD 2 H	R243(1)	SCD1	A6	68s	SCD1 SCADA 01 H
		CS 68		(E33(14)	R90		SCD1 B1		AR 10 C H	R55(1)	SCD1		68Ω	CRAM SCAD 4 H	R67(1)	SCD1	A5		SCD1 SCADA 02 H
		C8 68		E33(5)	R25		SCD1 B1		AR 11 C H	R39(1)	SCD1		68α	-CRAM SCADA EN H	R68(1)	SCD1	A5		SCD1 SCADA 03 H
		46 69		(E34(3)			SCD4 Da		AP. 12 C H	R49(1)	SCD1		68n	CRAM SCADA SEL 1 H	R69(1)	SCD1	A4	68n	SCD1 SCADA 04 H
		25 65		£35(15)			SCD2 B7		AR 18 C H	R44(1)	SCD1		68n	CRAM SCADA SEL 2 H	R63(1)	SCD1	A4	68n	SCD1 SCADA 05 H
		03 68		(E35(2)			SCD2 B5		AR 28 C H	R41(1)	SCD1		68a	CRAM SCADB SEL 1 H	R53(1)	SCD1	A3		SCD1 SCADA 06 H
		A6 68		Æ36(5)			SCDS B		AP. 29 C H	R43(1)	SCD1		68a	CRAM SCADB SEL 2 H	R111(1)		A3		SCD1 SCADA 07 H
R9(1)		95 68		(E38(2) (E39(14)			SCDS B4		AR 30 C H	R102(1)	SCD3		68a	CRAM SCM SEL 2 H	R106(1)		A1	68a	SCD1 SCADA Ø8 H
		03 66 04 66		£39(2)	R40		SCD2 B3		AR 31 C H AR 32 C H	R93(1) R95(1)	SCD3		68a 68a	CRAM SH-ARMM SEL 1 H	R51(1)	SCD1	A1	68s	SCD1 SCADA 09 H
		32 68		E4(2)			SCD2 B3		AR 33 C H	R211(1)	SCD3		68a	Cram Sh-Armin Sel 2 h Cram Vma Sel 2 a h	R59(1) R58(1)	SCD1 SCD1	C1 C1	68a 68a	SCD1 SCADA EXP 02 H SCD1 SCADA EXP 03 H
		34 68		E40(15)	R34		SCD2 B1		AR 34 C H	R208(1)	SCD4		68a	CTL DISP/NICOND H	R121(1)		C1	68s	SCD1 SCADA EXP 03 H
		36 68		£+0(2)			SCD2 B1		AR 35 C H	R175(1)	SCD5		68s	-CTL SPEC/SAVE FLAGS H	R119(1)		Cı	68n	SCD1 SCADA EXP 05 H
		35 68		£40(3)			SCD5 B4		-CLK MB XFER H	R88(1)	SCD5		68a	CTL1 COND/AR+EXP H	R47(1)	SCD1	C1	68n	SCD1 SCADA EXP Ø6 H
		82 69		£43(15)			SCDS D4		CLK3 SCD H	R4(1)	SCD4		68a	CTL1 SPEC/CLR FPD H	R45(1)	SCD1	C1	68 ₂	SCD1 SCADA EXP 07 H
R6(1)		A2 68		Æ5(14)	R16	3(1)	SCD5 C4	68Ω	CON CLP PRIVATE INSTR H	R135(1)	SCD5		68a	CTL1 SPEC/FLAG CTL H	R38(1)	SCD1	C1	68α	SCD1 SCADA EXP 08 H
R8(1)	SCD4 i	A2 66	βn ;	Æ5(15)	R33	(1)	SCD3 B3	68Ω	-CON COND EN 30-37 H	R101(1)	SCD2	A7	68 _Ω	CTL1 SPEC/SCM ALT H	R37(1)	SCD1	C1	68Ω	SCD1 SCADA EXP 09 H
R54(1)	SCD1	D2 66	30 3	Æ53(9)	R16	5(1)	SCD4 B7	68Ω	CON COND INSTR ABORT H	R207(1)	SCD5	A2	68a	-MCL6 PAGED FETCH H	R240(1)	SCD1	86	68α	SCD1 SCADB 00 H
R174(1)	SCD1	DS 68	β Ω ,	Æ54(15)	R71	(1)	SCD5 A	68Ω	CON COND/AD FLAGS H	R218(1)	SCD3	85	68Ω	-PI2 PI1 A H	R241(1)	SCD1	B 6	68₽	SCD1 SCADB 01 H
R178(1)	SCD1	D3 68	β Ω ;	(E54(2)	P14	7(1)	SCD2 B5	68Ω	CON COND/FE SHRT H	R219(1)	SCD3	B 6	68a	-PI2 PI2 A H	R66(1)	SCD1	B5	68n	SCD1 SCADB 02 H
R204(1)	SCD5	C4 68	β Ω ;	Æ6(14)	R13	8(1)	SCD5 A	68Ω	CON COND/PCF+# H	R222(1)	SCD3	87	68Ω	-PI2 PI4 A H	R118(1)	SCD1	B5	68₽	SCD1 SCADB 03 H
R158(1)	SCD5	C7 68	3a 3	£6(3)	R20	5(1)	SCD5 B4	68ຄ	-CON FM XFER H	R299(1)	SCD5	88	68⋒	PT PUBLIC H	R65(1)	SCD1	84	6 8 s.	SCD1 SCADB Ø4 H
R150(1)	SCDS	C3 66	ີລ ?	Æ65(11)	R12	3(1)	SCD4 A	68a	CON NICOND TRAP EN H	R28(1)	SCD1	C6	68Ω	SCD1 SCAD 00 H	R62(1)	SCD1	84	68₽	SCD1 SCADB 05 H
R145(1)	2CD5	B5 68	3Ω ?	KE65(2)	R21	5(1)	SCD3 Ba	68s	-CON PC+1 INH H	R29(1)	SCD1	C6	68₽	SCD1 SCAD 01 H	R52(1)	SCD1	B3	68Ω	SCD1 SCADB 06 H
NOTE:																			
1. ALL TE ARE 5% 2. ENTRIE	1/4WATT	UNLESS	OTHER	O CONNECTED TO -2.0V AN WISE SPECIFIED	ND														
	COTES OU	TPUT OF	DIP L	L NHITE DC AND															
3. % INDI	ICATES P																		

RESISTOR SHOWN ON LOC(PIN) DRW# REF RESISTOR SHOWN ON LOC(PIN) DRW# REF D TERMINATES VALUE TERMINATES RESISTOR SHOWN ON LOC(PIN) DRW# REF TERMINATES VALUE VALUE SIGNAL R50(1) SCD1 **B3** SCD1 SCADB 07 H R238(1) SCD3 C7 -SCD3 DIAG EN H R14(1) SCD5 A3 -SCD5 SET AD FLAGS H -SCD5 SPEC/PORTAL H R105(1) SCD1 Вı 680 SCD1 SCADB 08 H R26(1) SCD4 B3 680 -SCD4 CLR FPD H R122(1) SCD5 85 680 SCD1 SCADB 09 H SCD4 LOAD PCP H R131(1) SCD5 07 -SCD5 USER H R104(1) SCD1 81 680 R7(1) SCD4 A1 686 682 R127(1) SCD4 D6 R196(1) SCD5 -SCD5 USER EN H R160(1) SCD1 D6 68n SCD1 T AS1 R128(1) SCD5 -SCD5 USER IOT H R245(1) SCD1 D6 SCD1 T FR1\#400\ R5(1) R103(1) SCDS D3 SCD2 CLK B H R221(1) SCD4 SCD4 TRAP CYC 1 H R202(1) SCD5 C6 68a -SCD5 USER IOT EN H R188(1) SCD2 D6 680 [A.SCD2 SC 36 TO 63 H.NC] SCDS D3 SCDS CFK C H R220(1) SCD4 C3 SCD4 TRAP CYC 1 OR 2 H DЭ 680 SCOP CLK D H R36(1) SCD4 CS SCD4 TRAP CYC 2 H R159(1) SCD2 SCDS D3 682 SCD2 CLK F H R74(1) SCD4 SCD4 TRAP REQ 1 EN H R129(1) SCDS 68n SCD2 FE 00 H R85(1) SCD4 SCD4 TRAP REQ 2 EN H R242(1) R229(1) SCDS C4 682 SCD2 FE 01 H R164(1) SCD5 D1 680 SCD5 ADR BRK CYC H R7 R61(1) SCD2 C3 680 SCD2 FE 02 H R125(1) 5CD5 680 -SCDS AR 85 H SCD2 C3 680 SCD2 FE 03 H R197(1) SCD5 A7 680 SCD5 AR 86 H R6Ø(1) SCDS C3 SCD2 FE 04 H R246(1) SCD5 -SCD5 AR 06 H С С SCD2 FE 05 H SCD5 -SCD5 AR 07 H R228(1) SCDS C1 SCD2 FE 06 H P199(1) SCD5 C6 SCD5 CLR PUBLIC H 680 SCD2 FE 02 H SCDS AZ 680 SCD5 DISP/FLAG CTL H SCDS C1 R91(1) R48(1) R176(1) SCDS C1 68s SCD2 FE 08 H R171(1) SCD5 A7 68a -SCD5 DISP/FLAG CTL H SCDS C1 680 SCD2 FE 09 H R3(1) SCD5 682 SCD5 DISP/SAVE FLAGS H R153(1) SCDS C7 680 SCDS SC 00 H R137(1) SCD5 A3 68n SCD5 EXP TEST H C7 R152(1) SCD2 680 SCD2 SC 01 H R203(1) SCD5 A1 68s SCD5 INSTR FETCH H CZ SCD2 SC 02 H R192(1) SCDS A1 680 -SCD5 INSTR FETCH H R231(1) SCD2 680 SCDS SCDS SC 03 H R2(1) SCD5 B6 SCD5 JFCL H SCD2 SCM 00 H R167(1) SCD5 -SCD5 KERNEL MODE H SCD2 SCD2 SCM 01 H R198(1) SCD5 87 SCD5 LEAVE USER H SCD2 SCM 02 H P157(1) SCD5 87 -SCD5 LEAVE USER H R189(1) SCDS SCD2 SCD2 SCM 03 H R183(1) SCD5 SCD5 LOAD FLAGS H R185(1) SCD2 SCM 04 H SCD5 -SCD5 LOAD FLAGS H SCDS R1(1) R112(1) SCDS 68s SCD2 SCM 05 H P166(1) SCD5 68a SCD5 LOAD FLAGS A H R115(1) SCDS 83 68n SCD2 SCM 06 H R193(1) SCD5 A5 680 -SCD5 LOAD FLAGS A H В SCD5 A3 686 SCD5 PCF+# H R116(1) SCDS B3 68n SCD2 SCM 07 H R72(1) SCD2 SCM 08 H R182(1) SCD5 B1 SCD5 PI&SAVE FLAGS H SCD2 68a R113(1) B1 SCD2 SCM 09 H SCD5 -SCD5 PI&SAVE FLAGS H S) CS SCD3 SCD3 AR 00 H R162(1) SCD5 C.3 -SCD5 PRIVATE INSTR EN H R156(1) SCD5 -SCD5 PUBLIC H R233(1) SCD3 CZ SCD3 DIAG 04 H D5 R126(1) SCD5 C5 68s -SCD5 PUBLIC EN H R213(1) SCD3 C7 680 -SCD3 DIAG 04 H SCD5 SCD5 PUBLIC PAGE H R232(1) SCD3 SCD3 DIAG 05 H R161(1) B1 C7 68a В R212(1) SCD3 C7 -SCD3 DIAG 05 H R191(1) SCD5 B1 68n -SCD5 PUBLIC PAGE H R234(1) SCD3 C7 68n SCD3 DIAG 06 H P236(1) SCD5 A1 68g SCD5 RESET H R210(1) SCD3 C7 68n R170(1) SCD5 A1 680 -SCD5 RESET H -SCD3 DIAG R6 H 1. ALL TERMINATORS HAVE PIN THO CONNECTED TO -2.0V AND ARE 5% 1/4HATT UNLESS OTHERHISE SPECIFIED
2. ENTRIES ARE SORTED BY SIGNAL NAME
3. % INDICATES OUTPUT OF DIP LOC AND
() INDICATES PIN NUMBER DATE ENGAN GOTTLE:

DATE ENGAN GOTTLE:

DATE ENGAN GOTTLE:

AIBECTE SHEET SORRE LOCATION:

AIBECTE SHEET SORRE ASSEMBLY:

STEET INSTANCES OF 2

STEET ON OPTION MARKET "THIS DRAWING AND SPECIFICATIONS, MEREIN, ARE THE REVISIONS
PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SMALL
OTHER COPPOSITION OF SMALL CHICK CHANGE NO. REV
PART AS: "THE SMASIS FOR THE NAME FACTURE OF SALE OF
ITEMS UTFOOLUT WRITTEN PERMISSION."

COPYRIGHT (© 1976, DIGITAL EQUIPMENT CORPORATION" SCAD, PC FLAGS TERMINATORS NUMBER 145 D CS M8524-0-RES FIRST USED ON OPTION/MODEL: KL10 B-DD-M8524-0 MR 6

5

6

8

D C2 48254-0-6E2

1

3