


THIS DRAWING AND SPECIFICATIONS, HEREIN, AND THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DIGITAL EQUIPMENT CORPORATION.
COPYRIGHT © 1976 DIGITAL EQUIPMENT CORPORATION

0-0-5658 2

25(QTY 12)

24



8

7

6

5




4

3



2

1

REV. 1
M8545-0-APR3
CS 3000
D 3215



NOTE 1: MICROCODE TIMING RESTRICTION:
THE MICROINSTRUCTION FOLLOWING
"COND/EBUS CTL" AND "CRAM # 04" MUST
HOLD "CRAM # 05" UNCHANGED. IF # 05
IS ZERO, THEN # 06, # 07, AND # 08
MUST ALSO BE HELD UNCHANGED.



3 OF 7

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION


REVISIONS	CHK	CHANGE NO.	REV

digital

APR3EC.RLS(4,161) 10-NOV-76 11:37 NEXT HIGHER ASSEMBLY: B-DD-M8545-0

DATE 05-NOV-76 ENG. E. J. G. DATE 5-NOV-76
BOARD LOCATION: 4AF34
SHEET 1 OF 1
TITLE: APR BOARD I/O CONTROL
SIZE CODE NUMBER REV.
D CS M8545-0-APR3

380



8

7

6

5

4

3

2

1

ASB	53N-0-5450M	53	0
3000	3015		

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R130K(1)	APR3	D4	68n	%E14(3)
R136(1)	APR3	D3	68n	%E2(1)
R132(1)	APR3	D3	68n	%E2(15)
R137(1)	APR3	D3	68n	%E2(2)
R17(1)	APR1	D1	68n	%E20(15)
R10K(1)	APR1	D3	68n	%E20(2)
R65(1)	APR5	A7	68n	%E24(14)
R62(1)	APR5	A7	68n	%E24(15)
R61(1)	APR5	A7	68n	%E24(2)
R174(1)	APR3	B5	68n	%E26(13)
R105(1)	APR3	B6	68n	%E26(15)
R173(1)	APR3	B7	68n	%E27(7)
R19K(1)	APR1	A7	68n	%E20(11)
R95(1)	APR2	B7	68n	%E3(14)
R56(1)	APR3	C5	68n	%E3(2)
R94(1)	APR5	B3	68n	%E3(3)
R18(1)	APR1	C3	68n	%E30(2)
R20K(1)	APR2	A6	68n	%E32(7)
R147(1)	APR2	B4	68n	%E33(3)
R71(1)	APR1	C2	68n	%E30(2)
R1(1)	APR6	A6	68n	%E4(14)
R2(1)	APR6	A6	68n	%E4(15)
R70K(1)	APR2	C2	68n	%E41(2)
R22(1)	APR1	D7	68n	%E42(15)
R74(1)	APR2	D7	68n	%E42(2)
R15(1)	APR1	C2	68n	%E43(14)
R13(1)	APR1	C4	68n	%E43(15)
R69(1)	APR1	C7	68n	%E43(2)
R73(1)	APR2	C7	68n	%E43(3)
R172(1)	APR3	A6	68n	%E44(14)
R75(1)	APR2	C7	68n	%E45(2)
R77(1)	APR2	C5	68n	%E46(2)
R01(1)	APR1	C7	68n	%E40(2)
R3(1)	APR6	A6	68n	%E5(14)
R140K(1)	APR2	A4	68n	%E51(3)
R78(1)	APR2	D2	68n	%E52(15)
R04(1)	APR2	D3	68n	%E52(2)
R00K(1)	APR2	C3	68n	%E53(2)
R05(1)	APR2	D5	68n	%E56(15)
R06(1)	APR1	D5	68n	%E56(2)
R07(1)	APR1	C5	68n	%E50(2)
R146(1)	APR6	A3	68n	%E6(3)
R03(1)	APR2	C4	68n	%E62(14)
R110K(1)	APR1	C6	68n	%E62(15)
R02(1)	APR2	C2	68n	%E62(2)
R117(1)	APR2	C6	68n	%E62(3)
R210K(1)	APR3	B4	68n	%E64(2)
R35(1)	APR2	B4	68n	%E66(15)
R164(1)	APR6	A4	68n	%E7(14)
R162(1)	APR6	A4	68n	%E7(15)

NOTE:

- ALL TERMINATORS HAVE PIN TWO CONNECTED TO -2.0V AND ARE 5% 1/4WATT UNLESS OTHERWISE SPECIFIED
- ENTRIES ARE SORTED BY SIGNAL NAME
- % INDICATES OUTPUT OF DIP LOC AND (<) INDICATES PIN NUMBER

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R165(1)	APR6	A4	68n	%E7(2)
R163(1)	APR6	A4	68n	%E7(3)
R55(1)	APR5	C3	68n	%E0(15)
R54(1)	APR5	C3	68n	%E0(3)
R44(1)	APR1	B5	68n	APR1 EBUS 06 H
R32(1)	APR1	B5	68n	APR1 EBUS 06 H
R39(1)	APR1	B5	68n	APR1 EBUS 07 H
R40(1)	APR1	B5	68n	APR1 EBUS 07 H
R43(1)	APR1	B5	68n	APR1 EBUS 08 H
R12(1)	APR1	B5	68n	APR1 EBUS 08 H
R37(1)	APR1	A5	68n	APR1 EBUS 09 H
R30(1)	APR1	A5	68n	APR1 EBUS 09 H
R30(1)	APR1	B3	68n	APR1 EBUS 10 H
R72(1)	APR1	B3	68n	APR1 EBUS 10 H
R41(1)	APR1	B3	68n	APR1 EBUS 11 H
R119(1)	APR1	B3	68n	APR1 EBUS 11 H
R00(1)	APR1	B3	68n	APR1 EBUS 12 H
R36(1)	APR1	B3	68n	APR1 EBUS 12 H
R09(1)	APR1	A3	68n	APR1 EBUS 13 H
R79(1)	APR1	A3	68n	APR1 EBUS 13 H
R27(1)	APR1	C3	68n	APR1 I/O PF ERR H
R59(1)	APR1	D3	68n	APR1 I/O PF ERR EN IN H
R50(1)	APR1	C3	68n	APR1 I/O PF ERR IN H
R23(1)	APR1	D3	68n	APR1 I/O PF ERR INT EN H
R102(1)	APR1	D1	68n	APR1 MB PAR ERR EN IN H
R101(1)	APR1	C2	68n	APR1 MB PAR ERR IN H
R24(1)	APR1	D1	68n	APR1 MB PAR ERR INT EN H
R99(1)	APR1	D5	68n	APR1 NMI ERR EN IN H
R90(1)	APR1	C5	68n	APR1 NMI ERR IN H
R20(1)	APR1	D5	68n	APR1 NMI ERR INT EN H
R66(1)	APR1	D7	68n	APR1 SBUS ERR EN IN H
R67(1)	APR1	C7	68n	APR1 SBUS ERR IN H
R60(1)	APR1	D7	68n	APR1 SBUS ERR INT EN H
R109(1)	APR1	B7	68n	APR1 SHEEP BUSY H
R110(1)	APR1	A7	68n	APR1 SHEEP BUSY EN H
R170(1)	APR2	B3	68n	APR2 APR INTERRUPT H
R152(1)	APR2	C6	68n	APR2 C DIR P ERR H
R140(1)	APR2	D7	68n	APR2 C DIR P ERR EN IN H
R130(1)	APR2	C7	68n	APR2 C DIR P ERR IN H
R116(1)	APR2	D6	68n	APR2 C DIR P ERR INT EN H
R42(1)	APR2	A2	68n	APR2 CLK A H
R75(1)	APR2	A2	68n	APR2 CLK B H
R21(1)	APR2	A2	68n	APR2 CLK D H
R51(1)	APR2	A2	68n	APR2 CLK E H
R133(1)	APR2	A2	68n	APR2 CLK F H
R115(1)	APR2	C3	68n	APR2 PUR FAIL H
R169(1)	APR2	D3	68n	APR2 PUR FAIL EN IN H
R171(1)	APR2	C4	68n	APR2 PUR FAIL IN H
R111(1)	APR2	D3	68n	APR2 PUR FAIL INT EN H
R144(1)	APR2	D5	68n	APR2 S ADR P ERR EN IN H
R142(1)	APR2	C5	68n	APR2 S ADR P ERR IN H
R114(1)	APR2	D5	68n	APR2 S ADR P ERR INT EN H
R100(1)	APR2	C2	68n	APR2 SLEEP DONE H
R160(1)	APR2	D2	68n	APR2 SLEEP DONE EN IN H
R167(1)	APR2	C2	68n	APR2 SLEEP DONE IN H

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R112(1)	APR2	D2	68n	APR2 SHEEP DONE INT EN H
R7(1)	APR3	D7	68n	APR3 # 01 H
R53(1)	APR3	D7	68n	APR3 # 02 H
R0(1)	APR3	C7	68n	APR3 # 04 H
R6(1)	APR3	C7	68n	APR3 # 05 H
R149(1)	APR3	B7	68n	APR3 SPARE L#400
R214(1)	APR4	B4	68n	APR4 AC 0,1 H
R125(1)	APR4	B7	68n	APR4 AC 09 H
R160(1)	APR4	B7	68n	APR4 AC 10 H
R200(1)	APR4	B7	68n	APR4 AC 11 H
R153(1)	APR4	B7	68n	APR4 AC 12 H
R156(1)	APR4	B4	68n	APR4 AC 3,7 H
R209(1)	APR4	B4	68n	APR4 AC 5,6,7 H
R103(1)	APR4	B4	68n	APR4 AC 5,6,7 H
R190(1)	APR4	B4	68n	APR4 AC 6,7 H
R191(1)	APR4	B4	68n	APR4 AC 7 H
R179(1)	APR4	B2	68n	APR4 AC# 09 H
R100(1)	APR4	B2	68n	APR4 AC# 10 H
R105(1)	APR4	B2	68n	APR4 AC# 11 H
R107(1)	APR4	B2	68n	APR4 AC# 12 H
R194(1)	APR4	C6	68n	APR4 AC+1 09 H
R199(1)	APR4	C6	68n	APR4 AC+1 10 H
R129(1)	APR4	C6	68n	APR4 AC+1 11 H
R109(1)	APR4	C4	68n	APR4 AC+2 09 H
R196(1)	APR4	C4	68n	APR4 AC+2 10 H
R100(1)	APR4	C2	68n	APR4 AC+3 09 H
R150(1)	APR4	C2	68n	APR4 AC+3 10 H
R194(1)	APR4	C2	68n	APR4 AC+3 11 H
R131(1)	APR4	B4	68n	APR4 F02 EN H
R60(1)	APR5	C7	68n	APR5 CURRENT BLOCK 1 H
R100(1)	APR5	C7	68n	APR5 CURRENT BLOCK 2 H
R63(1)	APR5	C7	68n	APR5 CURRENT BLOCK 4 H
R145(1)	APR5	C5	68n	APR5 PREV BLOCK 1 H
R141(1)	APR5	C5	68n	APR5 PREV BLOCK 2 H
R103(1)	APR5	C5	68n	APR5 PREV BLOCK 4 H
R123(1)	APR5	B2	68n	APR5 RESET A H
R106(1)	APR5	B2	68n	APR5 RESET A H
R14(1)	APR5	B1	68n	APR5 RESET B H
R16(1)	APR5	A3	68n	APR5 SET I/O PF ERR H
R120(1)	APR5	A5	68n	APR5 VMA BLOCK 1 H
R92(1)	APR5	A5	68n	APR5 VMA BLOCK 2 H
R45(1)	APR5	B5	68n	APR5 VMA BLOCK 4 H
R127(1)	APR5	D7	68n	APR5 XR BLOCK 1 H
R90(1)	APR5	D7	68n	APR5 XR BLOCK 2 H
R46(1)	APR5	D7	68n	APR5 XR BLOCK 4 H
R134(1)	APR6	B4	68n	APR6 # 06 H
R135(1)	APR6	B4	68n	APR6 # 07 H
R181(1)	APR6	B7	68n	APR6 DS 04 H
R177(1)	APR6	B7	68n	APR6 DS 05 H
R106(1)	APR6	B7	68n	APR6 DS 06 H
R139(1)	APR6	B7	68n	APR6 READ 110-117 H
R166(1)	APR6	A6	68n	APR6 REG FUNC EN H
R161(1)	APR6	A6	68n	APR6 REG FUNC EN B H
R107(1)	APR2	A2	68n	CLK3 APR H
R96(1)	APR3	C5	68n	-CON COND/EBUS CTL H

RESISTOR LOC(PIN)	SHOWN ON DRW#	REF	VALUE	TERMINATES SIGNAL
R9(1)	APR5	B4	68n	-CON COND/MBX CTL H
R143(1)	APR3	B7	68n	-CON FM WRITE PAR H
R47(1)	APR5	B5	68n	-CON LOAD AC BLOCKS H
R26(1)	APR1	C7	68n	CON SEL CLR H
R33(1)	APR1	C8	68n	CON SEL DIS H
R11(1)	APR1	D7	68n	-CON SEL EN H
R25(1)	APR1	C7	68n	-CON SEL SET H
R97(1)	APR2	B7	68n	CON WR EVEN PAR ADR H
R120(1)	APR3	D5	68n	CRAM # 00 D H
R121(1)	APR3	D7	68n	CRAM # 01 D H
R5(1)	APR3	D7	68n	CRAM # 02 D H
R93(1)	APR3	D5	68n	CRAM # 03 D H
R126(1)	APR3	D5	68n	CRAM # 04 D H
R124(1)	APR3	C3	68n	CRAM # 05 D H
R190(1)	APR3	D3	68n	CRAM # 06 D H
R155(1)	APR3	D3	68n	CRAM # 07 D H
R201(1)	APR3	D3	68n	CRAM # 08 D H
R215(1)	APR3	B4	68n	CRAM ADB SEL 1 H
R213(1)	APR3	B4	68n	CRAM ADB SEL 2 H
R49(1)	APR4	D2	68n	CRAM FM ADR SEL 1 H
R40(1)	APR4	D2	68n	CRAM FM ADR SEL 25 H
R50(1)	APR4	D2	68n	CRAM FM ADR SEL 4 H
R202(1)	APR3	B4	68n	EDP FM PARITY 00-05 H
R211(1)	APR3	B4	68n	EDP FM PARITY 06-11 H
R212(1)	APR3	B4	68n	EDP FM PARITY 12-17 H
R206(1)	APR3	B4	68n	EDP FM PARITY 18-23 H
R205(1)	APR3	B4	68n	EDP FM PARITY 24-29 H
R207(1)	APR3	A4	68n	EDP FM PARITY 30-35 H
R153(1)	APR4	B7	68n	IR AC 09 H
R113(1)	APR2	B6	68n	-MBX ADR PAR ERR H
R29(1)	APR1	B2	68n	-MBX MB PAR ERR H
R34(1)	APR1	B6	68n	-MBX NMI ERR H
R31(1)	APR1	B7	68n	-MBX SBUS ERR H
R104(1)	APR1	A7	68n	-MBX CCA REQ H
R151(1)	APR2	B7	68n	-M3X5 CSH ADR PAR ERR H
R175(1)	APR6	A7	68n	-MCL1 MEM/REG FUNC H
R52(1)	APR6	A7	68n	-MCL1 REQ EN H
R64(1)	APR5	A5	68n	-MCL4 LOAD VMA CONTEXT H
R57(1)	APR5	A7	68n	MCL4 VMA PREV EN H
R91(1)	APR5	C7	68n	MCL4 XR PREVIOUS H
R4(1)	APR6	B6	68n	MCL6 EBOX MAP H
R102(1)	APR6	D1	68n	P13 APR PIA 01 H
R104(1)	APR6	D1	68n	P13 APR PIA 02 H
R176(1)	APR6	D3	68n	P13 APR PIA 04 H
R122(1)	APR2	B4	68n	PUR WARN E H
R170(1)	APR3	A6	68n	SH11 AR EXTENDED H
R192(1)	APR3	A6	68n	SH11 AR PAR ODD B H
R204(1)	APR4	D2	68n	SH11 XR 01 H
R150(1)	APR4	D4	68n	SH11 XR 02 H
R197(1)	APR4	D5	68n	SH11 XR 04 H
R195(1)	APR4	D6	68n	SH11 XR 10 H
R193(1)	APR4	D6	68n	VMA1 VMA 32 B H
R200(1)	APR4	D5	68n	VMA1 VMA 33 B H
R157(1)	APR4	D4	68n	VMA1 VMA 34 B H
R203(1)	APR4	D2	68n	VMA1 VMA 35 B H

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.
COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION

REVISIONS	
CHK	CHANGE NO. REV

digital	DRN. 6 Smith	DATE 31-01-76	ENG. J. J. J.	DATE 31-01-76	TITLE: APR BOARD TERMINATOR
	CHK. J. J. J.	DATE 31-01-76	BOARD LOCATION: 1	DE 1	
M8545-0-RES (161)		31-01-76 12:45	NEXT HIGHER ASSEMBLY: 1	SIZE CODE	NUMBER
FIRST USED ON OPTION/MODEL: KL10		B-DD-M8545-0		D CS	M8545-0-RES

8

7

5

4

3

2

1