HTML Recap

Tags we covered

\<h1\>\</h1\> ← Header, can also use h2, h3, h4, h5 subheaders

\<p\>\</p\> ← Paragraph tag Put your content in between its open and close tags.

\<img src=""> ← Image tag. A path to your image goes in there

\<br\> ← Break tag. Adds a line break

\<div\>\</div\> ← Divider tag. Keeps things in a tidy compartment

Something New:

\<img src="bunnies.jpg" alt="Bunnies are cute"> ← We should add an alt attribute to our image tags

Last Week's CSS Toe Dip

CSS Fun

http://fonts.google.com is a good place to get fonts for the web. Follow the two-part instructions:

1. This goes inside the <head> tag:

<link href="https://fonts.googleapis.com/css?family=Arimo|Notable" rel="stylesheet">

This goes inside a style tag that lives in the head

CSS Fun

http://fonts.google.com is a good place to get fonts for the web. Follow the two-part instructions:

2. This goes inside a style tag that lives in the head

<style>

  h1 { font-family: 'Notable', sans-serif;}

  * {font-family: 'Arimo', sans-serif; }

</style>

CSS Fun

You can add styles inline to html like this:

<h1 style="color:red;font-size:48px;">

Or in the head like this:

<head>
<style>
    h1 { color: red;}
    p { font-size: 14px; }
</style>
</head>

No Likey Uppercase

This is total valid HTML and CSS but DON'T DO IT:

<H1></H1>
<DIV></div>
<Div></Div>
P { Font-Size: 14PX;}

All lower case is the way to be

<h1></h1>
<div></div>
p { font-size: 14px;}

We also learned these:

Unordered or bullet lists:
```
<ul>
    <li>List item 1</li>
    <li>List item 2</li>
</ul>
```

Ordered or numbered lists:
```
<ol>
    <li>List item 1</li>
    <li>List item 2</li>
</ol>
```

And these

```
<form>
    <label>First Name</label>
    <input type="text" name="first-name" placeholder="enter text here">
    <input type="submit" value="Go, man go">
</form
```

Lets add a few more

```html
<!DOCTYPE html>
<html lang="en">
<body>

<header></header>

<main></main>

<footer></footer>

</body>
</html>
```