
https://github.com/alanq549/Proyecto_integrador603AWS



│
Layout
— AdminLayout.tsx
BaseLayout.tsx
L— ClientLayout.tsx
index.css
— main.tsx
— pages
— Logiii.tsx — Perfil
— Perili — AdminPerfil.tsx
Register.tsx
— admin
│
│
│
│
Tasks.tsx
L client
│
│
│
│
ServicesHistory.tsx
├— styles
Skeleton.css
│
│
— Perfil.css
Tasks.css
— config.css
— home.css
— loader.css
— login.css
— modal.css
— perfilBase.css
│
│
│
├— types
heroicons.d.ts
— qrcode.d.ts
│
vite-env.d.ts
— tailwind.config.js
— tsconfig.app.json
– tsconfig.json

```
├— tsconfig.node.json
└— vite.config.ts
```

```
server
├— Dockerfile
├— dist
— controllers
│ ├── servicioController.js
— middlewares
| ├— auth.js
— routes
— servicioRoutes.js
│ └── taskRoutes.js
 — server.js
├— services
— templates
├— index.js
   — mailChangeTemplate.js
  └─ passwordResetTemplate.js
 — utils
  ├— asyncHandler.js
 └─ initAdmin.js
├— nodemon.json
├— package-lock.json
— package.json
├— prisma
| | | L—migration.sql
│  ├— generated
```

```
— default.d.ts
       ├— default.js
       ├— edge.d.ts
       — edge.js
       — index-browser.js
       ├— index.d.ts
       ├— index.js
       ├— package-lock.json
       — package.json
       — query_engine-windows.dll.node
       ├— runtime
      ├— edge-esm.js
         ├— edge.js
         ├— index-browser.d.ts
         ├— index-browser.js
         ├— library.d.ts
         ├— library.js
         ├— react-native.js
         └─ wasm.js
       ├— schema.prisma
       ├— wasm.d.ts
      └─ wasm.js
      local-client
      — client.d.ts
      ├— client.js
      — default.d.ts
      ├— default.js
      ├— edge.d.ts
      ├— edge.js
      ├— index-browser.js
      ├— index.d.ts
      ├— index.js
      ├— package-lock.json
      ├— package.json
       — query_engine-windows.dll.node
      ├— runtime
         — edge-esm.js
        — edge.js
        — index-browser.d.ts
        ├— index-browser.js
         ├— library.d.ts
        — library.js
        — react-native.js
      | └─ wasm.js
      — schema.prisma
      — wasm.d.ts
      └─ wasm.js
  ⊢— local
    ├— migrations
| | | L— migration.sql
      — migration_lock.toml
— migrations
```

```
├— src
├— ordenesJob.ts
authMiddleware.ts
├— services
| └── utils
— asyncHandler.ts
— initAdmin.ts
└─ prismaClient.ts
└─ tsconfig.json
```