

Printer Dover

Spruce version 11.2 -- spooler version 11.2

File: msa.sil etc.

Creation date: 29-Jun-79 16:49:43

For: Spruce

24 total sheets = 23 pages, 1 copy.

Problems encountered:

Font HELVETICA24B substituted for font HELVE24.

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files


Not impl.: brightness, hue, saturation, show-object, show-dots-opaque, dots from files

DORADO DRAWINGS

Memory Storage Array







Table of contents



<u>TITLE</u>	<u>PAGE</u>
Control	01
Quadrant Clock Drivers	02
Address and Strobe Receivers	03
Bit Slice Drawings	04
Error Corection Bits	12
Memory Chip Address Drivers	13
Error Correction Address Drivers	21







Model 0 Signal Names in Font 2



MemAd.0! will be connected thru E 51
which is presently connected to
ChipsAre4K.
































































Half ac EC Storage Addressing



Half bd EC Storage Addressing

C													B
A	a 181	b 168	c 153	d 137	e 124	f 109	93 g	80 h	64 i	48 j	33 k	20 l	
1	141 CKgen	176 Sout latch	176 Sin latch	125 Strobe lev shift		176 Ecout latch	F16 Strobe latch	210 Sin latch clk dvr	125 Strobe lev shift	176 Sin latch	176 Sout latch	141 CKgen	1
2	125	125 Sout lev shift	125 Sin level shift		176 Control latch	125 EcOut lev shift	124 EcIn lev shift	176 Control latch	210 EcIClock rcvr	124 Sin level shift	125 Sout lev shift	125	2
3	S174 a	S174 b Sout S/R	S174 c	S174 d EcOut S/R	N166 e E EcIn S/R	N166 f E EcIn S/R	S174 g EcOut S/R	S174 h Sout S/R	S174 i	S174 j			3
4	S174											S174	4
5	S174											S174	5
6													6
7				a						b			7
8				8116 (36)						8116 (36)			8
9													9
10													10
11													11
12													12
13	N166 0	N166 1 Sin S/R	N166 2	N166 3	MC210 EcIClock distrib	TERM 1-8 Bypass 12,16	N166 3	N166 2 Sin S/R	N166 1	N166 0			13
14	N166 0	N166 1 Sin S/R	N166 2	N166 3	MC210 EcIClock distrib	MC210 EcIClock distrib	N166 3	N166 2 Sin S/R	N166 1	N166 0			14
15													15
16													16
17				Memory Quadrant						Memory Quadrant			17
18				c						d			18
19				8116 (36)						8116 (36)			19
20													20
21													21
22	S174											S174	22
23	S174											S174	23
24	S174 a	S174 b Sout S/R	S174 c	S174 d	N166 e E	N166 f E	S174 g	S174 h Sout S/R	S174 i	S174 j			24
25	125 CKgen	125 Sout lev shift	124 Sin level shift	125 Address level shift	125 EcOut lev shift	124 EcIn lev shift	125 Address level shift	125 Sin level shift	124 Sout lev shift	125 CKgen			25
26	141	176 Sout latch	176 Sin latch	125 Strobe lev shift	PLAT 4k/16k jumpers	176 Ecout latch	F16 Strobe latch	210 Sin latch clk dvr	125 Strobe lev shift	176 Sin latch	176 Sout latch	141	26
C													
E	a 11	b 26	c 39	d 55	e 70	f 86	99 g	114	129 i	143 j	159 k	l	