Runwise Developer Guide

Stack

Prerequisites

- Node.js 22 or later
- npm

Setup

```
git clone https://github.com/alanwaddington/runwise.git
cd runwise
npm install
npm run dev
```

Open http://localhost:5173.

Project Structure

```
src/
% % %  app.css              # Global styles + Tailwind theme tokens
% % %  app.html             # SvelteKit HTML shell
% % %  lib/
%    % % %  components/      # Shared UI components
%    %    % % %  HeroSection.svelte
%    %    % % %  HeroSection.test.ts
%    %    % % %  InputField.svelte
%    %    % % %  InputField.test.ts
%    %    % % %  ResultDisplay.svelte
%    %    % % %  ResultDisplay.test.ts
%    %    % % %  SiteNav.svelte
%    %    % % %  SiteNav.test.ts
%    %    % % %  ToolCard.svelte
%    %    % % %  ToolCard.test.ts
%    %    % % %  ToolLayout.svelte
%    %    % % %  ToolLayout.test.ts
%    % % %  utils/           # Pure utility modules (no Svelte dependency)
%        % % %  pace.ts               # Pace/speed conversion functions
%        % % %  pace.test.ts
%        % % %  race-predictor.ts     # Riegel formula, time parsing/formatting, prediction
table
%        % % %  race-predictor.test.ts
%        % % %  training-paces.ts     # VDOT calculation (Daniels' formula), training zone
pace derivation
%        % % %  training-paces.test.ts
%        % % %  hr-zones.ts           # Max HR zones, Friel LTHR zones, LTHR sub-zones,
Tanaka age estimate
%        % % %  hr-zones.test.ts
%        % % %  vo2max.ts             # ACSM normative data, getFitnessCategory,
getAcsmTable, CATEGORY_COLOURS
%        % % %  vo2max.test.ts
%        % % %  parkrun.ts            # Effort mapping, Riegel prediction, split generation,
PB comparison, WMA age grading
%        % % %  parkrun.test.ts
% % %  routes/
    % % %  +layout.svelte   # Root layout — header + main wrapper
    % % %  +page.svelte     # Home page — HeroSection + ToolCard grid
```

```
    % % %  +error.svelte    # Error page
    % % %  pace/
    % % %  race-predictor/
    % % %  training-paces/
    % % %  hr-zones/
    % % %  vo2max/
    % % %  parkrun/
```

Design System

Tokens (`src/app.css`)

Dark mode is applied automatically via prefers-color-scheme. Always use design tokens (text-ink, bg-bg, border-ink/10) rather than hardcoded Tailwind colours.

Components

Adding a New Tool

1. Create `src/routes/<tool-name>/+page.svelte`
2. Import `ToolLayout` and pass `title` and `description` props
3. Add the tool to the `tools` array in `src/routes/+page.svelte`
4. Add the tool link to `SiteNav.svelte`
5. Add tests alongside the page

Testing

Unit and component tests (Vitest)

```
npm run test          # Run all tests once
npm run test -- --watch  # Watch mode
```

Tests live alongside their source files (*.test.ts). Follow the existing pattern:

```
import { describe, it, expect, afterEach } from 'vitest';
import { render, cleanup, screen } from '@testing-library/svelte';
import MyComponent from './MyComponent.svelte';

afterEach(() => { cleanup(); });

describe('MyComponent', () => {
  it('renders correctly', () => {
    render(MyComponent, { props: { ... } });
    expect(screen.getByRole('...')).toBeInTheDocument();
  });
});
```

E2E tests (Playwright)

```
npx playwright install chromium  # First time only
npm run test:e2e                 # Run E2E tests against the production build
```

E2E tests live in the e2e/ directory. They run against the production preview server (npm run build && npm run preview on port 4173). Configuration is in playwright.config.ts.

Code Quality

```
npm run check        # TypeScript / svelte-check
npm run lint         # ESLint
npm run format       # Prettier (auto-fix)
npm run test:e2e     # Playwright E2E tests (requires built app)
```

Workflow

This project follows an issue-driven workflow:

```
/analyse <issue>   !’ requirements + acceptance criteria
/design <issue>    !’ architecture + work breakdown
/develop <issue>   !’ TDD implementation
/verify <PR>       !’ runtime verification
/pr-reviewer <PR>  !’ acceptance criteria audit
/merge <PR>        !’ merge + close issues
```