

## **Vought F7U Cutlass**

- F7U-3
- F7U-3M

F7U-3 Cutlass										Crew: Pilot							
										Maneuver HFPs/DPs:							
LR/DR		1.0		1.5													
VR				0.5													
Turn DPs:																	
Power APs/DPs: ○○										CL		1/2		DT			
AB					1.5					1.5		1.0		4.0			
M					1.0					1.0		1.0		2.0			
N					0.0					0.0		0.0		1.0			
I					1.0					1.0		1.0		0.0			
SPBR					1.0					1.0		1.0		—			
Smoker in military power (SMP).					Cruise Spd. CL: 5.0					Restr. Arcs: 60–							
					Climb Spd.: 4.0					Blind Arcs: 30–							
					Visibility: 6					Internal Fuel: 365							
					Size: +0					AtA Refuel: No							
					Vulnerability: +1					Ejection Seat: Early							
Speeds and Ceilings						Climb Capabilities											
Alt. Conf.		CL		1/2		DT		Dive		CL		1/2		DT			
Band Ceil.		45		40		35		Speed		AB Oth		AB Oth		AB Oth			
EH+		46+		—		—		—		—		—		—		EH+	
VH		36–45		3.0 – 6.0		3.5 – 6.0		—		7.0		1.0 0.5		1.0 0.5		— — VH	
HI		26–35		2.5 – 6.0		3.0 – 6.0		3.5 – 5.5		7.0		1.0 0.5		1.0 0.5		1.0 0.5 HI	
MH		17–25		2.0 – 6.5		2.5 – 6.0		2.5 – 5.5		7.0		1.5 0.5		1.0 0.5		1.0 0.5 MH	
ML		8–16		1.5 – 6.5		2.0 – 6.5		2.0 – 6.0		7.5		2.0 1.0		1.5 0.5		1.0 0.5 ML	
LO		0–7		1.5 – 7.0		2.0 – 6.5		2.0 – 6.0		7.5		2.0 1.0		1.5 1.0		1.0 0.5 LO	

Radar:		APG-30		ECM:		IFF		Weapon Stations Diagram:							
ECCM:		—		RWR:		—									
Arcs:		—		DDS:		—									
Search:		—		DJM:		—									
Track:		—		AJM:		—									
Lock-On:		6		BJM:		—									
Guns:		Four 20 mm Mk 12		Technology:				Load Point Limits:				CL : 0–2			
To Hit:		6/4/3		CC Rocket Attack								1/2: 3–8			
Ammunition:		4.0						Weight Limit:				4,500		DT : 9+	
Gunsight:		TT+0/HT+1/BT+2						Station				Limit		Allowed Loads	
Ranging:		RE						1 and 3				1,500		BB RP FT	
AtA/AtG:		5/6*						2				1,500		Ventral pod	
Bomb System:		Manual						Load Notes:							
Notes:								1. Station 2 may carry a conformal ventral pod with 3 factors of air-to-air rockets (weight 800 and 2.0/1.0 load points) or a special 220 gal (800L) FT.							
1.															
2. High bleed rate (HBR). High pitch rate (HPR).															
								VPs: 12/8/4/2							
												v2 0000000 0000-00-00T00:00:00			

