

BANTAYLAOT: FISH CATCH DOCUMENTATION AND
IUU FISHING MONITORING FOR MUNICIPAL
FISHERIES IN THE PHILIPPINES USING
MOBILE AND WEB TECHNOLOGIES

JOSE BENJAMIN GALLERO

SUBMITTED TO THE FACULTY OF THE INSTITUTE OF COMPUTER SCIENCE
UNIVERSITY OF THE PHILIPPINES LOS BAÑOS
IN PARTIAL FULFILLMENT OF THE
REQUIREMENTS FOR THE
DEGREE OF

BACHELOR OF SCIENCE
(Computer Science)

JANUARY 2025

The thesis hereto attached entitled BANTAYLAOT: FISH CATCH DOCUMENTATION AND IUU FISHING MONITORING FOR MUNICIPAL FISHERIES IN THE PHILIPPINES USING MOBILE AND WEB TECHNOLOGIES, prepared and submitted by JOSE BENJAMIN GALLERO, in partial fulfillment of the requirements for the degree of BACHELOR OF SCIENCE (Computer Science) is hereby accepted.

RIZZA D.C. MERCADO
Member, Guidance Committee

JOHN O-NEIL V. GERONIMO
Member, Guidance Committee

Date Signed

Date Signed

DR. VAL RANDOLF M. MADRID
SP Adviser

Date Signed

Accepted in partial fulfillment of the requirements for the degree of BACHELOR OF SCIENCE (Computer Science).

DR. MARIA ART ANTONETTE D. CLARIÑO
Director, Institute of Computer Science

Date Signed

DR. CHRYSLINE MARGUS N. PIÑOL
Dean, College of Arts and Sciences
University of the Philippines Los Baños

Date Signed

BIOGRAPHICAL SKETCH

JOSE BENJAMIN GALLERO is a candidate for the degree of Bachelor of Science in Computer Science at the University of the Philippines Los Baños.

Born in Sta. Maria, Bulacan, and raised in Quezon City, Metro Manila, he is deeply passionate about Software Engineering and Data Science. A former Chairperson of College of Arts and Student Council, a member of the Young Software Engineers' Society, a charter member and former Vice President of UP Internet Freedom Network, and also a charter member and the first head of The Corvus, he combines his expertise in technology and a strong dedication to leadership and empowerment of his colleagues.

JOSE BENJAMIN GALLERO

ACKNOWLEDGEMENT

I owe my deepest appreciation to my adviser, Dr. Val Randolph M. Madrid, for his invaluable guidance, support, and encouragement throughout this research journey. His expertise and insights have been pivotal to the successful completion of my study. I would also like to thank Rutherford, my co-advisee under Dr. Madrid, for generously sharing his knowledge and expertise on this project.

I am profoundly grateful to my mother, Malou, and my siblings—Carlo, Carla, Gilma, and JC—whose steadfast love, support, and sacrifices have shaped me into the person I am today. My heartfelt thanks extend to my late father, Butch, who shared my first name, and my grandmother, Mary, for their unconditional love long before I could fully appreciate it. Special recognition goes to my late stepfather, Dr. Carlos N. Rueca, for his selfless commitment to providing for our family and ensuring my education from preschool until his last days. Their collective devotion has given me both the resilience and determination to pursue this endeavor.

To my beloved partner, Alexandra Anne B. Brigino, thank you for your unwavering patience and understanding, especially during the most challenging moments brought about by the pandemic. Your love and constant encouragement have been a source of strength that guided me forward and reaffirmed my commitment to this dream. I am forever grateful for your presence in my life.

Finally, my sincere gratitude goes to my brothers at The Corvus. Your camaraderie, enduring support, and dedication to academic excellence and personal growth have inspired me to keep reaching for greater heights. May we all soar beyond the stars someday. *Successus unius, triumphus omnium*—the success of one is the triumph of all.

TABLE OF CONTENTS

	<u>PAGE</u>
TITLE PAGE	i
APPROVAL PAGE	ii
BIOGRAPHICAL SKETCH	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	v
LIST OF TABLES	vi
LIST OF FIGURES	vii
ABSTRACT	viii
INTRODUCTION	1
Background of the Study	1
Statement of the Problem	2
Objectives of the Study	2
Significance of the Study	3
Scope and Limitations	3
REVIEW OF LITERATURE	4
Mobile Application Technological Framework	4
Web Platform Technological Framework	5
Vessel Monitoring System (VMS)	6
Fish Catch Documentation System	7
METHODOLOGY	9
Technology	9
Development Tools	9
Use Case Scenarios	10
Mobile Application Use Case	10
Web Application Use Case	11
RESULTS AND DISCUSSION	12
Mobile Application Implementation	12
Home Page	12

GPS Tracking	12
Catch Reporting	13
Violation Reporting	14
Offline Data Upload	14
Web Platform Implementation	14
Dashboard	15
Interactive Map	15
Violation Summary	16
Boat-Specific Metrics	16
SUMMARY AND CONCLUSION	17
LITERATURE CITED	19

LIST OF TABLES

TABLE

PAGE

LIST OF FIGURES

<u>FIGURE</u>		<u>PAGE</u>
1	Use Case Diagram for the Mobile Application	10
2	Use Case Diagram for the Web Platform	11
3	The Home Page	12
4	The view of the home page when a session is ongoing	13
5	A filled-in Fish Catch Documentation	13
6	A filled-in violation report	14
7	The dashboard	15
8	The interactive map with plots and details of the plot opened	15
9	IUU details from plot and the IUU Report Tab	16
10	Fish catch summary and CPUE for each equipment of a boat	16

ABSTRACT

JOSE BENJAMIN GALLERO, University of the Philippines Los Baños, JANUARY 2025. **BANTAYLAOT: FISH CATCH DOCUMENTATION AND IUU FISHING MONITORING FOR MUNICIPAL FISHERIES IN THE PHILIPPINES USING MOBILE AND WEB TECHNOLOGIES**

Major Professor: DR. VAL RANDOLF M. MADRID

Illegal, unreported, and unregulated (IUU) fishing threatens the sustainability of municipal fisheries in the Philippines. BantayLaot, a mobile and web-based Vessel Monitoring System (VMS), addresses this issue by leveraging GPS-enabled mobile devices for asynchronous vessel tracking, fish catch documentation, and IUU violation reporting. Developed using Kotlin and the MERN stack, the system provides geospatial visualization, CPUE analysis, and offline data collection for limited-connectivity areas. BantayLaot offers a scalable and cost-effective solution to improve fisheries management and promote sustainable practices.

INTRODUCTION

Background of the Study

The Philippines has a rich maritime heritage and contains enormous marine resources that have historically ensured the livelihoods of millions of Filipinos. Nevertheless, the sector faces significant challenges, compounded by illegal, unreported, and unregulated (IUU) fishing activities, as well as persistent difficulties in the governance and regulation of fisheries in the Philippines. Despite its considerable contributions to economic growth and food security, the fisheries sector continues to struggle against these issues. A joint report by the Philippine Bureau of Fisheries and Aquatic Resources (BFAR) and the United States Agency for International Development (USAID) in 2021 estimated annual losses of P62 billion due to IUU fishing. The report also revealed that approximately 30 percent of municipal vessels, equating to 30,000 boats, remain unregistered, while vessels identified as commercial fail to report up to 422,000 metric tons of fish annually (Coastal Resources Center, 2021). These IUU fishing activities not only undermine the sustainability of marine ecosystems but also deprive coastal communities of vital income opportunities.

The significance of the fisheries sector to the Philippine economy cannot be overstated. Despite its relatively modest contribution of 12.82% to the country's Gross Value Added (GVA), fisheries provide livelihoods for approximately 2.3 million fisherfolk, representing 5% of the labor force. Moreover, fisheries contribute to 11.68% of the food consumption of Filipinos, particularly benefiting those reliant on subsistence fishing for sustenance. Alarming, fisherfolk, alongside farmers, children, and rural inhabitants, remain among the most marginalized segments of society. According to the Philippine Statistics Authority, poverty rates among fisherfolk have surged to 30.6%, reflecting an ongoing and distressing trend of increasing deprivation within these vulnerable communities (Philippine Statistics Authority, 2023).

This research introduces BantayLaot, a Vessel Monitoring System (VMS) leveraging mobile and web technologies to address these challenges. BantayLaot is designed to revolutionize fish catch documentation and IUU fishing monitoring in municipal fisheries by using fishermen's mobile phones as transceivers. Inspired by successful implementations in other maritime nations, BantayLaot provides a cost-effective and accessible solution. By harnessing geospatial data, automated documentation, and data analytics, BantayLaot seeks to enhance regulation and support sustainable fishing practices, ultimately safeguarding marine resources and fostering economic growth in the Philippines.

Statement of the Problem

The US Agency for International Development and the Bureau of Fisheries and Aquatic Resources have reported that IUU fishing poses a serious threat to the sustainability of municipal fisheries in the Philippines. It exacerbates economic losses and undermines the livelihoods of coastal communities (Coastal Resources Center, 2021). Existing regulatory frameworks and enforcement mechanisms remain insufficient in addressing these challenges, highlighting the need for innovative solutions to enhance monitoring and surveillance efforts.

Objectives of the Study

This study aims to develop and evaluate BantayLaot, a VMS and fish catch documentation tool designed to combat IUU fishing in municipal fisheries across the Philippines while promoting sustainable fishing practices. Specifically, the study seeks to:

1. Develop BantayLaot as a VMS for tracking municipal fishing vessels;
2. Implement fish catch documentation features;
3. Implement an IUU reporting feature with geotagged location data; and
4. Provide data visualization capabilities on BantayLaot's web platform.

Significance of the Study

The development and implementation of BantayLaot as a Vessel Monitoring System (VMS) and fish catch documentation tool offer significant benefits to various stakeholders, including fisherfolk, government agencies, researchers, conservationists, and industry players. The system enhances transparency, accountability, and regulatory enforcement by providing data on fishing activities. This supports sustainable practices and evidence-based decision-making. Furthermore, BantayLaot promotes data transparency and interoperability, enabling scientific research and policy analysis. Ultimately, the system addresses the challenges of IUU fishing and fish catch documentation, contributing to the long-term sustainability of coastal communities, marine ecosystems, and the fisheries sector in the Philippines.

Scope and Limitations

This study focuses on the development and implementation of BantayLaot, a Vessel Monitoring System (VMS) and fish catch documentation tool aimed at addressing illegal, unreported, and unregulated (IUU) fishing in the Philippines. The system consists of a mobile application for fishermen, providing GPS-based vessel tracking, fish catch documentation, and offline data collection, alongside a web platform for stakeholders to visualize and analyze fishing data.

The project is limited by its reliance on internet connectivity for data synchronization, which may delay real-time updates in areas with poor connectivity. GPS accuracy and mobile device battery consumption are also potential constraints. Furthermore, the system was not tested in actual fishing conditions; dummy data was used for testing and demonstration. This limitation affects the assessment of the system's practical effectiveness in real-world scenarios. Despite these constraints, BantayLaot provides a foundation for enhancing municipal fisheries management and can be iteratively improved through future field testing and technology integration.

REVIEW OF LITERATURE

Mobile Application Technological Framework

For the development of the mobile platform of BantayLaot, the chosen primary approach is Native Android, particularly Kotlin. This choice provided optimal performance, efficient power management, and full access to the features of an Android mobile device, particularly the embedded GPS, which is essential for tracking and reporting municipal fishing vessels. Native Android development, using Java and Kotlin, is known for its performance and optimization of device resources. Comparative studies, such as those by (Hussain, Khan, Farooqui, Arain, & Siddiqui, 2021), have shown that native apps outperform cross-platform frameworks like Flutter in terms of CPU consumption, memory usage, and responsiveness. Native development ensures access to the latest Android APIs and tools, allowing BantayLaot to utilize cutting-edge features and security enhancements.

Kotlin offers significant advantages over Java, making it a preferable option for developing BantayLaot's mobile platform. Studies, such as those by (Ardito, Coppola, Malnati, & Torchiano, 2020), indicate that Kotlin reduces the lines of code and minimizes the chances of errors, thus making the development process more manageable. Kotlin's null safety feature helps prevent errors related to nullable data types, ensuring system stability and reliability. Additionally, Kotlin's interoperability with Java guarantees compatibility with MongoDB Java drivers, facilitating data exchange between the mobile platform and the MongoDB database (Fotache & Cogean, 2013). This compatibility is crucial for the efficient functioning of the BantayLaot system.

Moreover, Kotlin's ability to integrate seamlessly with existing Java codebases ensures that the transition to this newer language can be smooth and efficient. The BantayLaot mobile platform leverages these capabilities to create a robust application that can handle real-time data collection and processing efficiently. Ensuring optimal battery usage while

maintaining accuracy is another critical consideration for the development. By employing best practices in Kotlin and utilizing the Android framework's capabilities, BantayLaot aims to deliver a high-performance mobile application that meets the stringent requirements of real-time vessel monitoring and data reporting.

Web Platform Technological Framework

The development of BantayLaot's web platform utilizes the MERN stack, comprising MongoDB, Express.js, React, and Node.js. This stack is highly effective for dynamic web applications, offering efficiency, scalability, and seamless interaction between the front-end and back-end components.

MongoDB serves as a flexible and scalable NoSQL database, capable of handling large volumes of data in a JSON-like format. Its ability to manage unstructured or semi-structured data, along with horizontal scaling capabilities, makes it ideal for applications requiring dynamic and evolving data structures (Baid & Gupta, 2024). MongoDB's schema-less nature allows for easy adaptation as data requirements change over time (Bawane, Gawande, Joshi, Nikam, & Bachwani, 2022).

Express.js acts as the server-side framework, simplifying the development of robust and scalable server applications. It provides essential functionalities and middleware support for processing HTTP requests and responses, enabling clean model-view-controller (MVC) architecture and rapid API endpoint development (Baid & Gupta, 2024; Bawane et al., 2022).

React, the front-end library developed by Facebook, is known for its declarative and efficient approach to building user interfaces. React promotes a component-based architecture, allowing developers to create modular and reusable UI components, which enhances code maintainability and scalability (Baid & Gupta, 2024). The implementation of the virtual DOM in React improves performance by efficiently updating and rendering components, ensuring a seamless user experience in single-page applications (Bawane et

al., 2022).

Node.js serves as the JavaScript runtime environment, unifying the language across the MERN stack and allowing developers to use JavaScript for both front-end and back-end development. Its event-driven, non-blocking I/O model makes it lightweight and efficient, suitable for data-intensive real-time applications (Baid & Gupta, 2024; Bawane et al., 2022).

The integration of these components through the MERN stack offers significant advantages in web development. The commitment to full-stack JavaScript enables seamless collaboration between front-end and back-end teams, promoting code consistency and reducing the learning curve (Baid & Gupta, 2024). Additionally, the stack benefits from a robust community that provides ongoing support, a wealth of libraries, and readily available solutions to common development challenges.

By leveraging the MERN stack, BantayLaot's web platform achieves high performance and scalability, essential for handling the complex requirements of fisheries management and monitoring. The stack's suitability for handling asynchronous operations and real-time data makes it an ideal choice for applications requiring efficient data processing and user interactivity.

Vessel Monitoring System (VMS)

BantayLaot is implemented as a VMS, utilizing mobile technology to monitor fishing vessels. The system compiles and links fishing vessel positional data with catch records, allowing the creation of detailed spatial distribution maps of catch and fishing efforts. This combination is essential for accurate catch per unit effort (CPUE) estimates, providing critical information for fish stock management (Gerritsen & Lordan, 2011). These features aim to curb illegal, unreported, and unregulated (IUU) fishing activities, a significant problem in the Philippines (Soemarmi et al., 2020).

The study by (Soemarmi et al., 2020) in Indonesia highlights the effectiveness of

VMS in enhancing monitoring and surveillance efforts, thereby reducing IUU fishing occurrences. Unlike hardware-dependent systems like the Integrated Marine Environment Monitoring System (IMEMS) developed by BFAR, BantayLaot leverages mobile technology for data collection, making it a more accessible and cost-effective solution. The integration of data with official databases streamlines the enforcement of fishing laws, allowing authorities to track and spot infractions instantly, thus promoting sustainable fishing methods and regulatory compliance.

Furthermore, BantayLaot's mobile-based approach allows for a more flexible and scalable implementation. This method is particularly advantageous for municipal fisheries, where resources may be limited, and the cost of dedicated hardware can be prohibitive. By using fishermen's mobile phones as transceivers, BantayLaot not only reduces costs but also simplifies the deployment process. The use of mobile technology also facilitates the rapid adoption of the system, as it leverages devices that fishermen are already familiar with. This approach ensures that the system can be widely implemented across various regions, enhancing the overall effectiveness of fisheries management.

Fish Catch Documentation System

BantayLaot's fish catch documentation system streamlines data input and enhances the accuracy of catch records. Fishermen can log their daily catches using the BantayLaot smartphone application, which timestamps and links data, including species, amount, and position, to the GPS coordinates of the vessel. This integration ensures that catch data is accurately synchronized with the vessel's location using the Unix timestamp reference (Wahab, Waseso, & Pranoto, 2021). The recorded data is transmitted to the BantayLaot web platform, where it is aggregated and stored in a centralized database, ensuring data integrity and accessibility.

The documentation system features a user-friendly interface designed with input from potential end users. Using iconography, minimal text, and multilingual support, the system

is accessible to fishermen with varying levels of technological literacy (Calderwood, 2022). Resources are available to educate users on the value of documentation and provide guidance on maximizing the system's potential. Effective fish catch documentation combined with vessel monitoring can significantly improve fisheries management and promote sustainable fishing methods.

The research by (Wahab et al., 2021) on synchronizing fish catch data with VMS and the study by (Gerritsen & Lordan, 2011) on integrating VMS data with daily logbook records inspire this approach. These studies emphasize the importance of detailed insights into spatial patterns of catch distribution and fishing effort. By leveraging mobile technology, BantayLaot offers an accessible and cost-effective solution that is easier to implement compared to hardware-dependent systems like IMEMS. This approach helps ensure the long-term viability of coastal communities and the sustainability of marine ecosystems.

Additionally, the integration of a robust data synchronization mechanism is crucial for the success of the fish catch documentation system. Ensuring that catch data and corresponding GPS data are accurately linked is achieved through the use of the Unix timestamp, which guarantees precise and dependable data collection. This system facilitates asynchronous vessel surveillance and comprehensive fish catch documentation, aiding in the development of sustainable fishing practices and improving the livelihood of municipal fishermen in the Philippines.

METHODOLOGY

Technology

The BantayLaot mobile application and web platform were developed using the following specifications:

1. **Operating System:** macOS Sequoia
2. **Processor:** Apple M2
3. **Memory:** 16GB LPDDR5 SDRAM

Development Tools

The following tools and technologies were utilized during the development:

1. **Visual Studio Code:** Used for developing the web platform.
2. **Android Studio:** Utilized for mobile app development, testing, and debugging.
3. **MERN Stack:** Includes MongoDB for data storage, Express.js for the back-end framework, React.js for the front-end interface, and Node.js for server-side processing.
4. **Kotlin:** Used for building the mobile application, leveraging Jetpack Compose for modern and declarative UI development.
5. **Leaflet and OpenStreetMap:** Used in the web application for interactive maps.

Use Case Scenarios

Mobile Application Use Case

The mobile application is primarily used by fishermen at sea for data collection. Its functionalities include:

- **GPS Tracking:** Continuous recording of location data during fishing sessions.
- **Catch Reporting:** Documentation of fish species, total catch weight, and fishing gear used.
- **Violation Reporting:** Capturing and uploading IUU (Illegal, Unreported, and Unregulated) fishing incidents with geotagged images.
- **Offline Mode:** Data is stored locally when offline and uploaded to the database upon reestablishing a connection.




Figure 1. Use Case Diagram for the Mobile Application

Web Application Use Case

The web-based platform is designed for monitoring and analysis by stakeholders, such as regulators or researchers. Its key functionalities include:

- **Visualization:** Interactive maps displaying fishing session routes and IUU violation reports.
- **Analysis:** Aggregated metrics, such as Catch Per Unit Effort (CPUE), and summary charts for decision-making.
- **Violation Monitoring:** Temporal and spatial trend analysis of reported violations.
- **Filtering and Reporting:** Capability to filter data by vessel, date, or gear type for targeted investigations.




Figure 2. Use Case Diagram for the Web Platform

RESULTS AND DISCUSSION

Mobile Application Implementation

The mobile application was developed using Kotlin and Android Jetpack Compose for modern, responsive UI components. It is designed to function both online and offline, leveraging Room for local storage and GPSLocationService for accurate location tracking.

Home Page

The Home Page serves as the gateway to the app's functionalities, including starting fishing sessions, reporting violations, and submitting catch data (Figure 3).




Figure 3. The Home Page

GPS Tracking

When a fishing session starts, the application records GPS data continuously, displaying elapsed time and coordinates in real-time (Figure 4).




Figure 4. The view of the home page when a session is ongoing

Catch Reporting

The catch reporting feature allows users to document their fish species, weights, and gear used. Users can add multiple entries for different types of fishing gear (Figure 5).

BantayLootMobile

Fish Catch

Surface Gill Net

Bangus 24 X

Add Catch

Bottom Set Gill Net

Salmunete 5 X

Add Catch

Hook And Line

Empty

Add Catch

Submit

HOME UPLOAD PROFILE

Figure 5. A filled-in Fish Catch Documentation

Violation Reporting

Violations can be reported using a dedicated form that captures details such as violator information, violation type, location, and supporting image evidence (Figure 6).

Figure 6. A filled-in violation report

Offline Data Upload

The app stores data locally when offline and syncs it to the backend once a connection is re-established. This ensures that the system is operational in areas with poor internet connectivity.

Web Platform Implementation

The web platform was built using the MERN stack (MongoDB, Express.js, React, and Node.js) and OpenLayers for interactive geospatial visualization. The platform provides stakeholders with tools to monitor fishing activities and violations.

Dashboard

The dashboard presents an overview of total fishing sessions, violations reported, and catch per unit effort (CPUE) metrics (Figure 7).




Figure 7. The dashboard

Interactive Map

The interactive map visualizes fishing routes and IUU violations, with clickable markers providing detailed information (Figure 8).




Figure 8. The interactive map with plots and details of the plot opened

Violation Summary

Violation trends are summarized in charts, enabling stakeholders to identify patterns and target enforcement efforts (Figure 9).




Figure 9. IUU details from plot and the IUU Report Tab

Boat-Specific Metrics

Analytics for individual boats include CPUE by gear type and fishing effort visualized through dynamic charts (Figure 10).




Figure 10. Fish catch summary and CPUE for each equipment of a boat

SUMMARY AND CONCLUSION

The development and implementation of BantayLaot demonstrate the feasibility of using mobile and web technologies to address the challenges of illegal, unreported, and unregulated (IUU) fishing in the Philippines. The system successfully integrates GPS-based tracking, fish catch documentation, and a reporting mechanism for IUU fishing, with seamless data synchronization between the mobile application and the web platform.

While the system was not tested on actual fishing vessels, its functionality was validated through real-time testing on land, using walking and vehicle simulations. These tests confirmed the reliability of data collection, synchronization, and visualization processes. The mobile application effectively recorded and transmitted data, while the web platform displayed this information accurately through geospatial visualizations and summary charts. Additionally, the reporting system for violations worked as intended, allowing detailed information to be captured and displayed effectively.

Despite these achievements, the system's lack of field testing on water highlights the need for further validation to assess its performance in actual fishing conditions. Nonetheless, BantayLaot provides a robust foundation for improving municipal fisheries management, supporting sustainable practices, and addressing the socioeconomic challenges faced by coastal communities.

To further enhance the functionality and applicability of BantayLaot, several improvements are recommended. Field testing on municipal fishing vessels should be conducted to validate the system's performance in real-world conditions and to gather feedback from its intended users. Implementing an account system will improve data security, allow personalized dashboards, and ensure better traceability of reports. The integration of image processing for fish recognition could automate the identification of fish species, reducing manual input and enhancing the accuracy of catch documentation.

The mobile application's offline functionality should also be optimized to handle

prolonged periods of no internet connectivity, ensuring consistent performance in remote areas. Finally, integrating BantayLaot with government regulatory systems would enable real-time action on reported violations, further supporting sustainable fisheries management. These enhancements will address the limitations of the current implementation and maximize the system's potential as a tool for combating IUU fishing in the Philippines.

LITERATURE CITED

- ARDITO, L., COPPOLA, R., MALNATI, G., & TORCHIANO, M. (2020). Effectiveness of kotlin vs. java in android app development tasks. *Information and Software Technology*, 127. Retrieved from <https://doi.org/10.1016/j.infsof.2020.106374> ([Online])
- BAID, J., & GUPTA, S. (2024). Comparative analysis of mern, mean and mevn stacks in web development. *International Journal of Scientific Research in Engineering and Management*, 08(02), 1–10. Retrieved from <https://doi.org/10.55041/ijssrem28539> ([Online])
- BAWANE, M., GAWANDE, I., JOSHI, V., NIKAM, R., & BACHWANI, S. A. (2022, January). A review on technologies used in mern stack. *International Journal for Research in Applied Science & Engineering Technology (IJRASET)*, 10(1), 479–488. doi: 10.22214/ijraset.2022.39868
- CALDERWOOD, J. (2022). Smartphone application use in commercial wild capture fisheries. *Reviews in Fish Biology and Fisheries*, 32(4), 1063–1083.
- COASTAL RESOURCES CENTER. (2021). *Quantifying the prevalence and impact of illegal, unreported and unregulated fishing in the philippines workshop report* (Tech. Rep.). Narragansett, RI: USAID Fish Right Program.
- FOTACHE, M., & COGEAN, D. (2013). Nosql and sql databases for mobile applications. case study: MongoDB versus postgresql. *Informatica Economica*, 17(2), 41–58. Retrieved from <https://doi.org/10.12948/issn14531305/17.2.2013.04> ([Online])
- GERRITSEN, H., & LORDAN, C. (2011). Integrating vessel monitoring systems (vms) data with daily catch data from logbooks to explore the spatial distribution of catch and effort at high resolution. *ICES Journal of Marine Science*, 68(1), 245–252. Retrieved from <https://doi.org/10.1093/icesjms/fsq137> ([Online])
- HUSSAIN, H., KHAN, K., FAROOQUI, F., ARAIN, Q. A., & SIDDIQUI, I. F. (2021). Comparative study of android native and flutter app development. *Memory*, 47, 36–37.
- PHILIPPINE STATISTICS AUTHORITY. (2023). *Official poverty statistics among basic sectors in the philippines* (Tech. Rep.). Retrieved from <https://www.psa.gov.ph/content/fisherfolks-and-farmers-remain-have-highest-poverty-incidences-among-basic-sectors-2021> ([Online])

- SOEMARMY, A., INDARTI, E., WARDHANI, P., L., L. T. A., DIAMANTINA, A., & RISTYAWATI, A. (2020). The use of the vessel monitoring system as fishery ship obligations in indonesia. *AACL Bioflux*, 13(3), 1483–1494.
- WAHAB, A., WASESO, B., & PRANOTO, H. (2021). Synchronization of catch fish data in fisheries e-logbook with a vessel monitoring system. *International Journal of Advanced Technology in Mechanical, Mechatronics and Materials*, 2(1), 46–54. Retrieved from <https://doi.org/10.37869/ijatec.v2i1.43> ([Online])