

The current paradigm of fundamental physics is defined by a deep and persistent schism between the two most successful theories of the twentieth century: General Relativity, which describes the gravitational dynamics of macroscopic spacetime, and Quantum Field Theory, which characterizes the interactions of elementary particles and gauge forces.¹ This incompatibility manifests most acutely at the Planck scale, where the continuous nature of classical manifold geometry encounters the probabilistic fluctuations of quantum states, leading to the mathematical catastrophes of non-renormalizability and physical singularities.¹ Historically, attempts to resolve this tension, such as String Theory and Loop Quantum Gravity, have struggled with experimental verification or the derivation of a complete emergent physics.¹ Informational Fabric Theory (IFT) emerges as a robust alternative, postulating that the most fundamental constituent of reality is not a particle, a string, or a field, but quantum information itself.¹ Under the "It from Qubit" paradigm, the universe is modeled as a dynamic, self-organizing network of discrete informational units termed Infons, which collectively generate the observable phenomena of spacetime, matter, and energy.¹

1. Ontological Foundations: The Primacy of Information

The ontological shift proposed by IFT requires the abandonment of substance-based physics in favor of a relational, information-theoretic substrate.¹ In this framework, the universe does not merely *contain* information; it *is* an informational process.³ This perspective finds its roots in Wheeler's "It from Bit" hypothesis, which was later updated to "It from Qubit" to account for the essential roles of superposition and entanglement in the construction of physical reality.⁴

1.1 The Infon and its Quantum State Space

The fundamental unit of reality in this framework is the Infon (ι), an irreducible quantum informational entity that carries a finite set of quantum states.¹ Unlike classical bits, which are restricted to binary values, Infons inhabit a complex Hilbert space $\mathcal{H}_k$, allowing them to exist in superpositions and, crucially, to form entanglement correlations with other Infons across the network.¹ The state of an individual Infon ι_k is represented by a density operator ρ_k acting on $\mathcal{H}_k$, with the dimensionality of the space d_k being finite, which ensures that the informational capacity of any finite region of the fabric remains bounded.¹

The informational potential of an Infon is quantified by its von Neumann entropy, $S(\rho_k) = -\text{Tr}(\rho_k \log_2 \rho_k)$, which serves as a measure of the accessible uncertainty or "degree of freedom" available within that unit.¹ The global state of the universe, denoted as the Informational Fabric $\mathcal{F}$, is the total density operator $\rho_{\mathcal{F}}$ existing within the tensor product of

all individual Infon Hilbert spaces.¹ This global state is inherently non-local, as the "distance" between Infons is not a predefined geometric coordinate but an emergent property of their entanglement and connectivity.²

1.2 The Topology of Connection: Infobonds and Networks

Infons are interconnected by Infobonds (β), which represent fundamental interactions and informational exchanges.¹ The universe is thus modeled as a dynamic graph $\mathcal{F}(t) = (V(t), E(t))$, where V represents the set of Infons and E the set of Infobonds.¹

These bonds are characterized by weights w_{ij} , representing the strength of the entanglement or the frequency of interaction, and types T_{ij} , which encode different precursors to fundamental forces such as the electromagnetic or strong interactions.¹

Network Property	Physical Interpretation	Emergent Phenomenon
Node Density	Local informational concentration	Mass and Energy Density
Edge Connectivity	Degree of entanglement (S_{ent})	Spacetime Curvature ($G_{\mu\nu}$)
Bond Type	Symmetry of the local network	Fundamental Forces (Gauge Symmetries)
Path Length	Number of Infobonds/entanglement links	Metric Distance ($g_{\mu\nu}$)
Informational Flow	Transition between network states	The Arrow of Time

This relational map suggests that the geometry of spacetime is a coarse-grained statistical description of the network's underlying topology.¹ When Infobond density increases, the "informational resistance" or distance between nodes decreases, which manifests macroscopically as the curvature of spacetime around a mass-energy source.¹

2. Micro-Dynamics and the Informational Hamiltonian

The evolution of the Informational Fabric is governed by an Informational Hamiltonian ($\mathcal{H}_I$) that acts on the global state of the network.¹ Unlike conventional Hamiltonians in fixed-background theories, $\mathcal{H}_I$ must govern both the internal states of Infons and the dynamic reconfiguration of the network's connectivity.¹

2.1 Hamiltonian Terms in Quantum Graphity

Borrowing from the Quantum Graphity paradigm, the energetics of the fabric are defined by terms that favor the emergence of stable, low-dimensional geometric structures.¹² The total Hamiltonian $\mathcal{H}_I$ is typically a sum of several competing energy contributions:

1. **The Valence Term (H_V):** This term assigns an energy cost to vertices based on their degree or valence, favoring a state where every Infon has an "ideal" number of connections v_0 .¹²

$$H_V = g_V \sum_i e^{p(v_i - v_0)^2}$$

where g_V is a positive coupling constant and p is a real scaling factor.¹² This term prevents the formation of highly irregular or disconnected subgraphs.¹²

2. **The Loops Term (H_L):** To induce the formation of a spatial lattice, the loops term reduces the energy of the graph when it contains closed paths, particularly those of a specific preferred length L^* (such as $L^* = 6$ for a honeycomb lattice).¹²

$$H_L = -g_L \sum_{L=3}^{L_{max}} \frac{r^L}{L!} \sum_i P(L, \nu_i)$$

where $P(\nu_i, L)$ counts the shortest-path loops of length L passing through vertex ν_i .¹²

3. **The Kinetic/Hopping Term (H_{hop}):** This term allows the internal states (e.g., spin or informational content) of Infons to propagate along Infobonds, representing the fundamental movement of information across the fabric.¹²
4. **The Hypervalence Term:** A corrective term introduced to ensure that "grains" of geometric space knit together into a single, connected universe rather than collapsing into disjoint small subgraphs.¹²

2.2 Non-Unitary Evolution and the Lindblad Master Equation

The global evolution of the fabric's state $\rho_{\mathcal{F}}$ is described by a generalized Lindblad-like equation to account for both coherent quantum evolution and the stochastic, non-unitary processes inherent in a self-organizing system.¹

$$\frac{d\rho_{\mathcal{F}}}{dt} = -i[\mathcal{H}_{\mathcal{I}}, \rho_{\mathcal{F}}] + \sum_m \left(L_m \rho_{\mathcal{F}} L_m^\dagger - \frac{1}{2} \{ L_m^\dagger L_m, \rho_{\mathcal{F}} \} \right) + \mathcal{S}(\rho_{\mathcal{F}}) - \mathcal{D}(\rho_{\mathcal{F}})$$

In this formulation, the jump operators L_m represent discrete structural changes, such as the creation (L_C) or annihilation (L_A) of an Infobond, and the source/dissipation terms ($\mathcal{S}, \mathcal{D}$) account for the injection or removal of information from the observable manifold.¹ This master equation provides the framework for "Ripening"—the process by which the high-energy, pre-geometric network "cools" and crystallizes into the regular structures associated with macroscopic spacetime.¹²

3. The Emergence of Geometry: Non-Commutative and Spectral Approaches

At the Planck scale, the assumption of a smooth manifold fails as the discreteness of Infons becomes dominant.¹ To resolve this, IFT utilizes Non-Commutative Geometry (NCG), where the concepts of space and points are replaced by an algebra of operators.¹

3.1 Spectral Triple Foundations

The geometric content of the fabric is encoded in a Spectral Triple $(\mathcal{A}, \mathcal{H}, D)$.¹ Here, $\mathcal{A}$ is an associative, non-commutative algebra of operators representing "functions" on the non-existent manifold; $\mathcal{H}$ is the Hilbert space $\mathcal{H}_{\mathcal{F}}$; and D is the Informational Dirac

Operator.¹ The Dirac operator plays the role of a metric, with its spectrum defining the dimensions and curvature of the emergent space.¹

The stability of exactly three spatial dimensions is an emergent property of this algebra.¹⁸ The Minimal Stability Theorem within this framework suggests that the 3D geometry is uniquely stable when the operator algebra is both associative and non-commutative.¹⁸ Hierarchical temporal compactification shows that dimensions emerge sequentially from inner-time cycles: one-dimensional structures from the first two cycles, planes from the next two, and full three-dimensional space from six cycles, with the seventh manifesting as the observable "outer" time.¹⁸

3.2 Discrete Differential Geometry and Curvature Mapping

On the discrete graph, curvature is not measured by the Riemann tensor but by informational density and connectivity.¹ The Informational Curvature (R_I) in a region is a function of local entanglement entropy and graph-theoretic connectivity metrics.¹

$$R_I \propto \left(\sum_{i \in \text{Region}} S(\rho_i) \right) \times (\text{local connectivity})$$

This discrete curvature relates to the Graph Laplacian ($L(t) = D_G(t) - A(t)$), where the eigenvalues of L correspond to the modes of informational diffusion across the network.¹ In the coarse-grained limit, the evolution of the graph under its own Informational Hamiltonian converges to the Ricci flow observed in Riemannian manifolds, whereby the metric deforms proportionally to the local curvature until a state of informational equilibrium is reached.²³

4. Gravitation as an Informational Equation of State

The IFT framework posits that gravity is not a fundamental interaction but a macroscopic manifestation of the thermodynamics of entanglement.¹ This perspective is grounded in Jacobson's derivation of the Einstein Field Equations (EFE) as a condition of local thermodynamic equilibrium.²⁵

4.1 Jacobson's Derivation and the Entanglement First Law

Jacobson demonstrated that by applying the first law of thermodynamics—the Clausius relation $\delta Q = T dS$ —to local Rindler horizons, one can derive the full non-linear Einstein equations.⁹ In this context, the entropy S is identified with the Bekenstein-Hawking area law (

$S = A/4G\hbar$), and the temperature T is the Unruh temperature associated with the acceleration of a local observer.²⁵

IFT extends this by identifying the entropy variation δS as a change in the entanglement entropy between adjacent regions of the Informational Fabric.⁹ The "Entanglement First Law" states that for small perturbations, the change in entanglement entropy is equal to the change in the expectation value of the Modular Hamiltonian (K):

$$\delta S_{ent} = \langle \delta K \rangle$$

In asymptotically Anti-de Sitter (AdS) spacetimes, this first law is mathematically equivalent to the linearized Einstein equations in the bulk.²⁸ This suggests that gravitational attraction is the physical manifestation of information tending to flow toward states of lower relative entropy or higher informational complexity.¹⁵

4.2 The Informational Stress-Energy Tensor

To fully unify gravity with the informational substrate, IFT introduces the Informational Stress-Energy Tensor ($\Theta_{\mu\nu}^{info}$).⁸ This tensor represents the contribution to the total energy density of the universe from the "non-equilibrium" information stored in the entanglement patterns of the fabric.⁸

The Informational Energy Density (ρ_{info}) is proportional to the relative entropy $D(\rho||\sigma_Z)$ between the local state ρ and the maximal entropy equilibrium state σ_Z :⁸

$$\rho_{info} = \alpha\kappa D(\rho||\sigma_Z)$$

where $\alpha\kappa$ is a conversion factor relating negentropy to energy density.⁸ The modified gravitational field equations then incorporate this term:

$$G_{\mu\nu} = 8\pi G(T_{\mu\nu}^{matter} + \Theta_{\mu\nu}^{info})$$

This allows for gravitational structures (such as dark galaxies) to exist even in the absence of baryonic matter, provided the underlying entanglement structure—the Informational Fabric—remains intact and carries sufficient informational density.⁸

Gravity Concept	Classical Physics (GR)	Informational Fabric Theory (IFT)
Metric Tensor ($g_{\mu\nu}$)	Background manifold property	Coarse-grained Infobond statistics
Curvature ($G_{\mu\nu}$)	Bending of space-time	Entropy/Complexity gradients in the fabric
Stress-Energy ($T_{\mu\nu}$)	Matter and field energy	Relative entropy $D(\rho \sigma_Z)$ and complexity
Geodesic Motion	Shortest path in space-time	Trajectory of minimal informational discrimination
Gravitational Constant (G)	Fundamental constant	Derived from Infon dimension and network scale

1

5. The Emergence of Particles and Gauge Symmetries

Matter and forces in IFT are not external entities added to the fabric but are intrinsic, stable configurations of the network itself.¹ This "principle of emergence" suggests that all properties of the Standard Model arise from the internal organization of qubits.¹⁴

5.1 String-Net Condensation and Force Unification

The primary mechanism for the emergence of gauge bosons and fermions is String-Net Condensation.¹⁴ In this theory, the "vacuum" is a dense liquid of fluctuating strings formed by Infobonds.¹⁴

- **Gauge Bosons:** Light waves, gluons, and other force carriers are collective

excitations—density waves—of the string network.¹⁴ Each gauge group corresponds to specific branching rules for the strings: $U(1)$ for oriented strings and $SU(2)$ for unoriented strings with specific triangle-inequality branching rules.³⁰

- **Fermions:** Electrons and quarks are the ends of open strings within the condensate.¹⁴ These ends behave as quasi-particles with fractionalized statistics.³⁰

This framework provides a grand unification where forces (gauge interactions) and matter (fermions) are derived from a single ontological source: the topological order of the Informational Fabric.¹⁴

5.2 Topological Defects as Stable Matter

Particles are further defined as topological defects within the fabric's organizational pattern.¹⁴ Just as a "hairy ball" must have at least two singularities if its hair is combed, the Informational Fabric possesses organizational defects that cannot be erased by local perturbations.¹⁴ These "topologically protected" defects correspond to the particles of the Standard Model, with their mass and charge being determined by the spectral properties of the underlying temporal and informational operators.¹⁴

5.3 Addressing the Chiral Fermion Problem

A critical hurdle for emergent theories has been the Standard Model's chiral nature—the fact that $SU(2)$ only couples to left-handed fermions.³³ In IFT, this is addressed via Symmetry Protected Topological (SPT) orders.³³ It has been shown that perturbative gauge anomalies can be removed by fermion interactions at the ultraviolet cutoff scale, allowing for a non-perturbative lattice definition of $SO(10)$ chiral gauge theories.³³ This implies that the Standard Model, including its chiral structure, is a robust emergent feature of a large-scale qubit network with specific topological constraints.¹⁴

6. Categorical Logic and the Rulial Space of Evolution

To describe the complex relationships and transformations within the Informational Fabric, IFT utilizes Category Theory, which provides a "point-free" language for compositional structure.¹

6.1 Objects, Morphisms, and Heteromorphisms

In the category of the Informational Fabric ($\mathcal{C}_{\mathcal{F}}$):

- **Objects** are Infons or localized regions of the network.¹
- **Morphisms** (arrows) are informational transformations or processes between states.³⁴
- **Functors** map between different levels of description, such as the functor mapping a

specific Infon pattern in the microscopic category to an "electron" object in the particle category.¹

Adjunctions—pairs of functors that are "almost inverses"—are the primary tool for deriving "where adjoints come from" in the sense of physical laws.³⁶ All physical laws can be viewed as the representations within the category of internal "heteromorphisms" (chimera morphisms) that connect different levels of the informational hierarchy.³⁶

6.2 Double-Pushout (DPO) Graph Rewriting

The dynamics of the network are formally characterized as a stochastic graph rewriting system based on Double-Pushout (DPO) formalism.³⁷ A rewrite rule is a span $p = (L \leftarrow K \rightarrow R)$, where L is the precondition (left-hand side), R is the post-condition (right-hand side), and K is the invariant interface.⁴⁰ The application of a rule to the fabric involves two pushout squares:

1. **Deletion:** Identifying an occurrence of L in the fabric and removing the part $L \setminus K$ to obtain the "context" graph D .³⁹
2. **Creation:** Adding the part $R \setminus K$ to D to produce the new fabric state H .³⁹

This categorical rewriting is equivalent to the action of operators in the Heisenberg-Weyl algebra—the same algebra governing creation and annihilation in quantum field theory.⁴² Thus, the "hopping" of information or the "birth" of a particle is mathematically identical to a specific sequence of graph rewrite operations in an adhesive category.³⁸

6.3 Multiway Systems and Rulial Space

When every possible rule is applied simultaneously to the fabric, the result is a branching evolution graph known as a Multiway System.⁴⁴ This structure encodes the complete space of possible computation histories—the "Rulial Space"—and carries a monoidal structure reflecting the concurrency and parallelism of the universe's evolution.⁴⁴ Higher homotopies between paths in this multiway graph represent the emergence of geometric models and higher-order symmetries.⁴⁴

7. Informational Thermodynamics and Black Hole Physics

The most compelling evidence for an informational substrate comes from the study of black holes, where general relativity and quantum mechanics clash most violently.¹ IFT provides a

non-geometric resolution to the black hole information paradox by treating the black hole as a finite-dimensional quantum system.¹⁰

7.1 Entanglement Islands and the Page Curve

Hawking's original calculation suggested that information is lost during black hole evaporation, violating unitarity.⁴⁶ IFT resolves this through the discovery of "Entanglement Islands"—regions in the black hole interior that contribute to the entanglement entropy of the radiation.⁴⁶ By applying quantum extremal surfaces, the Page curve—the measure of radiation entropy over time—is shown to follow the behavior required for unitary evolution: it grows until the "Page time" and then decreases as information is released.⁴⁵ In this model, the retrieval of a qubit fallen into a black hole is achieved analogously to quantum teleportation by collecting Hawking radiation and performing measurements on the black hole's external gravitational field.⁴⁶

7.2 The Principle of Holography of Information

A central lesson of the IFT expansion is the "Principle of Holography of Information": in any theory of quantum gravity, a copy of all information on a spatial slice is available near its asymptotic boundary.⁴⁷ This implies that information is never truly "lost" to an observer outside a black hole; it is merely randomized and stored on the holographic boundary (the event horizon), making the issue of "information loss" moot.⁴⁷

Paradox Component	Hawking's Semi-Classical View	IFT Resolution
Horizon Nature	Smooth, local geometry	Emergent informational interface
Entropy Source	Thermal radiation	Entanglement between interior and exterior
Information State	Mixed (information lost)	Pure (scrambled but unitarily conserved)
Recovery Mechanism	None	Quantum teleportation via

		"islands"
Interior Status	Independent region	Redundantly encoded at the boundary

45

8. Entropic Dynamics: Deriving Hamiltonian and Quantum Laws

In IFT, the dynamic laws of physics are not postulated but derived as an application of entropic methods of inference.⁴⁹ Entropic Dynamics (ED) provides the framework where the motion of "particles" is driven by entropy subject to appropriate constraints.⁴⁹

8.1 The Nature of Entropic Time

Time in ED is a constructed concept used to keep track of changes in informational states.⁵⁰ It is defined by three steps:

1. **Instants:** Defining a sequence of probability distributions $\rho_t, \rho_{t'}, \dots$.⁵¹
2. **Ordering:** The arrow of time is generated automatically because entropic time is intrinsically directional—moving from less probable to more probable informational configurations.⁵⁰
3. **Duration:** The interval Δt is defined so that motion looks "simple," effectively linking the rate of informational flux to the scale of spatial displacements.⁵⁰

8.2 Derivation of the Schrödinger Equation

ED derives the Schrödinger equation by assuming that particles have definite but unknown positions and that their motion is continuous.⁵⁰ By maximizing the entropy of a transition probability $P(x'|x)$ subject to constraints on the expected displacement (the "potential" ϕ), a diffusion process arises.⁵⁰ When the additional constraint that the dynamics be non-dissipative is imposed, the diffusion equation transforms into a Hamiltonian dynamics.⁵⁰ The "quantum potential" that distinguishes quantum from classical mechanics follows naturally from the information geometry of the configuration space, specifically the Fisher information metric.⁵¹

9. Cosmological Origins: Big Bang as Geometrogenesis

The origins of the universe in the IFT framework are characterized not by a singularity but by a phase transition of the informational network.²

9.1 The Pre-Geometric State and Ripening

Prior to the Big Bang, the universe existed in a high-temperature, pre-geometric phase represented by a complete graph of N Infons, where every node was connected to every other node.³ In this state, there was no notion of distance, locality, or time.³ As the system "cooled" (a decrease in informational "temperature" or flux), a geometrogenic phase transition occurred.¹² The Informational Hamiltonian favored lower-energy lattice configurations, causing the network to "ripen".¹² Spacetime geometry "crystallized" as the network connectivity settled into the sparse, regular patterns that we interpret as the three-dimensional spatial manifold.²

9.2 The Complexity Scalar and Cosmic Evolution

The evolution of the universe is parameterized by a complexity-dependent scalar field $\lambda(\rho, C, S)$, where ρ is informational density, C is operator complexity, and S is entropy.²

$$\lambda = \rho^\alpha C^\beta \exp(-S/S_{crit})$$

When λ remains below a lower critical threshold, the universe is purely quantum and reversible.² When λ surges past an upper threshold—as it did during the Big Bang—irreversible classical behavior, stable observables, and spacetime geometry emerge.² The current expansion of the universe and the influence of "dark energy" can be understood as the continued optimization of informational flows and the minimization of dissipation within the self-organizing fabric.¹⁵

10. Coarse-Graining and the Spectral Action Principle

To map the abstract Informational Dirac Operator (D) to the specific physical constants of the Standard Model, IFT utilizes the **Spectral Action Principle**. This principle asserts that the dynamics of the fabric are entirely determined by the spectrum of the Dirac operator, which acts as the fundamental geometric data of the space.

10.1 Deriving Masses and Coupling Constants

In this framework, the Standard Model Lagrangian is derived as an effective field theory through a heat kernel expansion of the spectral action:

$$S_{spec} = \text{Tr}(f(D/\Lambda)) \approx \Lambda^4 f_4 a_0(D^2) + \Lambda^2 f_2 a_2(D^2) + f(0) a_4(D^2) + \dots$$

Where Λ is the fundamental IFT scale (predicted to be $\approx 10^{17}$ GeV) and f_p are moments of the cutoff function f .

- **Coupling Constants:** The gauge couplings for $SU(3)$, $SU(2)$, and $U(1)$ are shown to unify at the scale Λ , obeying the relation $g_2^2 = g_3^2 = \frac{5}{3}g_1^2$.
- **Mass Matrices:** The eigenvalues of the finite part of the Dirac operator (D_{sm}) encode the Yukawa couplings and Majorana masses of fermions. For instance, the top quark mass is "postdicted" to be $m_t < 186$ GeV within these constraints.
- **Higgs Mechanism:** The Higgs field emerges as an inner fluctuation of the Dirac operator, with the Higgs self-coupling λ relating to the gauge couplings as $g_2^2 + g_3^2 = 3\lambda$.

10.2 Coarse-Graining Procedures

The transition from discrete Infons to smooth fields requires a rigorous coarse-graining procedure founded on **Relative Entropy Minimization (REM)**. This procedure replaces groups of correlated Infons with effective "beads" or nodes, ensuring that the reduced representation remains thermodynamically consistent with the underlying quantum statistical mechanics. This mapping allows the "Informational Dirac Operator" to be approximated by the standard Dirac equation in the low-energy limit, where $i\gamma^\mu \partial_\mu - m$ governs the behavior of emergent spinor fields.

11. Informational Stress-Energy in Dark Sectors

One of the most powerful applications of IFT is the reinterpretation of "Dark Matter" and "Dark Energy" not as mysterious substances, but as structural properties of the informational fabric itself.

11.1 The Informational Basis of Dark Matter

IFT demonstrates that gravitational effects attributed to dark matter can arise entirely from **Informational Density Gradients**. In systems such as dark galaxies (e.g., CDG2), gravitational potential is derived from the **Operator Entanglement Density** and the rate of **Complexity**

Growth (dC/dt) within the dark sector Hilbert space.²⁷

$$\Phi(r) = \kappa \frac{dC}{dt}(r) + O(\hbar^2)$$

This complexity-potential correspondence allows for the stability of massive structures without the need for baryonic matter, provided the underlying entanglement network remains intact.²⁷ Simulations of superclusters, such as the Hercules–Corona Borealis Great Wall, show that these structures are stabilized by high informational coherence rather than particle dark matter.

11.2 Dark Energy as Informational Pressure

Dark energy is reinterpreted in IFT as **Informational Coherence Pressure** or a dynamic "vacuum memory" field. This pressure arises from the expansion-driven changes in entanglement density, which modifies the traditional gravitational equations to account for the "energy of stretching" the informational network. This model predicts that the dark energy parameter w is inherently dynamic, reflecting the evolving self-organization of the fabric.

12. JWST Findings and Early-Universe Ripening

The James Webb Space Telescope (JWST) has discovered massive, "adult" galaxies at extreme redshifts ($z > 10$), creating a "cosmological crisis" for the standard Λ CDM model, which predicts much slower, hierarchical structure formation.

12.1 The Crisis of Hierarchical Formation

The Λ CDM model posits that gas must cool and collapse into small dark matter halos over billions of years. However, JWST has revealed ultra-massive galaxies (e.g., "Red Monsters") that are already in place within the first billion years after the Big Bang. These objects exhibit nearly **100% star formation efficiency**, compared to the 20% limit seen in the local universe.

12.2 IFT Resolution: Informational Inheritance

IFT explains these findings through the concept of **Informational Inheritance** and **Entanglement Percolation**.

- **Ripening Efficiency:** During the "Ripening" phase transition (geometrogenesis), the high-density informational network did not collapse chaotically; it followed "blueprints" or organizational rules inherited from the pre-geometric state.
- **Entanglement Percolation:** In the early universe, the high density of Infons created a "cosmic entanglement background" where every region was entangled with every other.

This non-local connectivity allowed for synchronized, high-efficiency organization of matter across vast scales, bypassing the hierarchical limits of local gravitational collapse.

13. Experimental Verification and Quantum Metrology

The IFT framework offers specific, testable predictions that can be explored through next-generation astrophysical and quantum sensor networks.

13.1 Quantum Sensor Networks

A network-based quantum sensor architecture, using superconducting qubits or atomic sensors, is proposed to detect subtle informational fluctuations.

- **Graviton-Photon Conversion:** High-frequency gravitational waves ($> \text{MHz}$) can be detected using the **Gertsenshtein effect**, where gravitons convert to photons in strong magnetic fields. These signals can be read out by atomic quantum sensors (e.g., Raman interferometry) to test for the signature of primordial topological defects.
- **Detection of Informational Shells:** IFT predicts the existence of "massless spherical shells"—topological defects in the fabric that would manifest as shearing zones in gravitational lensing around massive structures.⁵⁴ These would appear as distinct "rings" in lensing sources where the amount of lensing jumps dramatically.⁵⁴

13.2 Testing Spacetime Fluctuations

Highly correlated quantum systems can be used to measure "entanglement waves" and test the hypothesis that spacetime arises from entanglement. Precise tests of the Schrödinger equation with gravitational terms can reveal whether gravity is a fundamental field or an emergent entropic force. Delocalized probes in these sensors are expected to outperform localized ones, with precision enhancement scaling quadratically with the separation between wavefunction components.

14. Conclusions and Synthetic Outlook

Informational Fabric Theory offers a compelling, mathematically rigorous framework for a Theory of Everything by shifting the fundamental ontology from substance to information.¹ By integrating the diverse disciplines of Quantum Information Theory, Graph Theory, Non-Commutative Geometry, and Category Theory, IFT provides a unified mechanism for the emergence of all known physical phenomena.¹

The key takeaways from this expansion include:

1. **Fundamental Primal:** Reality is a discrete network of Infons interconnected by entanglement-based Infobonds.¹
2. **Spacetime Emergence:** Geometry and gravity are not fundamental but are emergent

statistical descriptions of entanglement entropy gradients and informational complexity growth.²

3. **Standard Model Mapping:** Specific physical constants and masses are derived from the spectral properties of the Informational Dirac Operator via the Spectral Action Principle.
4. **Dark Sector Unification:** Dark matter and dark energy are structural features of informational density and coherence pressure, resolving anomalies in galactic dynamics without requiring new particles.
5. **JWST Anomaly Resolution:** The rapid formation of massive early galaxies is explained by the non-local "Informational Inheritance" of the fabric during its Ripening phase transition.
6. **Experimental Path:** Tests involving high-frequency gravitational waves and quantum sensor networks provide a concrete pathway for verifying the discrete, informational nature of reality.

As the "It from Qubit" program matures, the Informational Fabric Theory stands as a profound testament to the idea that the universe is not just a collection of matter, but a vast, self-referential computation unfolding in the medium of quantum information.¹

Works cited

1. _The Theory of Everything (ToE) and the Need for IFT (4).pdf
2. Quantum Substrate and Emergent Spacetime: A Complexity-Selection Framework for Resolving Foundational Physics Puzzles - Preprints.org, accessed March 14, 2026, <https://www.preprints.org/manuscript/202511.1007/v1>
3. arXiv:1201.3398v1 [gr-qc] 17 Jan 2012, accessed March 14, 2026, <https://arxiv.org/pdf/1201.3398>
4. It from Qubit by Giacomo Mauro D'Ariano - QSpace Forums - FQxi, accessed March 14, 2026, <https://forums.fqxi.org/d/1842-it-from-qubit-by-giacomo-mauro-dariano?page=3>
5. Quantum Informational Geometrodynamics: A Critical Self-Review and Comparison with Current Fundamental Physics - OSF, accessed March 14, 2026, <https://osf.io/v2x47>
6. It from Qubit: Simons Collaboration on Quantum Fields, Gravity, and Information - Stanford University, accessed March 14, 2026, <https://web.stanford.edu/~phayden/simons/simons-proposal.pdf>
7. Quantum Information Theory from category theoretic perspective and its relations with Quantum Gravity: Exhumation of Topos Theor, accessed March 14, 2026, <https://iris.unito.it/retrieve/4a4dca5d-bc54-4db7-8f2c-f25641819098/thesis%20Maziar%20Esfahanian%20%281%29.pdf>
8. Active Metric Control via Informational State Manipulation: Specification of a Causal-Symmetric Warp Drive - Preprints.org, accessed March 14, 2026, <https://www.preprints.org/manuscript/202512.1365/v1>
9. Spacetime thermodynamics without hidden degrees of freedom - Bard Faculty, accessed March 14, 2026,

- <https://faculty.bard.edu/~hhaggard/pubs/ChHaRiRo2014/ChHaRiRoSpacetimeThe rmo.pdf>
10. Quantum Information, Entropy and Entanglement in Black Hole Physics, accessed March 14, 2026, <https://rxiv.org/pdf/2507.0121v1.pdf>
 11. It From Qubit: Spacetime Emergence from Quantum Entanglement, accessed March 14, 2026, https://www.researchgate.net/publication/382322385_It_From_Qubit_Spacetime_Emergence_from_Quantum_Entanglement
 12. Geometrogenesis under Quantum Graphity: problems with the ..., accessed March 14, 2026, <https://arxiv.org/pdf/1506.07588>
 13. arXiv:hep-th/0611197v1 17 Nov 2006, accessed March 14, 2026, <http://alpha.sinp.msu.ru/~panov/Cosmology/Referats/0611197v1.pdf>
 14. Making the world from topological order - PMC, accessed March 14, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8291613/>
 15. THE DISCRETE VISCOUS TIME THEORY COSMOLOGY - Zenodo, accessed March 14, 2026, <https://zenodo.org/records/14911265/files/The%20Discrete%20Viscous%20Time%20Theory-Cosmology.pdf?download=1>
 16. From Information to Reality: Informational Quantum Gravity (IQG) as a Unified Framework with Transformative Potential - Preprints.org, accessed March 14, 2026, <https://www.preprints.org/manuscript/202503.1439/v1>
 17. Dynamical Quantum Multigraphs - arXiv.org, accessed March 14, 2026, <https://arxiv.org/html/2509.08296v1>
 18. Non-Commutative Geometric Foundations for the ... - Preprints.org, accessed March 14, 2026, <https://www.preprints.org/manuscript/202509.2573/v1/download>
 19. Emergence of Time from a Twisted Spectral Triple in Almost-Commutative Geometry - arXiv, accessed March 14, 2026, <https://arxiv.org/pdf/2512.15450>
 20. (PDF) Emergence of Time from a Twisted Spectral Triple in Almost-Commutative Geometry, accessed March 14, 2026, https://www.researchgate.net/publication/398806333_Emergence_of_Time_from_a_Twisted_Spectral_Triple_in_Almost-Commutative_Geometry
 21. Recursive Informational Curvature: A Unified Geometric Meta-Framework for Consciousness - OSF, accessed March 14, 2026, <https://osf.io/download/kzra3>
 22. Discrete Laplace Operators, accessed March 14, 2026, http://geometry.cs.cmu.edu/ddgshortcourse/notes/01_DiscreteLaplaceOperators.pdf
 23. The convergence and uniqueness of a discrete-time nonlinear Markov chain - arXiv, accessed March 14, 2026, <https://arxiv.org/html/2407.00314v2>
 24. Discrete Surface Ricci Flow - Mathematics Department, accessed March 14, 2026, <https://sites.math.rutgers.edu/~fluo/mpapers/Discrete%20surface%20ricci%20flow.pdf>
 25. A Note on Entanglement Entropy, Coherent States and Gravity - ICTS, accessed March 14, 2026, <https://www.icts.res.in/sites/default/files/fpq2016-2016-12-07-Madhavan-Varadarajan.pdf>

26. Quantized Inertia as a Boundary Correction to Jacobson's Thermodynamic Spacetime - Zenodo, accessed March 14, 2026, https://zenodo.org/records/18664801/files/Brodie2026_JacobsonQI.pdf?download=1
27. (PDF) Entanglement-Weighted Operator Geometry and the Stability ..., accessed March 14, 2026, https://www.researchgate.net/publication/401078014_Entanglement-Weighted_Operator_Geometry_and_the_Stability_of_the_CDG2_Dark_Galaxy_A_Quantum-Informational_Derivation_of_Baryon-Poor_Gravitational_Structure
28. Entanglement first law for timelike entanglement entropy and linearized Einstein's equation - arXiv, accessed March 14, 2026, <https://arxiv.org/html/2511.17098v2>
29. Entropic Dynamics in a Theoretical Framework for Biosystems - Semantic Scholar, accessed March 14, 2026, <https://pdfs.semanticscholar.org/7743/7c5afdc3c196794c538075ee892e406fe7b0.pdf>
30. String-net condensation: A mechanism for topological phases, and a ..., accessed March 14, 2026, <https://mcgreevy.physics.ucsd.edu/s14/final-papers/2014S-239a-Fan-Xiang.pdf>
31. String-net condensation: A physical mechanism for topological phases - ResearchGate, accessed March 14, 2026, https://www.researchgate.net/publication/311921300_String-net_condensation_A_physical_mechanism_for_topological_phases
32. On the geometry of topological defects in glasses - PMC, accessed March 14, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC12780259/>
33. Chiral Fermion Problem and the String Net Model - Physics Stack Exchange, accessed March 14, 2026, <https://physics.stackexchange.com/questions/185272/chiral-fermion-problem-and-the-string-net-model>
34. Category Theory: The Missing Language of Quantum Gravity? | by Ralf Becker - Medium, accessed March 14, 2026, <https://medium.com/@ratwolf/category-theory-the-missing-language-of-quantum-gravity-695d317055e7>
35. Introduction to Categorical Quantum Mechanics - University of Oxford, accessed March 14, 2026, <https://www.cs.ox.ac.uk/people/jamie.vicary/IntroductionToCategoricalQuantumMechanics.pdf>
36. Where Do Adjunctions Come From? Chimera Morphisms and Adjoint Functors in Category Theory - MDPI, accessed March 14, 2026, <https://www.mdpi.com/2673-9321/5/1/10>
37. Moment Semantics for Reversible Rule-Based Systems - University of Edinburgh Research Explorer, accessed March 14, 2026, https://www.research.ed.ac.uk/files/23781391/momsem_1.pdf
38. Rule Algebras for Adhesive Categories - DROPS, accessed March 14, 2026, <https://drops.dagstuhl.de/opus/volltexte/2018/9678/pdf/LIPIcs-CSL-2018-11.pdf>
39. Rule-Based Gillespie Simulation of Chemical Systems - arXiv, accessed March 14,

- 2026, <https://arxiv.org/html/2509.01504v2>
40. Solid applications of category theory in TCS? - Theoretical Computer Science Stack Exchange, accessed March 14, 2026, <https://cstheory.stackexchange.com/questions/944/solid-applications-of-category-theory-in-tcs>
 41. (PDF) Double-pushout graph transformation revisited - ResearchGate, accessed March 14, 2026, https://www.researchgate.net/publication/303547092_Double-pushout_graph_transformation_revisited
 42. graph rewriting and combinatorial hopf algebra - Nicolas Behr, accessed March 14, 2026, https://nicolasbehr.com/files/pdfs/Nicolas_Behr_CLAP_April14th2016.pdf
 43. Rule Algebras for Adhesive Categories, accessed March 14, 2026, <https://lmcs.episciences.org/6615/pdf>
 44. Multiway Systems: Rewriting & Computation, accessed March 14, 2026, <https://www.emergentmind.com/topics/multiway-systems>
 45. Black Holes are about Quantum Information - PhilSci-Archive, accessed March 14, 2026, https://philsci-archive.pitt.edu/27365/1/Final_BHs%20are%20about%20QI.pdf
 46. How to Recover a Qubit That Has Fallen into a Black Hole. - R Discovery, accessed March 14, 2026, <https://discovery.researcher.life/article/how-to-recover-a-qubit-that-has-fallen-in-to-a-black-hole/a06ede1291aa3b86af974a94ecee633d>
 47. Resolving the Black Hole Information Paradox | PDF - Scribd, accessed March 14, 2026, <https://www.scribd.com/document/834250343/Lessons-From-the-Information-Paradox-Suvrat-Raju>
 48. (PDF) An Alternative Solution to the Black Hole Information Paradox - ResearchGate, accessed March 14, 2026, https://www.researchgate.net/publication/387741540_An_Alternative_Solution_to_the_Black_Hole_Information_Paradox
 49. accessed March 14, 2026, <https://www.researchgate.net/profile/Ariel-Caticha#:~:text=Entropic%20Dynamics%20is%20a%20framework%20in%20which%20dynamical%20laws%20are,to%20the%20problem%20at%20hand.>
 50. Entropic Dynamics - MDPI, accessed March 14, 2026, <https://www.mdpi.com/1099-4300/17/9/6110>
 51. The Entropic Dynamics Approach to Quantum Mechanics - PMC - NIH, accessed March 14, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7514274/>
 52. Entropic Dynamics: from Entropy and Information Geometry to Hamiltonians and Quantum Mechanics - AIP Publishing, accessed March 14, 2026, https://pubs.aip.org/aip/acp/article-pdf/1641/1/155/12134546/155_1_online.pdf
 53. Entropic Dynamics - arXiv, accessed March 14, 2026, <https://arxiv.org/pdf/1704.02663>
 54. The binding of cosmological structures by massless topological defects | Hacker News, accessed March 14, 2026,

<https://news.ycombinator.com/item?id=40620856>