

## index.js

```
import {createWebHistory, createRouter} from "vue-router";
import HomePage from "@components/HomePage.vue";
import ContactPage from "@components/ContactPage.vue";
import CharactersPage from '@components/CharactersPage.vue';
import CharacterDetail from
"@components/CharactersDetail.vue";
import PlotPage from '@components/PlotPage.vue';
import PlotDetail from '@components/PlotDetail.vue';
import GameplayPage from '@components/GameplayPage.vue';
import AboutPage from '@components/AboutPage.vue';
import CurriculumVitaePage from
'@components/CurriculumVitaePage.vue';

const routes = [
  {
    path: "/",
    name: "HomePage",
    component: HomePage,
  },
  {
    path: "/contact",
    name: "ContactPage",
    component: ContactPage,
  },
  {
    path: '/characters',
    name: 'CharactersPage',
    component: CharactersPage,
  },
  {
    path: "/characters/:id",      // <-- param dinamis
    name: "CharacterDetail",
    component: CharacterDetail,
    props: true,
  },
  {
    path: '/plots',
    name: 'PlotPage',
    component: PlotPage,
  },
  {
    path: '/plots/:id',
    name: 'PlotDetail',
```

```

        component: PlotDetail,
        props: true,
    },
    {
        path: '/gameplay',
        name: 'GameplayPage',
        component: GameplayPage,
    },
    {
        path: '/about',
        name: 'AboutPage',
        component: AboutPage,
    },
    {
        path: '/cv',
        name: 'CurriculumVitaePage',
        component: CurriculumVitaePage,
    },
]

const router = createRouter({
  history: createWebHistory(),
  routes,
  scrollBehavior(to, from, savedPosition) {
    if (savedPosition) {
      return savedPosition;
    }

    if (to.hash) {
      return {
        el: to.hash,
        behavior: "smooth",
      };
    }

    return {
      left: 0,
      top: 0,
      behavior: "auto",
    };
  },
});

export default router;

```

## CurriculumVitaeHeader.vue

```
<template>
  <!-- Include this script tag or install
  `@tailwindplus/elements` via npm: -->
  <!-- <script
  src="https://cdn.jsdelivr.net/npm/@tailwindplus/elements@1"
  type="module"></script> -->
  <div class="bg-gray-900">
    <div class="relative isolate px-pt-6 lg:px-8">
      <div aria-hidden="true" class="absolute inset-x-0 -top-40
      -z-10 transform-gpu overflow-hidden blur-3xl sm:-top-80">
      </div>
      <div class="mx-auto max-w-2xl py-16 sm:py-16 lg:py-24">
        <div class="hidden sm:mb-8 sm:flex sm:justify-center">
        </div>
        <div class="text-center">
          <h1 class="text-4xl font-semibold tracking-tight
          text-balance text-pink-500">CurriculumVitae</h1>
          <p class="mt-5 text-lg font-medium text-pretty
          text-gray-400">About me. the Author.</p>
        </div>
      </div>
      <div aria-hidden="true" class="absolute inset-x-0
      top-[calc(100%-13rem)] -z-10 transform-gpu overflow-hidden
      blur-3xl sm:top-[calc(100%-30rem)]">
      </div>
    </div>
  </div>
</template>
```

## CurriculumVitaeList.vue

```
<script setup>
const highlight = "Fisika Dasar 1, Fisika Dasar 2, Sistem
Digital, Interaksi Manusia dan Komputer.";

const aboutCardClass =
  "block cursor-pointer rounded-[24px] bg-pink-500 text-white "
+
  "px-5 py-4 shadow-md shadow-pink-200/70 flex flex-col
  justify-between " +
  "transform transition hover:-translate-y-1 hover:shadow-xl
```

```

hover:bg-gray-900";
</script>

<template>
  <div class="min-h-screen flex flex-col bg-white">
    <main class="flex-1 pt-24 pb-16">
      <section class="max-w-6xl mx-auto px-4 -mt-20">
        <!-- breadcrumb -->
        <nav class="text-xs text-slate-500 mb-6">
          <RouterLink to="/"
class="hover:text-pink-500">Home</RouterLink>
          <span class="mx-1">&gt;</span>
          <span class="text-pink-500
font-semibold">CurriculumVitae</span>
        </nav>

        <!-- CARD UTAMA -->
        <div class="bg-slate-50 rounded-[32px] shadow p-6
md:p-10 lg:p-12">
          <div class="flex flex-col md:flex-row gap-8
items-start">
            <!-- TEKS KIRI -->
            <div class="text-left flex-1">
              <h1 class="text-2xl md:text-3xl font-bold
text-slate-900">
                Zakaria Fattawari
              </h1>
              <h2 class="mt-1 text-l md:text-l font-bold
text-pink-600">
                11231092 - Computer Science - Kalimantan
Institute of Technology.
              </h2>

              <div class="mt-2 h-px w-full bg-slate-300"></div>

              <div
                class="mt-4 space-y-3 text-sm md:text-[15px]
leading-relaxed text-slate-700"
              >
                <p>
                  Mahasiswa Informatika semester 5 yang senang
sekali dalam mempelajari
                  hal baru. Selama perkuliahan ini, dia sudah
menjadi asisten dalam beberapa
                  mata kuliah yang diantaranya adalah,
                  <span class="font-semibold">

```

```

        {{ " " + highlight }}
    </span>.
    Dimata kuliah Desain Web, sang Author disuruh
    untuk membuat web:
    <span class="font-semibold">ECHOES: The
    Undying Follower WIKI</span>
    sebagai tugas besarnya.
    </p>
    <p>
    Author memiliki hobi untuk mempelajari hal
    baru, dia suka belajar, menggambar,
    memasak, dan olahraga seperti jogging dan gym
    (dulu sih, sekarang ga sempat karena
    sibuk kuliah dan kerja hweqwhwhhwh)
    </p>
    <p>
    Secara singkat, sang Author mendapatkan tugas
    untuk melakukan Coding on the Spot
    yang dimana adalah akibat dari adanya page
    ini, yaitu Curriculum Vitae Page. Sang Author juga
    terampil dalam beberapa hal, yang dimana
    adalah menggambar, Docker, Python, dan juga
    memasak.
    </p>
    </div>
    </div>

    <!-- FOTO KANAN -->
    <div class="flex w-full md:w-auto md:justify-end">
        <div class="w-48 h-80 md:w-56 md:h-[19rem]
flex-shrink-0 md:ml-auto">
            
        </div>
    </div>
    </div>

    <!-- BAWAH: CARD PINK -->
    <div
        class="mt-8 grid gap-6
md:grid-cols-[minmax(0,2fr),minmax(0,3fr)]"
    >

```

```

<!-- 3 card pink kiri -->
<div class="grid gap-4 sm:grid-cols-3">
  <!-- Skill: Drawing -->
  <a
    target="_blank"
    rel="noopener noreferrer"
    :class="aboutCardClass"
  >
    <h3 class="text-lg font-semibold">
      Skill: Drawing
    </h3>
    <p class="mt-2 text-xs">
      Bisa menggambar anime stuff, dulu pernah buka
commission di Facebook.
    </p>
  </a>

  <!-- Skill: Python -->
  <a
    target="_blank"
    rel="noopener noreferrer"
    :class="aboutCardClass"
  >
    <h3 class="text-lg font-semibold">
      Skill: Python
    </h3>
    <p class="mt-2 text-xs">
      Alhamdulillah bisa python meskipun aku
membenci Python itu sendiri.
    </p>
  </a>

  <!-- Skill: Cooking -->
  <a
    target="_blank"
    rel="noopener noreferrer"
    :class="aboutCardClass"
  >
    <h3 class="text-lg font-semibold">
      Skill: Cooking
    </h3>
    <p class="mt-2 text-xs">
      Suka untuk memasak kue seperti bolu,
brownies, dll dikala memiliki waktu senggang dan punya ovennya.
    </p>
  </a>

```

```
        </div>

        <!-- slot kanan bisa kamu isi card kontak nanti -->
    </div>
</div>
</section>
</main>
</div>
</template>
```

### CurriculumVitaePage.vue

```
<script setup>
import Navbar from './Navbar.vue';
import CurriculumVitaeHeader from
'./CurriculumVitaeHeader.vue';
import CurriculumVitaeList from './CurriculumVitaeList.vue';
import Footer from './Footer.vue';
</script>

<template>
    <Navbar/>
    <CurriculumVitaeHeader/>
    <CurriculumVitaeList/>
    <Footer/>
</template>
```

### Navbar.vue

```
<script setup>
import { ref } from 'vue'

const isOpen = ref(false)

const toggleNav = () => {
    isOpen.value = !isOpen.value
}

const closeNav = () => {
    isOpen.value = false
}
</script>
```

```

<template>
  <nav class="bg-gray-900 fixed w-full z-50 top-0 start-0
border-b border-default">
    <div class="max-w-screen-xl flex flex-wrap items-center
justify-between mx-auto p-4">
      <RouterLink to="/" class="flex items-center"
@click="closeNav">
        <span class="self-center text-2xl font-semibold
text-pink-500">
          ECHOES WIKI
        </span>
      </RouterLink>

      <!-- tombol hamburger -->
      <button
        type="button"
        class="inline-flex items-center p-2 w-10 h-10
justify-center text-sm text-gray-300 rounded-base
          md:hidden hover:bg-gray-800 hover:text-white
focus:outline-none focus:ring-2 focus:ring-pink-500"
        :aria-expanded="isOpen"
        @click="toggleNav"
      >
        <span class="sr-only">Open main menu</span>
        <svg class="w-6 h-6" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24
24">
          <path
            stroke="currentColor"
            stroke-linecap="round"
            stroke-width="2"
            d="M5 7h14M5 12h14M5 17h14"
          />
        </svg>
      </button>

      <!-- menu -->
      <div :class="['w-full md:block md:w-auto', isOpen ?
'block' : 'hidden']">
        <ul
          class="font-medium flex flex-col p-4 md:p-0 mt-4
border border-default rounded-base bg-gray-900
          md:flex-row md:space-x-8 md:mt-0 md:border-0
md:bg-transparent

```



```

        divide-y divide-gray-800 md:divide-y-0"
    >
      <li>
        <RouterLink
          to="/"
          class="text-sm font-medium text-gray-300
hover:text-pink-500"
          @click="closeNav"
        >
          Home
        </RouterLink>
      </li>
      <li>
        <RouterLink
          to="/plots"
          class="text-sm font-medium text-gray-300
hover:text-pink-500"
          @click="closeNav"
        >
          Plots
        </RouterLink>
      </li>
      <li>
        <RouterLink
          to="/characters"
          class="text-sm font-medium text-gray-300
hover:text-pink-500"
          @click="closeNav"
        >
          Characters
        </RouterLink>
      </li>
      <li>
        <RouterLink
          to="/gameplay"
          class="text-sm font-medium text-gray-300
hover:text-pink-500"
          @click="closeNav"
        >
          Gameplay
        </RouterLink>
      </li>
      <li>
        <RouterLink
          to="/about"
          class="text-sm font-medium text-gray-300

```

```

    hover:text-pink-500"
      @click="closeNav"
    >
      About
    </RouterLink>
  </li>
  <li>
    <RouterLink
      to="/contact"
      class="text-sm font-medium text-gray-300
hover:text-pink-500"
      @click="closeNav"
    >
      Contact
    </RouterLink>
  </li>
  <li>
    <RouterLink
      to="/cv"
      class="text-sm font-medium text-gray-300
hover:text-pink-500"
      @click="closeNav"
    >
      CurriculumVitae
    </RouterLink>
  </li>
</ul>
</div>
</div>
</nav>
</template>

```

## Footer.vue

```

<template>
<footer class="bg-gray-900 border-t border-white/10">
  <div class="mx-auto w-full max-w-screen-xl p-4 py-6
lg:py-8">
    <div class="md:flex md:justify-between">
      <div class="mb-6 md:mb-0">
        <a href="https://flowbite.com/" class="flex
items-center">
          <span class="text-heading self-center

```

```

text-2xl text-pink-500 font-semibold
whitespace-nowrap">ECHOES</span>
      <ul class="text-body text-white font-medium">
        <li class="mb-4">
          <a>Your ultimate source for ECHOES
information, characters, and lore.</a>
        </li>
      </ul>
    </a>
  </div>
  <div class="grid grid-cols-2 gap-8 sm:gap-6
sm:grid-cols-3">
    <div>
      <h2 class="mb-6 text-sm text-white
font-semibold text-heading uppercase"></h2>
      <ul class="text-body text-white font-medium">
        <li class="mb-4">
          <RouterLink to="/"
class="hover:text-pink-500">Home</RouterLink>
        </li>
        <li>
          <RouterLink to="/plots"
class="hover:text-pink-500">Plots</RouterLink>
        </li>
      </ul>
    </div>
    <div>
      <h2 class="mb-6 text-sm font-semibold
text-white text-heading uppercase"></h2>
      <ul class="text-body text-white font-medium">
        <li class="mb-4">
          <RouterLink to="/characters"
class="hover:text-pink-500">Characters</RouterLink>
        </li>
        <li>
          <RouterLink to="/gameplay"
class="hover:text-pink-500">Gameplay</RouterLink>
        </li>
      </ul>
    </div>
    <div>
      <h2 class="mb-6 text-sm font-semibold
text-white text-heading uppercase"></h2>
      <ul class="text-body text-white font-medium">
        <li class="mb-4">
          <RouterLink to="/about"

```

```

class="hover:text-pink-500">About</RouterLink>
    </li>
    <li>
        <RouterLink to="/contact"
class="hover:text-pink-500">Contact</RouterLink>
    </li>
</ul>
</div>
<div>
    <h2 class="mb-6 text-sm font-semibold
text-white text-heading uppercase"></h2>
    <ul class="text-body text-white font-medium">
        <li class="mb-4">
            <RouterLink to="/cv"
class="hover:text-pink-500">CurriculumVitae</RouterLink>
        </li>
    </ul>
</div>
</div>
</div>
<hr class="my-6 border-default sm:mx-auto lg:my-8" />
<div class="sm:flex sm:items-center sm:justify-between">
    <span class="text-sm text-body text-white
sm:text-center">© 2025 <RouterLink to="/"
class="hover:underline">ECHOES: The Undying Follower™. All
Rights Reserved.</RouterLink>
    </span>
    <div class="flex mt-4 sm:justify-center sm:mt-0">
        <a
href="https://web.facebook.com/profile.php?id=100055464836367"
class="text-body text-white hover:text-heading">
            <svg class="w-5 h-5" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" viewBox="0 0 24 24"><path
fill-rule="evenodd" d="M13.135 6H15V3h-1.865a4.147 4.147 0 0
0-4.142 4.142V9H7v3h2v9.938h3V12h2.021l.592-3H12V6.591A.6.6 0 0
1 12.592 6h.543Z" clip-rule="evenodd"/></svg>
            <span class="sr-only">Facebook page</span>
        </a>
        <a href="#" class="text-body text-white
hover:text-heading ms-5">
            <svg class="w-5 h-5" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" viewBox="0 0 24 24"><path d="M18.942
5.556a16.3 16.3 0 0 0-4.126-1.3 12.04 12.04 0 0 0-.529 1.1
15.175 15.175 0 0 0-4.573 0 11.586 11.586 0 0 0-.535-1.1 16.274

```

```
16.274 0 0 0-4.129 1.3 17.392 17.392 0 0 0-2.868 11.662 15.785
15.785 0 0 0 4.963 2.521c.41-.564.773-1.16 1.084-1.785a10.638
10.638 0 0 1-1.706-.83c.143-.106.283-.217.418-.331a11.664
11.664 0 0 0 10.118
0c.137.114.277.225.418.331-.544.328-1.116.606-1.71.832a12.58
12.58 0 0 0 1.084 1.785 16.46 16.46 0 0 0 5.064-2.595 17.286
17.286 0 0 0-2.973-11.59ZM8.678 14.813a1.94 1.94 0 0
1-1.8-2.045 1.93 1.93 0 0 1 1.8-2.047 1.918 1.918 0 0 1 1.8
2.047 1.929 1.929 0 0 1-1.8 2.045Zm6.644 0a1.94 1.94 0 0
1-1.8-2.045 1.93 1.93 0 0 1 1.8-2.047 1.919 1.919 0 0 1 1.8
2.047 1.93 1.93 0 0 1-1.8 2.045Z"/></svg>
    <span class="sr-only">Discord community</span>
  </a>
  <a href="https://www.instagram.com/alathereonn_"
class="text-body text-white hover:text-heading ms-5">
    <svg class="w-5 h-5" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" viewBox="0 0 24 24"><path d="M7 2C4.24 2 2
4.24 2 7v10c0 2.76 2.24 5 5 5h10c2.76 0 5-2.24
5-5V7c0-2.76-2.24-5-5-5H7zm0 2h10c1.66 0 3 1.34 3 3v10c0
1.66-1.34 3-3 3H7c-1.66 0-3-1.34-3-3V7c0-1.66 1.34-3 3-3zm5
3.5A4.5 4.5 0 1 0 16.5 12 4.505 4.505 0 0 0 12 7.5zm0 2A2.5 2.5
0 1 1 9.5 12 2.503 2.503 0 0 1 12 9.5zM17.75 6a1.25 1.25 0 1 0
1.25 1.25A1.25 1.25 0 0 0 17.75 6z"/></svg>
    <span class="sr-only">Instagram page</span>
  </a>
  <a href="https://github.com/alathereonn"
class="text-body text-white hover:text-heading ms-5">
    <svg class="w-5 h-5" aria-hidden="true"
xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" viewBox="0 0 24 24"><path
fill-rule="evenodd" d="M12.006 2a9.847 9.847 0 0 0-6.484 2.44
10.32 10.32 0 0 0-3.393 6.17 10.48 10.48 0 0 0 1.317 6.955
10.045 10.045 0 0 0 5.4 4.418c.504.095.683-.223.683-.494
0-.245-.01-1.052-.014-1.908-2.78.62-3.366-1.21-3.366-1.21a2.711
2.711 0 0
0-1.11-1.5c-.907-.637.07-.621.07-.621.317.044.62.163.885.346.26
6.183.487.426.647.71.135.253.318.476.538.655a2.079 2.079 0 0 0
2.37.196c.045-.52.27-1.006.635-1.37-2.219-.259-4.554-1.138-4.55
4-5.07a4.022 4.022 0 0 1 1.031-2.75 3.77 3.77 0 0 1
.096-2.713s.839-.275 2.749 1.05a9.26 9.26 0 0 1 5.004
0c1.906-1.325 2.74-1.05 2.74-1.05.37.858.406 1.828.101
2.713a4.017 4.017 0 0 1 1.029 2.75c0 3.939-2.339 4.805-4.564
5.058a2.471 2.471 0 0 1 .679 1.897c0 1.372-.012 2.477-.012
2.814 0 .272.18.592.687.492a10.05 10.05 0 0 0 5.388-4.421
10.473 10.473 0 0 0 1.313-6.948 10.32 10.32 0 0
```

```
0-3.39-6.165A9.847 9.847 0 0 0 12.007 2Z"
clip-rule="evenodd"/></svg>
      <span class="sr-only">GitHub account</span>
    </a>
  </div>
</div>
</div>
</footer>

</template>
```