

KINESO — Complete Project Source

Generated on 12/23/2025, 8:27:12 PM

Table of contents

.editorconfig	docs/routes.md
.env	package-lock.json
.env.example	package.json
.gitattributes	phpunit.xml
.gitignore	public/.htaccess
README.md	public/favicon.ico
app/Http/Controllers/Controller.php	public/images/chem-bg.svg
app/Models/User.php	public/index.php
app/Providers/AppServiceProvider.php	public/robots.txt
artisan	resources/css/app.css
bootstrap/app.php	resources/js/app.js
bootstrap/cache/.gitignore	resources/js/bootstrap.js
bootstrap/cache/packages.php	resources/js/kinematics.js
bootstrap/cache/services.php	resources/views/kinematics.blade.php
bootstrap/providers.php	resources/views/welcome.blade.php
composer.json	routes/console.php
composer.lock	routes/web.php
config/app.php	scripts/generate_pdf.js
config/auth.php	storage/app/.gitignore
config/cache.php	storage/app/private/.gitignore
config/database.php	storage/app/public/.gitignore
config/filesystems.php	storage/framework/.gitignore
config/logging.php	storage/framework/cache/.gitignore
config/mail.php	storage/framework/cache/data/.gitignore
config/queue.php	storage/framework/sessions/.gitignore
config/services.php	storage/framework/testing/.gitignore
config/session.php	storage/framework/views/.gitignore
database/.gitignore	storage/framework/views/6a660c9c067ccbb4fdd36c40f0c8
database/database.sqlite	storage/framework/views/83aa6ef9b5077ffc2a02fdeb17ff47
database/factories/UserFactory.php	storage/framework/views/a5b943592954048c90d33304a0
database/migrations/0001_01_01_000000_create_users_table.php	storage/framework/views/ac9308cb6b484e459d56386432f
database/migrations/0001_01_01_000001_create_cache_table.php	storage/logs/.gitignore
database/migrations/0001_01_01_000002_create_jobs_table.php	tests/Feature/ExampleTest.php
database/seeder/DatabaseSeeder.php	tests/Testcase.php
docs/README.md	tests/Unit/ExampleTest.php
docs/kinematics-blade.md	vite.config.js
docs/kinematics-js.md	

.editorconfig

```
root = true

[*]
charset = utf-8
end_of_line = lf
indent_size = 4
indent_style = space
insert_final_newline = true
trim_trailing_whitespace = true

[*.md]
trim_trailing_whitespace = false

[*.yaml,yaml]
indent_size = 2

[compose.yaml]
indent_size = 4
```

.env

```
APP_NAME=Laravel
APP_ENV=local
APP_KEY=base64:rZ0aSje7uECruZEFZFeA1L7p1i2A1CjJWE/jEYPr8m4=
APP_DEBUG=true
APP_URL=http://localhost

APP_LOCALE=en
APP_FALLBACK_LOCALE=en
APP_FAKER_LOCALE=en_US

APP_MAINTENANCE_DRIVER=file
# APP_MAINTENANCE_STORE=database

# PHP_CLI_SERVER_WORKERS=4

BCRYPT_ROUNDS=12

LOG_CHANNEL=stack
LOG_STACK=single
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug

DB_CONNECTION=sqlite
# DB_HOST=127.0.0.1
# DB_PORT=3306
# DB_DATABASE=laravel
# DB_USERNAME=root
# DB_PASSWORD=

SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION_ENCRYPT=false
SESSION_PATH=/
SESSION_DOMAIN=null

BROADCAST_CONNECTION=log
FILESYSTEM_DISK=local
QUEUE_CONNECTION=database

CACHE_STORE=database
# CACHE_PREFIX=

MEMCACHED_HOST=127.0.0.1

REDIS_CLIENT=phpredis
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
REDIS_PORT=6379

MAIL_MAILER=log
MAIL_SCHEME=null
MAIL_HOST=127.0.0.1
MAIL_PORT=2525
MAIL_USERNAME=null
MAIL_PASSWORD=null
MAIL_FROM_ADDRESS="hello@example.com"
MAIL_FROM_NAME="${APP_NAME}"

AWS_ACCESS_KEY_ID=
AWS_SECRET_ACCESS_KEY=
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=
AWS_USE_PATH_STYLE_ENDPOINT=false

VITE_APP_NAME="${APP_NAME}"
```

.env.example

```
APP_NAME=Laravel
APP_ENV=local
APP_KEY=
APP_DEBUG=true
APP_URL=http://localhost

APP_LOCALE=en
APP_FALLBACK_LOCALE=en
APP_FAKER_LOCALE=en_US

APP_MAINTENANCE_DRIVER=file
# APP_MAINTENANCE_STORE=database

# PHP_CLI_SERVER_WORKERS=4

BCRYPT_ROUNDS=12

LOG_CHANNEL=stack
LOG_STACK=single
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug

DB_CONNECTION=sqlite
# DB_HOST=127.0.0.1
# DB_PORT=3306
# DB_DATABASE=laravel
# DB_USERNAME=root
# DB_PASSWORD=

SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION_ENCRYPT=false
SESSION_PATH=/
SESSION_DOMAIN=null

BROADCAST_CONNECTION=log
FILESYSTEM_DISK=local
QUEUE_CONNECTION=database

CACHE_STORE=database
# CACHE_PREFIX=

MEMCACHED_HOST=127.0.0.1

REDIS_CLIENT=phpredis
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
REDIS_PORT=6379

MAIL_MAILER=log
MAIL_SCHEME=null
MAIL_HOST=127.0.0.1
MAIL_PORT=2525
MAIL_USERNAME=null
MAIL_PASSWORD=null
MAIL_FROM_ADDRESS="hello@example.com"
MAIL_FROM_NAME="${APP_NAME}"

AWS_ACCESS_KEY_ID=
AWS_SECRET_ACCESS_KEY=
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=
AWS_USE_PATH_STYLE_ENDPOINT=false

VITE_APP_NAME="${APP_NAME}"
```

.gitattributes

```
* text=auto eol=lf

*.blade.php diff=html
*.css diff=css
*.html diff=html
*.md diff=markdown
*.php diff=php

/.github export-ignore
CHANGELOG.md export-ignore
.styleci.yml export-ignore
```

.gitignore

```
*.log
.DS_Store
.env
.env.backup
.env.production
.phpactor.json
.phpunit.result.cache
/.fleet
/.idea
/.nova
/.phpunit.cache
/.vscode
/.zed
/auth.json
/node_modules
/public/build
/public/hot
/public/storage
/storage/*.key
/storage/pail
/vendor
Homestead.json
Homestead.yaml
Thumbs.db
```

README.md

```
<p align="center"><a href="https://laravel.com" target="_blank"></a></p>

<p align="center">
<a href="https://github.com/laravel/framework/actions"></a>
<a href="https://packagist.org/packages/laravel/framework"></a>
<a href="https://packagist.org/packages/laravel/framework"></a>
<a href="https://packagist.org/packages/laravel/framework"></a>
</p>

## About Laravel

Laravel is a web application framework with expressive, elegant syntax. We believe development must be an enjoyable and creative experience to be truly fulfilling. Laravel attempts to take the pain out of development by easing several of the most common tasks:

- [Simple, fast routing engine](https://laravel.com/docs/routing).
- [Powerful dependency injection container](https://laravel.com/docs/container).
- Multiple back-ends for [session](https://laravel.com/docs/session) and [cache](https://laravel.com/docs/cache) storage.
- Expressive, intuitive [database ORM](https://laravel.com/docs/eloquent).
- Database agnostic [schema migrations](https://laravel.com/docs/migrations).
- [Robust background job processing](https://laravel.com/docs/queues).
- [Real-time event broadcasting](https://laravel.com/docs/broadcasting).

Laravel is accessible, powerful, and provides tools required for large, robust applications.

## Learning Laravel

Laravel has the most extensive and thorough [documentation](https://laravel.com/docs) and video tutorial library of all modern web frameworks.

If you don't feel like reading, [Laracasts](https://laracasts.com) can help. Laracasts contains thousands of video tutorials on a wide range of topics including Laravel, modern PHP, unit testing, and JavaScript.

## Laravel Sponsors

We would like to extend our thanks to the following sponsors for funding Laravel development. If you are interested in becoming a sponsor, please visit the [Laravel Sponsors Page](https://laravel.com/sponsors).

### Premium Partners

- **[Vehikl](https://vehikl.com)**
- **[Tighten Co.](https://tighten.co)**
- **[Kirschbaum Development Group](https://kirschbaumdevelopment.com)**
- **[64 Robots](https://64robots.com)**
- **[Curotec](https://www.curotec.com/services/technologies/laravel)**
- **[DevSquad](https://devsquad.com/hire-laravel-developers)**
- **[Redberry](https://redberry.international/laravel-development)**
- **[Active Logic](https://activelogic.com)**

## Contributing

Thank you for considering contributing to the Laravel framework! The contribution guide can be found in the [Laravel documentation](https://laravel.com/docs/contributions).

## Code of Conduct

In order to ensure that the Laravel community is welcoming to all, please review and abide by the [Code of Conduct](https://laravel.com/docs/contributions#code-of-conduct).

## Security Vulnerabilities

If you discover a security vulnerability within Laravel, please send an e-mail to Taylor Otwell via [taylor@laravel.com](mailto:taylor@laravel.com).

## License

The Laravel framework is open-sourced software licensed under the [MIT license](https://opensource.org/licenses/MIT).

---

## Kinematics demo

Added a small demo to compute kinematics with constant acceleration and render a table + graphs.

Quick start:

1. Install JS deps: `npm install`
2. Build assets in dev mode: `npm run dev` (or `npm run build` for production)

Optional: start both the Laravel dev server and Vite together using `npm run dev:all` (requires `concurrently`) – this runs the app in dev mode.

3. Serve the app (e.g., `php artisan serve`) and open `http://localhost:8000/kinematics`

The UI is in `resources/views/kinematics.blade.php` and the client code in `resources/js/kinematics.js`.
```

Documentation

Project-specific documentation is in the `docs/` folder, including:

- `docs/kinematics-js.md` – annotated guide and API for the front-end kinematics module
- `docs/kinematics-blade.md` – notes for the Blade view and UI layout

app/Http/Controllers/Controller.php

```
<?php

namespace App\Http\Controllers;

abstract class Controller
{
    //
}
```

app/Models/User.php

```
<?php

namespace App\Models;

// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;

class User extends Authenticatable
{
    /** @use HasFactory<Database\Factories\UserFactory> */
    use HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var list<string>
     */
    protected $fillable = [
        'name',
        'email',
        'password',
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var list<string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * Get the attributes that should be cast.
     *
     * @return array<string, string>
     */
    protected function casts(): array
    {
        return [
            'email_verified_at' => 'datetime',
            'password' => 'hashed',
        ];
    }
}
```

app/Providers/AppServiceProvider.php

```
<?php

namespace App\Providers;

use Illuminate\Support\ServiceProvider;

class AppServiceProvider extends ServiceProvider
{
    /**
     * Register any application services.
     */
    public function register(): void
    {
        //
    }

    /**
     * Bootstrap any application services.
     */
    public function boot(): void
    {
        //
    }
}
```

artisan

```
#!/usr/bin/env php
<?php

use Illuminate\Foundation\Application;
use Symfony\Component\Console\Input\ArgvInput;

define('LARAVEL_START', microtime(true));

// Register the Composer autoloader...
require __DIR__.'/vendor/autoload.php';

// Bootstrap Laravel and handle the command...
/** @var Application $app */
$app = require_once __DIR__.'/bootstrap/app.php';

$status = $app->handleCommand(new ArgvInput);

exit($status);
```

bootstrap/app.php

```
<?php

use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;

return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware): void {
        //
    })
    ->withExceptions(function (Exceptions $exceptions): void {
        //
    })->create();
```


bootstrap/cache/gitignore

```
*  
!.gitignore
```

bootstrap/cache/packages.php

```
<?php return array (  
    'laravel/pail' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'Laravel\\Pail\\PailServiceProvider',  
                ),  
        ),  
    'laravel/sail' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'Laravel\\Sail\\SailServiceProvider',  
                ),  
        ),  
    'laravel/tinker' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'Laravel\\Tinker\\TinkerServiceProvider',  
                ),  
        ),  
    'nesbot/carbon' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'Carbon\\Laravel\\ServiceProvider',  
                ),  
        ),  
    'nunomaduro/collision' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider',  
                ),  
        ),  
    'nunomaduro/termwind' =>  
        array (  
            'providers' =>  
                array (  
                    0 => 'Termwind\\Laravel\\TermwindServiceProvider',  
                ),  
        ),  
);
```

bootstrap/cache/services.php

```
<?php return array (
    'providers' =>
        array (
            0 => 'Illuminate\\Auth\\AuthServiceServiceProvider',
            1 => 'Illuminate\\Broadcasting\\BroadcastServiceProvider',
            2 => 'Illuminate\\Bus\\BusServiceProvider',
            3 => 'Illuminate\\Cache\\CacheServiceProvider',
            4 => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            5 => 'Illuminate\\Concurrency\\ConcurrencyServiceProvider',
            6 => 'Illuminate\\Cookie\\CookieServiceProvider',
            7 => 'Illuminate\\Database\\DatabaseServiceProvider',
            8 => 'Illuminate\\Encryption\\EncryptionServiceProvider',
            9 => 'Illuminate\\Filesystem\\FilesystemServiceProvider',
            10 => 'Illuminate\\Foundation\\Providers\\FoundationServiceProvider',
            11 => 'Illuminate\\Hashing\\HashServiceProvider',
            12 => 'Illuminate\\Mail\\MailServiceProvider',
            13 => 'Illuminate\\Notifications\\NotificationServiceProvider',
            14 => 'Illuminate\\Pagination\\PaginationServiceProvider',
            15 => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider',
            16 => 'Illuminate\\Pipeline\\PipelineServiceProvider',
            17 => 'Illuminate\\Queue\\QueueServiceProvider',
            18 => 'Illuminate\\Redis\\RedisServiceProvider',
            19 => 'Illuminate\\Session\\SessionServiceProvider',
            20 => 'Illuminate\\Translation\\TranslationServiceProvider',
            21 => 'Illuminate\\Validation\\ValidationServiceProvider',
            22 => 'Illuminate\\View\\ViewServiceProvider',
            23 => 'Laravel\\Pail\\PailServiceProvider',
            24 => 'Laravel\\Sail\\SailServiceProvider',
            25 => 'Laravel\\Tinker\\TinkerServiceProvider',
            26 => 'Carbon\\Laravel\\ServiceProvider',
            27 => 'NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider',
            28 => 'Termwind\\Laravel\\TermwindServiceProvider',
            29 => 'App\\Providers\\AppServiceProvider',
        ),
    'eager' =>
        array (
            0 => 'Illuminate\\Auth\\AuthServiceServiceProvider',
            1 => 'Illuminate\\Cookie\\CookieServiceProvider',
            2 => 'Illuminate\\Database\\DatabaseServiceProvider',
            3 => 'Illuminate\\Encryption\\EncryptionServiceProvider',
            4 => 'Illuminate\\Filesystem\\FilesystemServiceProvider',
            5 => 'Illuminate\\Foundation\\Providers\\FoundationServiceProvider',
            6 => 'Illuminate\\Notifications\\NotificationServiceProvider',
            7 => 'Illuminate\\Pagination\\PaginationServiceProvider',
            8 => 'Illuminate\\Session\\SessionServiceProvider',
            9 => 'Illuminate\\View\\ViewServiceProvider',
            10 => 'Laravel\\Pail\\PailServiceProvider',
            11 => 'Carbon\\Laravel\\ServiceProvider',
            12 => 'NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider',
            13 => 'Termwind\\Laravel\\TermwindServiceProvider',
            14 => 'App\\Providers\\AppServiceProvider',
        ),
    'deferred' =>
        array (
            'Illuminate\\Broadcasting\\BroadcastManager' => 'Illuminate\\Broadcasting\\BroadcastServiceProvider',
            'Illuminate\\Contracts\\Broadcasting\\Factory' => 'Illuminate\\Broadcasting\\BroadcastServiceProvider',
            'Illuminate\\Contracts\\Broadcasting\\Broadcaster' => 'Illuminate\\Broadcasting\\BroadcastServiceProvider',
            'Illuminate\\Bus\\Dispatcher' => 'Illuminate\\Bus\\BusServiceProvider',
            'Illuminate\\Contracts\\Bus\\Dispatcher' => 'Illuminate\\Bus\\BusServiceProvider',
            'Illuminate\\Contracts\\Bus\\QueueingDispatcher' => 'Illuminate\\Bus\\BusServiceProvider',
            'Illuminate\\Bus\\BatchRepository' => 'Illuminate\\Bus\\BusServiceProvider',
            'Illuminate\\Bus\\DatabaseBatchRepository' => 'Illuminate\\Bus\\BusServiceProvider',
            'cache' => 'Illuminate\\Cache\\CacheServiceProvider',
            'cache.store' => 'Illuminate\\Cache\\CacheServiceProvider',
            'cache.psr6' => 'Illuminate\\Cache\\CacheServiceProvider',
            'memcached.connector' => 'Illuminate\\Cache\\CacheServiceProvider',
            'Illuminate\\Cache\\RateLimiter' => 'Illuminate\\Cache\\CacheServiceProvider',
            'Illuminate\\Foundation\\Console\\AboutCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Cache\\Console\\ClearCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Cache\\Console\\ForgetCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Foundation\\Console\\ClearCompiledCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Auth\\Console\\ClearResetsCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Foundation\\Console\\ConfigCacheCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
            'Illuminate\\Foundation\\Console\\ConfigClearCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',

```

[illegible]

```

'Illuminate\\Foundation\\Console\\NotificationMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Notifications\\Console\\NotificationTableCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ObserverMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\PolicyMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ProviderMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Queue\\Console\\FailedTableCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Queue\\Console\\TableCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Queue\\Console\\BatchesTableCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\RequestMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ResourceMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\RuleMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ScopeMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Seeds\\SeederMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Session\\Console\\SessionTableCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ServeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\StubPublishCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\TestMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\TraitMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\VendorPublishCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Foundation\\Console\\ViewMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'migrator' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'migration.repository' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'migration.creator' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Migrations\\Migrator' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\MigrateCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\FreshCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\InstallCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\RefreshCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\ResetCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\RollbackCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\StatusCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Migrations\\MigrateMakeCommand' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'composer' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Concurrency\\ConcurrencyManager' => 'Illuminate\\Concurrency\\ConcurrencyServiceProvider',
'hash' => 'Illuminate\\Hashing\\HashServiceProvider',
'hash.driver' => 'Illuminate\\Hashing\\HashServiceProvider',
'mail.manager' => 'Illuminate\\Mail\\MailServiceProvider',
'mailer' => 'Illuminate\\Mail\\MailServiceProvider',
'Illuminate\\Mail\\Markdown' => 'Illuminate\\Mail\\MailServiceProvider',
'auth.password' => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider',
'auth.password.broker' => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider',
'Illuminate\\Contracts\\Pipeline\\Hub' => 'Illuminate\\Pipeline\\PipelineServiceProvider',
'pipeline' => 'Illuminate\\Pipeline\\PipelineServiceProvider',
'queue' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.connection' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.failer' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.listener' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.worker' => 'Illuminate\\Queue\\QueueServiceProvider',
'redis' => 'Illuminate\\Redis\\RedisServiceProvider',
'redis.connection' => 'Illuminate\\Redis\\RedisServiceProvider',
'translator' => 'Illuminate\\Translation\\TranslationServiceProvider',
'translation.loader' => 'Illuminate\\Translation\\TranslationServiceProvider',
'validator' => 'Illuminate\\Validation\\ValidationServiceProvider',
'validation.presence' => 'Illuminate\\Validation\\ValidationServiceProvider',
'Illuminate\\Contracts\\Validation\\UncompromisedVerifier' => 'Illuminate\\Validation\\ValidationServiceProvider',
'Laravel\\Sail\\Console\\InstallCommand' => 'Laravel\\Sail\\SailServiceProvider',
'Laravel\\Sail\\Console\\PublishCommand' => 'Laravel\\Sail\\SailServiceProvider',
'command.tinker' => 'Laravel\\Tinker\\TinkerServiceProvider',
),
'when' =>
array (
    'Illuminate\\Broadcasting\\BroadcastServiceProvider' =>
        array (
        ),
    'Illuminate\\Bus\\BusServiceProvider' =>
        array (
        ),
    'Illuminate\\Cache\\CacheServiceProvider' =>
        array (
        ),
    'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider' =>
        array (
        ),
    'Illuminate\\Concurrency\\ConcurrencyServiceProvider' =>
        array (
        ),
    'Illuminate\\Hashing\\HashServiceProvider' =>
        array (

```

```

    ),
    'Illuminate\\Mail\\MailServiceProvider' =>
    array (
    ),
    'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider' =>
    array (
    ),
    'Illuminate\\Pipeline\\PipelineServiceProvider' =>
    array (
    ),
    'Illuminate\\Queue\\QueueServiceProvider' =>
    array (
    ),
    'Illuminate\\Redis\\RedisServiceProvider' =>
    array (
    ),
    'Illuminate\\Translation\\TranslationServiceProvider' =>
    array (
    ),
    'Illuminate\\Validation\\ValidationServiceProvider' =>
    array (
    ),
    'Laravel\\Sail\\SailServiceProvider' =>
    array (
    ),
    'Laravel\\Tinker\\TinkerServiceProvider' =>
    array (
    ),
    ),
);

```

bootstrap/providers.php

```

<?php

return [
    App\\Providers\\AppServiceProvider::class,
];

```

composer.json

```
{
    "$schema": "https://getcomposer.org/schema.json",
    "name": "laravel/laravel",
    "type": "project",
    "description": "The skeleton application for the Laravel framework.",
    "keywords": ["laravel", "framework"],
    "license": "MIT",
    "require": {
        "php": "^8.2",
        "laravel/framework": "^12.0",
        "laravel/tinker": "^2.10.1"
    },
    "require-dev": {
        "fakerphp/faker": "^1.23",
        "laravel/pail": "^1.2.2",
        "laravel/pint": "^1.24",
        "laravel/sail": "^1.41",
        "mockery/mockery": "^1.6",
        "nunomaduro/collision": "^8.6",
        "phpunit/phpunit": "^11.5.3"
    },
    "autoload": {
        "psr-4": {
            "App\\": "app/",
            "Database\\Factories\\": "database/factories/",
            "Database\\Seeders\\": "database/seeders/"
        }
    },
    "autoload-dev": {
        "psr-4": {
            "Tests\\": "tests/"
        }
    },
    "scripts": {
        "setup": [
            "composer install",
            "@php -r \"file_exists('.env') || copy('.env.example', '.env');\"",
            "@php artisan key:generate",
            "@php artisan migrate --force",
            "npm install",
            "npm run build"
        ],
        "dev": [
            "Composer\\Config::disableProcessTimeout",
            "npx concurrently -c \"#93c5fd,#c4b5fd,#fb7185,#fdba74\" \"php artisan serve\" \"php artisan queue:listen --tries=1\""
        ],
        "test": [
            "@php artisan config:clear --ansi",
            "@php artisan test"
        ],
        "post-autoload-dump": [
            "Illuminate\\Foundation\\ComposerScripts::postAutoloadDump",
            "@php artisan package:discover --ansi"
        ],
        "post-update-cmd": [
            "@php artisan vendor:publish --tag=laravel-assets --ansi --force"
        ],
        "post-root-package-install": [
            "@php -r \"file_exists('.env') || copy('.env.example', '.env');\""
        ],
        "post-create-project-cmd": [
            "@php artisan key:generate --ansi",
            "@php -r \"file_exists('database/database.sqlite') || touch('database/database.sqlite');\"",
            "@php artisan migrate --graceful --ansi"
        ],
        "pre-package-uninstall": [
            "Illuminate\\Foundation\\ComposerScripts::prePackageUninstall"
        ]
    },
    "extra": {
        "laravel": {
            "dont-discover": []
        }
    },
    "config": {
```

```
    "optimize-autoloader": true,  
    "preferred-install": "dist",  
    "sort-packages": true,  
    "allow-plugins": {  
      "pestphp/pest-plugin": true,  
      "php-http/discovery": true  
    }  
  },  
  "minimum-stability": "stable",  
  "prefer-stable": true  
}
```

composer.lock

```
{
  "_readme": [
    "This file locks the dependencies of your project to a known state",
    "Read more about it at https://getcomposer.org/doc/01-basic-usage.md#installing-dependencies",
    "This file is @generated automatically"
  ],
  "content-hash": "c514d8f7b9fc5970bdd94287905ef584",
  "packages": [
    {
      "name": "brick/math",
      "version": "0.14.1",
      "source": {
        "type": "git",
        "url": "https://github.com/brick/math.git",
        "reference": "f05858549e5f9d7bb45875a75583240a38a281d0"
      },
      "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/brick/math/zipball/f05858549e5f9d7bb45875a75583240a38a281d0",
        "reference": "f05858549e5f9d7bb45875a75583240a38a281d0",
        "shasum": ""
      },
      "require": {
        "php": "^8.2"
      },
      "require-dev": {
        "php-coveralls/php-coveralls": "^2.2",
        "phpstan/phpstan": "2.1.22",
        "phpunit/phpunit": "^11.5"
      },
      "type": "library",
      "autoload": {
        "psr-4": {
          "Brick\\Math\\": "src/"
        }
      },
      "notification-url": "https://packagist.org/downloads/",
      "license": [
        "MIT"
      ],
      "description": "Arbitrary-precision arithmetic library",
      "keywords": [
        "Arbitrary-precision",
        "BigInteger",
        "BigRational",
        "arithmetic",
        "bigdecimal",
        "bignum",
        "bignumber",
        "brick",
        "decimal",
        "integer",
        "math",
        "mathematics",
        "rational"
      ],
      "support": {
        "issues": "https://github.com/brick/math/issues",
        "source": "https://github.com/brick/math/tree/0.14.1"
      },
      "funding": [
        {
          "url": "https://github.com/BenMorel",
          "type": "github"
        }
      ],
      "time": "2025-11-24T14:40:29+00:00"
    },
    {
      "name": "carbonphp/carbon-doctrine-types",
      "version": "3.2.0",
      "source": {
        "type": "git",
        "url": "https://github.com/CarbonPHP/carbon-doctrine-types.git",
        "reference": "18ba5ddfec8976260ead6e866180bd5d2f71aa1d"
      }
    }
  ]
}
```



```

    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/CarbonPHP/carbon-doctrine-types/zipball/18ba5ddfec8976260ead6e866180bd5d2f71a",
        "reference": "18ba5ddfec8976260ead6e866180bd5d2f71a1d",
        "shasum": ""
    },
    "require": {
        "php": "^8.1"
    },
    "conflict": {
        "doctrine/dbal": "<4.0.0 || >=5.0.0"
    },
    "require-dev": {
        "doctrine/dbal": "^4.0.0",
        "nesbot/carbon": "^2.71.0 || ^3.0.0",
        "phpunit/phpunit": "^10.3"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Carbon\\Doctrine\\": "src/Carbon/Doctrine/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "KyleKatarn",
            "email": "kylekatarnls@gmail.com"
        }
    ],
    "description": "Types to use Carbon in Doctrine",
    "keywords": [
        "carbon",
        "date",
        "datetime",
        "doctrine",
        "time"
    ],
    "support": {
        "issues": "https://github.com/CarbonPHP/carbon-doctrine-types/issues",
        "source": "https://github.com/CarbonPHP/carbon-doctrine-types/tree/3.2.0"
    },
    "funding": [
        {
            "url": "https://github.com/kylekatarnls",
            "type": "github"
        },
        {
            "url": "https://opencollective.com/Carbon",
            "type": "open_collective"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/nesbot/carbon",
            "type": "tidelift"
        }
    ],
    "time": "2024-02-09T16:56:22+00:00"
},
{
    "name": "dflydev/dot-access-data",
    "version": "v3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/dflydev/dflydev-dot-access-data.git",
        "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/dflydev/dflydev-dot-access-data/zipball/a23a2bf4f31d3518f3ecb38660c95715dfead",
        "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f",
        "shasum": ""
    },
    "require": {
        "php": "^7.1 || ^8.0"
    }
}

```

```

    },
    "require-dev": {
        "phpstan/phpstan": "^0.12.42",
        "phpunit/phpunit": "^7.5 || ^8.5 || ^9.3",
        "scrutinizer/ocular": "1.6.0",
        "squizlabs/php_codesniffer": "^3.5",
        "vimeo/psalm": "^4.0.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Dflydev\\DotAccessData\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Dragonfly Development Inc.",
            "email": "info@dflydev.com",
            "homepage": "http://dflydev.com"
        },
        {
            "name": "Beau Simensen",
            "email": "beau@dflydev.com",
            "homepage": "http://beausimensen.com"
        },
        {
            "name": "Carlos Frutos",
            "email": "carlos@kiwing.it",
            "homepage": "https://github.com/cfrutos"
        },
        {
            "name": "Colin O'Dell",
            "email": "colinodell@gmail.com",
            "homepage": "https://www.colinodell.com"
        }
    ],
    "description": "Given a deep data structure, access data by dot notation.",
    "homepage": "https://github.com/dflydev/dflydev-dot-access-data",
    "keywords": [
        "access",
        "data",
        "dot",
        "notation"
    ],
    "support": {
        "issues": "https://github.com/dflydev/dflydev-dot-access-data/issues",
        "source": "https://github.com/dflydev/dflydev-dot-access-data/tree/v3.0.3"
    },
    "time": "2024-07-08T12:26:09+00:00"
},
{
    "name": "doctrine/inflector",
    "version": "2.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/doctrine/inflector.git",
        "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/doctrine/inflector/zipball/6d6c96277ea252fc1304627204c3d5e6e15faa3b",
        "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b",
        "shasum": ""
    },
    "require": {
        "php": "^7.2 || ^8.0"
    },
    "require-dev": {
        "doctrine/coding-standard": "^12.0 || ^13.0",

```

```

        "phpstan/phpstan": "^1.12 || ^2.0",
        "phpstan/phpstan-phpunit": "^1.4 || ^2.0",
        "phpstan/phpstan-strict-rules": "^1.6 || ^2.0",
        "phpunit/phpunit": "^8.5 || ^12.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Doctrine\\Inflector\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Guilherme Blanco",
            "email": "guilhermeblanco@gmail.com"
        },
        {
            "name": "Roman Borschel",
            "email": "roman@code-factory.org"
        },
        {
            "name": "Benjamin Eberlei",
            "email": "kontakt@beberlei.de"
        },
        {
            "name": "Jonathan Wage",
            "email": "jonwage@gmail.com"
        },
        {
            "name": "Johannes Schmitt",
            "email": "schmittjoh@gmail.com"
        }
    ],
    "description": "PHP Doctrine Inflector is a small library that can perform string manipulations with regard to upper/l",
    "homepage": "https://www.doctrine-project.org/projects/inflector.html",
    "keywords": [
        "inflection",
        "inflector",
        "lowercase",
        "manipulation",
        "php",
        "plural",
        "singular",
        "strings",
        "uppercase",
        "words"
    ],
    "support": {
        "issues": "https://github.com/doctrine/inflector/issues",
        "source": "https://github.com/doctrine/inflector/tree/2.1.0"
    },
    "funding": [
        {
            "url": "https://www.doctrine-project.org/sponsorship.html",
            "type": "custom"
        },
        {
            "url": "https://www.patreon.com/phpdoctrine",
            "type": "patreon"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/doctrine%2Finflector",
            "type": "tidelift"
        }
    ],
    "time": "2025-08-10T19:31:58+00:00"
},
{
    "name": "doctrine/lexer",
    "version": "3.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/doctrine/lexer.git",
        "reference": "31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd"
    }
}

```

```

    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/doctrine/lexer/zipball/31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd",
        "reference": "31ad66abc0fc9e1a1f2d9bc6a42668d2fbbcd6dd",
        "shasum": ""
    },
    "require": {
        "php": "^8.1"
    },
    "require-dev": {
        "doctrine/coding-standard": "^12",
        "phpstan/phpstan": "^1.10",
        "phpunit/phpunit": "^10.5",
        "psalm/plugin-phpunit": "^0.18.3",
        "vimeo/psalm": "^5.21"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Doctrine\\Common\\Lexer\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Guilherme Blanco",
            "email": "guilhermeblanco@gmail.com"
        },
        {
            "name": "Roman Borschel",
            "email": "roman@code-factory.org"
        },
        {
            "name": "Johannes Schmitt",
            "email": "schmittjoh@gmail.com"
        }
    ],
    "description": "PHP Doctrine Lexer parser library that can be used in Top-Down, Recursive Descent Parsers.",
    "homepage": "https://www.doctrine-project.org/projects/lexer.html",
    "keywords": [
        "annotations",
        "docblock",
        "lexer",
        "parser",
        "php"
    ],
    "support": {
        "issues": "https://github.com/doctrine/lexer/issues",
        "source": "https://github.com/doctrine/lexer/tree/3.0.1"
    },
    "funding": [
        {
            "url": "https://www.doctrine-project.org/sponsorship.html",
            "type": "custom"
        },
        {
            "url": "https://www.patreon.com/phpdoctrine",
            "type": "patreon"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/doctrine%2Flexer",
            "type": "tidelift"
        }
    ],
    "time": "2024-02-05T11:56:58+00:00"
},
{
    "name": "dragonmantank/cron-expression",
    "version": "v3.6.0",
    "source": {
        "type": "git",
        "url": "https://github.com/dragonmantank/cron-expression.git",
        "reference": "d61a8a9604ec1f8c3d150d09db6ce98b32675013"
    },

```

```

    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/dragonmantank/cron-expression/zipball/d61a8a9604ec1f8c3d150d09db6ce98b3267501",
        "reference": "d61a8a9604ec1f8c3d150d09db6ce98b32675013",
        "shasum": ""
    },
    "require": {
        "php": "^8.2|^8.3|^8.4|^8.5"
    },
    "replace": {
        "mtdowling/cron-expression": "^1.0"
    },
    "require-dev": {
        "phpstan/extension-installer": "^1.4.3",
        "phpstan/phpstan": "^1.12.32|^2.1.31",
        "phpunit/phpunit": "^8.5.48|^9.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "3.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Cron\\": "src/Cron/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Chris Tankersley",
            "email": "chris@ctankersley.com",
            "homepage": "https://github.com/dragonmantank"
        }
    ],
    "description": "CRON for PHP: Calculate the next or previous run date and determine if a CRON expression is due",
    "keywords": [
        "cron",
        "schedule"
    ],
    "support": {
        "issues": "https://github.com/dragonmantank/cron-expression/issues",
        "source": "https://github.com/dragonmantank/cron-expression/tree/v3.6.0"
    },
    "funding": [
        {
            "url": "https://github.com/dragonmantank",
            "type": "github"
        }
    ],
    "time": "2025-10-31T18:51:33+00:00"
},
{
    "name": "egulias/email-validator",
    "version": "4.0.4",
    "source": {
        "type": "git",
        "url": "https://github.com/egulias/EmailValidator.git",
        "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/egulias/EmailValidator/zipball/d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa",
        "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa",
        "shasum": ""
    },
    "require": {
        "doctrine/lexer": "^2.0 || ^3.0",
        "php": ">=8.1",
        "symfony/polyfill-intl-idn": "^1.26"
    },
    "require-dev": {
        "phpunit/phpunit": "^10.2",
        "vimeo/psalm": "^5.12"
    }
}

```

```

    },
    "suggest": {
        "ext-intl": "PHP Internationalization Libraries are required to use the SpoofChecking validation"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "4.0.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Egulias\\EmailValidator\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Eduardo Gulias Davis"
        }
    ],
    "description": "A library for validating emails against several RFCs",
    "homepage": "https://github.com/egulias/EmailValidator",
    "keywords": [
        "email",
        "emailvalidation",
        "emailvalidator",
        "validation",
        "validator"
    ],
    "support": {
        "issues": "https://github.com/egulias/EmailValidator/issues",
        "source": "https://github.com/egulias/EmailValidator/tree/4.0.4"
    },
    "funding": [
        {
            "url": "https://github.com/egulias",
            "type": "github"
        }
    ],
    "time": "2025-03-06T22:45:56+00:00"
},
{
    "name": "fruitcake/php-cors",
    "version": "v1.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/fruitcake/php-cors.git",
        "reference": "38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/fruitcake/php-cors/zipball/38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379",
        "reference": "38aaa6c3fd4c157ffe2a4d10aa8b9b16ba8de379",
        "shasum": ""
    },
    "require": {
        "php": "^8.1",
        "symfony/http-foundation": "^5.4|^6.4|^7.3|^8"
    },
    "require-dev": {
        "phpstan/phpstan": "^2",
        "phpunit/phpunit": "^9",
        "squizlabs/php_codesniffer": "^4"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "1.3-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Fruitcake\\Cors\\": "src/"
        }
    }
}

```

```

    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fruitcake",
            "homepage": "https://fruitcake.nl"
        },
        {
            "name": "Barryvdh",
            "email": "barryvdh@gmail.com"
        }
    ],
    "description": "Cross-origin resource sharing library for the Symfony HttpFoundation",
    "homepage": "https://github.com/fruitcake/php-cors",
    "keywords": [
        "cors",
        "laravel",
        "symfony"
    ],
    "support": {
        "issues": "https://github.com/fruitcake/php-cors/issues",
        "source": "https://github.com/fruitcake/php-cors/tree/v1.4.0"
    },
    "funding": [
        {
            "url": "https://fruitcake.nl",
            "type": "custom"
        },
        {
            "url": "https://github.com/barryvdh",
            "type": "github"
        }
    ],
    "time": "2025-12-03T09:33:47+00:00"
},
{
    "name": "graham-campbell/result-type",
    "version": "v1.1.3",
    "source": {
        "type": "git",
        "url": "https://github.com/GrahamCampbell/Result-Type.git",
        "reference": "3ba905c11371512af9d9bdd27d99b782216b6945"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/GrahamCampbell/Result-Type/zipball/3ba905c11371512af9d9bdd27d99b782216b6945",
        "reference": "3ba905c11371512af9d9bdd27d99b782216b6945",
        "shasum": ""
    },
    "require": {
        "php": "^7.2.5 || ^8.0",
        "phpoption/phpoption": "^1.9.3"
    },
    "require-dev": {
        "phpunit/phpunit": "^8.5.39 || ^9.6.20 || ^10.5.28"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "GrahamCampbell\\ResultType\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Graham Campbell",
            "email": "hello@gjcampbell.co.uk",
            "homepage": "https://github.com/GrahamCampbell"
        }
    ],
    "description": "An Implementation Of The Result Type",
    "keywords": [

```

```

        "Graham Campbell",
        "GrahamCampbell",
        "Result Type",
        "Result-Type",
        "result"
    ],
    "support": {
        "issues": "https://github.com/GrahamCampbell/Result-Type/issues",
        "source": "https://github.com/GrahamCampbell/Result-Type/tree/v1.1.3"
    },
    "funding": [
        {
            "url": "https://github.com/GrahamCampbell",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/graham-campbell/result-type",
            "type": "tidelift"
        }
    ],
    "time": "2024-07-20T21:45:45+00:00"
},
{
    "name": "guzzlehttp/guzzle",
    "version": "7.10.0",
    "source": {
        "type": "git",
        "url": "https://github.com/guzzle/guzzle.git",
        "reference": "b51ac707cfa420b7bfd4e4d5e510ba8008e822b4"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/guzzle/guzzle/zipball/b51ac707cfa420b7bfd4e4d5e510ba8008e822b4",
        "reference": "b51ac707cfa420b7bfd4e4d5e510ba8008e822b4",
        "shasum": ""
    },
    "require": {
        "ext-json": "*",
        "guzzlehttp/promises": "^2.3",
        "guzzlehttp/psr7": "^2.8",
        "php": "^7.2.5 || ^8.0",
        "psr/http-client": "^1.0",
        "symfony/deprecation-contracts": "^2.2 || ^3.0"
    },
    "provide": {
        "psr/http-client-implementation": "1.0"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
        "ext-curl": "*",
        "guzzle/client-integration-tests": "3.0.2",
        "php-http/message-factory": "^1.1",
        "phpunit/phpunit": "^8.5.39 || ^9.6.20",
        "psr/log": "^1.1 || ^2.0 || ^3.0"
    },
    "suggest": {
        "ext-curl": "Required for CURL handler support",
        "ext-intl": "Required for Internationalized Domain Name (IDN) support",
        "psr/log": "Required for using the Log middleware"
    },
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": true,
            "forward-command": false
        }
    },
    "autoload": {
        "files": [
            "src/functions_include.php"
        ],
        "psr-4": {
            "GuzzleHttp\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ]
}

```



```

],
"authors": [
  {
    "name": "Graham Campbell",
    "email": "hello@gjccampbell.co.uk",
    "homepage": "https://github.com/GrahamCampbell"
  },
  {
    "name": "Michael Dowling",
    "email": "mtdowling@gmail.com",
    "homepage": "https://github.com/mtdowling"
  },
  {
    "name": "Jeremy Lindblom",
    "email": "jeremeamia@gmail.com",
    "homepage": "https://github.com/jeremeamia"
  },
  {
    "name": "George Mponos",
    "email": "gmponos@gmail.com",
    "homepage": "https://github.com/gmponos"
  },
  {
    "name": "Tobias Nyholm",
    "email": "tobias.nyholm@gmail.com",
    "homepage": "https://github.com/Nyholm"
  },
  {
    "name": "Márk Sági-Kazár",
    "email": "mark.sagikazar@gmail.com",
    "homepage": "https://github.com/sagikazarmark"
  },
  {
    "name": "Tobias Schultze",
    "email": "webmaster@tubo-world.de",
    "homepage": "https://github.com/Tobion"
  }
],
"description": "Guzzle is a PHP HTTP client library",
"keywords": [
  "client",
  "curl",
  "framework",
  "http",
  "http client",
  "psr-18",
  "psr-7",
  "rest",
  "web service"
],
"support": {
  "issues": "https://github.com/guzzle/guzzle/issues",
  "source": "https://github.com/guzzle/guzzle/tree/7.10.0"
},
"funding": [
  {
    "url": "https://github.com/GrahamCampbell",
    "type": "github"
  },
  {
    "url": "https://github.com/Nyholm",
    "type": "github"
  },
  {
    "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/guzzle",
    "type": "tidelift"
  }
],
"time": "2025-08-23T22:36:01+00:00"
},
{
  "name": "guzzlehttp/promises",
  "version": "2.3.0",
  "source": {
    "type": "git",
    "url": "https://github.com/guzzle/promises.git",
    "reference": "481557b130ef3790cf82b713667b43030dc9c957"
  },

```

```

    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/guzzle/promises/zipball/481557b130ef3790cf82b713667b43030dc9c957",
        "reference": "481557b130ef3790cf82b713667b43030dc9c957",
        "shasum": ""
    },
    "require": {
        "php": "^7.2.5 || ^8.0"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
        "phpunit/phpunit": "^8.5.44 || ^9.6.25"
    },
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": true,
            "forward-command": false
        }
    },
    "autoload": {
        "psr-4": {
            "GuzzleHttp\\Promise\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Graham Campbell",
            "email": "hello@gjccampbell.co.uk",
            "homepage": "https://github.com/GrahamCampbell"
        },
        {
            "name": "Michael Dowling",
            "email": "mtdowling@gmail.com",
            "homepage": "https://github.com/mtdowling"
        },
        {
            "name": "Tobias Nyholm",
            "email": "tobias.nyholm@gmail.com",
            "homepage": "https://github.com/Nyholm"
        },
        {
            "name": "Tobias Schultze",
            "email": "webmaster@tubo-world.de",
            "homepage": "https://github.com/Tobion"
        }
    ],
    "description": "Guzzle promises library",
    "keywords": [
        "promise"
    ],
    "support": {
        "issues": "https://github.com/guzzle/promises/issues",
        "source": "https://github.com/guzzle/promises/tree/2.3.0"
    },
    "funding": [
        {
            "url": "https://github.com/GrahamCampbell",
            "type": "github"
        },
        {
            "url": "https://github.com/Nyholm",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/promises",
            "type": "tidelift"
        }
    ],
    "time": "2025-08-22T14:34:08+00:00"
},
{
    "name": "guzzlehttp/psr7",
    "version": "2.8.0",

```

```

"source": {
    "type": "git",
    "url": "https://github.com/guzzle/psr7.git",
    "reference": "21dc724a0583619cd1652f673303492272778051"
},
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/guzzle/psr7/zipball/21dc724a0583619cd1652f673303492272778051",
    "reference": "21dc724a0583619cd1652f673303492272778051",
    "shasum": ""
},
"require": {
    "php": "^7.2.5 || ^8.0",
    "psr/http-factory": "^1.0",
    "psr/http-message": "^1.1 || ^2.0",
    "ralouphie/getallheaders": "^3.0"
},
"provide": {
    "psr/http-factory-implementation": "1.0",
    "psr/http-message-implementation": "1.0"
},
"require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "http-interop/http-factory-tests": "0.9.0",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25"
},
"suggest": {
    "laminas/laminas-http-handlerrunner": "Emit PSR-7 responses"
},
"type": "library",
"extra": {
    "bamarni-bin": {
        "bin-links": true,
        "forward-command": false
    }
},
"autoload": {
    "psr-4": {
        "GuzzleHttp\\Psr7\\": "src/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Graham Campbell",
        "email": "hello@gjcampbell.co.uk",
        "homepage": "https://github.com/GrahamCampbell"
    },
    {
        "name": "Michael Dowling",
        "email": "mtdowling@gmail.com",
        "homepage": "https://github.com/mtdowling"
    },
    {
        "name": "George Mponos",
        "email": "gmponos@gmail.com",
        "homepage": "https://github.com/gmponos"
    },
    {
        "name": "Tobias Nyholm",
        "email": "tobias.nyholm@gmail.com",
        "homepage": "https://github.com/Nyholm"
    },
    {
        "name": "Márk Sági-Kazár",
        "email": "mark.sagikazar@gmail.com",
        "homepage": "https://github.com/sagikazarmark"
    },
    {
        "name": "Tobias Schultze",
        "email": "webmaster@tubo-world.de",
        "homepage": "https://github.com/Tobion"
    },
    {
        "name": "Márk Sági-Kazár",

```

```

        "email": "mark.sagikazar@gmail.com",
        "homepage": "https://sagikazarmark.hu"
    }
],
"description": "PSR-7 message implementation that also provides common utility methods",
"keywords": [
    "http",
    "message",
    "psr-7",
    "request",
    "response",
    "stream",
    "uri",
    "url"
],
"support": {
    "issues": "https://github.com/guzzle/psr7/issues",
    "source": "https://github.com/guzzle/psr7/tree/2.8.0"
},
"funding": [
    {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
    },
    {
        "url": "https://github.com/Nyholm",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/psr7",
        "type": "tidelift"
    }
],
"time": "2025-08-23T21:21:41+00:00"
},
{
    "name": "guzzlehttp/uri-template",
    "version": "v1.0.5",
    "source": {
        "type": "git",
        "url": "https://github.com/guzzle/uri-template.git",
        "reference": "4f4bbd4e7172148801e76e3decc1e559bdee34e1"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/guzzle/uri-template/zipball/4f4bbd4e7172148801e76e3decc1e559bdee34e1",
        "reference": "4f4bbd4e7172148801e76e3decc1e559bdee34e1",
        "shasum": ""
    },
    "require": {
        "php": "^7.2.5 || ^8.0",
        "symfony/polyfill-php80": "^1.24"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
        "phpunit/phpunit": "^8.5.44 || ^9.6.25",
        "uri-template/tests": "1.0.0"
    },
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": true,
            "forward-command": false
        }
    },
    "autoload": {
        "psr-4": {
            "GuzzleHttp\\UriTemplate\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Graham Campbell",
            "email": "hello@gjcampbell.co.uk",

```

```

        "homepage": "https://github.com/GrahamCampbell"
    },
    {
        "name": "Michael Dowling",
        "email": "mtdowling@gmail.com",
        "homepage": "https://github.com/mtdowling"
    },
    {
        "name": "George Mponos",
        "email": "gmponos@gmail.com",
        "homepage": "https://github.com/gmponos"
    },
    {
        "name": "Tobias Nyholm",
        "email": "tobias.nyholm@gmail.com",
        "homepage": "https://github.com/Nyholm"
    }
],
"description": "A polyfill class for uri_template of PHP",
"keywords": [
    "guzzlehttp",
    "uri-template"
],
"support": {
    "issues": "https://github.com/guzzle/uri-template/issues",
    "source": "https://github.com/guzzle/uri-template/tree/v1.0.5"
},
"funding": [
    {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
    },
    {
        "url": "https://github.com/Nyholm",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/uri-template",
        "type": "tidelift"
    }
],
"time": "2025-08-22T14:27:06+00:00"
},
{
    "name": "laravel/framework",
    "version": "v12.42.0",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/framework.git",
        "reference": "509b33095564c5165366d81bbaa0afaac28abe75"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/framework/zipball/509b33095564c5165366d81bbaa0afaac28abe75",
        "reference": "509b33095564c5165366d81bbaa0afaac28abe75",
        "shasum": ""
    },
    "require": {
        "brick/math": "^0.11|^0.12|^0.13|^0.14",
        "composer-runtime-api": "^2.2",
        "doctrine/inflector": "^2.0.5",
        "dragonmantank/cron-expression": "^3.4",
        "egulias/email-validator": "^3.2.1|^4.0",
        "ext-ctype": "*",
        "ext-filter": "*",
        "ext-hash": "*",
        "ext-mbstring": "*",
        "ext-openssl": "*",
        "ext-session": "*",
        "ext-tokenizer": "*",
        "fruitcake/php-cors": "^1.3",
        "guzzlehttp/guzzle": "^7.8.2",
        "guzzlehttp/uri-template": "^1.0",
        "laravel/prompts": "^0.3.0",
        "laravel/serializable-closure": "^1.3|^2.0",
        "league/commonmark": "^2.7",
        "league/flysystem": "^3.25.1",
        "league/flysystem-local": "^3.25.1",

```

```

    "league/uri": "^7.5.1",
    "monolog/monolog": "^3.0",
    "nesbot/carbon": "^3.8.4",
    "nunomaduro/termwind": "^2.0",
    "php": "^8.2",
    "psr/container": "^1.1|^2.0.1",
    "psr/log": "^1.0|^2.0|^3.0",
    "psr/simple-cache": "^1.0|^2.0|^3.0",
    "ramsey/uuid": "^4.7",
    "symfony/console": "^7.2.0",
    "symfony/error-handler": "^7.2.0",
    "symfony/finder": "^7.2.0",
    "symfony/http-foundation": "^7.2.0",
    "symfony/http-kernel": "^7.2.0",
    "symfony/mailer": "^7.2.0",
    "symfony/mime": "^7.2.0",
    "symfony/polyfill-php83": "^1.33",
    "symfony/polyfill-php84": "^1.33",
    "symfony/polyfill-php85": "^1.33",
    "symfony/process": "^7.2.0",
    "symfony/routing": "^7.2.0",
    "symfony/uid": "^7.2.0",
    "symfony/var-dumper": "^7.2.0",
    "tijsverkoyen/css-to-inline-styles": "^2.2.5",
    "vlucas/phpdotenv": "^5.6.1",
    "voku/portable-ascii": "^2.0.2"
},
"conflict": {
    "tightenco/collect": "<5.5.33"
},
"provide": {
    "psr/container-implementation": "1.1|^2.0",
    "psr/log-implementation": "1.0|^2.0|^3.0",
    "psr/simple-cache-implementation": "1.0|^2.0|^3.0"
},
"replace": {
    "illuminate/auth": "self.version",
    "illuminate/broadcasting": "self.version",
    "illuminate/bus": "self.version",
    "illuminate/cache": "self.version",
    "illuminate/collections": "self.version",
    "illuminate/concurrency": "self.version",
    "illuminate/conditionable": "self.version",
    "illuminate/config": "self.version",
    "illuminate/console": "self.version",
    "illuminate/container": "self.version",
    "illuminate/contracts": "self.version",
    "illuminate/cookie": "self.version",
    "illuminate/database": "self.version",
    "illuminate/encryption": "self.version",
    "illuminate/events": "self.version",
    "illuminate/filesystem": "self.version",
    "illuminate/hashing": "self.version",
    "illuminate/http": "self.version",
    "illuminate/json-schema": "self.version",
    "illuminate/log": "self.version",
    "illuminate/macroable": "self.version",
    "illuminate/mail": "self.version",
    "illuminate/notifications": "self.version",
    "illuminate/pagination": "self.version",
    "illuminate/pipeline": "self.version",
    "illuminate/process": "self.version",
    "illuminate/queue": "self.version",
    "illuminate/redis": "self.version",
    "illuminate/reflection": "self.version",
    "illuminate/routing": "self.version",
    "illuminate/session": "self.version",
    "illuminate/support": "self.version",
    "illuminate/testing": "self.version",
    "illuminate/translation": "self.version",
    "illuminate/validation": "self.version",
    "illuminate/view": "self.version",
    "spatie/once": "*"
},
"require-dev": {
    "ably/ably-php": "^1.0",
    "aws/aws-sdk-php": "^3.322.9",
    "ext-gmp": "*",

```

```

    "fakerphp/faker": "^1.24",
    "guzzlehttp/promises": "^2.0.3",
    "guzzlehttp/psr7": "^2.4",
    "laravel/pint": "^1.18",
    "league/flysystem-aws-s3-v3": "^3.25.1",
    "league/flysystem-ftp": "^3.25.1",
    "league/flysystem-path-prefixing": "^3.25.1",
    "league/flysystem-read-only": "^3.25.1",
    "league/flysystem-sftp-v3": "^3.25.1",
    "mockery/mockery": "^1.6.10",
    "opis/json-schema": "^2.4.1",
    "orchestra/testbench-core": "^10.8.1",
    "pda/pheanstalk": "^5.0.6|^7.0.0",
    "php-http/discovery": "^1.15",
    "phpstan/phpstan": "^2.0",
    "phpunit/phpunit": "^10.5.35|^11.5.3|^12.0.1",
    "predis/predis": "^2.3|^3.0",
    "resend/resend-php": "^0.10.0|^1.0",
    "symfony/cache": "^7.2.0",
    "symfony/http-client": "^7.2.0",
    "symfony/psr-http-message-bridge": "^7.2.0",
    "symfony/translation": "^7.2.0"
},
"suggest": {
    "ably/ably-php": "Required to use the Ably broadcast driver (^1.0).",
    "aws/aws-sdk-php": "Required to use the SQS queue driver, DynamoDb failed job storage, and SES mail driver (^3.322",
    "brianium/paratest": "Required to run tests in parallel (^7.0|^8.0).",
    "ext-apcu": "Required to use the APC cache driver.",
    "ext-fileinfo": "Required to use the Filesystem class.",
    "ext-ftp": "Required to use the Flysystem FTP driver.",
    "ext-gd": "Required to use Illuminate\\Http\\Testing\\FileFactory::image().",
    "ext-memcached": "Required to use the memcache cache driver.",
    "ext-pcntl": "Required to use all features of the queue worker and console signal trapping.",
    "ext-pdo": "Required to use all database features.",
    "ext-posix": "Required to use all features of the queue worker.",
    "ext-redis": "Required to use the Redis cache and queue drivers (^4.0|^5.0|^6.0).",
    "fakerphp/faker": "Required to generate fake data using the fake() helper (^1.23).",
    "filp/whoops": "Required for friendly error pages in development (^2.14.3).",
    "laravel/tinker": "Required to use the tinker console command (^2.0).",
    "league/flysystem-aws-s3-v3": "Required to use the Flysystem S3 driver (^3.25.1).",
    "league/flysystem-ftp": "Required to use the Flysystem FTP driver (^3.25.1).",
    "league/flysystem-path-prefixing": "Required to use the scoped driver (^3.25.1).",
    "league/flysystem-read-only": "Required to use read-only disks (^3.25.1)",
    "league/flysystem-sftp-v3": "Required to use the Flysystem SFTP driver (^3.25.1).",
    "mockery/mockery": "Required to use mocking (^1.6).",
    "pda/pheanstalk": "Required to use the beanstalk queue driver (^5.0).",
    "php-http/discovery": "Required to use PSR-7 bridging features (^1.15).",
    "phpunit/phpunit": "Required to use assertions and run tests (^10.5.35|^11.5.3|^12.0.1).",
    "predis/predis": "Required to use the predis connector (^2.3|^3.0).",
    "psr/http-message": "Required to allow Storage::put to accept a StreamInterface (^1.0).",
    "pusher/pusher-php-server": "Required to use the Pusher broadcast driver (^6.0|^7.0).",
    "resend/resend-php": "Required to enable support for the Resend mail transport (^0.10.0|^1.0).",
    "symfony/cache": "Required to PSR-6 cache bridge (^7.2).",
    "symfony/filesystem": "Required to enable support for relative symbolic links (^7.2).",
    "symfony/http-client": "Required to enable support for the Symfony API mail transports (^7.2).",
    "symfony/mailgun-mailer": "Required to enable support for the Mailgun mail transport (^7.2).",
    "symfony/postmark-mailer": "Required to enable support for the Postmark mail transport (^7.2).",
    "symfony/psr-http-message-bridge": "Required to use PSR-7 bridging features (^7.2)."
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-master": "12.x-dev"
    }
},
"autoload": {
    "files": [
        "src/Illuminate/Collections/functions.php",
        "src/Illuminate/Collections/helpers.php",
        "src/Illuminate/Events/functions.php",
        "src/Illuminate/Filesystem/functions.php",
        "src/Illuminate/Foundation/helpers.php",
        "src/Illuminate/Log/functions.php",
        "src/Illuminate/Reflection/helpers.php",
        "src/Illuminate/Support/functions.php",
        "src/Illuminate/Support/helpers.php"
    ],
    "psr-4": {

```

```

        "Illuminate\\": "src/Illuminate/",
        "Illuminate\\Support\\": [
            "src/Illuminate/Macroable/",
            "src/Illuminate/Collections/",
            "src/Illuminate/Conditionable/",
            "src/Illuminate/Reflection/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        }
    ],
    "description": "The Laravel Framework.",
    "homepage": "https://laravel.com",
    "keywords": [
        "framework",
        "laravel"
    ],
    "support": {
        "issues": "https://github.com/laravel/framework/issues",
        "source": "https://github.com/laravel/framework"
    },
    "time": "2025-12-09T15:51:23+00:00"
},
{
    "name": "laravel/prompts",
    "version": "v0.3.8",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/prompts.git",
        "reference": "096748cdfb81988f60090bbb839ce3205ace0d35"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/prompts/zipball/096748cdfb81988f60090bbb839ce3205ace0d35",
        "reference": "096748cdfb81988f60090bbb839ce3205ace0d35",
        "shasum": ""
    },
    "require": {
        "composer-runtime-api": "^2.2",
        "ext-mbstring": "*",
        "php": "^8.1",
        "symfony/console": "^6.2|^7.0"
    },
    "conflict": {
        "illuminate/console": ">=10.17.0 <10.25.0",
        "laravel/framework": ">=10.17.0 <10.25.0"
    },
    "require-dev": {
        "illuminate/collections": "^10.0|^11.0|^12.0",
        "mockery/mockery": "^1.5",
        "pestphp/pest": "^2.3|^3.4|^4.0",
        "phpstan/phpstan": "^1.12.28",
        "phpstan/phpstan-mockery": "^1.1.3"
    },
    "suggest": {
        "ext-pcntl": "Required for the spinner to be animated."
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "0.3.x-dev"
        }
    },
    "autoload": {
        "files": [
            "src/helpers.php"
        ],
        "psr-4": {
            "Laravel\\Prompts\\": "src/"
        }
    }
}

```



```

    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "Add beautiful and user-friendly forms to your command-line applications.",
    "support": {
        "issues": "https://github.com/laravel/prompts/issues",
        "source": "https://github.com/laravel/prompts/tree/v0.3.8"
    },
    "time": "2025-11-21T20:52:52+00:00"
},
{
    "name": "laravel/serializable-closure",
    "version": "v2.0.7",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/serializable-closure.git",
        "reference": "cb291e4c998ac50637c7eeb58189c14f5de5b9dd"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/serializable-closure/zipball/cb291e4c998ac50637c7eeb58189c14f5de5b9dd",
        "reference": "cb291e4c998ac50637c7eeb58189c14f5de5b9dd",
        "shasum": ""
    },
    "require": {
        "php": "^8.1"
    },
    "require-dev": {
        "illuminate/support": "^10.0|^11.0|^12.0",
        "nesbot/carbon": "^2.67|^3.0",
        "pestphp/pest": "^2.36|^3.0|^4.0",
        "phpstan/phpstan": "^2.0",
        "symfony/var-dumper": "^6.2.0|^7.0.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Laravel\\SerializableClosure\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        },
        {
            "name": "Nuno Maduro",
            "email": "nuno@laravel.com"
        }
    ],
    "description": "Laravel Serializable Closure provides an easy and secure way to serialize closures in PHP.",
    "keywords": [
        "closure",
        "laravel",
        "serializable"
    ],
    "support": {
        "issues": "https://github.com/laravel/serializable-closure/issues",
        "source": "https://github.com/laravel/serializable-closure"
    },
    "time": "2025-11-21T20:52:36+00:00"
},
{
    "name": "laravel/tinker",
    "version": "v2.10.2",
    "source": {
        "type": "git",

```

```

        "url": "https://github.com/laravel/tinker.git",
        "reference": "3bcb5f62d6f837e0f093a601e26badafb127bd4c"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/tinker/zipball/3bcb5f62d6f837e0f093a601e26badafb127bd4c",
        "reference": "3bcb5f62d6f837e0f093a601e26badafb127bd4c",
        "shasum": ""
    },
    "require": {
        "illuminate/console": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
        "illuminate/contracts": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
        "illuminate/support": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
        "php": "^7.2.5|^8.0",
        "psy/psysh": "^0.11.1|^0.12.0",
        "symfony/var-dumper": "^4.3.4|^5.0|^6.0|^7.0"
    },
    "require-dev": {
        "mockery/mockery": "~1.3.3|^1.4.2",
        "phpstan/phpstan": "^1.10",
        "phpunit/phpunit": "^8.5.8|^9.3.3|^10.0"
    },
    "suggest": {
        "illuminate/database": "The Illuminate Database package (^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0).",
    },
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "Laravel\\Tinker\\TinkerServiceProvider"
            ]
        }
    },
    "autoload": {
        "psr-4": {
            "Laravel\\Tinker\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        }
    ],
    "description": "Powerful REPL for the Laravel framework.",
    "keywords": [
        "REPL",
        "Tinker",
        "laravel",
        "psysh"
    ],
    "support": {
        "issues": "https://github.com/laravel/tinker/issues",
        "source": "https://github.com/laravel/tinker/tree/v2.10.2"
    },
    "time": "2025-11-20T16:29:12+00:00"
},
{
    "name": "league/commonmark",
    "version": "2.8.0",
    "source": {
        "type": "git",
        "url": "https://github.com/theleagueof/commonmark.git",
        "reference": "4efa10c1e56488e658d10adf7b7b7dcd19940bfb"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/theleagueof/commonmark/zipball/4efa10c1e56488e658d10adf7b7b7dcd19940bfb",
        "reference": "4efa10c1e56488e658d10adf7b7b7dcd19940bfb",
        "shasum": ""
    },
    "require": {
        "ext-mbstring": "*",
        "league/config": "^1.1.1",

```

```

    "php": "^7.4 || ^8.0",
    "psr/event-dispatcher": "^1.0",
    "symfony/deprecation-contracts": "^2.1 || ^3.0",
    "symfony/polyfill-php80": "^1.16"
  },
  "require-dev": {
    "cebe/markdown": "^1.0",
    "commonmark/cmark": "0.31.1",
    "commonmark/commonmark.js": "0.31.1",
    "composer/package-versions-deprecated": "^1.8",
    "embed/embed": "^4.4",
    "erusev/parsedown": "^1.0",
    "ext-json": "*",
    "github/gfm": "0.29.0",
    "michelf/php-markdown": "^1.4 || ^2.0",
    "nyholm/psr7": "^1.5",
    "phpstan/phpstan": "^1.8.2",
    "phpunit/phpunit": "^9.5.21 || ^10.5.9 || ^11.0.0",
    "scrutinizer/ocular": "^1.8.1",
    "symfony/finder": "^5.3 | ^6.0 | ^7.0",
    "symfony/process": "^5.4 | ^6.0 | ^7.0",
    "symfony/yaml": "^2.3 | ^3.0 | ^4.0 | ^5.0 | ^6.0 | ^7.0",
    "unleashedtech/php-coding-standard": "^3.1.1",
    "vimeo/psalm": "^4.24.0 || ^5.0.0 || ^6.0.0"
  },
  "suggest": {
    "symfony/yaml": "v2.3+ required if using the Front Matter extension"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "2.9-dev"
    }
  },
  "autoload": {
    "psr-4": {
      "League\\CommonMark\\": "src"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Colin O'Dell",
      "email": "colinodell@gmail.com",
      "homepage": "https://www.colinodell.com",
      "role": "Lead Developer"
    }
  ],
  "description": "Highly-extensible PHP Markdown parser which fully supports the CommonMark spec and GitHub-Flavored Mar",
  "homepage": "https://commonmark.thephpleague.com",
  "keywords": [
    "commonmark",
    "flavored",
    "gfm",
    "github",
    "github-flavored",
    "markdown",
    "md",
    "parser"
  ],
  "support": {
    "docs": "https://commonmark.thephpleague.com/",
    "forum": "https://github.com/thephpleague/commonmark/discussions",
    "issues": "https://github.com/thephpleague/commonmark/issues",
    "rss": "https://github.com/thephpleague/commonmark/releases.atom",
    "source": "https://github.com/thephpleague/commonmark"
  },
  "funding": [
    {
      "url": "https://www.colinodell.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://www.paypal.me/colinpodell/10.00",
      "type": "custom"
    }
  ]
}

```

```

    },
    {
        "url": "https://github.com/colinodell",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/league/commonmark",
        "type": "tidelift"
    }
],
"time": "2025-11-26T21:48:24+00:00"
},
{
    "name": "league/config",
    "version": "v1.2.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/config.git",
        "reference": "754b3604fb2984c71f4af4a9cbe7b57f346ec1f3"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/thephpleague/config/zipball/754b3604fb2984c71f4af4a9cbe7b57f346ec1f3",
        "shasum": ""
    },
    "require": {
        "dflydev/dot-access-data": "^3.0.1",
        "nette/schema": "^1.2",
        "php": "^7.4 || ^8.0"
    },
    "require-dev": {
        "phpstan/phpstan": "^1.8.2",
        "phpunit/phpunit": "^9.5.5",
        "scrutinizer/ocular": "^1.8.1",
        "unleashedtech/php-coding-standard": "^3.1",
        "vimeo/psalm": "^4.7.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "1.2-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "League\\Config\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Colin O'Dell",
            "email": "colinodell@gmail.com",
            "homepage": "https://www.colinodell.com",
            "role": "Lead Developer"
        }
    ],
    "description": "Define configuration arrays with strict schemas and access values with dot notation",
    "homepage": "https://config.thephpleague.com",
    "keywords": [
        "array",
        "config",
        "configuration",
        "dot",
        "dot-access",
        "nested",
        "schema"
    ],
    "support": {
        "docs": "https://config.thephpleague.com/",
        "issues": "https://github.com/thephpleague/config/issues",
        "rss": "https://github.com/thephpleague/config/releases.atom",
        "source": "https://github.com/thephpleague/config"
    },

```

```

    "funding": [
        {
            "url": "https://www.colinodell.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://www.paypal.me/colinpodell/10.00",
            "type": "custom"
        },
        {
            "url": "https://github.com/colinodell",
            "type": "github"
        }
    ],
    "time": "2022-12-11T20:36:23+00:00"
},
{
    "name": "league/flysystem",
    "version": "3.30.2",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/flysystem.git",
        "reference": "5966a8ba23e62bdb518dd9e0e665c2dbd4b5b277"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/thephpleague/flysystem/zipball/5966a8ba23e62bdb518dd9e0e665c2dbd4b5b277",
        "reference": "5966a8ba23e62bdb518dd9e0e665c2dbd4b5b277",
        "shasum": ""
    },
    "require": {
        "league/flysystem-local": "^3.0.0",
        "league/mime-type-detection": "^1.0.0",
        "php": "^8.0.2"
    },
    "conflict": {
        "async-aws/core": "<1.19.0",
        "async-aws/s3": "<1.14.0",
        "aws/aws-sdk-php": "3.209.31 || 3.210.0",
        "guzzlehttp/guzzle": "<7.0",
        "guzzlehttp/ringphp": "<1.1.1",
        "phpseclib/phpseclib": "3.0.15",
        "symfony/http-client": "<5.2"
    },
    "require-dev": {
        "async-aws/s3": "^1.5 || ^2.0",
        "async-aws/simple-s3": "^1.1 || ^2.0",
        "aws/aws-sdk-php": "^3.295.10",
        "composer/semver": "^3.0",
        "ext-fileinfo": "*",
        "ext-ftp": "*",
        "ext-mongodb": "^1.3|^2",
        "ext-zip": "*",
        "friendsofphp/php-cs-fixer": "^3.5",
        "google/cloud-storage": "^1.23",
        "guzzlehttp/psr7": "^2.6",
        "microsoft/azure-storage-blob": "^1.1",
        "mongodb/mongodb": "^1.2|^2",
        "phpseclib/phpseclib": "^3.0.36",
        "phpstan/phpstan": "^1.10",
        "phpunit/phpunit": "^9.5.11|^10.0",
        "sabre/dav": "^4.6.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "League\\Flysystem\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Frank de Jonge",
            "email": "info@frankdejonge.nl"
        }
    ]
}

```

```

    ],
    "description": "File storage abstraction for PHP",
    "keywords": [
        "WebDAV",
        "aws",
        "cloud",
        "file",
        "files",
        "filesystem",
        "filesystems",
        "ftp",
        "s3",
        "sftp",
        "storage"
    ],
    "support": {
        "issues": "https://github.com/thephpleague/flysystem/issues",
        "source": "https://github.com/thephpleague/flysystem/tree/3.30.2"
    },
    "time": "2025-11-10T17:13:11+00:00"
},
{
    "name": "league/flysystem-local",
    "version": "3.30.2",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/flysystem-local.git",
        "reference": "ab4f9d0d672f601b102936aa728801dd1a11968d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/thephpleague/flysystem-local/zipball/ab4f9d0d672f601b102936aa728801dd1a11968d",
        "shasum": ""
    },
    "require": {
        "ext-fileinfo": "*",
        "league/flysystem": "^3.0.0",
        "league/mime-type-detection": "^1.0.0",
        "php": "^8.0.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "League\\Flysystem\\Local\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Frank de Jonge",
            "email": "info@frankdejonge.nl"
        }
    ],
    "description": "Local filesystem adapter for Flysystem.",
    "keywords": [
        "Flysystem",
        "file",
        "files",
        "filesystem",
        "local"
    ],
    "support": {
        "source": "https://github.com/thephpleague/flysystem-local/tree/3.30.2"
    },
    "time": "2025-11-10T11:23:37+00:00"
},
{
    "name": "league/mime-type-detection",
    "version": "1.16.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/mime-type-detection.git",
        "reference": "2d6702ff215bf922936cc1ad31007edc76451b9"
    },

```

```

    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/thephpleague/mime-type-detection/zipball/2d6702ff215bf922936ccc1ad31007edc764",
        "reference": "2d6702ff215bf922936ccc1ad31007edc76451b9",
        "shasum": ""
    },
    "require": {
        "ext-fileinfo": "*",
        "php": "^7.4 || ^8.0"
    },
    "require-dev": {
        "friendsofphp/php-cs-fixer": "^3.2",
        "phpstan/phpstan": "^0.12.68",
        "phpunit/phpunit": "^8.5.8 || ^9.3 || ^10.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "League\\MimeTypeDetection\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Frank de Jonge",
            "email": "info@frankdejonge.nl"
        }
    ],
    "description": "Mime-type detection for Flysystem",
    "support": {
        "issues": "https://github.com/thephpleague/mime-type-detection/issues",
        "source": "https://github.com/thephpleague/mime-type-detection/tree/1.16.0"
    },
    "funding": [
        {
            "url": "https://github.com/frankdejonge",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/league/flysystem",
            "type": "tidelift"
        }
    ],
    "time": "2024-09-21T08:32:55+00:00"
},
{
    "name": "league/uri",
    "version": "7.7.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/uri.git",
        "reference": "8d587cddee53490f9b82bf203d3a9aa7ea4f9807"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/thephpleague/uri/zipball/8d587cddee53490f9b82bf203d3a9aa7ea4f9807",
        "reference": "8d587cddee53490f9b82bf203d3a9aa7ea4f9807",
        "shasum": ""
    },
    "require": {
        "league/uri-interfaces": "^7.7",
        "php": "^8.1",
        "psr/http-factory": "^1"
    },
    "conflict": {
        "league/uri-schemes": "^1.0"
    },
    "suggest": {
        "ext-bcmath": "to improve IPV4 host parsing",
        "ext-dom": "to convert the URI into an HTML anchor tag",
        "ext-fileinfo": "to create Data URI from file contents",
        "ext-gmp": "to improve IPV4 host parsing",
        "ext-intl": "to handle IDN host with the best performance",
        "ext-uri": "to use the PHP native URI class",
        "jeremykendall/php-domain-parser": "to resolve Public Suffix and Top Level Domain",

```

```

        "league/uri-components": "Needed to easily manipulate URI objects components",
        "league/uri-polyfill": "Needed to backport the PHP URI extension for older versions of PHP",
        "php-64bit": "to improve IPV4 host parsing",
        "rowbot/url": "to handle WHATWG URL",
        "symfony/polyfill-intl-idn": "to handle IDN host via the Symfony polyfill if ext-intl is not present"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "7.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "League\\Uri\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ignace Nyamagana Butera",
            "email": "nyamsprod@gmail.com",
            "homepage": "https://nyamsprod.com"
        }
    ],
    "description": "URI manipulation library",
    "homepage": "https://uri.thephpleague.com",
    "keywords": [
        "URN",
        "data-uri",
        "file-uri",
        "ftp",
        "hostname",
        "http",
        "https",
        "middleware",
        "parse_str",
        "parse_url",
        "psr-7",
        "query-string",
        "querystring",
        "rfc2141",
        "rfc3986",
        "rfc3987",
        "rfc6570",
        "rfc8141",
        "uri",
        "uri-template",
        "url",
        "ws"
    ],
    "support": {
        "docs": "https://uri.thephpleague.com",
        "forum": "https://thephpleague.slack.com",
        "issues": "https://github.com/thephpleague/uri-src/issues",
        "source": "https://github.com/thephpleague/uri/tree/7.7.0"
    },
    "funding": [
        {
            "url": "https://github.com/sponsors/nyamsprod",
            "type": "github"
        }
    ],
    "time": "2025-12-07T16:02:06+00:00"
},
{
    "name": "league/uri-interfaces",
    "version": "7.7.0",
    "source": {
        "type": "git",
        "url": "https://github.com/thephpleague/uri-interfaces.git",
        "reference": "62ccc1a0435e1c54e10ee6022df28d6c04c2946c"
    },
    "dist": {
        "type": "zip",

```



```

        "url": "https://api.github.com/repos/thephpleague/uri-interfaces/zipball/62ccc1a0435e1c54e10ee6022df28d6c04c2946c"
        "reference": "62ccc1a0435e1c54e10ee6022df28d6c04c2946c",
        "shasum": ""
    },
    "require": {
        "ext-filter": "*",
        "php": "^8.1",
        "psr/http-message": "^1.1 || ^2.0"
    },
    "suggest": {
        "ext-bcmath": "to improve IPV4 host parsing",
        "ext-gmp": "to improve IPV4 host parsing",
        "ext-intl": "to handle IDN host with the best performance",
        "php-64bit": "to improve IPV4 host parsing",
        "rowbot/url": "to handle WHATWG URL",
        "symfony/polyfill-intl-idn": "to handle IDN host via the Symfony polyfill if ext-intl is not present"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "7.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "League\\Uri\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ignace Nyamagana Butera",
            "email": "nyamsprod@gmail.com",
            "homepage": "https://nyamsprod.com"
        }
    ],
    "description": "Common tools for parsing and resolving RFC3987/RFC3986 URI",
    "homepage": "https://uri.thephpleague.com",
    "keywords": [
        "data-uri",
        "file-uri",
        "ftp",
        "hostname",
        "http",
        "https",
        "parse_str",
        "parse_url",
        "psr-7",
        "query-string",
        "querystring",
        "rfc3986",
        "rfc3987",
        "rfc6570",
        "uri",
        "url",
        "ws"
    ],
    "support": {
        "docs": "https://uri.thephpleague.com",
        "forum": "https://thephpleague.slack.com",
        "issues": "https://github.com/thephpleague/uri-src/issues",
        "source": "https://github.com/thephpleague/uri-interfaces/tree/7.7.0"
    },
    "funding": [
        {
            "url": "https://github.com/sponsors/nyamsprod",
            "type": "github"
        }
    ],
    "time": "2025-12-07T16:03:21+00:00"
},
{
    "name": "monolog/monolog",
    "version": "3.9.0",
    "source": {

```

```

        "type": "git",
        "url": "https://github.com/Seldaek/monolog.git",
        "reference": "10d85740180ecba7896c87e06a166e0c95a0e3b6"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/Seldaek/monolog/zipball/10d85740180ecba7896c87e06a166e0c95a0e3b6",
        "reference": "10d85740180ecba7896c87e06a166e0c95a0e3b6",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1",
        "psr/log": "^2.0 || ^3.0"
    },
    "provide": {
        "psr/log-implementation": "3.0.0"
    },
    "require-dev": {
        "aws/aws-sdk-php": "^3.0",
        "doctrine/couchdb": "~1.0@dev",
        "elasticsearch/elasticsearch": "^7 || ^8",
        "ext-json": "*",
        "graylog2/gelf-php": "^1.4.2 || ^2.0",
        "guzzlehttp/guzzle": "^7.4.5",
        "guzzlehttp/psr7": "^2.2",
        "mongodb/mongodb": "^1.8",
        "php-amqplib/php-amqplib": "~2.4 || ^3",
        "php-console/php-console": "^3.1.8",
        "phpstan/phpstan": "^2",
        "phpstan/phpstan-deprecation-rules": "^2",
        "phpstan/phpstan-strict-rules": "^2",
        "phpunit/phpunit": "^10.5.17 || ^11.0.7",
        "predis/predis": "^1.1 || ^2",
        "rollbar/rollbar": "^4.0",
        "ruflin/elastica": "^7 || ^8",
        "symfony/mailer": "^5.4 || ^6",
        "symfony/mime": "^5.4 || ^6"
    },
    "suggest": {
        "aws/aws-sdk-php": "Allow sending log messages to AWS services like DynamoDB",
        "doctrine/couchdb": "Allow sending log messages to a CouchDB server",
        "elasticsearch/elasticsearch": "Allow sending log messages to an Elasticsearch server via official client",
        "ext-amqp": "Allow sending log messages to an AMQP server (1.0+ required)",
        "ext-curl": "Required to send log messages using the IFTTTHandler, the LogglyHandler, the SendGridHandler, the Sla",
        "ext-mbstring": "Allow to work properly with unicode symbols",
        "ext-mongodb": "Allow sending log messages to a MongoDB server (via driver)",
        "ext-openssl": "Required to send log messages using SSL",
        "ext-sockets": "Allow sending log messages to a Syslog server (via UDP driver)",
        "graylog2/gelf-php": "Allow sending log messages to a GrayLog2 server",
        "mongodb/mongodb": "Allow sending log messages to a MongoDB server (via library)",
        "php-amqplib/php-amqplib": "Allow sending log messages to an AMQP server using php-amqplib",
        "rollbar/rollbar": "Allow sending log messages to Rollbar",
        "ruflin/elastica": "Allow sending log messages to an Elastic Search server"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Monolog\\": "src/Monolog"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Jordi Boggiano",
            "email": "j.boggiano@seld.be",
            "homepage": "https://seld.be"
        }
    ],
    "description": "Sends your logs to files, sockets, inboxes, databases and various web services",
    "homepage": "https://github.com/Seldaek/monolog",

```

```

    "keywords": [
        "log",
        "logging",
        "psr-3"
    ],
    "support": {
        "issues": "https://github.com/Seldaek/monolog/issues",
        "source": "https://github.com/Seldaek/monolog/tree/3.9.0"
    },
    "funding": [
        {
            "url": "https://github.com/Seldaek",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/monolog/monolog",
            "type": "tidelift"
        }
    ],
    "time": "2025-03-24T10:02:05+00:00"
},
{
    "name": "nesbot/carbon",
    "version": "3.11.0",
    "source": {
        "type": "git",
        "url": "https://github.com/CarbonPHP/carbon.git",
        "reference": "bdb375400dcd162624531666db4799b36b64e4a1"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/CarbonPHP/carbon/zipball/bdb375400dcd162624531666db4799b36b64e4a1",
        "reference": "bdb375400dcd162624531666db4799b36b64e4a1",
        "shasum": ""
    },
    "require": {
        "carbonphp/carbon-doctrine-types": "<100.0",
        "ext-json": "*",
        "php": "^8.1",
        "psr/clock": "^1.0",
        "symfony/clock": "^6.3.12 || ^7.0 || ^8.0",
        "symfony/polyfill-mbstring": "^1.0",
        "symfony/translation": "^4.4.18 || ^5.2.1 || ^6.0 || ^7.0 || ^8.0"
    },
    "provide": {
        "psr/clock-implementation": "1.0"
    },
    "require-dev": {
        "doctrine/dbal": "^3.6.3 || ^4.0",
        "doctrine/orm": "^2.15.2 || ^3.0",
        "friendsofphp/php-cs-fixer": "^v3.87.1",
        "kylekatarnls/multi-tester": "^2.5.3",
        "phpmd/phpmd": "^2.15.0",
        "phpstan/extension-installer": "^1.4.3",
        "phpstan/phpstan": "^2.1.22",
        "phpunit/phpunit": "^10.5.53",
        "squizlabs/php_codesniffer": "^3.13.4"
    },
    "bin": [
        "bin/carbon"
    ],
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "Carbon\\Laravel\\ServiceProvider"
            ]
        },
        "phpstan": {
            "includes": [
                "extension.neon"
            ]
        },
        "branch-alias": {
            "dev-2.x": "2.x-dev",
            "dev-master": "3.x-dev"
        }
    },
},

```

```

        "autoload": {
            "psr-4": {
                "Carbon\\": "src/Carbon/"
            }
        },
        "notification-url": "https://packagist.org/downloads/",
        "license": [
            "MIT"
        ],
        "authors": [
            {
                "name": "Brian Nesbitt",
                "email": "brian@nesbot.com",
                "homepage": "https://markido.com"
            },
            {
                "name": "kylekatarnls",
                "homepage": "https://github.com/kylekatarnls"
            }
        ],
        "description": "An API extension for DateTime that supports 281 different languages.",
        "homepage": "https://carbon.nesbot.com",
        "keywords": [
            "date",
            "datetime",
            "time"
        ],
        "support": {
            "docs": "https://carbon.nesbot.com/docs",
            "issues": "https://github.com/CarbonPHP/carbon/issues",
            "source": "https://github.com/CarbonPHP/carbon"
        },
        "funding": [
            {
                "url": "https://github.com/sponsors/kylekatarnls",
                "type": "github"
            },
            {
                "url": "https://opencollective.com/Carbon#sponsor",
                "type": "opencollective"
            },
            {
                "url": "https://tidelift.com/subscription/pkg/packagist-nesbot-carbon?utm_source=packagist-nesbot-carbon&utm_m",
                "type": "tidelift"
            }
        ],
        "time": "2025-12-02T21:04:28+00:00"
    },
    {
        "name": "nette/schema",
        "version": "v1.3.3",
        "source": {
            "type": "git",
            "url": "https://github.com/nette/schema.git",
            "reference": "2befc2f42d7c715fd9d95efc31b1081e5d765004"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/nette/schema/zipball/2befc2f42d7c715fd9d95efc31b1081e5d765004",
            "reference": "2befc2f42d7c715fd9d95efc31b1081e5d765004",
            "shasum": ""
        },
        "require": {
            "nette/utils": "^4.0",
            "php": "8.1 - 8.5"
        },
        "require-dev": {
            "nette/tester": "^2.5.2",
            "phpstan/phpstan-nette": "^2.0@stable",
            "tracy/tracy": "^2.8"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "1.3-dev"
            }
        },
        "autoload": {

```

```

        "psr-4": {
            "Nette\\": "src"
        },
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause",
        "GPL-2.0-only",
        "GPL-3.0-only"
    ],
    "authors": [
        {
            "name": "David Grudl",
            "homepage": "https://davidgrudl.com"
        },
        {
            "name": "Nette Community",
            "homepage": "https://nette.org/contributors"
        }
    ],
    "description": "🔍 Nette Schema: validating data structures against a given Schema.",
    "homepage": "https://nette.org",
    "keywords": [
        "config",
        "nette"
    ],
    "support": {
        "issues": "https://github.com/nette/schema/issues",
        "source": "https://github.com/nette/schema/tree/v1.3.3"
    },
    "time": "2025-10-30T22:57:59+00:00"
},
{
    "name": "nette/Utils",
    "version": "v4.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/nette/Utils.git",
        "reference": "fa1f0b8261ed150447979eb22e373b7b7ad5a8e0"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/nette/Utils/zipball/fa1f0b8261ed150447979eb22e373b7b7ad5a8e0",
        "reference": "fa1f0b8261ed150447979eb22e373b7b7ad5a8e0",
        "shasum": ""
    },
    "require": {
        "php": "8.2 - 8.5"
    },
    "conflict": {
        "nette/finder": "<3",
        "nette/schema": "<1.2.2"
    },
    "require-dev": {
        "jetbrains/phpstorm-attributes": "^1.2",
        "nette/tester": "^2.5",
        "phpstan/phpstan-nette": "^2.0@stable",
        "tracy/tracy": "^2.9"
    },
    "suggest": {
        "ext-gd": "to use Image",
        "ext-iconv": "to use Strings::webalize(), toAscii(), chr() and reverse()",
        "ext-intl": "to use Strings::webalize(), toAscii(), normalize() and compare()",
        "ext-json": "to use Nette\\Utils\\Json",
        "ext-mbstring": "to use Strings::lower() etc...",
        "ext-tokenizer": "to use Nette\\Utils\\Reflection::getUseStatements()"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "4.1-dev"
        }
    },
    "autoload": {
        "psr-4": {

```

```

        "nette\\": "src"
    },
    "classmap": [
        "src/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause",
    "GPL-2.0-only",
    "GPL-3.0-only"
],
"authors": [
    {
        "name": "David Grudl",
        "homepage": "https://davidgrudl.com"
    },
    {
        "name": "Nette Community",
        "homepage": "https://nette.org/contributors"
    }
],
"description": "✂ Nette Utils: lightweight utilities for string & array manipulation, image handling, safe JSON encoding, etc.",
"homepage": "https://nette.org",
"keywords": [
    "array",
    "core",
    "datetime",
    "images",
    "json",
    "nette",
    "paginator",
    "password",
    "slugify",
    "string",
    "unicode",
    "utf-8",
    "utility",
    "validation"
],
"support": {
    "issues": "https://github.com/nette/utils/issues",
    "source": "https://github.com/nette/utils/tree/v4.1.0"
},
"time": "2025-12-01T17:49:23+00:00"
},
{
    "name": "nikic/php-parser",
    "version": "v5.7.0",
    "source": {
        "type": "git",
        "url": "https://github.com/nikic/PHP-Parser.git",
        "reference": "dca41cd15c2ac9d055ad70dbfd011130757d1f82"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/nikic/PHP-Parser/zipball/dca41cd15c2ac9d055ad70dbfd011130757d1f82",
        "reference": "dca41cd15c2ac9d055ad70dbfd011130757d1f82",
        "shasum": ""
    },
    "require": {
        "ext-ctype": "*",
        "ext-json": "*",
        "ext-tokenizer": "*",
        "php": ">=7.4"
    },
    "require-dev": {
        "ircmaxell/php-yacc": "^0.0.7",
        "phpunit/phpunit": "^9.0"
    },
    "bin": [
        "bin/php-parse"
    ],
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "5.x-dev"
        }
    }
}

```

```

    },
    "autoload": {
        "psr-4": {
            "PhpParser\\": "lib/PhpParser"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Nikita Popov"
        }
    ],
    "description": "A PHP parser written in PHP",
    "keywords": [
        "parser",
        "php"
    ],
    "support": {
        "issues": "https://github.com/nikic/PHP-Parser/issues",
        "source": "https://github.com/nikic/PHP-Parser/tree/v5.7.0"
    },
    "time": "2025-12-06T11:56:16+00:00"
},
{
    "name": "nunomaduro/termwind",
    "version": "v2.3.3",
    "source": {
        "type": "git",
        "url": "https://github.com/nunomaduro/termwind.git",
        "reference": "6fb2a640ff502caace8e05fd7be3b503a7e1c017"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/nunomaduro/termwind/zipball/6fb2a640ff502caace8e05fd7be3b503a7e1c017",
        "reference": "6fb2a640ff502caace8e05fd7be3b503a7e1c017",
        "shasum": ""
    },
    "require": {
        "ext-mbstring": "*",
        "php": "^8.2",
        "symfony/console": "^7.3.6"
    },
    "require-dev": {
        "illuminate/console": "^11.46.1",
        "laravel/pint": "^1.25.1",
        "mockery/mockery": "^1.6.12",
        "pestphp/pest": "^2.36.0 || ^3.8.4 || ^4.1.3",
        "phpstan/phpstan": "^1.12.32",
        "phpstan/phpstan-strict-rules": "^1.6.2",
        "symfony/var-dumper": "^7.3.5",
        "thecodingmachine/phpstan-strict-rules": "^1.0.0"
    },
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "Termwind\\Laravel\\TermwindServiceProvider"
            ]
        },
        "branch-alias": {
            "dev-2.x": "2.x-dev"
        }
    },
    "autoload": {
        "files": [
            "src/Functions.php"
        ],
        "psr-4": {
            "Termwind\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],

```

```

    "authors": [
        {
            "name": "Nuno Maduro",
            "email": "enunomaduro@gmail.com"
        }
    ],
    "description": "Its like Tailwind CSS, but for the console.",
    "keywords": [
        "cli",
        "console",
        "css",
        "package",
        "php",
        "style"
    ],
    "support": {
        "issues": "https://github.com/nunomaduro/termwind/issues",
        "source": "https://github.com/nunomaduro/termwind/tree/v2.3.3"
    },
    "funding": [
        {
            "url": "https://www.paypal.com/paypalme/enunomaduro",
            "type": "custom"
        },
        {
            "url": "https://github.com/nunomaduro",
            "type": "github"
        },
        {
            "url": "https://github.com/xiC02k",
            "type": "github"
        }
    ],
    "time": "2025-11-20T02:34:59+00:00"
},
{
    "name": "phpoption/phpoption",
    "version": "1.9.4",
    "source": {
        "type": "git",
        "url": "https://github.com/schmittjoh/php-option.git",
        "reference": "638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/schmittjoh/php-option/zipball/638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d",
        "reference": "638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d",
        "shasum": ""
    },
    "require": {
        "php": "^7.2.5 || ^8.0"
    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.8.2",
        "phpunit/phpunit": "^8.5.44 || ^9.6.25 || ^10.5.53 || ^11.5.34"
    },
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": true,
            "forward-command": false
        },
        "branch-alias": {
            "dev-master": "1.9-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "PhpOption\\": "src/PhpOption/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "Apache-2.0"
    ],
    "authors": [
        {
            "name": "Johannes M. Schmitt",

```



```

        "email": "schmittjoh@gmail.com",
        "homepage": "https://github.com/schmittjoh"
    },
    {
        "name": "Graham Campbell",
        "email": "hello@gjccampbell.co.uk",
        "homepage": "https://github.com/GrahamCampbell"
    }
],
"description": "Option Type for PHP",
"keywords": [
    "language",
    "option",
    "php",
    "type"
],
"support": {
    "issues": "https://github.com/schmittjoh/php-option/issues",
    "source": "https://github.com/schmittjoh/php-option/tree/1.9.4"
},
"funding": [
    {
        "url": "https://github.com/GrahamCampbell",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/phloption/phloption",
        "type": "tidelift"
    }
],
"time": "2025-08-21T11:53:16+00:00"
},
{
    "name": "psr/clock",
    "version": "1.0.0",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/clock.git",
        "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/php-fig/clock/zipball/e41a24703d4560fd0acb709162f73b8adfc3aa0d",
        "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d",
        "shasum": ""
    },
    "require": {
        "php": "^7.0 || ^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Psr\\Clock\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "Common interface for reading the clock.",
    "homepage": "https://github.com/php-fig/clock",
    "keywords": [
        "clock",
        "now",
        "psr",
        "psr-20",
        "time"
    ],
    "support": {
        "issues": "https://github.com/php-fig/clock/issues",
        "source": "https://github.com/php-fig/clock/tree/1.0.0"
    },
},

```

```

        "time": "2022-11-25T14:36:26+00:00"
    },
    {
        "name": "psr/container",
        "version": "2.0.2",
        "source": {
            "type": "git",
            "url": "https://github.com/php-fig/container.git",
            "reference": "c71ecc56dfe541dbd90c5360474fbc405f8d5963"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/php-fig/container/zipball/c71ecc56dfe541dbd90c5360474fbc405f8d5963",
            "reference": "c71ecc56dfe541dbd90c5360474fbc405f8d5963",
            "shasum": ""
        },
        "require": {
            "php": ">=7.4.0"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "2.0.x-dev"
            }
        },
        "autoload": {
            "psr-4": {
                "Psr\\Container\\": "src/"
            }
        },
        "notification-url": "https://packagist.org/downloads/",
        "license": [
            "MIT"
        ],
        "authors": [
            {
                "name": "PHP-FIG",
                "homepage": "https://www.php-fig.org/"
            }
        ],
        "description": "Common Container Interface (PHP FIG PSR-11)",
        "homepage": "https://github.com/php-fig/container",
        "keywords": [
            "PSR-11",
            "container",
            "container-interface",
            "container-interop",
            "psr"
        ],
        "support": {
            "issues": "https://github.com/php-fig/container/issues",
            "source": "https://github.com/php-fig/container/tree/2.0.2"
        },
        "time": "2021-11-05T16:47:00+00:00"
    },
    {
        "name": "psr/event-dispatcher",
        "version": "1.0.0",
        "source": {
            "type": "git",
            "url": "https://github.com/php-fig/event-dispatcher.git",
            "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/php-fig/event-dispatcher/zipball/dbefd12671e8a14ec7f180cab83036ed26714bb0",
            "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0",
            "shasum": ""
        },
        "require": {
            "php": ">=7.2.0"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "1.0.x-dev"
            }
        },
    },

```

```

        "autoload": {
            "psr-4": {
                "Psr\\EventDispatcher\\": "src/"
            }
        },
        "notification-url": "https://packagist.org/downloads/",
        "license": [
            "MIT"
        ],
        "authors": [
            {
                "name": "PHP-FIG",
                "homepage": "http://www.php-fig.org/"
            }
        ],
        "description": "Standard interfaces for event handling.",
        "keywords": [
            "events",
            "psr",
            "psr-14"
        ],
        "support": {
            "issues": "https://github.com/php-fig/event-dispatcher/issues",
            "source": "https://github.com/php-fig/event-dispatcher/tree/1.0.0"
        },
        "time": "2019-01-08T18:20:26+00:00"
    },
    {
        "name": "psr/http-client",
        "version": "1.0.3",
        "source": {
            "type": "git",
            "url": "https://github.com/php-fig/http-client.git",
            "reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/php-fig/http-client/zipball/bb5906edc1c324c9a05aa0873d40117941e5fa90",
            "reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90",
            "shasum": ""
        },
        "require": {
            "php": "^7.0 || ^8.0",
            "psr/http-message": "^1.0 || ^2.0"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "1.0.x-dev"
            }
        },
        "autoload": {
            "psr-4": {
                "Psr\\Http\\Client\\": "src/"
            }
        },
        "notification-url": "https://packagist.org/downloads/",
        "license": [
            "MIT"
        ],
        "authors": [
            {
                "name": "PHP-FIG",
                "homepage": "https://www.php-fig.org/"
            }
        ],
        "description": "Common interface for HTTP clients",
        "homepage": "https://github.com/php-fig/http-client",
        "keywords": [
            "http",
            "http-client",
            "psr",
            "psr-18"
        ],
        "support": {
            "source": "https://github.com/php-fig/http-client"
        },
        "time": "2023-09-23T14:17:50+00:00"
    }

```

```

    },
    {
        "name": "psr/http-factory",
        "version": "1.1.0",
        "source": {
            "type": "git",
            "url": "https://github.com/php-fig/http-factory.git",
            "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/php-fig/http-factory/zipball/2b4765fddfe3b508ac62f829e852b1501d3f6e8a",
            "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a",
            "shasum": ""
        },
        "require": {
            "php": ">=7.1",
            "psr/http-message": "^1.0 || ^2.0"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "1.0.x-dev"
            }
        },
        "autoload": {
            "psr-4": {
                "Psr\\Http\\Message\\": "src/"
            }
        },
        "notification-url": "https://packagist.org/downloads/",
        "license": [
            "MIT"
        ],
        "authors": [
            {
                "name": "PHP-FIG",
                "homepage": "https://www.php-fig.org/"
            }
        ],
        "description": "PSR-17: Common interfaces for PSR-7 HTTP message factories",
        "keywords": [
            "factory",
            "http",
            "message",
            "psr",
            "psr-17",
            "psr-7",
            "request",
            "response"
        ],
        "support": {
            "source": "https://github.com/php-fig/http-factory"
        },
        "time": "2024-04-15T12:06:14+00:00"
    },
    {
        "name": "psr/http-message",
        "version": "2.0",
        "source": {
            "type": "git",
            "url": "https://github.com/php-fig/http-message.git",
            "reference": "402d35bcb92c70c026d1a6a9883f06b2ead23d71"
        },
        "dist": {
            "type": "zip",
            "url": "https://api.github.com/repos/php-fig/http-message/zipball/402d35bcb92c70c026d1a6a9883f06b2ead23d71",
            "reference": "402d35bcb92c70c026d1a6a9883f06b2ead23d71",
            "shasum": ""
        },
        "require": {
            "php": "^7.2 || ^8.0"
        },
        "type": "library",
        "extra": {
            "branch-alias": {
                "dev-master": "2.0.x-dev"
            }
        }
    }

```

```

    },
    "autoload": {
        "psr-4": {
            "Psr\\Http\\Message\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "Common interface for HTTP messages",
    "homepage": "https://github.com/php-fig/http-message",
    "keywords": [
        "http",
        "http-message",
        "psr",
        "psr-7",
        "request",
        "response"
    ],
    "support": {
        "source": "https://github.com/php-fig/http-message/tree/2.0"
    },
    "time": "2023-04-04T09:54:51+00:00"
},
{
    "name": "psr/log",
    "version": "3.0.2",
    "source": {
        "type": "git",
        "url": "https://github.com/php-fig/log.git",
        "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/php-fig/log/zipball/f16e1d5863e37f8d8c2a01719f5b34baa2b714d3",
        "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3",
        "shasum": ""
    },
    "require": {
        "php": ">=8.0.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "3.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Psr\\Log\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "PHP-FIG",
            "homepage": "https://www.php-fig.org/"
        }
    ],
    "description": "Common interface for logging libraries",
    "homepage": "https://github.com/php-fig/log",
    "keywords": [
        "log",
        "psr",
        "psr-3"
    ],
    "support": {
        "source": "https://github.com/php-fig/log/tree/3.0.2"
    }
}

```

```

    },
    "time": "2024-09-11T13:17:53+00:00"
  },
  {
    "name": "psr/simple-cache",
    "version": "3.0.0",
    "source": {
      "type": "git",
      "url": "https://github.com/php-fig/simple-cache.git",
      "reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/php-fig/simple-cache/zipball/764e0b3939f5ca87cb904f570ef9be2d78a07865",
      "reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865",
      "shasum": ""
    },
    "require": {
      "php": ">=8.0.0"
    },
    "type": "library",
    "extra": {
      "branch-alias": {
        "dev-master": "3.0.x-dev"
      }
    },
    "autoload": {
      "psr-4": {
        "Psr\\SimpleCache\\": "src/"
      }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "PHP-FIG",
        "homepage": "https://www.php-fig.org/"
      }
    ],
    "description": "Common interfaces for simple caching",
    "keywords": [
      "cache",
      "caching",
      "psr",
      "psr-16",
      "simple-cache"
    ],
    "support": {
      "source": "https://github.com/php-fig/simple-cache/tree/3.0.0"
    },
    "time": "2021-10-29T13:26:27+00:00"
  },
  {
    "name": "psy/psysh",
    "version": "v0.12.16",
    "source": {
      "type": "git",
      "url": "https://github.com/bobthecow/psysh.git",
      "reference": "ee6d5028be4774f56c6c2c85ec4e6bc9acfe6b67"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/bobthecow/psysh/zipball/ee6d5028be4774f56c6c2c85ec4e6bc9acfe6b67",
      "reference": "ee6d5028be4774f56c6c2c85ec4e6bc9acfe6b67",
      "shasum": ""
    },
    "require": {
      "ext-json": "*",
      "ext-tokenizer": "*",
      "nikic/php-parser": "^5.0 || ^4.0",
      "php": "^8.0 || ^7.4",
      "symfony/console": "^8.0 || ^7.0 || ^6.0 || ^5.0 || ^4.0 || ^3.4",
      "symfony/var-dumper": "^8.0 || ^7.0 || ^6.0 || ^5.0 || ^4.0 || ^3.4"
    },
    "conflict": {
      "symfony/console": "4.4.37 || 5.3.14 || 5.3.15 || 5.4.3 || 5.4.4 || 6.0.3 || 6.0.4"
    }
  }

```

```

    },
    "require-dev": {
        "bamarni/composer-bin-plugin": "^1.2",
        "composer/class-map-generator": "^1.6"
    },
    "suggest": {
        "composer/class-map-generator": "Improved tab completion performance with better class discovery.",
        "ext-pcntl": "Enabling the PCNTL extension makes PsySH a lot happier :)",
        "ext-posix": "If you have PCNTL, you'll want the POSIX extension as well."
    },
    "bin": [
        "bin/psysh"
    ],
    "type": "library",
    "extra": {
        "bamarni-bin": {
            "bin-links": false,
            "forward-command": false
        },
        "branch-alias": {
            "dev-main": "0.12.x-dev"
        }
    },
    "autoload": {
        "files": [
            "src/functions.php"
        ],
        "psr-4": {
            "Psy\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Justin Hileman",
            "email": "justin@justinhileman.info"
        }
    ],
    "description": "An interactive shell for modern PHP.",
    "homepage": "https://psysh.org",
    "keywords": [
        "REPL",
        "console",
        "interactive",
        "shell"
    ],
    "support": {
        "issues": "https://github.com/bobthecow/psysh/issues",
        "source": "https://github.com/bobthecow/psysh/tree/v0.12.16"
    },
    "time": "2025-12-07T03:39:01+00:00"
},
{
    "name": "ralouphie/getallheaders",
    "version": "3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/ralouphie/getallheaders.git",
        "reference": "120b605dfeb996808c31b6477290a714d356e822"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/ralouphie/getallheaders/zipball/120b605dfeb996808c31b6477290a714d356e822",
        "reference": "120b605dfeb996808c31b6477290a714d356e822",
        "shasum": ""
    },
    "require": {
        "php": ">=5.6"
    },
    "require-dev": {
        "php-coveralls/php-coveralls": "^2.1",
        "phpunit/phpunit": "^5 || ^6.5"
    },
    "type": "library",
    "autoload": {

```

```

        "files": [
            "src/getallheaders.php"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ralph Khatarr",
            "email": "ralph.khatarr@gmail.com"
        }
    ],
    "description": "A polyfill for getAllheaders.",
    "support": {
        "issues": "https://github.com/ralouphie/getallheaders/issues",
        "source": "https://github.com/ralouphie/getallheaders/tree/develop"
    },
    "time": "2019-03-08T08:55:37+00:00"
},
{
    "name": "ramsey/collection",
    "version": "2.1.1",
    "source": {
        "type": "git",
        "url": "https://github.com/ramsey/collection.git",
        "reference": "344572933ad0181accbf4ba763e85a0306a8c5e2"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/ramsey/collection/zipball/344572933ad0181accbf4ba763e85a0306a8c5e2",
        "reference": "344572933ad0181accbf4ba763e85a0306a8c5e2",
        "shasum": ""
    },
    "require": {
        "php": "^8.1"
    },
    "require-dev": {
        "captainhook/plugin-composer": "^5.3",
        "ergebnis/composer-normalize": "^2.45",
        "fakerphp/faker": "^1.24",
        "hamcrest/hamcrest-php": "^2.0",
        "jangregor/phpstan-prophecy": "^2.1",
        "mockery/mockery": "^1.6",
        "php-parallel-lint/php-console-highlighter": "^1.0",
        "php-parallel-lint/php-parallel-lint": "^1.4",
        "phpspec/prophecy-phpunit": "^2.3",
        "phpstan/extension-installer": "^1.4",
        "phpstan/phpstan": "^2.1",
        "phpstan/phpstan-mockery": "^2.0",
        "phpstan/phpstan-phpunit": "^2.0",
        "phpunit/phpunit": "^10.5",
        "ramsey/coding-standard": "^2.3",
        "ramsey/conventional-commits": "^1.6",
        "roave/security-advisories": "dev-latest"
    },
    "type": "library",
    "extra": {
        "captainhook": {
            "force-install": true
        },
        "ramsey/conventional-commits": {
            "configFile": "conventional-commits.json"
        }
    },
    "autoload": {
        "psr-4": {
            "Ramsey\\Collection\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Ben Ramsey",

```



```

        "email": "ben@benramsey.com",
        "homepage": "https://benramsey.com"
    }
],
"description": "A PHP library for representing and manipulating collections.",
"keywords": [
    "array",
    "collection",
    "hash",
    "map",
    "queue",
    "set"
],
"support": {
    "issues": "https://github.com/ramsey/collection/issues",
    "source": "https://github.com/ramsey/collection/tree/2.1.1"
},
"time": "2025-03-22T05:38:12+00:00"
},
{
    "name": "ramsey/uuid",
    "version": "4.9.1",
    "source": {
        "type": "git",
        "url": "https://github.com/ramsey/uuid.git",
        "reference": "81f941f6f729b1e3ceea61d9d014f8b6c6800440"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/ramsey/uuid/zipball/81f941f6f729b1e3ceea61d9d014f8b6c6800440",
        "reference": "81f941f6f729b1e3ceea61d9d014f8b6c6800440",
        "shasum": ""
    },
    "require": {
        "brick/math": "^0.8.8 || ^0.9 || ^0.10 || ^0.11 || ^0.12 || ^0.13 || ^0.14",
        "php": "^8.0",
        "ramsey/collection": "^1.2 || ^2.0"
    },
    "replace": {
        "rhumsaa/uuid": "self.version"
    },
    "require-dev": {
        "captainhook/captainhook": "^5.25",
        "captainhook/plugin-composer": "^5.3",
        "dealerdirect/phpcodesniffer-composer-installer": "^1.0",
        "ergebnis/composer-normalize": "^2.47",
        "mockery/mockery": "^1.6",
        "paragonie/random-lib": "^2",
        "php-mock/php-mock": "^2.6",
        "php-mock/php-mock-mockery": "^1.5",
        "php-parallel-lint/php-parallel-lint": "^1.4.0",
        "phpbench/phpbench": "^1.2.14",
        "phpstan/extension-installer": "^1.4",
        "phpstan/phpstan": "^2.1",
        "phpstan/phpstan-mockery": "^2.0",
        "phpstan/phpstan-phpunit": "^2.0",
        "phpunit/phpunit": "^9.6",
        "slevomat/coding-standard": "^8.18",
        "squizlabs/php_codesniffer": "^3.13"
    },
    "suggest": {
        "ext-bcmath": "Enables faster math with arbitrary-precision integers using BCMath.",
        "ext-gmp": "Enables faster math with arbitrary-precision integers using GMP.",
        "ext-uuid": "Enables the use of PeclUuidTimeGenerator and PeclUuidRandomGenerator.",
        "paragonie/random-lib": "Provides RandomLib for use with the RandomLibAdapter",
        "ramsey/uuid-doctrine": "Allows the use of Ramsey\\Uuid\\Uuid as Doctrine field type."
    },
    "type": "library",
    "extra": {
        "captainhook": {
            "force-install": true
        }
    },
    "autoload": {
        "files": [
            "src/functions.php"
        ],
        "psr-4": {

```

```

        "Ramsey\\Uuid\\": "src/"
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"description": "A PHP library for generating and working with universally unique identifiers (UUIDs).",
"keywords": [
    "guid",
    "identifiant",
    "uuid"
],
"support": {
    "issues": "https://github.com/ramsey/uuid/issues",
    "source": "https://github.com/ramsey/uuid/tree/4.9.1"
},
"time": "2025-09-04T20:59:21+00:00"
},
{
    "name": "symfony/clock",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/clock.git",
        "reference": "9169f24776edde469914c1e7a1442a50f7a4e110"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/clock/zipball/9169f24776edde469914c1e7a1442a50f7a4e110",
        "reference": "9169f24776edde469914c1e7a1442a50f7a4e110",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "psr/clock": "^1.0",
        "symfony/polyfill-php83": "^1.28"
    },
    "provide": {
        "psr/clock-implementation": "1.0"
    },
    "type": "library",
    "autoload": {
        "files": [
            "Resources/now.php"
        ],
        "psr-4": {
            "Symfony\\Component\\Clock\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Decouples applications from the system clock",
    "homepage": "https://symfony.com",
    "keywords": [
        "clock",
        "psr20",
        "time"
    ],
    "support": {
        "source": "https://github.com/symfony/clock/tree/v7.4.0"
    },
    "funding": [

```

```

        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-11-12T15:39:26+00:00"
},
{
    "name": "symfony/console",
    "version": "v7.4.1",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/console.git",
        "reference": "6d9f0fbf2ec2e9785880096e3abd0ca0c88b506e"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/console/zipball/6d9f0fbf2ec2e9785880096e3abd0ca0c88b506e",
        "reference": "6d9f0fbf2ec2e9785880096e3abd0ca0c88b506e",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0",
        "symfony/service-contracts": "^2.5|^3",
        "symfony/string": "^7.2|^8.0"
    },
    "conflict": {
        "symfony/dependency-injection": "<6.4",
        "symfony/dotenv": "<6.4",
        "symfony/event-dispatcher": "<6.4",
        "symfony/lock": "<6.4",
        "symfony/process": "<6.4"
    },
    "provide": {
        "psr/log-implementation": "1.0|2.0|3.0"
    },
    "require-dev": {
        "psr/log": "^1|^2|^3",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/event-dispatcher": "^6.4|^7.0|^8.0",
        "symfony/http-foundation": "^6.4|^7.0|^8.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/lock": "^6.4|^7.0|^8.0",
        "symfony/messenger": "^6.4|^7.0|^8.0",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/stopwatch": "^6.4|^7.0|^8.0",
        "symfony/var-dumper": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Console\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {

```

```

        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Eases the creation of beautiful and testable command line interfaces",
"homepage": "https://symfony.com",
"keywords": [
    "cli",
    "command-line",
    "console",
    "terminal"
],
"support": {
    "source": "https://github.com/symfony/console/tree/v7.4.1"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-12-05T15:23:39+00:00"
},
{
    "name": "symfony/css-selector",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/css-selector.git",
        "reference": "ab862f478513e7ca2fe9ec117a6f01a8da6e1135"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/css-selector/zipball/ab862f478513e7ca2fe9ec117a6f01a8da6e1135",
        "reference": "ab862f478513e7ca2fe9ec117a6f01a8da6e1135",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\CssSelector\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Jean-François Simon",
            "email": "jeanfrancois.simon@sensiolabs.com"
        }
    ],

```

```

        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Converts CSS selectors to XPath expressions",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/css-selector/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-10-30T13:39:42+00:00"
},
{
    "name": "symfony/deprecation-contracts",
    "version": "v3.6.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/deprecation-contracts.git",
        "reference": "63afe740e99a13ba87ec199bb07bbdee937a5b62"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/deprecation-contracts/zipball/63afe740e99a13ba87ec199bb07bbdee937a5b62",
        "reference": "63afe740e99a13ba87ec199bb07bbdee937a5b62",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/contracts",
            "name": "symfony/contracts"
        },
        "branch-alias": {
            "dev-main": "3.6-dev"
        }
    },
    "autoload": {
        "files": [
            "function.php"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "A generic function and convention to trigger deprecation notices",
    "homepage": "https://symfony.com",

```

```

"support": {
    "source": "https://github.com/symfony/deprecation-contracts/tree/v3.6.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2024-09-25T14:21:43+00:00"
},
{
    "name": "symfony/error-handler",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/error-handler.git",
        "reference": "48be2b0653594eea32dcef130cca1c811dcf25c2"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/error-handler/zipball/48be2b0653594eea32dcef130cca1c811dcf25c2",
        "reference": "48be2b0653594eea32dcef130cca1c811dcf25c2",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "psr/log": "^1|^2|^3",
        "symfony/polyfill-php85": "^1.32",
        "symfony/var-dumper": "^6.4|^7.0|^8.0"
    },
    "conflict": {
        "symfony/deprecation-contracts": "<2.5",
        "symfony/http-kernel": "<6.4"
    },
    "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/serializer": "^6.4|^7.0|^8.0",
        "symfony/webpack-encore-bundle": "^1.0|^2.0"
    },
    "bin": [
        "Resources/bin/patch-type-declarations"
    ],
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\ErrorHandler\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides tools to manage errors and ease debugging PHP code",
    "homepage": "https://symfony.com",

```

```

"support": {
    "source": "https://github.com/symfony/error-handler/tree/v7.4.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-11-05T14:29:59+00:00"
},
{
    "name": "symfony/event-dispatcher",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/event-dispatcher.git",
        "reference": "9dddcddff1ef974ad87b3708e4b442dc38b2261d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/event-dispatcher/zipball/9dddcddff1ef974ad87b3708e4b442dc38b2261d",
        "reference": "9dddcddff1ef974ad87b3708e4b442dc38b2261d",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/event-dispatcher-contracts": "^2.5|^3"
    },
    "conflict": {
        "symfony/dependency-injection": "<6.4",
        "symfony/service-contracts": "<2.5"
    },
    "provide": {
        "psr/event-dispatcher-implementation": "1.0",
        "symfony/event-dispatcher-implementation": "2.0|3.0"
    },
    "require-dev": {
        "psr/log": "^1|^2|^3",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/error-handler": "^6.4|^7.0|^8.0",
        "symfony/translation-language": "^6.4|^7.0|^8.0",
        "symfony/framework-bundle": "^6.4|^7.0|^8.0",
        "symfony/http-foundation": "^6.4|^7.0|^8.0",
        "symfony/service-contracts": "^2.5|^3",
        "symfony/stopwatch": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\EventDispatcher\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        }
    ],

```

```

        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides tools that allow your application components to communicate with each other by dispatching ev
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/event-dispatcher/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-10-28T09:38:46+00:00"
},
{
    "name": "symfony/event-dispatcher-contracts",
    "version": "v3.6.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/event-dispatcher-contracts.git",
        "reference": "59eb412e93815df44f05f342958efa9f46b1e586"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/event-dispatcher-contracts/zipball/59eb412e93815df44f05f342958efa9f46b1e586",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1",
        "psr/event-dispatcher": "^1"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/contracts",
            "name": "symfony/contracts"
        },
        "branch-alias": {
            "dev-main": "3.6-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Symfony\\Contracts\\EventDispatcher\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Generic abstractions related to dispatching event",

```



```

    "homepage": "https://symfony.com",
    "keywords": [
        "abstractions",
        "contracts",
        "decoupling",
        "interfaces",
        "interoperability",
        "standards"
    ],
    "support": {
        "source": "https://github.com/symfony/event-dispatcher-contracts/tree/v3.6.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2024-09-25T14:21:43+00:00"
},
{
    "name": "symfony/finder",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/finder.git",
        "reference": "340b9ed7320570f319028a2cbec46d40535e94bd"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/finder/zipball/340b9ed7320570f319028a2cbec46d40535e94bd",
        "reference": "340b9ed7320570f319028a2cbec46d40535e94bd",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "symfony/filesystem": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Finder\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Finds files and directories via an intuitive fluent interface",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/finder/tree/v7.4.0"
    },
    "funding": [
        {

```

```

        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-11-05T05:42:40+00:00"
},
{
    "name": "symfony/http-foundation",
    "version": "v7.4.1",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/http-foundation.git",
        "reference": "bd1af1e425811d6f077db240c3a588bdb405cd27"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/http-foundation/zipball/bd1af1e425811d6f077db240c3a588bdb405cd27",
        "reference": "bd1af1e425811d6f077db240c3a588bdb405cd27",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "^1.1"
    },
    "conflict": {
        "doctrine/dbal": "<3.6",
        "symfony/cache": "<6.4.12|>=7.0,<7.1.5"
    },
    "require-dev": {
        "doctrine/dbal": "^3.6|^4",
        "predis/predis": "^1.1|^2.0",
        "symfony/cache": "^6.4.12|^7.1.5|^8.0",
        "symfony/clock": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/expression-language": "^6.4|^7.0|^8.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/mime": "^6.4|^7.0|^8.0",
        "symfony/rate-limiter": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\HttpFoundation\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Defines an object-oriented layer for the HTTP specification",
    "homepage": "https://symfony.com",
    "support": {

```

```

        "source": "https://github.com/symfony/http-foundation/tree/v7.4.1"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-07T11:13:10+00:00"
},
{
    "name": "symfony/http-kernel",
    "version": "v7.4.2",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/http-kernel.git",
        "reference": "f6e6f0a5fa8763f75a504b930163785fb6dd055f"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/http-kernel/zipball/f6e6f0a5fa8763f75a504b930163785fb6dd055f",
        "reference": "f6e6f0a5fa8763f75a504b930163785fb6dd055f",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "psr/log": "^1|^2|^3",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/error-handler": "^6.4|^7.0|^8.0",
        "symfony/event-dispatcher": "^7.3|^8.0",
        "symfony/http-foundation": "^7.4|^8.0",
        "symfony/polyfill-ctype": "^1.8"
    },
    "conflict": {
        "symfony/browser-kit": "<6.4",
        "symfony/cache": "<6.4",
        "symfony/config": "<6.4",
        "symfony/console": "<6.4",
        "symfony/dependency-injection": "<6.4",
        "symfony/doctrine-bridge": "<6.4",
        "symfony/flex": "<2.10",
        "symfony/form": "<6.4",
        "symfony/http-client": "<6.4",
        "symfony/http-client-contracts": "<2.5",
        "symfony/mailer": "<6.4",
        "symfony/messenger": "<6.4",
        "symfony/translation": "<6.4",
        "symfony/translation-contracts": "<2.5",
        "symfony/twig-bridge": "<6.4",
        "symfony/validator": "<6.4",
        "symfony/var-dumper": "<6.4",
        "twig/twig": "<3.12"
    },
    "provide": {
        "psr/log-implementation": "1.0|2.0|3.0"
    },
    "require-dev": {
        "psr/cache": "^1.0|^2.0|^3.0",
        "symfony/browser-kit": "^6.4|^7.0|^8.0",
        "symfony/clock": "^6.4|^7.0|^8.0",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/css-selector": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/dom-crawler": "^6.4|^7.0|^8.0",
        "symfony/expression-language": "^6.4|^7.0|^8.0",

```

```

        "symfony/finder": "^6.4|^7.0|^8.0",
        "symfony/http-client-contracts": "^2.5|^3",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/property-access": "^7.1|^8.0",
        "symfony/routing": "^6.4|^7.0|^8.0",
        "symfony/serializer": "^7.1|^8.0",
        "symfony/stopwatch": "^6.4|^7.0|^8.0",
        "symfony/translation": "^6.4|^7.0|^8.0",
        "symfony/translation-contracts": "^2.5|^3",
        "symfony/uid": "^6.4|^7.0|^8.0",
        "symfony/validator": "^6.4|^7.0|^8.0",
        "symfony/var-dumper": "^6.4|^7.0|^8.0",
        "symfony/var-exporter": "^6.4|^7.0|^8.0",
        "twig/twig": "^3.12"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\HttpKernel\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides a structured process for converting a Request into a Response",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/http-kernel/tree/v7.4.2"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-08T07:43:37+00:00"
},
{
    "name": "symfony/mailer",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/mailer.git",
        "reference": "a3d9eea8cfa467ece41f0f54ba28185d74bd53fd"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/mailer/zipball/a3d9eea8cfa467ece41f0f54ba28185d74bd53fd",
        "reference": "a3d9eea8cfa467ece41f0f54ba28185d74bd53fd",
        "shasum": ""
    },
    "require": {

```

```

        "egulias/email-validator": "^2.1.10|^3|^4",
        "php": ">=8.2",
        "psr/event-dispatcher": "^1",
        "psr/log": "^1|^2|^3",
        "symfony/event-dispatcher": "^6.4|^7.0|^8.0",
        "symfony/mime": "^7.2|^8.0",
        "symfony/service-contracts": "^2.5|^3"
    },
    "conflict": {
        "symfony/http-client-contracts": "<2.5",
        "symfony/http-kernel": "<6.4",
        "symfony/messenger": "<6.4",
        "symfony/mime": "<6.4",
        "symfony/twig-bridge": "<6.4"
    },
    "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/http-client": "^6.4|^7.0|^8.0",
        "symfony/messenger": "^6.4|^7.0|^8.0",
        "symfony/twig-bridge": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Mailer\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Helps sending emails",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/mailer/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-11-21T15:26:00+00:00"
},
{
    "name": "symfony/mime",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/mime.git",
        "reference": "bdb02729471be5d047a3ac4a69068748f1a6be7a"
    },
    "dist": {

```

```

        "type": "zip",
        "url": "https://api.github.com/repos/symfony/mime/zipball/bdb02729471be5d047a3ac4a69068748f1a6be7a",
        "reference": "bdb02729471be5d047a3ac4a69068748f1a6be7a",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-intl-idn": "^1.10",
        "symfony/polyfill-mbstring": "^1.0"
    },
    "conflict": {
        "egulias/email-validator": "~3.0.0",
        "phpdocumentor/reflection-docblock": "<3.2.2",
        "phpdocumentor/type-resolver": "<1.4.0",
        "symfony/mailer": "<6.4",
        "symfony/serializer": "<6.4.3|>7.0,<7.0.3"
    },
    "require-dev": {
        "egulias/email-validator": "^2.1.10|^3.1|^4",
        "league/html-to-markdown": "^5.0",
        "phpdocumentor/reflection-docblock": "^3.0|^4.0|^5.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/property-access": "^6.4|^7.0|^8.0",
        "symfony/property-info": "^6.4|^7.0|^8.0",
        "symfony/serializer": "^6.4.3|^7.0.3|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Mime\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Allows manipulating MIME messages",
    "homepage": "https://symfony.com",
    "keywords": [
        "mime",
        "mime-type"
    ],
    "support": {
        "source": "https://github.com/symfony/mime/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],

```

```

"time": "2025-11-16T10:14:42+00:00"
},
{
  "name": "symfony/polyfill-ctype",
  "version": "v1.33.0",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-ctype.git",
    "reference": "a3cc8b044a6ea513310cbd48ef7333b384945638"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/polyfill-ctype/zipball/a3cc8b044a6ea513310cbd48ef7333b384945638",
    "reference": "a3cc8b044a6ea513310cbd48ef7333b384945638",
    "shasum": ""
  },
  "require": {
    "php": ">=7.2"
  },
  "provide": {
    "ext-ctype": "*"
  },
  "suggest": {
    "ext-ctype": "For best performance"
  },
  "type": "library",
  "extra": {
    "thanks": {
      "url": "https://github.com/symfony/polyfill",
      "name": "symfony/polyfill"
    }
  },
  "autoload": {
    "files": [
      "bootstrap.php"
    ],
    "psr-4": {
      "Symfony\\Polyfill\\Ctype\\": ""
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Gert de Pagter",
      "email": "BackEndTea@gmail.com"
    },
    {
      "name": "Symfony Community",
      "homepage": "https://symfony.com/contributors"
    }
  ],
  "description": "Symfony polyfill for ctype functions",
  "homepage": "https://symfony.com",
  "keywords": [
    "compatibility",
    "ctype",
    "polyfill",
    "portable"
  ],
  "support": {
    "source": "https://github.com/symfony/polyfill-ctype/tree/v1.33.0"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url": "https://github.com/nicolas-grekas",
      "type": "github"
    }
  ],

```

```

        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2024-09-09T11:45:10+00:00"
},
{
    "name": "symfony/polyfill-intl-grapheme",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-intl-grapheme.git",
        "reference": "380872130d3a5dd3ace2f4010d95125fde5d5c70"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-intl-grapheme/zipball/380872130d3a5dd3ace2f4010d95125fde5d5c70",
        "reference": "380872130d3a5dd3ace2f4010d95125fde5d5c70",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "suggest": {
        "ext-intl": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Intl\\Grapheme\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill for intl's grapheme_* functions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "grapheme",
        "intl",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-intl-grapheme/tree/v1.33.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        }
    ],

```



```

        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-06-27T09:58:17+00:00"
},
{
    "name": "symfony/polyfill-intl-idn",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-intl-idn.git",
        "reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-intl-idn/zipball/9614ac4d8061dc257ecc64cba1b140873dce8ad3",
        "reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2",
        "symfony/polyfill-intl-normalizer": "^1.10"
    },
    "suggest": {
        "ext-intl": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Intl\\Idn\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Laurent Bassin",
            "email": "laurent@bassin.info"
        },
        {
            "name": "Trevor Rowbotham",
            "email": "trevor.rowbotham@pm.me"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill for intl's idn_to_ascii and idn_to_utf8 functions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "idn",
        "intl",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-intl-idn/tree/v1.33.0"
    },
}
```

```

    "funding": [
      {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
      },
      {
        "url": "https://github.com/fabpot",
        "type": "github"
      },
      {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
      },
      {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
      }
    ],
    "time": "2024-09-10T14:38:51+00:00"
  },
  {
    "name": "symfony/polyfill-intl-normalizer",
    "version": "v1.33.0",
    "source": {
      "type": "git",
      "url": "https://github.com/symfony/polyfill-intl-normalizer.git",
      "reference": "3833d7255cc303546435cb650316bff708a1c75c"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/symfony/polyfill-intl-normalizer/zipball/3833d7255cc303546435cb650316bff708a1c75c",
      "reference": "3833d7255cc303546435cb650316bff708a1c75c",
      "shasum": ""
    },
    "require": {
      "php": ">=7.2"
    },
    "suggest": {
      "ext-intl": "For best performance"
    },
    "type": "library",
    "extra": {
      "thanks": {
        "url": "https://github.com/symfony/polyfill",
        "name": "symfony/polyfill"
      }
    },
    "autoload": {
      "files": [
        "bootstrap.php"
      ],
      "psr-4": {
        "Symfony\\Polyfill\\Intl\\Normalizer\\": ""
      },
      "classmap": [
        "Resources/stubs"
      ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
      },
      {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
      }
    ],
    "description": "Symfony polyfill for intl's Normalizer class and related functions",
    "homepage": "https://symfony.com",
    "keywords": [
      "compatibility",
      "intl",
      "normalizer",

```

```

        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-intl-normalizer/tree/v1.33.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2024-09-09T11:45:10+00:00"
},
{
    "name": "symfony/polyfill-mbstring",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-mbstring.git",
        "reference": "6d857f4d76bd4b343eac26d6b539585d2bc56493"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-mbstring/zipball/6d857f4d76bd4b343eac26d6b539585d2bc56493",
        "reference": "6d857f4d76bd4b343eac26d6b539585d2bc56493",
        "shasum": ""
    },
    "require": {
        "ext-iconv": "*",
        "php": ">=7.2"
    },
    "provide": {
        "ext-mbstring": "*"
    },
    "suggest": {
        "ext-mbstring": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Mbstring\\": ""
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ]
}

```

```

    }
  ],
  "description": "Symfony polyfill for the Mbstring extension",
  "homepage": "https://symfony.com",
  "keywords": [
    "compatibility",
    "mbstring",
    "polyfill",
    "portable",
    "shim"
  ],
  "support": {
    "source": "https://github.com/symfony/polyfill-mbstring/tree/v1.33.0"
  },
  "funding": [
    {
      "url": "https://symfony.com/sponsor",
      "type": "custom"
    },
    {
      "url": "https://github.com/fabpot",
      "type": "github"
    },
    {
      "url": "https://github.com/nicolas-grekas",
      "type": "github"
    },
    {
      "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
      "type": "tidelift"
    }
  ],
  "time": "2024-12-23T08:48:59+00:00"
},
{
  "name": "symfony/polyfill-php80",
  "version": "v1.33.0",
  "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-php80.git",
    "reference": "0cc9dd0f17f61d8131e7df6b84bd344899fe2608"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/polyfill-php80/zipball/0cc9dd0f17f61d8131e7df6b84bd344899fe2608",
    "reference": "0cc9dd0f17f61d8131e7df6b84bd344899fe2608",
    "shasum": ""
  },
  "require": {
    "php": ">=7.2"
  },
  "type": "library",
  "extra": {
    "thanks": {
      "url": "https://github.com/symfony/polyfill",
      "name": "symfony/polyfill"
    }
  },
  "autoload": {
    "files": [
      "bootstrap.php"
    ],
    "psr-4": {
      "Symfony\\Polyfill\\Php80\\": ""
    },
    "classmap": [
      "Resources/stubs"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "MIT"
  ],
  "authors": [
    {
      "name": "Ion Bazan",
      "email": "ion.bazan@gmail.com"
    }
  ],

```

```

        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill backporting some PHP 8.0+ features to lower PHP versions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-php80/tree/v1.33.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-01-02T08:10:11+00:00"
},
{
    "name": "symfony/polyfill-php83",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-php83.git",
        "reference": "17f6f9a6b1735c0f163024d959f700cfbc5155e5"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-php83/zipball/17f6f9a6b1735c0f163024d959f700cfbc5155e5",
        "reference": "17f6f9a6b1735c0f163024d959f700cfbc5155e5",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Php83\\": ""
        },
        "classmap": [
            "Resources/stubs"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ]
}

```

```

    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill backporting some PHP 8.3+ features to lower PHP versions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-php83/tree/v1.33.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-07-08T02:45:35+00:00"
},
{
    "name": "symfony/polyfill-php84",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-php84.git",
        "reference": "d8ced4d875142b6a7426000426b8abc631d6b191"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-php84/zipball/d8ced4d875142b6a7426000426b8abc631d6b191",
        "reference": "d8ced4d875142b6a7426000426b8abc631d6b191",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Php84\\": ""
        },
        "classmap": [
            "Resources/stubs"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",

```

```

"license": [
    "MIT"
],
"authors": [
    {
        "name": "Nicolas Grekas",
        "email": "p@tchwork.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Symfony polyfill backporting some PHP 8.4+ features to lower PHP versions",
"homepage": "https://symfony.com",
"keywords": [
    "compatibility",
    "polyfill",
    "portable",
    "shim"
],
"support": {
    "source": "https://github.com/symfony/polyfill-php84/tree/v1.33.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-06-24T13:30:11+00:00"
},
{
    "name": "symfony/polyfill-php85",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-php85.git",
        "reference": "d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-php85/zipball/d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91",
        "reference": "d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [
            "bootstrap.php"
        ],
        "psr-4": {
            "Symfony\\Polyfill\\Php85\\": ""
        },
        "classmap": [
            "Resources/stubs"
        ]
    }
}

```

```

    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Symfony polyfill backporting some PHP 8.5+ features to lower PHP versions",
    "homepage": "https://symfony.com",
    "keywords": [
        "compatibility",
        "polyfill",
        "portable",
        "shim"
    ],
    "support": {
        "source": "https://github.com/symfony/polyfill-php85/tree/v1.33.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-06-23T16:12:55+00:00"
},
{
    "name": "symfony/polyfill-uuid",
    "version": "v1.33.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/polyfill-uuid.git",
        "reference": "21533be36c24be3f4b1669c4725c7d1d2bab4ae2"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-uuid/zipball/21533be36c24be3f4b1669c4725c7d1d2bab4ae2",
        "reference": "21533be36c24be3f4b1669c4725c7d1d2bab4ae2",
        "shasum": ""
    },
    "require": {
        "php": ">=7.2"
    },
    "provide": {
        "ext-uuid": "*"
    },
    "suggest": {
        "ext-uuid": "For best performance"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/polyfill",
            "name": "symfony/polyfill"
        }
    },
    "autoload": {
        "files": [

```



```

        "bootstrap.php"
    ],
    "psr-4": {
        "Symfony\\Polyfill\\Uuid\\": ""
    }
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Grégoire Pineau",
        "email": "lyrixx@lyrixx.info"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Symfony polyfill for uuid functions",
"homepage": "https://symfony.com",
"keywords": [
    "compatibility",
    "polyfill",
    "portable",
    "uuid"
],
"support": {
    "source": "https://github.com/symfony/polyfill-uuid/tree/v1.33.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2024-09-09T11:45:10+00:00"
},
{
    "name": "symfony/process",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/process.git",
        "reference": "7ca8dc2d0dcf4882658313aba8be5d9fd01026c8"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/process/zipball/7ca8dc2d0dcf4882658313aba8be5d9fd01026c8",
        "reference": "7ca8dc2d0dcf4882658313aba8be5d9fd01026c8",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Process\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",

```

```

"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Executes commands in sub-processes",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/process/tree/v7.4.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-10-16T11:21:06+00:00"
},
{
    "name": "symfony/routing",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/routing.git",
        "reference": "4720254cb2644a0b876233d258a32bf017330db7"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/routing/zipball/4720254cb2644a0b876233d258a32bf017330db7",
        "reference": "4720254cb2644a0b876233d258a32bf017330db7",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3"
    },
    "conflict": {
        "symfony/config": "<6.4",
        "symfony/dependency-injection": "<6.4",
        "symfony/yaml": "<6.4"
    },
    "require-dev": {
        "psr/log": "^1|^2|^3",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/expression-language": "^6.4|^7.0|^8.0",
        "symfony/http-foundation": "^6.4|^7.0|^8.0",
        "symfony/yaml": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Routing\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "autoload-dev": {

```

```

"notification-url": "https://packagist.org/downloads/",
"license": [
    "MIT"
],
"authors": [
    {
        "name": "Fabien Potencier",
        "email": "fabien@symfony.com"
    },
    {
        "name": "Symfony Community",
        "homepage": "https://symfony.com/contributors"
    }
],
"description": "Maps an HTTP request to a set of configuration variables",
"homepage": "https://symfony.com",
"keywords": [
    "router",
    "routing",
    "uri",
    "url"
],
"support": {
    "source": "https://github.com/symfony/routing/tree/v7.4.0"
},
"funding": [
    {
        "url": "https://symfony.com/sponsor",
        "type": "custom"
    },
    {
        "url": "https://github.com/fabpot",
        "type": "github"
    },
    {
        "url": "https://github.com/nicolas-grekas",
        "type": "github"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
        "type": "tidelift"
    }
],
"time": "2025-11-27T13:27:24+00:00"
},
{
    "name": "symfony/service-contracts",
    "version": "v3.6.1",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/service-contracts.git",
        "reference": "45112560a3ba2d715666a509a0bc9521d10b6c43"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/service-contracts/zipball/45112560a3ba2d715666a509a0bc9521d10b6c43",
        "reference": "45112560a3ba2d715666a509a0bc9521d10b6c43",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1",
        "psr/container": "^1.1|^2.0",
        "symfony/deprecation-contracts": "^2.5|^3"
    },
    "conflict": {
        "ext-psr": "<1.1|^2"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/contracts",
            "name": "symfony/contracts"
        },
        "branch-alias": {
            "dev-main": "3.6-dev"
        }
    },
    "autoload": {

```

```

        "psr-4": {
            "Symfony\\Contracts\\Service\\": ""
        },
        "exclude-from-classmap": [
            "/Test/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Generic abstractions related to writing services",
    "homepage": "https://symfony.com",
    "keywords": [
        "abstractions",
        "contracts",
        "decoupling",
        "interfaces",
        "interoperability",
        "standards"
    ],
    "support": {
        "source": "https://github.com/symfony/service-contracts/tree/v3.6.1"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-07-15T11:30:57+00:00"
},
{
    "name": "symfony/string",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/string.git",
        "reference": "d50e862cb0a0e0886f73ca1f31b865efbb795003"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/string/zipball/d50e862cb0a0e0886f73ca1f31b865efbb795003",
        "reference": "d50e862cb0a0e0886f73ca1f31b865efbb795003",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3.0",
        "symfony/polyfill-ctype": "~1.8",
        "symfony/polyfill-intl-grapheme": "~1.33",
        "symfony/polyfill-intl-normalizer": "~1.0",
        "symfony/polyfill-mbstring": "~1.0"
    },
    "conflict": {
        "symfony/translation-contracts": "<2.5"
    }
}

```

```

    },
    "require-dev": {
        "symfony/emoji": "^7.1|^8.0",
        "symfony/http-client": "^6.4|^7.0|^8.0",
        "symfony/intl": "^6.4|^7.0|^8.0",
        "symfony/translation-contracts": "^2.5|^3.0",
        "symfony/var-exporter": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "files": [
            "Resources/functions.php"
        ],
        "psr-4": {
            "Symfony\\Component\\String\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides an object-oriented API to strings and deals with bytes, UTF-8 code points and grapheme clusters",
    "homepage": "https://symfony.com",
    "keywords": [
        "grapheme",
        "i18n",
        "string",
        "unicode",
        "utf-8",
        "utf8"
    ],
    "support": {
        "source": "https://github.com/symfony/string/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-11-27T13:27:24+00:00"
},
{
    "name": "symfony/translation",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/translation.git",
        "reference": "2d01ca0da3f092f91eeedb46f24aa30d2fca8f68"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/translation/zipball/2d01ca0da3f092f91eeedb46f24aa30d2fca8f68",

```

```

        "reference": "2d01ca0da3f092f91eedb46f24aa30d2fca8f68",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0",
        "symfony/translation-contracts": "^2.5.3|^3.3"
    },
    "conflict": {
        "nikic/php-parser": "<5.0",
        "symfony/config": "<6.4",
        "symfony/console": "<6.4",
        "symfony/dependency-injection": "<6.4",
        "symfony/http-client-contracts": "<2.5",
        "symfony/http-kernel": "<6.4",
        "symfony/service-contracts": "<2.5",
        "symfony/twig-bundle": "<6.4",
        "symfony/yaml": "<6.4"
    },
    "provide": {
        "symfony/translation-implementation": "2.3|3.0"
    },
    "require-dev": {
        "nikic/php-parser": "^5.0",
        "psr/log": "^1|^2|^3",
        "symfony/config": "^6.4|^7.0|^8.0",
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/dependency-injection": "^6.4|^7.0|^8.0",
        "symfony/finder": "^6.4|^7.0|^8.0",
        "symfony/http-client-contracts": "^2.5|^3.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/intl": "^6.4|^7.0|^8.0",
        "symfony/polyfill-intl-icu": "^1.21",
        "symfony/routing": "^6.4|^7.0|^8.0",
        "symfony/service-contracts": "^2.5|^3",
        "symfony/yaml": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "files": [
            "Resources/functions.php"
        ],
        "psr-4": {
            "Symfony\\Component\\Translation\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides tools to internationalize your application",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/translation/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        }
    ],

```

```

        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-11-27T13:27:24+00:00"
},
{
    "name": "symfony/translation-contracts",
    "version": "v3.6.1",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/translation-contracts.git",
        "reference": "65a8bc82080447fae78373aa10f8d13b38338977"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/translation-contracts/zipball/65a8bc82080447fae78373aa10f8d13b3833897",
        "reference": "65a8bc82080447fae78373aa10f8d13b38338977",
        "shasum": ""
    },
    "require": {
        "php": ">=8.1"
    },
    "type": "library",
    "extra": {
        "thanks": {
            "url": "https://github.com/symfony/contracts",
            "name": "symfony/contracts"
        },
        "branch-alias": {
            "dev-main": "3.6-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Symfony\\Contracts\\Translation\\": ""
        },
        "exclude-from-classmap": [
            "/Test/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Generic abstractions related to translation",
    "homepage": "https://symfony.com",
    "keywords": [
        "abstractions",
        "contracts",
        "decoupling",
        "interfaces",
        "interoperability",
        "standards"
    ],
    "support": {
        "source": "https://github.com/symfony/translation-contracts/tree/v3.6.1"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        }
    ],

```

```

        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-07-15T13:41:35+00:00"
},
{
    "name": "symfony/uid",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/uid.git",
        "reference": "2498e9f81b7baa206f44de583f2f48350b90142c"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/uid/zipball/2498e9f81b7baa206f44de583f2f48350b90142c",
        "reference": "2498e9f81b7baa206f44de583f2f48350b90142c",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/polyfill-uuid": "^1.15"
    },
    "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Uid\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Grégoire Pineau",
            "email": "lyrixx@lyrixx.info"
        },
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides an object-oriented API to generate and represent UUIDs",
    "homepage": "https://symfony.com",
    "keywords": [
        "UID",
        "ulid",
        "uuid"
    ],
    "support": {
        "source": "https://github.com/symfony/uid/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        }
    ],

```



```

        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-09-25T11:02:55+00:00"
},
{
    "name": "symfony/var-dumper",
    "version": "v7.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/var-dumper.git",
        "reference": "41fd6c4ae28c38b294b42af6db61446594a0dece"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/var-dumper/zipball/41fd6c4ae28c38b294b42af6db61446594a0dece",
        "reference": "41fd6c4ae28c38b294b42af6db61446594a0dece",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-mbstring": "~1.0"
    },
    "conflict": {
        "symfony/console": "<6.4"
    },
    "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0",
        "symfony/http-kernel": "^6.4|^7.0|^8.0",
        "symfony/process": "^6.4|^7.0|^8.0",
        "symfony/uid": "^6.4|^7.0|^8.0",
        "twig/twig": "^3.12"
    },
    "bin": [
        "Resources/bin/var-dump-server"
    ],
    "type": "library",
    "autoload": {
        "files": [
            "Resources/functions/dump.php"
        ],
        "psr-4": {
            "Symfony\\Component\\VarDumper\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nicolas Grekas",
            "email": "p@tchwork.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Provides mechanisms for walking through any arbitrary PHP variable",
    "homepage": "https://symfony.com",
    "keywords": [
        "debug",
        "dump"
    ]
}

```

```

    ],
    "support": {
        "source": "https://github.com/symfony/var-dumper/tree/v7.4.0"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-10-27T20:36:44+00:00"
},
{
    "name": "tijsverkoyen/css-to-inline-styles",
    "version": "v2.4.0",
    "source": {
        "type": "git",
        "url": "https://github.com/tijsverkoyen/CssToInlineStyles.git",
        "reference": "f0292ccf0ec75843d65027214426b6b163b48b41"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/tijsverkoyen/CssToInlineStyles/zipball/f0292ccf0ec75843d65027214426b6b163b48b41",
        "reference": "f0292ccf0ec75843d65027214426b6b163b48b41",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-libxml": "*",
        "php": "^7.4 || ^8.0",
        "symfony/css-selector": "^5.4 || ^6.0 || ^7.0 || ^8.0"
    },
    "require-dev": {
        "phpstan/phpstan": "^2.0",
        "phpstan/phpstan-phpunit": "^2.0",
        "phpunit/phpunit": "^8.5.21 || ^9.5.10"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.x-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "TijsVerkoyen\\CssToInlineStyles\\": "src"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Tijs Verkoyen",
            "email": "css_to_inline_styles@verkoyen.eu",
            "role": "Developer"
        }
    ],
    "description": "CssToInlineStyles is a class that enables you to convert HTML-pages/files into HTML-pages/files with i",
    "homepage": "https://github.com/tijsverkoyen/CssToInlineStyles",
    "support": {
        "issues": "https://github.com/tijsverkoyen/CssToInlineStyles/issues",
        "source": "https://github.com/tijsverkoyen/CssToInlineStyles/tree/v2.4.0"
    },
    "time": "2025-12-02T11:56:42+00:00"
}

```

```

},
{
  "name": "vlucas/phpdotenv",
  "version": "v5.6.2",
  "source": {
    "type": "git",
    "url": "https://github.com/vlucas/phpdotenv.git",
    "reference": "24ac4c74f91ee2c193fa1aaa5c249cb0822809af"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/vlucas/phpdotenv/zipball/24ac4c74f91ee2c193fa1aaa5c249cb0822809af",
    "reference": "24ac4c74f91ee2c193fa1aaa5c249cb0822809af",
    "shasum": ""
  },
  "require": {
    "ext-pcre": "*",
    "graham-campbell/result-type": "^1.1.3",
    "php": "^7.2.5 || ^8.0",
    "phpoption/phpoption": "^1.9.3",
    "symfony/polyfill-ctype": "^1.24",
    "symfony/polyfill-mbstring": "^1.24",
    "symfony/polyfill-php80": "^1.24"
  },
  "require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "ext-filter": "*",
    "phpunit/phpunit": "^8.5.34 || ^9.6.13 || ^10.4.2"
  },
  "suggest": {
    "ext-filter": "Required to use the boolean validator."
  },
  "type": "library",
  "extra": {
    "bamarni-bin": {
      "bin-links": true,
      "forward-command": false
    },
    "branch-alias": {
      "dev-master": "5.6-dev"
    }
  },
  "autoload": {
    "psr-4": {
      "Dotenv\\": "src/"
    }
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Graham Campbell",
      "email": "hello@gjcampbell.co.uk",
      "homepage": "https://github.com/GrahamCampbell"
    },
    {
      "name": "Vance Lucas",
      "email": "vance@vancelucas.com",
      "homepage": "https://github.com/vlucas"
    }
  ],
  "description": "Loads environment variables from `.env` to `getenv()`, `$_ENV` and `$_SERVER` automagically.",
  "keywords": [
    "dotenv",
    "env",
    "environment"
  ],
  "support": {
    "issues": "https://github.com/vlucas/phpdotenv/issues",
    "source": "https://github.com/vlucas/phpdotenv/tree/v5.6.2"
  },
  "funding": [
    {
      "url": "https://github.com/GrahamCampbell",
      "type": "github"
    }
  ],

```

```

        {
            "url": "https://tidelift.com/funding/github/packagist/vlucas/phpdotenv",
            "type": "tidelift"
        }
    ],
    "time": "2025-04-30T23:37:27+00:00"
},
{
    "name": "voku/portable-ascii",
    "version": "2.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/voku/portable-ascii.git",
        "reference": "b1d923f88091c6bf09699efcd7c8a1b1bfd7351d"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/voku/portable-ascii/zipball/b1d923f88091c6bf09699efcd7c8a1b1bfd7351d",
        "reference": "b1d923f88091c6bf09699efcd7c8a1b1bfd7351d",
        "shasum": ""
    },
    "require": {
        "php": ">=7.0.0"
    },
    "require-dev": {
        "phpunit/phpunit": "~6.0 || ~7.0 || ~9.0"
    },
    "suggest": {
        "ext-intl": "Use Intl for transliterator_transliterate() support"
    },
    "type": "library",
    "autoload": {
        "psr-4": {
            "voku\\": "src/voku/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Lars Moelleken",
            "homepage": "https://www.moelleken.org/"
        }
    ],
    "description": "Portable ASCII library - performance optimized (ascii) string functions for php.",
    "homepage": "https://github.com/voku/portable-ascii",
    "keywords": [
        "ascii",
        "clean",
        "php"
    ],
    "support": {
        "issues": "https://github.com/voku/portable-ascii/issues",
        "source": "https://github.com/voku/portable-ascii/tree/2.0.3"
    },
    "funding": [
        {
            "url": "https://www.paypal.me/moelleken",
            "type": "custom"
        },
        {
            "url": "https://github.com/voku",
            "type": "github"
        },
        {
            "url": "https://opencollective.com/portable-ascii",
            "type": "open_collective"
        },
        {
            "url": "https://www.patreon.com/voku",
            "type": "patreon"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/voku/portable-ascii",
            "type": "tidelift"
        }
    ]
}

```

```

    ],
    "time": "2024-11-21T01:49:47+00:00"
  }
],
"packages-dev": [
  {
    "name": "fakerphp/faker",
    "version": "v1.24.1",
    "source": {
      "type": "git",
      "url": "https://github.com/FakerPHP/Faker.git",
      "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5"
    },
    "dist": {
      "type": "zip",
      "url": "https://api.github.com/repos/FakerPHP/Faker/zipball/e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
      "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
      "shasum": ""
    },
    "require": {
      "php": "^7.4 || ^8.0",
      "psr/container": "^1.0 || ^2.0",
      "symfony/deprecation-contracts": "^2.2 || ^3.0"
    },
    "conflict": {
      "fzaninotto/faker": "*"
    },
    "require-dev": {
      "bamarni/composer-bin-plugin": "^1.4.1",
      "doctrine/persistence": "^1.3 || ^2.0",
      "ext-intl": "*",
      "phpunit/phpunit": "^9.5.26",
      "symfony/phpunit-bridge": "^5.4.16"
    },
    "suggest": {
      "doctrine/orm": "Required to use Faker\\ORM\\Doctrine",
      "ext-curl": "Required by Faker\\Provider\\Image to download images.",
      "ext-dom": "Required by Faker\\Provider\\HtmlLorem for generating random HTML.",
      "ext-iconv": "Required by Faker\\Provider\\ru_RU\\Text::realText() for generating real Russian text.",
      "ext-mbstring": "Required for multibyte Unicode string functionality."
    },
    "type": "library",
    "autoload": {
      "psr-4": {
        "Faker\\": "src/Faker/"
      }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
      "MIT"
    ],
    "authors": [
      {
        "name": "François Zaninotto"
      }
    ],
    "description": "Faker is a PHP library that generates fake data for you.",
    "keywords": [
      "data",
      "faker",
      "fixtures"
    ],
    "support": {
      "issues": "https://github.com/FakerPHP/Faker/issues",
      "source": "https://github.com/FakerPHP/Faker/tree/v1.24.1"
    },
    "time": "2024-11-21T13:46:39+00:00"
  },
  {
    "name": "filp/whoops",
    "version": "2.18.4",
    "source": {
      "type": "git",
      "url": "https://github.com/filp/whoops.git",
      "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d"
    },
    "dist": {
      "type": "zip",

```

```

        "url": "https://api.github.com/repos/filp/whoops/zipball/d2102955e48b9fd9ab24280a7ad12ed552752c4d",
        "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d",
        "shasum": ""
    },
    "require": {
        "php": "^7.1 || ^8.0",
        "psr/log": "^1.0.1 || ^2.0 || ^3.0"
    },
    "require-dev": {
        "mockery/mockery": "^1.0",
        "phpunit/phpunit": "^7.5.20 || ^8.5.8 || ^9.3.3",
        "symfony/var-dumper": "^4.0 || ^5.0"
    },
    "suggest": {
        "symfony/var-dumper": "Pretty print complex values better with var-dumper available",
        "whoops/soap": "Formats errors as SOAP responses"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.7-dev"
        }
    },
    "autoload": {
        "psr-4": {
            "Whoops\\": "src/Whoops/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Filipe Dobreira",
            "homepage": "https://github.com/filp",
            "role": "Developer"
        }
    ],
    "description": "php error handling for cool kids",
    "homepage": "https://filp.github.io/whoops/",
    "keywords": [
        "error",
        "exception",
        "handling",
        "library",
        "throwable",
        "whoops"
    ],
    "support": {
        "issues": "https://github.com/filp/whoops/issues",
        "source": "https://github.com/filp/whoops/tree/2.18.4"
    },
    "funding": [
        {
            "url": "https://github.com/denis-sokolov",
            "type": "github"
        }
    ],
    "time": "2025-08-08T12:00:00+00:00"
},
{
    "name": "hamcrest/hamcrest-php",
    "version": "v2.1.1",
    "source": {
        "type": "git",
        "url": "https://github.com/hamcrest/hamcrest-php.git",
        "reference": "f8b1c0173b22fa6ec77a81fe63e5b01eba7e6487"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/hamcrest/hamcrest-php/zipball/f8b1c0173b22fa6ec77a81fe63e5b01eba7e6487",
        "reference": "f8b1c0173b22fa6ec77a81fe63e5b01eba7e6487",
        "shasum": ""
    },
    "require": {
        "php": "^7.4|^8.0"
    },

```

```

"replace": {
    "cordoval/hamcrest-php": "*",
    "davedevelopment/hamcrest-php": "*",
    "kodova/hamcrest-php": "*"
},
"require-dev": {
    "phpunit/php-file-iterator": "^1.4 || ^2.0 || ^3.0",
    "phpunit/phpunit": "^4.8.36 || ^5.7 || ^6.5 || ^7.0 || ^8.0 || ^9.0"
},
"type": "library",
"extra": {
    "branch-alias": {
        "dev-master": "2.1-dev"
    }
},
"autoload": {
    "classmap": [
        "hamcrest"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"description": "This is the PHP port of Hamcrest Matchers",
"keywords": [
    "test"
],
"support": {
    "issues": "https://github.com/hamcrest/hamcrest-php/issues",
    "source": "https://github.com/hamcrest/hamcrest-php/tree/v2.1.1"
},
"time": "2025-04-30T06:54:44+00:00"
},
{
    "name": "laravel/pail",
    "version": "v1.2.4",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/pail.git",
        "reference": "49f92285ff5d6fc09816e976a004f8dec6a0ea30"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/pail/zipball/49f92285ff5d6fc09816e976a004f8dec6a0ea30",
        "reference": "49f92285ff5d6fc09816e976a004f8dec6a0ea30",
        "shasum": ""
    },
    "require": {
        "ext-mbstring": "*",
        "illuminate/console": "^10.24|^11.0|^12.0",
        "illuminate/contracts": "^10.24|^11.0|^12.0",
        "illuminate/log": "^10.24|^11.0|^12.0",
        "illuminate/process": "^10.24|^11.0|^12.0",
        "illuminate/support": "^10.24|^11.0|^12.0",
        "nunomaduro/termwind": "^1.15|^2.0",
        "php": "^8.2",
        "symfony/console": "^6.0|^7.0"
    },
    "require-dev": {
        "laravel/framework": "^10.24|^11.0|^12.0",
        "laravel/pint": "^1.13",
        "orchestra/testbench-core": "^8.13|^9.17|^10.8",
        "pestphp/pest": "^2.20|^3.0|^4.0",
        "pestphp/pest-plugin-type-coverage": "^2.3|^3.0|^4.0",
        "phpstan/phpstan": "^1.12.27",
        "symfony/var-dumper": "^6.3|^7.0"
    },
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "Laravel\\Pail\\PailServiceProvider"
            ]
        }
    },
    "branch-alias": {
        "dev-main": "1.x-dev"
    }
}

```

```

    },
    "autoload": {
        "psr-4": {
            "Laravel\\Pail\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        },
        {
            "name": "Nuno Maduro",
            "email": "enunomaduro@gmail.com"
        }
    ],
    "description": "Easily delve into your Laravel application's log files directly from the command line.",
    "homepage": "https://github.com/laravel/pail",
    "keywords": [
        "dev",
        "laravel",
        "logs",
        "php",
        "tail"
    ],
    "support": {
        "issues": "https://github.com/laravel/pail/issues",
        "source": "https://github.com/laravel/pail"
    },
    "time": "2025-11-20T16:29:35+00:00"
},
{
    "name": "laravel/pint",
    "version": "v1.26.0",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/pint.git",
        "reference": "69dcca060ecb15e4b564af63d1f642c81a241d6f"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/pint/zipball/69dcca060ecb15e4b564af63d1f642c81a241d6f",
        "reference": "69dcca060ecb15e4b564af63d1f642c81a241d6f",
        "shasum": ""
    },
    "require": {
        "ext-json": "*",
        "ext-mbstring": "*",
        "ext-tokenizer": "*",
        "ext-xml": "*",
        "php": "^8.2.0"
    },
    "require-dev": {
        "friendsofphp/php-cs-fixer": "^3.90.0",
        "illuminate/view": "^12.40.1",
        "larastan/larastan": "^3.8.0",
        "laravel-zero/framework": "^12.0.4",
        "mockery/mockery": "^1.6.12",
        "nunomaduro/termwind": "^2.3.3",
        "pestphp/pest": "^3.8.4"
    },
    "bin": [
        "builds/pint"
    ],
    "type": "project",
    "autoload": {
        "psr-4": {
            "App\\": "app/",
            "Database\\Seeders\\": "database/seeders/",
            "Database\\Factories\\": "database/factories/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [

```



```

        "MIT"
    ],
    "authors": [
        {
            "name": "Nuno Maduro",
            "email": "enunomaduro@gmail.com"
        }
    ],
    "description": "An opinionated code formatter for PHP.",
    "homepage": "https://laravel.com",
    "keywords": [
        "dev",
        "format",
        "formatter",
        "lint",
        "linter",
        "php"
    ],
    "support": {
        "issues": "https://github.com/laravel/pint/issues",
        "source": "https://github.com/laravel/pint"
    },
    "time": "2025-11-25T21:15:52+00:00"
},
{
    "name": "laravel/sail",
    "version": "v1.51.0",
    "source": {
        "type": "git",
        "url": "https://github.com/laravel/sail.git",
        "reference": "1c74357df034e869250b4365dd445c9f6ba5d068"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/laravel/sail/zipball/1c74357df034e869250b4365dd445c9f6ba5d068",
        "reference": "1c74357df034e869250b4365dd445c9f6ba5d068",
        "shasum": ""
    },
    "require": {
        "illuminate/console": "^9.52.16|^10.0|^11.0|^12.0",
        "illuminate/contracts": "^9.52.16|^10.0|^11.0|^12.0",
        "illuminate/support": "^9.52.16|^10.0|^11.0|^12.0",
        "php": "^8.0",
        "symfony/console": "^6.0|^7.0",
        "symfony/yaml": "^6.0|^7.0"
    },
    "require-dev": {
        "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0",
        "phpstan/phpstan": "^2.0"
    },
    "bin": [
        "bin/sail"
    ],
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "Laravel\\Sail\\SailServiceProvider"
            ]
        }
    },
    "autoload": {
        "psr-4": {
            "Laravel\\Sail\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Taylor Otwell",
            "email": "taylor@laravel.com"
        }
    ],
    "description": "Docker files for running a basic Laravel application.",
    "keywords": [

```

```

        "docker",
        "laravel"
    ],
    "support": {
        "issues": "https://github.com/laravel/sail/issues",
        "source": "https://github.com/laravel/sail"
    },
    "time": "2025-12-09T13:33:49+00:00"
},
{
    "name": "mockery/mockery",
    "version": "1.6.12",
    "source": {
        "type": "git",
        "url": "https://github.com/mockery/mockery.git",
        "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/mockery/mockery/zipball/1f4efdd7d3beafe9807b08156dfcb176d18f1699",
        "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699",
        "shasum": ""
    },
    "require": {
        "hamcrest/hamcrest-php": "^2.0.1",
        "lib-pcre": ">=7.0",
        "php": ">=7.3"
    },
    "conflict": {
        "phpunit/phpunit": "<8.0"
    },
    "require-dev": {
        "phpunit/phpunit": "^8.5 || ^9.6.17",
        "symplify/easy-coding-standard": "^12.1.14"
    },
    "type": "library",
    "autoload": {
        "files": [
            "library/helpers.php",
            "library/Mockery.php"
        ],
        "psr-4": {
            "Mockery\\": "library/Mockery"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Pádraic Brady",
            "email": "padraic.brady@gmail.com",
            "homepage": "https://github.com/padraic",
            "role": "Author"
        },
        {
            "name": "Dave Marshall",
            "email": "dave.marshall@atstsolutions.co.uk",
            "homepage": "https://davedevelopment.co.uk",
            "role": "Developer"
        },
        {
            "name": "Nathanael Esayias",
            "email": "nathanael.esayias@protonmail.com",
            "homepage": "https://github.com/ghostwriter",
            "role": "Lead Developer"
        }
    ],
    "description": "Mockery is a simple yet flexible PHP mock object framework",
    "homepage": "https://github.com/mockery/mockery",
    "keywords": [
        "BDD",
        "TDD",
        "library",
        "mock",
        "mock objects",
        "mockery"
    ]
}

```

```

        "stub",
        "test",
        "test double",
        "testing"
    ],
    "support": {
        "docs": "https://docs.mockery.io/",
        "issues": "https://github.com/mockery/mockery/issues",
        "rss": "https://github.com/mockery/mockery/releases.atom",
        "security": "https://github.com/mockery/mockery/security/advisories",
        "source": "https://github.com/mockery/mockery"
    },
    "time": "2024-05-16T03:13:13+00:00"
},
{
    "name": "myclabs/deep-copy",
    "version": "1.13.4",
    "source": {
        "type": "git",
        "url": "https://github.com/myclabs/DeepCopy.git",
        "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/myclabs/DeepCopy/zipball/07d290f0c47959fd5eed98c95ee5602db07e0b6a",
        "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a",
        "shasum": ""
    },
    "require": {
        "php": "^7.1 || ^8.0"
    },
    "conflict": {
        "doctrine/collections": "<1.6.8",
        "doctrine/common": "<2.13.3 || >=3 <3.2.2"
    },
    "require-dev": {
        "doctrine/collections": "^1.6.8",
        "doctrine/common": "^2.13.3 || ^3.2.2",
        "phpspec/prophecy": "^1.10",
        "phpunit/phpunit": "^7.5.20 || ^8.5.23 || ^9.5.13"
    },
    "type": "library",
    "autoload": {
        "files": [
            "src/DeepCopy/deep_copy.php"
        ],
        "psr-4": {
            "DeepCopy\\": "src/DeepCopy/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "Create deep copies (clones) of your objects",
    "keywords": [
        "clone",
        "copy",
        "duplicate",
        "object",
        "object graph"
    ],
    "support": {
        "issues": "https://github.com/myclabs/DeepCopy/issues",
        "source": "https://github.com/myclabs/DeepCopy/tree/1.13.4"
    },
    "funding": [
        {
            "url": "https://tidelift.com/funding/github/packagist/myclabs/deep-copy",
            "type": "tidelift"
        }
    ],
    "time": "2025-08-01T08:46:24+00:00"
},
{
    "name": "nunomaduro/collision",
    "version": "v8.8.3",
    "source": {

```

```

        "type": "git",
        "url": "https://github.com/nunomaduro/collision.git",
        "reference": "1dc9e88d105699d0fee8bb18890f41b274f6b4c4"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/nunomaduro/collision/zipball/1dc9e88d105699d0fee8bb18890f41b274f6b4c4",
        "reference": "1dc9e88d105699d0fee8bb18890f41b274f6b4c4",
        "shasum": ""
    },
    "require": {
        "filp/whoops": "^2.18.1",
        "nunomaduro/termwind": "^2.3.1",
        "php": "^8.2.0",
        "symfony/console": "^7.3.0"
    },
    "conflict": {
        "laravel/framework": "<11.44.2 || >=13.0.0",
        "phpunit/phpunit": "<11.5.15 || >=13.0.0"
    },
    "require-dev": {
        "brianium/paratest": "^7.8.3",
        "larastan/larastan": "^3.4.2",
        "laravel/framework": "^11.44.2 || ^12.18",
        "laravel/pint": "^1.22.1",
        "laravel/sail": "^1.43.1",
        "laravel/sanctum": "^4.1.1",
        "laravel/tinker": "^2.10.1",
        "orchestra/testbench-core": "^9.12.0 || ^10.4",
        "pestphp/pest": "^3.8.2 || ^4.0.0",
        "sebastian/environment": "^7.2.1 || ^8.0"
    },
    "type": "library",
    "extra": {
        "laravel": {
            "providers": [
                "NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider"
            ]
        },
        "branch-alias": {
            "dev-8.x": "8.x-dev"
        }
    },
    "autoload": {
        "files": [
            "./src/Adapters/Phpunit/Autoload.php"
        ],
        "psr-4": {
            "NunoMaduro\\Collision\\": "src/"
        }
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Nuno Maduro",
            "email": "enunomaduro@gmail.com"
        }
    ],
    "description": "Cli error handling for console/command-line PHP applications.",
    "keywords": [
        "artisan",
        "cli",
        "command-line",
        "console",
        "dev",
        "error",
        "handling",
        "laravel",
        "laravel-zero",
        "php",
        "symfony"
    ],
    "support": {
        "issues": "https://github.com/nunomaduro/collision/issues",
        "source": "https://github.com/nunomaduro/collision"
    }

```

```

    },
    "funding": [
        {
            "url": "https://www.paypal.com/paypalme/enunomaduro",
            "type": "custom"
        },
        {
            "url": "https://github.com/nunomaduro",
            "type": "github"
        },
        {
            "url": "https://www.patreon.com/nunomaduro",
            "type": "patreon"
        }
    ],
    "time": "2025-11-20T02:55:25+00:00"
},
{
    "name": "phar-io/manifest",
    "version": "2.0.4",
    "source": {
        "type": "git",
        "url": "https://github.com/phar-io/manifest.git",
        "reference": "54750ef60c58e43759730615a392c31c80e23176"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/phar-io/manifest/zipball/54750ef60c58e43759730615a392c31c80e23176",
        "reference": "54750ef60c58e43759730615a392c31c80e23176",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-libxml": "*",
        "ext-phar": "*",
        "ext-xmlwriter": "*",
        "phar-io/version": "^3.0.1",
        "php": "^7.2 || ^8.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-master": "2.0.x-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Arne Blankerts",
            "email": "arne@blankerts.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Heuer",
            "email": "sebastian@phpeople.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "Developer"
        }
    ],
    "description": "Component for reading phar.io manifest information from a PHP Archive (PHAR)",
    "support": {
        "issues": "https://github.com/phar-io/manifest/issues",
        "source": "https://github.com/phar-io/manifest/tree/2.0.4"
    },
    "funding": [
        {

```

```

        "url": "https://github.com/theseer",
        "type": "github"
    }
],
"time": "2024-03-03T12:33:53+00:00"
},
{
    "name": "phar-io/version",
    "version": "3.2.1",
    "source": {
        "type": "git",
        "url": "https://github.com/phar-io/version.git",
        "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbcd74"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/phar-io/version/zipball/4f7fd7836c6f332bb2933569e566a0d6c4cbcd74",
        "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbcd74",
        "shasum": ""
    },
    "require": {
        "php": "^7.2 || ^8.0"
    },
    "type": "library",
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Arne Blankerts",
            "email": "arne@blankerts.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Heuer",
            "email": "sebastian@phpeople.de",
            "role": "Developer"
        },
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "Developer"
        }
    ],
    "description": "Library for handling version information and constraints",
    "support": {
        "issues": "https://github.com/phar-io/version/issues",
        "source": "https://github.com/phar-io/version/tree/3.2.1"
    },
    "time": "2022-02-21T01:04:05+00:00"
},
{
    "name": "phpunit/php-code-coverage",
    "version": "11.0.11",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-code-coverage.git",
        "reference": "4f7722aa9a7b76aa775e2d9d4e95d1ea16eef4"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/php-code-coverage/zipball/4f7722aa9a7b76aa775e2d9d4e95d1ea16eef4",
        "reference": "4f7722aa9a7b76aa775e2d9d4e95d1ea16eef4",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-libxml": "*",
        "ext-xmlwriter": "*",
        "nikic/php-parser": "^5.4.0",
        "php": ">=8.2",
        "phpunit/php-file-iterator": "^5.1.0",

```

```

        "phpunit/php-text-template": "^4.0.1",
        "sebastian/code-unit-reverse-lookup": "^4.0.1",
        "sebastian/complexity": "^4.0.1",
        "sebastian/environment": "^7.2.0",
        "sebastian/lines-of-code": "^3.0.1",
        "sebastian/version": "^5.0.2",
        "theseer/tokenizer": "^1.2.3"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.5.2"
    },
    "suggest": {
        "ext-pcov": "PHP extension that provides line coverage",
        "ext-xdebug": "PHP extension that provides line coverage as well as branch and path coverage"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "11.0.x-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Library that provides collection, processing, and rendering functionality for PHP code coverage information",
    "homepage": "https://github.com/sebastianbergmann/php-code-coverage",
    "keywords": [
        "coverage",
        "testing",
        "xunit"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/php-code-coverage/issues",
        "security": "https://github.com/sebastianbergmann/php-code-coverage/security/policy",
        "source": "https://github.com/sebastianbergmann/php-code-coverage/tree/11.0.11"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        },
        {
            "url": "https://liberapay.com/sebastianbergmann",
            "type": "liberapay"
        },
        {
            "url": "https://thanks.dev/u/gh/sebastianbergmann",
            "type": "thanks_dev"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/phpunit/php-code-coverage",
            "type": "tidelift"
        }
    ],
    "time": "2025-08-27T14:37:49+00:00"
},
{
    "name": "phpunit/php-file-iterator",
    "version": "5.1.0",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-file-iterator.git",
        "reference": "118cfaa8bc5aef3287bf315b6060b1174754af6"
    },
    "dist": {

```

```

        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/php-file-iterator/zipball/118cfaaa8bc5aef3287bf315b6060b117",
        "reference": "118cfaaa8bc5aef3287bf315b6060b1174754af6",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "5.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "FilterIterator implementation that filters files based on a list of suffixes.",
    "homepage": "https://github.com/sebastianbergmann/php-file-iterator/",
    "keywords": [
        "filesystem",
        "iterator"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/php-file-iterator/issues",
        "security": "https://github.com/sebastianbergmann/php-file-iterator/security/policy",
        "source": "https://github.com/sebastianbergmann/php-file-iterator/tree/5.1.0"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-08-27T05:02:59+00:00"
},
{
    "name": "phpunit/php-invoker",
    "version": "5.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-invoker.git",
        "reference": "c1ca3814734c07492b3d4c5f794f4b0995333da2"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/php-invoker/zipball/c1ca3814734c07492b3d4c5f794f4b0995333da",
        "reference": "c1ca3814734c07492b3d4c5f794f4b0995333da2",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "ext-pcntl": "*",
        "phpunit/phpunit": "^11.0"
    },
    "suggest": {
        "ext-pcntl": "*"
    },
    "type": "library",
    "extra": {

```



```

        "branch-alias": {
            "dev-main": "5.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Invoke callables with a timeout",
    "homepage": "https://github.com/sebastianbergmann/php-invoker/",
    "keywords": [
        "process"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/php-invoker/issues",
        "security": "https://github.com/sebastianbergmann/php-invoker/security/policy",
        "source": "https://github.com/sebastianbergmann/php-invoker/tree/5.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T05:07:44+00:00"
},
{
    "name": "phpunit/php-text-template",
    "version": "4.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/php-text-template.git",
        "reference": "3e0404dc6b300e6bf56415467ebcb3fe4f33e964"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/php-text-template/zipball/3e0404dc6b300e6bf56415467ebcb3fe4f33e964",
        "reference": "3e0404dc6b300e6bf56415467ebcb3fe4f33e964",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "4.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ]
}

```

```

    }
  ],
  "description": "Simple template engine.",
  "homepage": "https://github.com/sebastianbergmann/php-text-template/",
  "keywords": [
    "template"
  ],
  "support": {
    "issues": "https://github.com/sebastianbergmann/php-text-template/issues",
    "security": "https://github.com/sebastianbergmann/php-text-template/security/policy",
    "source": "https://github.com/sebastianbergmann/php-text-template/tree/4.0.1"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    }
  ],
  "time": "2024-07-03T05:08:43+00:00"
},
{
  "name": "phpunit/php-timer",
  "version": "7.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/php-timer.git",
    "reference": "3b415def83fbc41f991d9ebf16ae4ad8b7837b3"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/php-timer/zipball/3b415def83fbc41f991d9ebf16ae4ad8b7837b3",
    "reference": "3b415def83fbc41f991d9ebf16ae4ad8b7837b3",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2"
  },
  "require-dev": {
    "phpunit/phpunit": "^11.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "7.0-dev"
    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de",
      "role": "lead"
    }
  ],
  "description": "Utility class for timing",
  "homepage": "https://github.com/sebastianbergmann/php-timer/",
  "keywords": [
    "timer"
  ],
  "support": {
    "issues": "https://github.com/sebastianbergmann/php-timer/issues",
    "security": "https://github.com/sebastianbergmann/php-timer/security/policy",
    "source": "https://github.com/sebastianbergmann/php-timer/tree/7.0.1"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    }
  ],
},

```

```

"time": "2024-07-03T05:09:35+00:00"
},
{
  "name": "phpunit/phpunit",
  "version": "11.5.46",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/phpunit.git",
    "reference": "75dfe79a2aa30085b7132bb84377c24062193f33"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/phpunit/zipball/75dfe79a2aa30085b7132bb84377c24062193f33",
    "reference": "75dfe79a2aa30085b7132bb84377c24062193f33",
    "shasum": ""
  },
  "require": {
    "ext-dom": "*",
    "ext-json": "*",
    "ext-libxml": "*",
    "ext-mbstring": "*",
    "ext-xml": "*",
    "ext-xmlwriter": "*",
    "myclabs/deep-copy": "^1.13.4",
    "phar-io/manifest": "^2.0.4",
    "phar-io/version": "^3.2.1",
    "php": ">=8.2",
    "phpunit/php-code-coverage": "^11.0.11",
    "phpunit/php-file-iterator": "^5.1.0",
    "phpunit/php-invoker": "^5.0.1",
    "phpunit/php-text-template": "^4.0.1",
    "phpunit/php-timer": "^7.0.1",
    "sebastian/cli-parser": "^3.0.2",
    "sebastian/code-unit": "^3.0.3",
    "sebastian/comparator": "^6.3.2",
    "sebastian/diff": "^6.0.2",
    "sebastian/environment": "^7.2.1",
    "sebastian/exporter": "^6.3.2",
    "sebastian/global-state": "^7.0.2",
    "sebastian/object-enumerator": "^6.0.1",
    "sebastian/type": "^5.1.3",
    "sebastian/version": "^5.0.2",
    "staabm/side-effects-detector": "^1.0.5"
  },
  "suggest": {
    "ext-soap": "To be able to generate mocks based on WSDL files"
  },
  "bin": [
    "phpunit"
  ],
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "11.5-dev"
    }
  },
  "autoload": {
    "files": [
      "src/Framework/Assert/Functions.php"
    ],
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de",
      "role": "lead"
    }
  ],
  "description": "The PHP Unit Testing framework.",
  "homepage": "https://phpunit.de/",
  "keywords": [

```

```

        "phpunit",
        "testing",
        "xunit"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/phpunit/issues",
        "security": "https://github.com/sebastianbergmann/phpunit/security/policy",
        "source": "https://github.com/sebastianbergmann/phpunit/tree/11.5.46"
    },
    "funding": [
        {
            "url": "https://phpunit.de/sponsors.html",
            "type": "custom"
        },
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        },
        {
            "url": "https://liberapay.com/sebastianbergmann",
            "type": "liberapay"
        },
        {
            "url": "https://thanks.dev/u/gh/sebastianbergmann",
            "type": "thanks_dev"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/phpunit/phpunit",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-06T08:01:15+00:00"
},
{
    "name": "sebastian/cli-parser",
    "version": "3.0.2",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/cli-parser.git",
        "reference": "15c5dd40dc4f38794d383bb95465193f5e0ae180"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/cli-parser/zipball/15c5dd40dc4f38794d383bb95465193f5e0ae180",
        "reference": "15c5dd40dc4f38794d383bb95465193f5e0ae180",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Library for parsing CLI options",
    "homepage": "https://github.com/sebastianbergmann/cli-parser",
    "support": {

```

```

        "issues": "https://github.com/sebastianbergmann/cli-parser/issues",
        "security": "https://github.com/sebastianbergmann/cli-parser/security/policy",
        "source": "https://github.com/sebastianbergmann/cli-parser/tree/3.0.2"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:41:36+00:00"
},
{
    "name": "sebastian/code-unit",
    "version": "3.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/code-unit.git",
        "reference": "54391c61e4af8078e5b276ab082b6d3c54c9ad64"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/code-unit/zipball/54391c61e4af8078e5b276ab082b6d3c54c9ad64",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.5"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Collection of value objects that represent the PHP code units",
    "homepage": "https://github.com/sebastianbergmann/code-unit",
    "support": {
        "issues": "https://github.com/sebastianbergmann/code-unit/issues",
        "security": "https://github.com/sebastianbergmann/code-unit/security/policy",
        "source": "https://github.com/sebastianbergmann/code-unit/tree/3.0.3"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2025-03-19T07:56:08+00:00"
},
{
    "name": "sebastian/code-unit-reverse-lookup",
    "version": "4.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/code-unit-reverse-lookup.git",
        "reference": "183a9b2632194febd219bb9246eee421dad8d45e"
    },
    "dist": {

```

```

        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/code-unit-reverse-lookup/zipball/183a9b2632194febd219bb9246",
        "reference": "183a9b2632194febd219bb9246eee421dad8d45e",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "4.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        }
    ],
    "description": "Looks up which function or method a line of code belongs to",
    "homepage": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/",
    "support": {
        "issues": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/issues",
        "security": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/security/policy",
        "source": "https://github.com/sebastianbergmann/code-unit-reverse-lookup/tree/4.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:45:54+00:00"
},
{
    "name": "sebastian/comparator",
    "version": "6.3.2",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/comparator.git",
        "reference": "85c77556683e6eee4323e4c5468641ca0237e2e8"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/comparator/zipball/85c77556683e6eee4323e4c5468641ca0237e2e8",
        "reference": "85c77556683e6eee4323e4c5468641ca0237e2e8",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-mbstring": "*",
        "php": ">=8.2",
        "sebastian/diff": "^6.0",
        "sebastian/exporter": "^6.0"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.4"
    },
    "suggest": {
        "ext-bcmath": "For comparing BcMath\\Number objects"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.3-dev"
        }
    }
}

```

```

    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de"
    },
    {
      "name": "Jeff Welch",
      "email": "whatthejeff@gmail.com"
    },
    {
      "name": "Volker Dusch",
      "email": "github@wallbash.com"
    },
    {
      "name": "Bernhard Schussek",
      "email": "bschussek@2bepublished.at"
    }
  ],
  "description": "Provides the functionality to compare PHP values for equality",
  "homepage": "https://github.com/sebastianbergmann/comparator",
  "keywords": [
    "comparator",
    "compare",
    "equality"
  ],
  "support": {
    "issues": "https://github.com/sebastianbergmann/comparator/issues",
    "security": "https://github.com/sebastianbergmann/comparator/security/policy",
    "source": "https://github.com/sebastianbergmann/comparator/tree/6.3.2"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    },
    {
      "url": "https://liberapay.com/sebastianbergmann",
      "type": "liberapay"
    },
    {
      "url": "https://thanks.dev/u/gh/sebastianbergmann",
      "type": "thanks_dev"
    },
    {
      "url": "https://tidelift.com/funding/github/packagist/sebastian/comparator",
      "type": "tidelift"
    }
  ],
  "time": "2025-08-10T08:07:46+00:00"
},
{
  "name": "sebastian/complexity",
  "version": "4.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/complexity.git",
    "reference": "ee41d384ab1906c68852636b6de493846e13e5a0"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/complexity/zipball/ee41d384ab1906c68852636b6de493846e13e5a0",
    "reference": "ee41d384ab1906c68852636b6de493846e13e5a0",
    "shasum": ""
  },
  "require": {
    "nikic/php-parser": "^5.0",
    "php": ">=8.2"
  }
}

```

```

    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "4.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Library for calculating the complexity of PHP code units",
    "homepage": "https://github.com/sebastianbergmann/complexity",
    "support": {
        "issues": "https://github.com/sebastianbergmann/complexity/issues",
        "security": "https://github.com/sebastianbergmann/complexity/security/policy",
        "source": "https://github.com/sebastianbergmann/complexity/tree/4.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:49:50+00:00"
},
{
    "name": "sebastian/diff",
    "version": "6.0.2",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/diff.git",
        "reference": "b4ccd857127db5d41a5b676f24b51371d76d8544"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/diff/zipball/b4ccd857127db5d41a5b676f24b51371d76d8544",
        "reference": "b4ccd857127db5d41a5b676f24b51371d76d8544",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0",
        "symfony/process": "^4.2 || ^5"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [

```



```

        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        },
        {
            "name": "Kore Nordmann",
            "email": "mail@kore-nordmann.de"
        }
    ],
    "description": "Diff implementation",
    "homepage": "https://github.com/sebastianbergmann/diff",
    "keywords": [
        "diff",
        "udiff",
        "unidiff",
        "unified diff"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/diff/issues",
        "security": "https://github.com/sebastianbergmann/diff/security/policy",
        "source": "https://github.com/sebastianbergmann/diff/tree/6.0.2"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:53:05+00:00"
},
{
    "name": "sebastian/environment",
    "version": "7.2.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/environment.git",
        "reference": "a5c75038693ad2e8d4b6c15ba2403532647830c4"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/environment/zipball/a5c75038693ad2e8d4b6c15ba2403532647830c4",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "suggest": {
        "ext-posix": "*"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "7.2-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        }
    ],
    "description": "Provides functionality to handle HHVM/PHP environments",
    "homepage": "https://github.com/sebastianbergmann/environment",
    "keywords": [
        "Xdebug",

```

```

        "environment",
        "hhvm"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/environment/issues",
        "security": "https://github.com/sebastianbergmann/environment/security/policy",
        "source": "https://github.com/sebastianbergmann/environment/tree/7.2.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        },
        {
            "url": "https://liberapay.com/sebastianbergmann",
            "type": "liberapay"
        },
        {
            "url": "https://thanks.dev/u/gh/sebastianbergmann",
            "type": "thanks_dev"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/sebastian/environment",
            "type": "tidelift"
        }
    ],
    "time": "2025-05-21T11:55:47+00:00"
},
{
    "name": "sebastian/exporter",
    "version": "6.3.2",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/exporter.git",
        "reference": "70a298763b40b213ec087c51c739efcaa90bcd74"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/exporter/zipball/70a298763b40b213ec087c51c739efcaa90bcd74",
        "reference": "70a298763b40b213ec087c51c739efcaa90bcd74",
        "shasum": ""
    },
    "require": {
        "ext-mbstring": "*",
        "php": ">=8.2",
        "sebastian/recursion-context": "^6.0"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.3-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        },
        {
            "name": "Jeff Welch",
            "email": "whatthejeff@gmail.com"
        },
        {
            "name": "Volker Dusch",
            "email": "github@wallbash.com"
        }
    ],

```

```

    {
      "name": "Adam Harvey",
      "email": "aharvey@php.net"
    },
    {
      "name": "Bernhard Schussek",
      "email": "bschussek@gmail.com"
    }
  ],
  "description": "Provides the functionality to export PHP variables for visualization",
  "homepage": "https://www.github.com/sebastianbergmann/exporter",
  "keywords": [
    "export",
    "exporter"
  ],
  "support": {
    "issues": "https://github.com/sebastianbergmann/exporter/issues",
    "security": "https://github.com/sebastianbergmann/exporter/security/policy",
    "source": "https://github.com/sebastianbergmann/exporter/tree/6.3.2"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    },
    {
      "url": "https://liberapay.com/sebastianbergmann",
      "type": "liberapay"
    },
    {
      "url": "https://thanks.dev/u/gh/sebastianbergmann",
      "type": "thanks_dev"
    },
    {
      "url": "https://tidelift.com/funding/github/packagist/sebastian/exporter",
      "type": "tidelift"
    }
  ],
  "time": "2025-09-24T06:12:51+00:00"
},
{
  "name": "sebastian/global-state",
  "version": "7.0.2",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/global-state.git",
    "reference": "3be331570a721f9a4b5917f4209773de17f747d7"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/global-state/zipball/3be331570a721f9a4b5917f4209773de17f747d7",
    "reference": "3be331570a721f9a4b5917f4209773de17f747d7",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "sebastian/object-reflector": "^4.0",
    "sebastian/recursion-context": "^6.0"
  },
  "require-dev": {
    "ext-dom": "*",
    "phpunit/phpunit": "^11.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "7.0-dev"
    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],

```

```

    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        }
    ],
    "description": "Snapshotting of global state",
    "homepage": "https://www.github.com/sebastianbergmann/global-state",
    "keywords": [
        "global state"
    ],
    "support": {
        "issues": "https://github.com/sebastianbergmann/global-state/issues",
        "security": "https://github.com/sebastianbergmann/global-state/security/policy",
        "source": "https://github.com/sebastianbergmann/global-state/tree/7.0.2"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T04:57:36+00:00"
},
{
    "name": "sebastian/lines-of-code",
    "version": "3.0.1",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/lines-of-code.git",
        "reference": "d36ad0d782e5756913e42ad87cb2890f4ffe467a"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/lines-of-code/zipball/d36ad0d782e5756913e42ad87cb2890f4ffe467a",
        "reference": "d36ad0d782e5756913e42ad87cb2890f4ffe467a",
        "shasum": ""
    },
    "require": {
        "nikic/php-parser": "^5.0",
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "3.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ],
    "description": "Library for counting the lines of code in PHP source code",
    "homepage": "https://github.com/sebastianbergmann/lines-of-code",
    "support": {
        "issues": "https://github.com/sebastianbergmann/lines-of-code/issues",
        "security": "https://github.com/sebastianbergmann/lines-of-code/security/policy",
        "source": "https://github.com/sebastianbergmann/lines-of-code/tree/3.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ]
}

```

```

    }
  ],
  "time": "2024-07-03T04:58:38+00:00"
},
{
  "name": "sebastian/object-enumerator",
  "version": "6.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/object-enumerator.git",
    "reference": "f5b498e631a74204185071eb41f33f38d64608aa"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/object-enumerator/zipball/f5b498e631a74204185071eb41f33f38d64608aa",
    "reference": "f5b498e631a74204185071eb41f33f38d64608aa",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2",
    "sebastian/object-reflector": "^4.0",
    "sebastian/recursion-context": "^6.0"
  },
  "require-dev": {
    "phpunit/phpunit": "^11.0"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "6.0-dev"
    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de"
    }
  ],
  "description": "Traverses array structures and object graphs to enumerate all referenced objects",
  "homepage": "https://github.com/sebastianbergmann/object-enumerator/",
  "support": {
    "issues": "https://github.com/sebastianbergmann/object-enumerator/issues",
    "security": "https://github.com/sebastianbergmann/object-enumerator/security/policy",
    "source": "https://github.com/sebastianbergmann/object-enumerator/tree/6.0.1"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    }
  ],
  "time": "2024-07-03T05:00:13+00:00"
},
{
  "name": "sebastian/object-reflector",
  "version": "4.0.1",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/object-reflector.git",
    "reference": "6e1a43b411b2ad34146dee7524cb13a068bb35f9"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/object-reflector/zipball/6e1a43b411b2ad34146dee7524cb13a068bb35f9",
    "reference": "6e1a43b411b2ad34146dee7524cb13a068bb35f9",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2"
  }
}

```

```

    },
    "require-dev": {
        "phpunit/phpunit": "^11.0"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "4.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de"
        }
    ],
    "description": "Allows reflection of object attributes, including inherited and non-public ones",
    "homepage": "https://github.com/sebastianbergmann/object-reflector/",
    "support": {
        "issues": "https://github.com/sebastianbergmann/object-reflector/issues",
        "security": "https://github.com/sebastianbergmann/object-reflector/security/policy",
        "source": "https://github.com/sebastianbergmann/object-reflector/tree/4.0.1"
    },
    "funding": [
        {
            "url": "https://github.com/sebastianbergmann",
            "type": "github"
        }
    ],
    "time": "2024-07-03T05:01:32+00:00"
},
{
    "name": "sebastian/recursion-context",
    "version": "6.0.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/recursion-context.git",
        "reference": "f6458abbf32a6c8174f8f26261475dc133b3d9dc"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/recursion-context/zipball/f6458abbf32a6c8174f8f26261475dc133b3d9dc",
        "reference": "f6458abbf32a6c8174f8f26261475dc133b3d9dc",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "6.0-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",

```

```

        "email": "sebastian@phpunit.de"
    },
    {
        "name": "Jeff Welch",
        "email": "whatthejeff@gmail.com"
    },
    {
        "name": "Adam Harvey",
        "email": "aharvey@php.net"
    }
],
"description": "Provides functionality to recursively process PHP variables",
"homepage": "https://github.com/sebastianbergmann/recursion-context",
"support": {
    "issues": "https://github.com/sebastianbergmann/recursion-context/issues",
    "security": "https://github.com/sebastianbergmann/recursion-context/security/policy",
    "source": "https://github.com/sebastianbergmann/recursion-context/tree/6.0.3"
},
"funding": [
    {
        "url": "https://github.com/sebastianbergmann",
        "type": "github"
    },
    {
        "url": "https://liberapay.com/sebastianbergmann",
        "type": "liberapay"
    },
    {
        "url": "https://thanks.dev/u/gh/sebastianbergmann",
        "type": "thanks_dev"
    },
    {
        "url": "https://tidelift.com/funding/github/packagist/sebastian/recursion-context",
        "type": "tidelift"
    }
],
"time": "2025-08-13T04:42:22+00:00"
},
{
    "name": "sebastian/type",
    "version": "5.1.3",
    "source": {
        "type": "git",
        "url": "https://github.com/sebastianbergmann/type.git",
        "reference": "f77d2d4e78738c98d9a68d2596fe5e8fa380f449"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/sebastianbergmann/type/zipball/f77d2d4e78738c98d9a68d2596fe5e8fa380f449",
        "reference": "f77d2d4e78738c98d9a68d2596fe5e8fa380f449",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2"
    },
    "require-dev": {
        "phpunit/phpunit": "^11.3"
    },
    "type": "library",
    "extra": {
        "branch-alias": {
            "dev-main": "5.1-dev"
        }
    },
    "autoload": {
        "classmap": [
            "src/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "BSD-3-Clause"
    ],
    "authors": [
        {
            "name": "Sebastian Bergmann",
            "email": "sebastian@phpunit.de",
            "role": "lead"
        }
    ]
}

```

```

    }
  ],
  "description": "Collection of value objects that represent the types of the PHP type system",
  "homepage": "https://github.com/sebastianbergmann/type",
  "support": {
    "issues": "https://github.com/sebastianbergmann/type/issues",
    "security": "https://github.com/sebastianbergmann/type/security/policy",
    "source": "https://github.com/sebastianbergmann/type/tree/5.1.3"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",
      "type": "github"
    },
    {
      "url": "https://liberapay.com/sebastianbergmann",
      "type": "liberapay"
    },
    {
      "url": "https://thanks.dev/u/gh/sebastianbergmann",
      "type": "thanks_dev"
    },
    {
      "url": "https://tidelift.com/funding/github/packagist/sebastian/type",
      "type": "tidelift"
    }
  ],
  "time": "2025-08-09T06:55:48+00:00"
},
{
  "name": "sebastian/version",
  "version": "5.0.2",
  "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/version.git",
    "reference": "c687e3387b99f5b03b6caa64c74b63e2936ff874"
  },
  "dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/sebastianbergmann/version/zipball/c687e3387b99f5b03b6caa64c74b63e2936ff874",
    "reference": "c687e3387b99f5b03b6caa64c74b63e2936ff874",
    "shasum": ""
  },
  "require": {
    "php": ">=8.2"
  },
  "type": "library",
  "extra": {
    "branch-alias": {
      "dev-main": "5.0-dev"
    }
  },
  "autoload": {
    "classmap": [
      "src/"
    ]
  },
  "notification-url": "https://packagist.org/downloads/",
  "license": [
    "BSD-3-Clause"
  ],
  "authors": [
    {
      "name": "Sebastian Bergmann",
      "email": "sebastian@phpunit.de",
      "role": "lead"
    }
  ],
  "description": "Library that helps with managing the version number of Git-hosted PHP projects",
  "homepage": "https://github.com/sebastianbergmann/version",
  "support": {
    "issues": "https://github.com/sebastianbergmann/version/issues",
    "security": "https://github.com/sebastianbergmann/version/security/policy",
    "source": "https://github.com/sebastianbergmann/version/tree/5.0.2"
  },
  "funding": [
    {
      "url": "https://github.com/sebastianbergmann",

```



```

        "type": "github"
    }
},
"time": "2024-10-09T05:16:32+00:00"
},
{
    "name": "staabm/side-effects-detector",
    "version": "1.0.5",
    "source": {
        "type": "git",
        "url": "https://github.com/staabm/side-effects-detector.git",
        "reference": "d8334211a140ce329c13726d4a715adbddd0a163"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/staabm/side-effects-detector/zipball/d8334211a140ce329c13726d4a715adbddd0a163",
        "reference": "d8334211a140ce329c13726d4a715adbddd0a163",
        "shasum": ""
    },
    "require": {
        "ext-tokenizer": "*",
        "php": "^7.4 || ^8.0"
    },
    "require-dev": {
        "phpstan/extension-installer": "^1.4.3",
        "phpstan/phpstan": "^1.12.6",
        "phpunit/phpunit": "^9.6.21",
        "symfony/var-dumper": "^5.4.43",
        "tomasvotruba/type-coverage": "1.0.0",
        "tomasvotruba/unused-public": "1.0.0"
    },
    "type": "library",
    "autoload": {
        "classmap": [
            "lib/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "description": "A static analysis tool to detect side effects in PHP code",
    "keywords": [
        "static analysis"
    ],
    "support": {
        "issues": "https://github.com/staabm/side-effects-detector/issues",
        "source": "https://github.com/staabm/side-effects-detector/tree/1.0.5"
    },
    "funding": [
        {
            "url": "https://github.com/staabm",
            "type": "github"
        }
    ],
    "time": "2024-10-20T05:08:20+00:00"
},
{
    "name": "symfony/yaml",
    "version": "v7.4.1",
    "source": {
        "type": "git",
        "url": "https://github.com/symfony/yaml.git",
        "reference": "24dd4de28d2e3988b311751ac49e684d783e2345"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/yaml/zipball/24dd4de28d2e3988b311751ac49e684d783e2345",
        "reference": "24dd4de28d2e3988b311751ac49e684d783e2345",
        "shasum": ""
    },
    "require": {
        "php": ">=8.2",
        "symfony/deprecation-contracts": "^2.5|^3",
        "symfony/polyfill-ctype": "^1.8"
    },
    "conflict": {
        "symfony/console": "<6.4"
    }
}

```

```

    },
    "require-dev": {
        "symfony/console": "^6.4|^7.0|^8.0"
    },
    "bin": [
        "Resources/bin/yaml-lint"
    ],
    "type": "library",
    "autoload": {
        "psr-4": {
            "Symfony\\Component\\Yaml\\": ""
        },
        "exclude-from-classmap": [
            "/Tests/"
        ]
    },
    "notification-url": "https://packagist.org/downloads/",
    "license": [
        "MIT"
    ],
    "authors": [
        {
            "name": "Fabien Potencier",
            "email": "fabien@symfony.com"
        },
        {
            "name": "Symfony Community",
            "homepage": "https://symfony.com/contributors"
        }
    ],
    "description": "Loads and dumps YAML files",
    "homepage": "https://symfony.com",
    "support": {
        "source": "https://github.com/symfony/yaml/tree/v7.4.1"
    },
    "funding": [
        {
            "url": "https://symfony.com/sponsor",
            "type": "custom"
        },
        {
            "url": "https://github.com/fabpot",
            "type": "github"
        },
        {
            "url": "https://github.com/nicolas-grekas",
            "type": "github"
        },
        {
            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
            "type": "tidelift"
        }
    ],
    "time": "2025-12-04T18:11:45+00:00"
},
{
    "name": "theseer/tokenizer",
    "version": "1.3.1",
    "source": {
        "type": "git",
        "url": "https://github.com/theseer/tokenizer.git",
        "reference": "b7489ce515e168639d17feec34b8847c326b0b3c"
    },
    "dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/theseer/tokenizer/zipball/b7489ce515e168639d17feec34b8847c326b0b3c",
        "reference": "b7489ce515e168639d17feec34b8847c326b0b3c",
        "shasum": ""
    },
    "require": {
        "ext-dom": "*",
        "ext-tokenizer": "*",
        "ext-xmlwriter": "*",
        "php": "^7.2 || ^8.0"
    },
    "type": "library",
    "autoload": {
        "classmap": [

```

```

        "src/"
    ]
},
"notification-url": "https://packagist.org/downloads/",
"license": [
    "BSD-3-Clause"
],
"authors": [
    {
        "name": "Arne Blankerts",
        "email": "arne@blankerts.de",
        "role": "Developer"
    }
],
"description": "A small library for converting tokenized PHP source code into XML and potentially other formats",
"support": {
    "issues": "https://github.com/theseer/tokenizer/issues",
    "source": "https://github.com/theseer/tokenizer/tree/1.3.1"
},
"funding": [
    {
        "url": "https://github.com/theseer",
        "type": "github"
    }
],
"time": "2025-11-17T20:03:58+00:00"
}
],
"aliases": [],
"minimum-stability": "stable",
"stability-flags": {},
"prefer-stable": true,
"prefer-lowest": false,
"platform": {
    "php": "^8.2"
},
"platform-dev": {},
"plugin-api-version": "2.6.0"
}

```

config/app.php

```
<?php

return [

    /*
    |-----
    | Application Name
    |-----
    |
    | This value is the name of your application, which will be used when the
    | framework needs to place the application's name in a notification or
    | other UI elements where an application name needs to be displayed.
    |
    */

    'name' => env('APP_NAME', 'Laravel'),

    /*
    |-----
    | Application Environment
    |-----
    |
    | This value determines the "environment" your application is currently
    | running in. This may determine how you prefer to configure various
    | services the application utilizes. Set this in your ".env" file.
    |
    */

    'env' => env('APP_ENV', 'production'),

    /*
    |-----
    | Application Debug Mode
    |-----
    |
    | When your application is in debug mode, detailed error messages with
    | stack traces will be shown on every error that occurs within your
    | application. If disabled, a simple generic error page is shown.
    |
    */

    'debug' => (bool) env('APP_DEBUG', false),

    /*
    |-----
    | Application URL
    |-----
    |
    | This URL is used by the console to properly generate URLs when using
    | the Artisan command line tool. You should set this to the root of
    | the application so that it's available within Artisan commands.
    |
    */

    'url' => env('APP_URL', 'http://localhost'),

    /*
    |-----
    | Application Timezone
    |-----
    |
    | Here you may specify the default timezone for your application, which
    | will be used by the PHP date and date-time functions. The timezone
    | is set to "UTC" by default as it is suitable for most use cases.
    |
    */

    'timezone' => 'UTC',

    /*
    |-----
    | Application Locale Configuration
    |-----
    |
    | The application locale determines the default locale that will be used
```

```

| by Laravel's translation / localization methods. This option can be
| set to any locale for which you plan to have translation strings.
|
*/

'locale' => env('APP_LOCALE', 'en'),

'fallback_locale' => env('APP_FALLBACK_LOCALE', 'en'),

'faker_locale' => env('APP_FAKER_LOCALE', 'en_US'),

/*
|-----
| Encryption Key
|-----
|
| This key is utilized by Laravel's encryption services and should be set
| to a random, 32 character string to ensure that all encrypted values
| are secure. You should do this prior to deploying the application.
|
*/

'cipher' => 'AES-256-CBC',

'key' => env('APP_KEY'),

'previous_keys' => [
    ...array_filter(
        explode(',', (string) env('APP_PREVIOUS_KEYS', ''))
    ),
],

/*
|-----
| Maintenance Mode Driver
|-----
|
| These configuration options determine the driver used to determine and
| manage Laravel's "maintenance mode" status. The "cache" driver will
| allow maintenance mode to be controlled across multiple machines.
|
| Supported drivers: "file", "cache"
|
*/

'maintenance' => [
    'driver' => env('APP_MAINTENANCE_DRIVER', 'file'),
    'store' => env('APP_MAINTENANCE_STORE', 'database'),
],

];

```

config/auth.php

```
<?php

return [

    /*
    |-----
    | Authentication Defaults
    |-----
    |
    | This option defines the default authentication "guard" and password
    | reset "broker" for your application. You may change these values
    | as required, but they're a perfect start for most applications.
    |
    */

    'defaults' => [
        'guard' => env('AUTH_GUARD', 'web'),
        'passwords' => env('AUTH_PASSWORD_BROKER', 'users'),
    ],

    /*
    |-----
    | Authentication Guards
    |-----
    |
    | Next, you may define every authentication guard for your application.
    | Of course, a great default configuration has been defined for you
    | which utilizes session storage plus the Eloquent user provider.
    |
    | All authentication guards have a user provider, which defines how the
    | users are actually retrieved out of your database or other storage
    | system used by the application. Typically, Eloquent is utilized.
    |
    | Supported: "session"
    |
    */

    'guards' => [
        'web' => [
            'driver' => 'session',
            'provider' => 'users',
        ],
    ],

    /*
    |-----
    | User Providers
    |-----
    |
    | All authentication guards have a user provider, which defines how the
    | users are actually retrieved out of your database or other storage
    | system used by the application. Typically, Eloquent is utilized.
    |
    | If you have multiple user tables or models you may configure multiple
    | providers to represent the model / table. These providers may then
    | be assigned to any extra authentication guards you have defined.
    |
    | Supported: "database", "eloquent"
    |
    */

    'providers' => [
        'users' => [
            'driver' => 'eloquent',
            'model' => env('AUTH_MODEL', App\Models\User::class),
        ],

        // 'users' => [
        //     'driver' => 'database',
        //     'table' => 'users',
        // ],
    ],

    /*
    |-----
    */

```

```

| Resetting Passwords
|-----
|
| These configuration options specify the behavior of Laravel's password
| reset functionality, including the table utilized for token storage
| and the user provider that is invoked to actually retrieve users.
|
| The expiry time is the number of minutes that each reset token will be
| considered valid. This security feature keeps tokens short-lived so
| they have less time to be guessed. You may change this as needed.
|
| The throttle setting is the number of seconds a user must wait before
| generating more password reset tokens. This prevents the user from
| quickly generating a very large amount of password reset tokens.
|
*/

'passwords' => [
    'users' => [
        'provider' => 'users',
        'table' => env('AUTH_PASSWORD_RESET_TOKEN_TABLE', 'password_reset_tokens'),
        'expire' => 60,
        'throttle' => 60,
    ],
],

/*
|-----
| Password Confirmation Timeout
|-----
|
| Here you may define the number of seconds before a password confirmation
| window expires and users are asked to re-enter their password via the
| confirmation screen. By default, the timeout lasts for three hours.
|
*/

'password_timeout' => env('AUTH_PASSWORD_TIMEOUT', 10800),

];

```

config/cache.php

```
<?php

use Illuminate\Support\Str;

return [

    /*
    |-----
    | Default Cache Store
    |-----
    |
    | This option controls the default cache store that will be used by the
    | framework. This connection is utilized if another isn't explicitly
    | specified when running a cache operation inside the application.
    |
    */

    'default' => env('CACHE_STORE', 'database'),

    /*
    |-----
    | Cache Stores
    |-----
    |
    | Here you may define all of the cache "stores" for your application as
    | well as their drivers. You may even define multiple stores for the
    | same cache driver to group types of items stored in your caches.
    |
    | Supported drivers: "array", "database", "file", "memcached",
    |                   "redis", "dynamodb", "octane",
    |                   "failover", "null"
    |
    */

    'stores' => [

        'array' => [
            'driver' => 'array',
            'serialize' => false,
        ],

        'database' => [
            'driver' => 'database',
            'connection' => env('DB_CACHE_CONNECTION'),
            'table' => env('DB_CACHE_TABLE', 'cache'),
            'lock_connection' => env('DB_CACHE_LOCK_CONNECTION'),
            'lock_table' => env('DB_CACHE_LOCK_TABLE'),
        ],

        'file' => [
            'driver' => 'file',
            'path' => storage_path('framework/cache/data'),
            'lock_path' => storage_path('framework/cache/data'),
        ],

        'memcached' => [
            'driver' => 'memcached',
            'persistent_id' => env('MEMCACHED_PERSISTENT_ID'),
            'sasl' => [
                env('MEMCACHED_USERNAME'),
                env('MEMCACHED_PASSWORD'),
            ],
            'options' => [
                // Memcached::OPT_CONNECT_TIMEOUT => 2000,
            ],
            'servers' => [
                [
                    'host' => env('MEMCACHED_HOST', '127.0.0.1'),
                    'port' => env('MEMCACHED_PORT', 11211),
                    'weight' => 100,
                ],
            ],
        ],

        'redis' => [
```



```

        'driver' => 'redis',
        'connection' => env('REDIS_CACHE_CONNECTION', 'cache'),
        'lock_connection' => env('REDIS_CACHE_LOCK_CONNECTION', 'default'),
    ],

    'dynamodb' => [
        'driver' => 'dynamodb',
        'key' => env('AWS_ACCESS_KEY_ID'),
        'secret' => env('AWS_SECRET_ACCESS_KEY'),
        'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
        'table' => env('DYNAMODB_CACHE_TABLE', 'cache'),
        'endpoint' => env('DYNAMODB_ENDPOINT'),
    ],

    'octane' => [
        'driver' => 'octane',
    ],

    'failover' => [
        'driver' => 'failover',
        'stores' => [
            'database',
            'array',
        ],
    ],
],

/*
|-----
| Cache Key Prefix
|-----
|
| When utilizing the APC, database, memcached, Redis, and DynamoDB cache
| stores, there might be other applications using the same cache. For
| that reason, you may prefix every cache key to avoid collisions.
|
*/

'prefix' => env('CACHE_PREFIX', Str::slug((string) env('APP_NAME', 'laravel')).'-cache-'),

];

```

config/database.php

```
<?php

use Illuminate\Support\Str;

return [

    /*
    |-----
    | Default Database Connection Name
    |-----
    |
    | Here you may specify which of the database connections below you wish
    | to use as your default connection for database operations. This is
    | the connection which will be utilized unless another connection
    | is explicitly specified when you execute a query / statement.
    |
    */

    'default' => env('DB_CONNECTION', 'sqlite'),

    /*
    |-----
    | Database Connections
    |-----
    |
    | Below are all of the database connections defined for your application.
    | An example configuration is provided for each database system which
    | is supported by Laravel. You're free to add / remove connections.
    |
    */

    'connections' => [

        'sqlite' => [
            'driver' => 'sqlite',
            'url' => env('DB_URL'),
            'database' => env('DB_DATABASE', database_path('database.sqlite')),
            'prefix' => '',
            'foreign_key_constraints' => env('DB_FOREIGN_KEYS', true),
            'busy_timeout' => null,
            'journal_mode' => null,
            'synchronous' => null,
            'transaction_mode' => 'DEFERRED',
        ],

        'mysql' => [
            'driver' => 'mysql',
            'url' => env('DB_URL'),
            'host' => env('DB_HOST', '127.0.0.1'),
            'port' => env('DB_PORT', '3306'),
            'database' => env('DB_DATABASE', 'laravel'),
            'username' => env('DB_USERNAME', 'root'),
            'password' => env('DB_PASSWORD', ''),
            'unix_socket' => env('DB_SOCKET', ''),
            'charset' => env('DB_CHARSET', 'utf8mb4'),
            'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),
            'prefix' => '',
            'prefix_indexes' => true,
            'strict' => true,
            'engine' => null,
            'options' => extension_loaded('pdo_mysql') ? array_filter([
                (PHP_VERSION_ID >= 80500 ? \PDO::MYSQL_ATTR_SSL_CA : \PDO::MYSQL_ATTR_SSL_CA) => env('MYSQL_ATTR_SSL_CA'),
            ]) : [],
        ],

        'mariadb' => [
            'driver' => 'mariadb',
            'url' => env('DB_URL'),
            'host' => env('DB_HOST', '127.0.0.1'),
            'port' => env('DB_PORT', '3306'),
            'database' => env('DB_DATABASE', 'laravel'),
            'username' => env('DB_USERNAME', 'root'),
            'password' => env('DB_PASSWORD', ''),
            'unix_socket' => env('DB_SOCKET', ''),
            'charset' => env('DB_CHARSET', 'utf8mb4'),
```

```

        'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),
        'prefix' => '',
        'prefix_indexes' => true,
        'strict' => true,
        'engine' => null,
        'options' => extension_loaded('pdo_mysql') ? array_filter([
            (PHP_VERSION_ID >= 80500 ? \PDO::MYSQL_ATTR_SSL_CA : \PDO::MYSQL_ATTR_SSL_CA) => env('MYSQL_ATTR_SSL_CA'),
        ]) : [],
    ],

    'pgsql' => [
        'driver' => 'pgsql',
        'url' => env('DB_URL'),
        'host' => env('DB_HOST', '127.0.0.1'),
        'port' => env('DB_PORT', '5432'),
        'database' => env('DB_DATABASE', 'laravel'),
        'username' => env('DB_USERNAME', 'root'),
        'password' => env('DB_PASSWORD', ''),
        'charset' => env('DB_CHARSET', 'utf8'),
        'prefix' => '',
        'prefix_indexes' => true,
        'search_path' => 'public',
        'sslmode' => 'prefer',
    ],

    'sqlsrv' => [
        'driver' => 'sqlsrv',
        'url' => env('DB_URL'),
        'host' => env('DB_HOST', 'localhost'),
        'port' => env('DB_PORT', '1433'),
        'database' => env('DB_DATABASE', 'laravel'),
        'username' => env('DB_USERNAME', 'root'),
        'password' => env('DB_PASSWORD', ''),
        'charset' => env('DB_CHARSET', 'utf8'),
        'prefix' => '',
        'prefix_indexes' => true,
        // 'encrypt' => env('DB_ENCRYPT', 'yes'),
        // 'trust_server_certificate' => env('DB_TRUST_SERVER_CERTIFICATE', 'false'),
    ],
],

/*
|-----|
| Migration Repository Table
|-----|
|
| This table keeps track of all the migrations that have already run for
| your application. Using this information, we can determine which of
| the migrations on disk haven't actually been run on the database.
|
*/

'migrations' => [
    'table' => 'migrations',
    'update_date_on_publish' => true,
],

/*
|-----|
| Redis Databases
|-----|
|
| Redis is an open source, fast, and advanced key-value store that also
| provides a richer body of commands than a typical key-value system
| such as Memcached. You may define your connection settings here.
|
*/

'redis' => [

    'client' => env('REDIS_CLIENT', 'phpredis'),

    'options' => [
        'cluster' => env('REDIS_CLUSTER', 'redis'),
        'prefix' => env('REDIS_PREFIX', Str::slug((string) env('APP_NAME', 'laravel')).'-database-'),
        'persistent' => env('REDIS_PERSISTENT', false),
    ],
],

```

```
'default' => [  
  'url' => env('REDIS_URL'),  
  'host' => env('REDIS_HOST', '127.0.0.1'),  
  'username' => env('REDIS_USERNAME'),  
  'password' => env('REDIS_PASSWORD'),  
  'port' => env('REDIS_PORT', '6379'),  
  'database' => env('REDIS_DB', '0'),  
  'max_retries' => env('REDIS_MAX_RETRIES', 3),  
  'backoff_algorithm' => env('REDIS_BACKOFF_ALGORITHM', 'decorrelated_jitter'),  
  'backoff_base' => env('REDIS_BACKOFF_BASE', 100),  
  'backoff_cap' => env('REDIS_BACKOFF_CAP', 1000),  
],  
  
'cache' => [  
  'url' => env('REDIS_URL'),  
  'host' => env('REDIS_HOST', '127.0.0.1'),  
  'username' => env('REDIS_USERNAME'),  
  'password' => env('REDIS_PASSWORD'),  
  'port' => env('REDIS_PORT', '6379'),  
  'database' => env('REDIS_CACHE_DB', '1'),  
  'max_retries' => env('REDIS_MAX_RETRIES', 3),  
  'backoff_algorithm' => env('REDIS_BACKOFF_ALGORITHM', 'decorrelated_jitter'),  
  'backoff_base' => env('REDIS_BACKOFF_BASE', 100),  
  'backoff_cap' => env('REDIS_BACKOFF_CAP', 1000),  
],  
  
],  
  
];
```

config/filesystems.php

```
<?php

return [

    /*
    |-----
    | Default Filesystem Disk
    |-----
    |
    | Here you may specify the default filesystem disk that should be used
    | by the framework. The "local" disk, as well as a variety of cloud
    | based disks are available to your application for file storage.
    |
    */

    'default' => env('FILESYSTEM_DISK', 'local'),

    /*
    |-----
    | Filesystem Disks
    |-----
    |
    | Below you may configure as many filesystem disks as necessary, and you
    | may even configure multiple disks for the same driver. Examples for
    | most supported storage drivers are configured here for reference.
    |
    | Supported drivers: "local", "ftp", "sftp", "s3"
    |
    */

    'disks' => [

        'local' => [
            'driver' => 'local',
            'root' => storage_path('app/private'),
            'serve' => true,
            'throw' => false,
            'report' => false,
        ],

        'public' => [
            'driver' => 'local',
            'root' => storage_path('app/public'),
            'url' => env('APP_URL').'/storage',
            'visibility' => 'public',
            'throw' => false,
            'report' => false,
        ],

        's3' => [
            'driver' => 's3',
            'key' => env('AWS_ACCESS_KEY_ID'),
            'secret' => env('AWS_SECRET_ACCESS_KEY'),
            'region' => env('AWS_DEFAULT_REGION'),
            'bucket' => env('AWS_BUCKET'),
            'url' => env('AWS_URL'),
            'endpoint' => env('AWS_ENDPOINT'),
            'use_path_style_endpoint' => env('AWS_USE_PATH_STYLE_ENDPOINT', false),
            'throw' => false,
            'report' => false,
        ],

    ],

    /*
    |-----
    | Symbolic Links
    |-----
    |
    | Here you may configure the symbolic links that will be created when the
    | `storage:link` Artisan command is executed. The array keys should be
    | the locations of the links and the values should be their targets.
    |
    */
];
```

```
'links' => [  
    public_path('storage') => storage_path('app/public'),  
],  
  
];
```

config/logging.php

```
<?php

use Monolog\Handler\NullHandler;
use Monolog\Handler\StreamHandler;
use Monolog\Handler\SyslogUdpHandler;
use Monolog\Processor\PsrLogMessageProcessor;

return [

    /*
    |-----
    | Default Log Channel
    |-----
    |
    | This option defines the default log channel that is utilized to write
    | messages to your logs. The value provided here should match one of
    | the channels present in the list of "channels" configured below.
    |
    */

    'default' => env('LOG_CHANNEL', 'stack'),

    /*
    |-----
    | Deprecations Log Channel
    |-----
    |
    | This option controls the log channel that should be used to log warnings
    | regarding deprecated PHP and library features. This allows you to get
    | your application ready for upcoming major versions of dependencies.
    |
    */

    'deprecations' => [
        'channel' => env('LOG_DEPRECATIONS_CHANNEL', 'null'),
        'trace' => env('LOG_DEPRECATIONS_TRACE', false),
    ],

    /*
    |-----
    | Log Channels
    |-----
    |
    | Here you may configure the log channels for your application. Laravel
    | utilizes the Monolog PHP logging library, which includes a variety
    | of powerful log handlers and formatters that you're free to use.
    |
    | Available drivers: "single", "daily", "slack", "syslog",
    |                   "errorlog", "monolog", "custom", "stack"
    |
    */

    'channels' => [

        'stack' => [
            'driver' => 'stack',
            'channels' => explode(',', (string) env('LOG_STACK', 'single')),
            'ignore_exceptions' => false,
        ],

        'single' => [
            'driver' => 'single',
            'path' => storage_path('logs/laravel.log'),
            'level' => env('LOG_LEVEL', 'debug'),
            'replace_placeholders' => true,
        ],

        'daily' => [
            'driver' => 'daily',
            'path' => storage_path('logs/laravel.log'),
            'level' => env('LOG_LEVEL', 'debug'),
            'days' => env('LOG_DAILY_DAYS', 14),
            'replace_placeholders' => true,
        ],

    ],

];
```

```

'slack' => [
    'driver' => 'slack',
    'url' => env('LOG_SLACK_WEBHOOK_URL'),
    'username' => env('LOG_SLACK_USERNAME', 'Laravel Log'),
    'emoji' => env('LOG_SLACK_EMOJI', ':boom:'),
    'level' => env('LOG_LEVEL', 'critical'),
    'replace_placeholders' => true,
],

'papertrail' => [
    'driver' => 'monolog',
    'level' => env('LOG_LEVEL', 'debug'),
    'handler' => env('LOG_PAPERTRAIL_HANDLER', SyslogUdpHandler::class),
    'handler_with' => [
        'host' => env('PAPERTRAIL_URL'),
        'port' => env('PAPERTRAIL_PORT'),
        'connectionString' => 'tls://'.env('PAPERTRAIL_URL').':'.env('PAPERTRAIL_PORT'),
    ],
    'processors' => [PsrLogMessageProcessor::class],
],

'stderr' => [
    'driver' => 'monolog',
    'level' => env('LOG_LEVEL', 'debug'),
    'handler' => StreamHandler::class,
    'handler_with' => [
        'stream' => 'php://stderr',
    ],
    'formatter' => env('LOG_STDERR_FORMATTER'),
    'processors' => [PsrLogMessageProcessor::class],
],

'syslog' => [
    'driver' => 'syslog',
    'level' => env('LOG_LEVEL', 'debug'),
    'facility' => env('LOG_SYSLOG_FACILITY', LOG_USER),
    'replace_placeholders' => true,
],

'errorlog' => [
    'driver' => 'errorlog',
    'level' => env('LOG_LEVEL', 'debug'),
    'replace_placeholders' => true,
],

'null' => [
    'driver' => 'monolog',
    'handler' => NullHandler::class,
],

'emergency' => [
    'path' => storage_path('logs/laravel.log'),
],

],

];

```


config/mail.php

```
<?php

return [

    /*
    |-----
    | Default Mailer
    |-----
    |
    | This option controls the default mailer that is used to send all email
    | messages unless another mailer is explicitly specified when sending
    | the message. All additional mailers can be configured within the
    | "mailers" array. Examples of each type of mailer are provided.
    |
    */

    'default' => env('MAIL_MAILER', 'log'),

    /*
    |-----
    | Mailer Configurations
    |-----
    |
    | Here you may configure all of the mailers used by your application plus
    | their respective settings. Several examples have been configured for
    | you and you are free to add your own as your application requires.
    |
    | Laravel supports a variety of mail "transport" drivers that can be used
    | when delivering an email. You may specify which one you're using for
    | your mailers below. You may also add additional mailers if needed.
    |
    | Supported: "smtp", "sendmail", "mailgun", "ses", "ses-v2",
    |             "postmark", "resend", "log", "array",
    |             "failover", "roundrobin"
    |
    */

    'mailers' => [

        'smtp' => [
            'transport' => 'smtp',
            'scheme' => env('MAIL_SCHEME'),
            'url' => env('MAIL_URL'),
            'host' => env('MAIL_HOST', '127.0.0.1'),
            'port' => env('MAIL_PORT', 2525),
            'username' => env('MAIL_USERNAME'),
            'password' => env('MAIL_PASSWORD'),
            'timeout' => null,
            'local_domain' => env('MAIL_EHLO_DOMAIN', parse_url((string) env('APP_URL', 'http://localhost'), PHP_URL_HOST)),
        ],

        'ses' => [
            'transport' => 'ses',
        ],

        'postmark' => [
            'transport' => 'postmark',
            // 'message_stream_id' => env('POSTMARK_MESSAGE_STREAM_ID'),
            // 'client' => [
            //     'timeout' => 5,
            // ],
        ],

        'resend' => [
            'transport' => 'resend',
        ],

        'sendmail' => [
            'transport' => 'sendmail',
            'path' => env('MAIL_SENDMAIL_PATH', '/usr/sbin/sendmail -bs -i'),
        ],

        'log' => [
            'transport' => 'log',
            'channel' => env('MAIL_LOG_CHANNEL'),
        ],
    ],
];
```

```

    ],

    'array' => [
        'transport' => 'array',
    ],

    'failover' => [
        'transport' => 'failover',
        'mailers' => [
            'smtp',
            'log',
        ],
        'retry_after' => 60,
    ],

    'roundrobin' => [
        'transport' => 'roundrobin',
        'mailers' => [
            'ses',
            'postmark',
        ],
        'retry_after' => 60,
    ],
],

/*
|-----
| Global "From" Address
|-----
|
| You may wish for all emails sent by your application to be sent from
| the same address. Here you may specify a name and address that is
| used globally for all emails that are sent by your application.
|
*/

'from' => [
    'address' => env('MAIL_FROM_ADDRESS', 'hello@example.com'),
    'name' => env('MAIL_FROM_NAME', 'Example'),
],

];

```

config/queue.php

```
<?php

return [

    /*
    |-----
    | Default Queue Connection Name
    |-----
    |
    | Laravel's queue supports a variety of backends via a single, unified
    | API, giving you convenient access to each backend using identical
    | syntax for each. The default queue connection is defined below.
    |
    */

    'default' => env('QUEUE_CONNECTION', 'database'),

    /*
    |-----
    | Queue Connections
    |-----
    |
    | Here you may configure the connection options for every queue backend
    | used by your application. An example configuration is provided for
    | each backend supported by Laravel. You're also free to add more.
    |
    | Drivers: "sync", "database", "beanstalkd", "sqs", "redis",
    |           "deferred", "background", "failover", "null"
    |
    */

    'connections' => [

        'sync' => [
            'driver' => 'sync',
        ],

        'database' => [
            'driver' => 'database',
            'connection' => env('DB_QUEUE_CONNECTION'),
            'table' => env('DB_QUEUE_TABLE', 'jobs'),
            'queue' => env('DB_QUEUE', 'default'),
            'retry_after' => (int) env('DB_QUEUE_RETRY_AFTER', 90),
            'after_commit' => false,
        ],

        'beanstalkd' => [
            'driver' => 'beanstalkd',
            'host' => env('BEANSTALKD_QUEUE_HOST', 'localhost'),
            'queue' => env('BEANSTALKD_QUEUE', 'default'),
            'retry_after' => (int) env('BEANSTALKD_QUEUE_RETRY_AFTER', 90),
            'block_for' => 0,
            'after_commit' => false,
        ],

        'sqs' => [
            'driver' => 'sqs',
            'key' => env('AWS_ACCESS_KEY_ID'),
            'secret' => env('AWS_SECRET_ACCESS_KEY'),
            'prefix' => env('SQS_PREFIX', 'https://sqs.us-east-1.amazonaws.com/your-account-id'),
            'queue' => env('SQS_QUEUE', 'default'),
            'suffix' => env('SQS_SUFFIX'),
            'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
            'after_commit' => false,
        ],

        'redis' => [
            'driver' => 'redis',
            'connection' => env('REDIS_QUEUE_CONNECTION', 'default'),
            'queue' => env('REDIS_QUEUE', 'default'),
            'retry_after' => (int) env('REDIS_QUEUE_RETRY_AFTER', 90),
            'block_for' => null,
            'after_commit' => false,
        ],

    ],

];
```

```

        'deferred' => [
            'driver' => 'deferred',
        ],

        'background' => [
            'driver' => 'background',
        ],

        'failover' => [
            'driver' => 'failover',
            'connections' => [
                'database',
                'deferred',
            ],
        ],
    ],

    ],

    /*
    |-----
    | Job Batching
    |-----
    |
    | The following options configure the database and table that store job
    | batching information. These options can be updated to any database
    | connection and table which has been defined by your application.
    |
    */

    'batching' => [
        'database' => env('DB_CONNECTION', 'sqlite'),
        'table' => 'job_batches',
    ],

    /*
    |-----
    | Failed Queue Jobs
    |-----
    |
    | These options configure the behavior of failed queue job logging so you
    | can control how and where failed jobs are stored. Laravel ships with
    | support for storing failed jobs in a simple file or in a database.
    |
    | Supported drivers: "database-uuids", "dynamodb", "file", "null"
    |
    */

    'failed' => [
        'driver' => env('QUEUE_FAILED_DRIVER', 'database-uuids'),
        'database' => env('DB_CONNECTION', 'sqlite'),
        'table' => 'failed_jobs',
    ],

];

```

config/services.php

```
<?php

return [

    /*
    |-----
    | Third Party Services
    |-----
    |
    | This file is for storing the credentials for third party services such
    | as Mailgun, Postmark, AWS and more. This file provides the de facto
    | location for this type of information, allowing packages to have
    | a conventional file to locate the various service credentials.
    |
    */

    'postmark' => [
        'key' => env('POSTMARK_API_KEY'),
    ],

    'resend' => [
        'key' => env('RESEND_API_KEY'),
    ],

    'ses' => [
        'key' => env('AWS_ACCESS_KEY_ID'),
        'secret' => env('AWS_SECRET_ACCESS_KEY'),
        'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
    ],

    'slack' => [
        'notifications' => [
            'bot_user_oauth_token' => env('SLACK_BOT_USER_OAUTH_TOKEN'),
            'channel' => env('SLACK_BOT_USER_DEFAULT_CHANNEL'),
        ],
    ],

];
```

config/session.php

```
<?php

use Illuminate\Support\Str;

return [

    /*
    |-----
    | Default Session Driver
    |-----
    |
    | This option determines the default session driver that is utilized for
    | incoming requests. Laravel supports a variety of storage options to
    | persist session data. Database storage is a great default choice.
    |
    | Supported: "file", "cookie", "database", "memcached",
    |             "redis", "dynamodb", "array"
    |
    */

    'driver' => env('SESSION_DRIVER', 'database'),

    /*
    |-----
    | Session Lifetime
    |-----
    |
    | Here you may specify the number of minutes that you wish the session
    | to be allowed to remain idle before it expires. If you want them
    | to expire immediately when the browser is closed then you may
    | indicate that via the expire_on_close configuration option.
    |
    */

    'lifetime' => (int) env('SESSION_LIFETIME', 120),

    'expire_on_close' => env('SESSION_EXPIRE_ON_CLOSE', false),

    /*
    |-----
    | Session Encryption
    |-----
    |
    | This option allows you to easily specify that all of your session data
    | should be encrypted before it's stored. All encryption is performed
    | automatically by Laravel and you may use the session like normal.
    |
    */

    'encrypt' => env('SESSION_ENCRYPT', false),

    /*
    |-----
    | Session File Location
    |-----
    |
    | When utilizing the "file" session driver, the session files are placed
    | on disk. The default storage location is defined here; however, you
    | are free to provide another location where they should be stored.
    |
    */

    'files' => storage_path('framework/sessions'),

    /*
    |-----
    | Session Database Connection
    |-----
    |
    | When using the "database" or "redis" session drivers, you may specify a
    | connection that should be used to manage these sessions. This should
    | correspond to a connection in your database configuration options.
    |
    */
];
```

```

'connection' => env('SESSION_CONNECTION'),

/*
|-----
| Session Database Table
|-----
|
| When using the "database" session driver, you may specify the table to
| be used to store sessions. Of course, a sensible default is defined
| for you; however, you're welcome to change this to another table.
|
*/

'table' => env('SESSION_TABLE', 'sessions'),

/*
|-----
| Session Cache Store
|-----
|
| When using one of the framework's cache driven session backends, you may
| define the cache store which should be used to store the session data
| between requests. This must match one of your defined cache stores.
|
| Affects: "dynamodb", "memcached", "redis"
|
*/

'store' => env('SESSION_STORE'),

/*
|-----
| Session Sweeping Lottery
|-----
|
| Some session drivers must manually sweep their storage location to get
| rid of old sessions from storage. Here are the chances that it will
| happen on a given request. By default, the odds are 2 out of 100.
|
*/

'lottery' => [2, 100],

/*
|-----
| Session Cookie Name
|-----
|
| Here you may change the name of the session cookie that is created by
| the framework. Typically, you should not need to change this value
| since doing so does not grant a meaningful security improvement.
|
*/

'cookie' => env(
    'SESSION_COOKIE',
    Str::slug((string) env('APP_NAME', 'laravel')).'-session'
),

/*
|-----
| Session Cookie Path
|-----
|
| The session cookie path determines the path for which the cookie will
| be regarded as available. Typically, this will be the root path of
| your application, but you're free to change this when necessary.
|
*/

'path' => env('SESSION_PATH', '/'),

/*
|-----
| Session Cookie Domain
|-----
|
| This value determines the domain and subdomains the session cookie is

```

```

| available to. By default, the cookie will be available to the root
| domain without subdomains. Typically, this shouldn't be changed.
|
*/

'domain' => env('SESSION_DOMAIN'),

/*
|-----
| HTTPS Only Cookies
|-----
|
| By setting this option to true, session cookies will only be sent back
| to the server if the browser has a HTTPS connection. This will keep
| the cookie from being sent to you when it can't be done securely.
|
*/

'secure' => env('SESSION_SECURE_COOKIE'),

/*
|-----
| HTTP Access Only
|-----
|
| Setting this value to true will prevent JavaScript from accessing the
| value of the cookie and the cookie will only be accessible through
| the HTTP protocol. It's unlikely you should disable this option.
|
*/

'http_only' => env('SESSION_HTTP_ONLY', true),

/*
|-----
| Same-Site Cookies
|-----
|
| This option determines how your cookies behave when cross-site requests
| take place, and can be used to mitigate CSRF attacks. By default, we
| will set this value to "lax" to permit secure cross-site requests.
|
| See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie#samesitesamesite-value
|
| Supported: "lax", "strict", "none", null
|
*/

'same_site' => env('SESSION_SAME_SITE', 'lax'),

/*
|-----
| Partitioned Cookies
|-----
|
| Setting this value to true will tie the cookie to the top-level site for
| a cross-site context. Partitioned cookies are accepted by the browser
| when flagged "secure" and the Same-Site attribute is set to "none".
|
*/

'partitioned' => env('SESSION_PARTITIONED_COOKIE', false),

];

```

database/.gitignore

```
*.sqlite*
```


database/database.sqlite

SQLite format 3 @ . _

TY

z

;oI

Z

#####ZTv;# indexfailed_jobs_uuid_uniquefailed_jobsCREATE UNIQUE INDEX "failed_jobs_uuid_unique" on "failed_jobs" ("i
tablecache_lockscache_locksCREATE TABLE "cache_locks" ("key" varchar not null, "owner" varchar not null, "expiration" intege

|

E #indexsessions_last_activity_indexsessionsCREATE INDEX "sessions_last_activity_index" on "sessions" ("last_activity")j 9

CREATE INDEX "sessions_user_id_index" on "sessions" ("user_id")W tablesessionssessionsCREATE TABLE "sessions" ("id" varchar

####'S 0001_01_01_000002_create_jobs_table(U 0001_01_01_000001_create_cache_table(U 0001_01_01_000000_create_u

! migrations

@L

]k-0a78IHoULvTTjpJjUmqITTSr1i1RCUx7m7j1vVW1127.0.0.1Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML,

MzMzz,] 0a78IHoULvTTjpJjUmqITTSr1i1RCUx7m7j1vVW1,] pmMKIrkrmW8zJRuQ2C26kmcsU06AfVYH14PTWrc,I3TtK9pJ5zSE9U5fwBnCAqEAvhE2XY1cG

#####

iJ iIkHiI& iIw

database/factories/UserFactory.php

```
<?php

namespace Database\Factories;

use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Str;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\User>
 */
class UserFactory extends Factory
{
    /**
     * The current password being used by the factory.
     */
    protected static ?string $password;

    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [
            'name' => fake()->name(),
            'email' => fake()->unique()->safeEmail(),
            'email_verified_at' => now(),
            'password' => static::$password ??= Hash::make('password'),
            'remember_token' => Str::random(10),
        ];
    }

    /**
     * Indicate that the model's email address should be unverified.
     */
    public function unverified(): static
    {
        return $this->state(fn (array $attributes) => [
            'email_verified_at' => null,
        ]);
    }
}
```

database/migrations/0001_01_01_000000_create_users_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('users', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->string('email')->unique();
            $table->timestamp('email_verified_at')->nullable();
            $table->string('password');
            $table->rememberToken();
            $table->timestamps();
        });

        Schema::create('password_reset_tokens', function (Blueprint $table) {
            $table->string('email')->primary();
            $table->string('token');
            $table->timestamp('created_at')->nullable();
        });

        Schema::create('sessions', function (Blueprint $table) {
            $table->string('id')->primary();
            $table->foreignId('user_id')->nullable()->index();
            $table->string('ip_address', 45)->nullable();
            $table->text('user_agent')->nullable();
            $table->longText('payload');
            $table->integer('last_activity')->index();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('users');
        Schema::dropIfExists('password_reset_tokens');
        Schema::dropIfExists('sessions');
    }
};
```

database/migrations/0001_01_01_000001_create_cache_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('cache', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->mediumText('value');
            $table->integer('expiration');
        });

        Schema::create('cache_locks', function (Blueprint $table) {
            $table->string('key')->primary();
            $table->string('owner');
            $table->integer('expiration');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('cache');
        Schema::dropIfExists('cache_locks');
    }
};
```

database/migrations/0001_01_01_000002_create_jobs_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('jobs', function (Blueprint $table) {
            $table->id();
            $table->string('queue')->index();
            $table->longText('payload');
            $table->unsignedTinyInteger('attempts');
            $table->unsignedInteger('reserved_at')->nullable();
            $table->unsignedInteger('available_at');
            $table->unsignedInteger('created_at');
        });

        Schema::create('job_batches', function (Blueprint $table) {
            $table->string('id')->primary();
            $table->string('name');
            $table->integer('total_jobs');
            $table->integer('pending_jobs');
            $table->integer('failed_jobs');
            $table->longText('failed_job_ids');
            $table->mediumText('options')->nullable();
            $table->integer('cancelled_at')->nullable();
            $table->integer('created_at');
            $table->integer('finished_at')->nullable();
        });

        Schema::create('failed_jobs', function (Blueprint $table) {
            $table->id();
            $table->string('uuid')->unique();
            $table->text('connection');
            $table->text('queue');
            $table->longText('payload');
            $table->longText('exception');
            $table->timestamp('failed_at')->useCurrent();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('jobs');
        Schema::dropIfExists('job_batches');
        Schema::dropIfExists('failed_jobs');
    }
};
```

database/seeder/DatabaseSeeder.php

```
<?php

namespace Database\Seeders;

use App\Models\User;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class DatabaseSeeder extends Seeder
{
    use WithoutModelEvents;

    /**
     * Seed the application's database.
     */
    public function run(): void
    {
        // User::factory(10)->create();

        User::factory()->create([
            'name' => 'Test User',
            'email' => 'test@example.com',
        ]);
    }
}
```

docs/README.md

```
# KINESO Documentation

This folder contains documentation for the KINESO demo application.

- `kinematics-js.md` – explanation and API for `resources/js/kinematics.js`.
- `kinematics-blade.md` – notes about `resources/views/kinematics.blade.php` and UI behavior.

How to use
1. Build frontend assets: `npm run build`
2. Start Laravel: `php artisan serve`
3. Open: `http://localhost:8000/kinematics`
```

docs/kinematics-blade.md

```
# resources/views/kinematics.blade.php

Overview

The Blade view `kinematics.blade.php` contains the UI for the KINESO demo. It includes the parameter input form (left column) and

Notes
- The page uses a full-viewport layout to avoid outer scrollbars – charts and the data table scroll internally if content overflow
- The small summary charts are bottom-aligned to match the main chart vertical size for a clean layout.

Quick edits
- To change labels, update the header and the `smallchart-title` elements.
- To add server-side features, create a controller and route rather than embedding logic in the view.
```

docs/kinematics-js.md

resources/js/kinematics.js

Overview

``kinematics.js`` is the client-side module that powers the KINESO kinematics demo. It performs physics computations for constant ac

Key responsibilities

- Compute kinematics arrays (time, position, velocity, acceleration).
- Render small summary charts and a main combined chart (x and v).
- Provide drag handlers that update all datasets consistently when a point is moved.
- Export CSV and chart PNG images.

Public functions (in-file use)

- ``computeKinematics(x0, v0, a, t0, t1, dt)`` – compute arrays of times, xs, vs, as.
- ``computeVFromX(xs, dt)`` – estimate velocity from position using finite differences.
- ``computeAFromX(xs, dt)`` – estimate acceleration from position using second differences.
- ``computeAFromV(vs, dt)`` – estimate acceleration from velocity using finite differences.
- ``integrateVToX(vs, x0, dt)`` – integrate velocities to positions (trapezoidal rule).
- ``integrateAToV(as, v0, dt)`` – integrate accelerations to velocities (Euler step).
- ``makeLineChart(ctx, datasets, labels, options)`` – safe Chart.js line chart creator (destroys previous chart instance if present)
- ``updateFromForm()`` – read form inputs, compute data, render table and charts.

Usage

- The script runs on DOMContentLoaded and attaches handlers to the form controls and charts.
- Toggle "Enable drag" to allow chartjs-plugin-dragdata to update points interactively.

Notes

- Chart.js components are explicitly registered to avoid issues when multiple versions or bundle boundary exist.
- ``chartjs-plugin-dragdata`` is dynamically imported and registered at runtime when available.

docs/routes.md

Routes

``routes/web.php`` contains a small set of routes for the demo:

- ``GET /`` – redirects to ``/kinematics`` for convenience in development
- ``GET /kinematics`` – returns the ``kinematics`` Blade view

If you add new views or server-driven endpoints, document them here and update ``README.md`` accordingly.

package-lock.json

```
{
  "name": "Kineso",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "devDependencies": {
        "@tailwindcss/vite": "^4.0.0",
        "axios": "^1.11.0",
        "chart.js": "^4.4.0",
        "chartjs-plugin-dragdata": "^2.0.1",
        "concurrently": "^9.0.1",
        "laravel-vite-plugin": "^2.0.0",
        "puppeteer": "^24.34.0",
        "tailwindcss": "^4.0.0",
        "vite": "^7.0.7"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.27.1",
      "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.27.1.tgz",
      "integrity": "sha512-cjQ7ZlQ0Mv3b47hABuTevyTuYN4i+loJKGeV9f1cCgIK37cCXRh+L1bd3iBHlynerhQ7BhCkn2BPbQUL+rGqFg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-validator-identifier": "^7.27.1",
        "js-tokens": "^4.0.0",
        "picocolors": "^1.1.1"
      }
    },
    "node_modules/@babel/helper-validator-identifier": {
      "version": "7.28.5",
      "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
      "integrity": "sha512-QS5U41711u155+uP5uEh5X5UWu3Z358eFAAuaQFVA8T1KXlH5z9Z5o1eXZVHkh175CSisFMDvUEnB5w==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@esbuild/aix-ppc64": {
      "version": "0.27.2",
      "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.27.2.tgz",
      "integrity": "sha512-GZMB+a0mOMZs4MpDbj8Rjp4cw+w1WV5NYD6xzgvzUJ5Ek2jerwf02eADyI6ExDSUED+1X8aMbegaHsi+8mgpw==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "aix"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-arm": {
      "version": "0.27.2",
      "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.27.2.tgz",
      "integrity": "sha512-DVNI8j1Pa7Ujbr1yU2PfUSRtAUZPG9I1RwW4F4xFB1Imiu2on0ADiI/c3td+KmdtVKNBi+nffGDQMfcIMkwIA==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    }
  }
}
```



```

    }
  },
  "node_modules/@esbuild/android-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.27.2.tgz",
    "integrity": "sha512-pvz8ZZ7ot/RBphf8fv60ljmaoydPU12VuXHimtAs0XhLLw+EXBi2BLE3OYSBs1R4rryHvweW5gmKfWtIFy6KA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/android-x64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.27.2.tgz",
    "integrity": "sha512-z8Ank4Byh4TJJ0h4wpz8g2vDy75zFL0T1ZlkUkEwYXuPSgX8yzep596n6mT7905kA9uHzsf/o20JZub12l3M7A==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/darwin-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.27.2.tgz",
    "integrity": "sha512-davCD2Zc80nzDVRwXtcQP/28fiJbc0wvdolL0sOi0sbwBa72kegmVU0Wrh1MYrbuCL980mp5dVhQFWRKR2ZA1g==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/darwin-x64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.27.2.tgz",
    "integrity": "sha512-ZxtijOmlQCBWgwbVmwOF/UCzuGIbUkqB1faQRf5akQmxRJ1ujusWsb3CVfk/9iZKr2L5SMU5wPBi1UWbVL+VQA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/freebsd-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.27.2.tgz",
    "integrity": "sha512-1S/CNz9uTgSb5YkHJr1831UW0oGK3YUWt1XpXUzZ3ZqWzY38uVH30ZuVt3Hx8Z7Bz3zXV3a4YUw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,

```

```

    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/freebsd-x64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.27.2.tgz",
    "integrity": "sha512-tAfqtNYb4YgPnJlEFu4c212HYjQW50/w/h/1QaBK7RbwGIkBOuNKQI9tqWzx7Wtp7bTPaGC6MJvWI608P3wXYA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-arm": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.27.2.tgz",
    "integrity": "sha512-vWfq4GaIMP9AIe4yj1ZUW18RDhx6EPQKjwe7n8BBiecFtCQG4CfHGahuh7fdfq+y3LIA2vGS/o9ZBGVxIDi9hw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.27.2.tgz",
    "integrity": "sha512-hYxN8pr66NsCCiRFkHUAsxylN0cAQaxSSkHMMjcpX0si13t1LHFphxJZUiGwojB1a/Hd50iPIqDdXONia6bhTw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-ia32": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.27.2.tgz",
    "integrity": "sha512-MJt5BRRSScPDwG2hLe1YhAAKh9imjHK5+NE/tvnRLbIqUwa+0E9N4WNmjmp/kXXPHZGqPLxggwVhz7QP8CTR8w==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/linux-loong64": {

```

```

"version": "0.27.2",
"resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.27.2.tgz",
"integrity": "sha512-lugyF1atnAT463a06KPshVCJK5NgRnU4yb3FUumyVz+cGvZbontBgzeGF01nF+dPueHD367a2ZXe1NtUkAJOtg==",
"cpu": [
  "loong64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
  "linux"
],
"engines": {
  "node": ">=18"
}
},
"node_modules/@esbuild/linux-mips64el": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.27.2.tgz",
  "integrity": "sha512-nlP2lI6ArEBewvJ2gjrESEZk85mIoaTswuqNFRv/WYd+ATtUpe9Y09RnJvgvdag7he0WgEZWhviS10TOKixw==",
  "cpu": [
    "mips64el"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-ppc64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.27.2.tgz",
  "integrity": "sha512-C92gnpey7tUQ0Nqg1n6dKVbx3vphKtTHJaNG20k9lGwbZil6DrfyecMsp9CrmXGQJmZ7iiVxvZl6M15hL6XdQ==",
  "cpu": [
    "ppc64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-riscv64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.27.2.tgz",
  "integrity": "sha512-B5B0mojNtUyN8AXlK0QJyvJZkKwWy/FKvakkTDCziX95AowLZKR6aCDhG7LeF7uMCXEJqwa8Bejz5LTPYm8AvA==",
  "cpu": [
    "riscv64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-s390x": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.27.2.tgz",
  "integrity": "sha512-p4bm9+wsPwup5Z8f4EpFN63qNagQ47Ua2znaqGH6bqLlmJ4bx97Y9JdqxgGZ6Y8xVTixUnEkoKSHcpRlDnNr5w==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [

```

```

    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/linux-x64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.27.2.tgz",
  "integrity": "sha512-uwp2Tip5aPmH+NRUwTcfLb+W32WXjpFejTIOwZFw/v7/KnpCDKG66u4DLcurQpiYTiYwQ9B7K0eMJvLCu/0vbA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/netbsd-arm64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.27.2.tgz",
  "integrity": "sha512-Kj6DiBlwXrPsCRDeRvGAUb/LNrBASrfqAIok+xB0LxK8CHqxZ037viF13ugfsIpePH93mX7fJp97cyDuTZ3cw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "netbsd"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/netbsd-x64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.27.2.tgz",
  "integrity": "sha512-HwGDZ0VLVB3Y+Nw0JexZy9o/nUAWq9M1V7cahpaXKW6T0zfVno3y3/M8Ga8u8Yr7G1dL0ov27xiCnqRZF0tCA==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "netbsd"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/openbsd-arm64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.27.2.tgz",
  "integrity": "sha512-DNIHH2BPQ5551A7oSHD0CKbwIA/Ox7+78/AwkbS5QoRzaqlev2uFayfSxq68EkonB+IKjiuxBFoV8ESJy8bOHA==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@esbuild/openbsd-x64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.27.2.tgz",
  "integrity": "sha512-/it7w9Nb7+0KFIZja1NJVR5b0zA9Vay+yIPLVHF1QYG/j+j9VTH84aNB8ExGKPU4AazfaEvN9/V4HV+F+vo80Eg==",

```

```

    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openbsd"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/openharmony-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm64-0.27.2.tgz",
    "integrity": "sha512-LRBbCmiU51IXfeXk59csuX/aSaToeG7w48nMwA6049Y4J4+VbWALAUxc+qcD04rHDuSCSRKdmY63sruDS5qag==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/sunos-x64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.27.2.tgz",
    "integrity": "sha512-kMtx1yqJHTmqaqHPAzKCAkDaKsffmXkPHT5fRwZGyuqyIeBvf08KSsYXl+abf5HDAPMJIPnbBfXvP2ZC2Tfhg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "sunos"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/win32-arm64": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.27.2.tgz",
    "integrity": "sha512-Yaf780/B3Kkh+nKABUF++bvJv5Ijoy9AN1ww904r0XZFLWvc5OLOfL56W+C8F9xn5JQZa3UX6m+IktJnIb1Jjg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/@esbuild/win32-ia32": {
    "version": "0.27.2",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.27.2.tgz",
    "integrity": "sha512-Iuws0kxo4yusk7sw70Xa2E2imZU5Hoixzxf6CdxwBdhiDgt9vX9VUCBhqcwY7/uh//78A1hMkkROMJq9l27oLQ==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {

```

```

    "node": ">=18"
  }
},
"node_modules/@esbuild/win32-x64": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.27.2.tgz",
  "integrity": "sha512-sRdU18mckf7F+YgheI/zGf5a1ZatMUTKj/jNS6l744f9u3Wfu4v7twcUI9vu4mknF4Y9aD1blIie0IM+5xxaqQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">=18"
  }
},
"node_modules/@jridgewell/gen-mapping": {
  "version": "0.3.13",
  "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
  "integrity": "sha512-2kkt77n77193S1q93bW6lK62D7P3b1D9W2e294r+v27E2t+J0uzvj5CfSxW6hIbm/WR11vP4RUy36Ozg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/sourcemap-codec": "^1.5.0",
    "@jridgewell/trace-mapping": "^0.3.24"
  }
},
"node_modules/@jridgewell/remapping": {
  "version": "2.3.5",
  "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
  "integrity": "sha512-LI9u/1laY64Ds1TDK5JW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx9T74IKHbhyHEQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/gen-mapping": "^0.3.5",
    "@jridgewell/trace-mapping": "^0.3.24"
  }
},
"node_modules/@jridgewell/resolve-uri": {
  "version": "3.1.2",
  "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
  "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFxo1CBTNZ/5hpC9QvmKWdopKw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.0.0"
  }
},
"node_modules/@jridgewell/sourcemap-codec": {
  "version": "1.5.5",
  "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
  "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7W0q5fVhEljNVgRf0UHy9fy2zTvfoqWsnbh8S170VScFbICvJnLKB0g==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@jridgewell/trace-mapping": {
  "version": "0.3.31",
  "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
  "integrity": "sha512-zKuzOIu0u3VxTq/84J651gZhUo086Kk7s1sEgU/9leB68XVgk9347thdb2to28SgLznuSTOE0hLU9Lqg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/resolve-uri": "^3.1.0",
    "@jridgewell/sourcemap-codec": "^1.4.14"
  }
},
"node_modules/@kurkle/color": {
  "version": "0.3.4",
  "resolved": "https://registry.npmjs.org/@kurkle/color/-/color-0.3.4.tgz",
  "integrity": "sha512-M5UknZPHRU3DEDWoipU6sE8PdkZ6Z/S+v4dD+Ke8IaNlpdSQah501z1KtcFBa2vsdOnwbbnxJwVM4wty6udA5w==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@puppeteer/browsers": {

```

```

"version": "2.11.0",
"resolved": "https://registry.npmjs.org/@puppeteer/browsers/-/browsers-2.11.0.tgz",
"integrity": "sha512-n6oQX6mYkG8TRPuPXmbPidkUbsSRalhmaaVAQxvH1IkQy63cwsH+k0JB3e4cpCDHg0aSvsiX9bQ4s2VB6mGWUQ==",
"dev": true,
"license": "Apache-2.0",
"dependencies": {
  "debug": "^4.4.3",
  "extract-zip": "^2.0.1",
  "progress": "^2.0.3",
  "proxy-agent": "^6.5.0",
  "semver": "^7.7.3",
  "tar-fs": "^3.1.1",
  "yargs": "^17.7.2"
},
"bin": {
  "browsers": "lib/cjs/main-cli.js"
},
"engines": {
  "node": ">=18"
}
},
"node_modules/@rollup/rollup-android-arm-eabi": {
  "version": "4.54.0",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-android-arm-eabi-4.54.0.tgz",
  "integrity": "sha512-0ywsdRHRFvCdvsewAInDKCNyR31aPA2mc9bRYJ6LBp5IyvF3fvXbbNR0bSzH1ZVFtn6E0xw2oZlyjg4rKCVcng==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@rollup/rollup-android-arm64": {
  "version": "4.54.0",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-arm64-4.54.0.tgz",
  "integrity": "sha512-Skx39Uv+u7H224Af+bdgNinitlmHyQX1K/atIA32JP3JQw6hVODX5tkbi2zof/E69M1qH2UoN3Xdxgs90mmNYw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@rollup/rollup-darwin-arm64": {
  "version": "4.54.0",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-4.54.0.tgz",
  "integrity": "sha512-k43D4qta/+6Fq+nCDhhv9yP2HdeKeP56QrUUTW7E6PhZP1US6NDqpJj4MY0jBHLjivVJD5P8NxrjuobZBJTCRw==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ]
},
"node_modules/@rollup/rollup-darwin-x64": {
  "version": "4.54.0",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-4.54.0.tgz",
  "integrity": "sha512-c0o7biqwkpawslEfox5Vs8/qj83M/aZCSSNIWpVzfU2CYHa2G3P1UN5WF01RdTHSgCkri7X01Tdtk17Bez1V3A==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ]
},
"node_modules/@rollup/rollup-freebsd-arm64": {

```

```

    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-arm64-4.54.0.tgz",
    "integrity": "sha512-miSvuFkmvFbgJ1BevMa4CPCFt5MPGw094knM64W9I0giUIMmRYcGW/JWZDriaw/k1k0BtsWh1z6nIFV1vPNTA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ]
  },
  "node_modules/@rollup/rollup-freebsd-x64": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.54.0.tgz",
    "integrity": "sha512-KGXIs55+b/ZfZsq9aR026tmr/+7tq6VG6MsnrvF4H8Vhwf1TIuYh+LFU1IsRdQSGrgmtM3fVATzEAj4hBQlaqQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-gnueabihf-4.54.0.tgz",
    "integrity": "sha512-EHMUcDwhtdRGLXZsGSiUxSYwD5k0T9NVnx9sqzYiwAc91wfY0E1g1dj0EDseZJJKqtHAHGwnGPQu3kytmfXlQ==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm-musleabihf": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-musleabihf-4.54.0.tgz",
    "integrity": "sha512-pBrqEjaakN2ySv5RVrj/qLyYhPKEUwk+e3SFU5jTLHIcAtqh2rLrd/0kbNuHJpsBgxsD8ccJt5ga/SeG0JmA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm64-gnu": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu-4.54.0.tgz",
    "integrity": "sha512-NSqc7rE9wuUaRBsBp5ckQ5CVz5aIRKcwsa6WMF7G01sX3/qHUw/z4pv+D+ahL1EIKy6Enpcnz1RY8pf7bjwng==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-arm64-musl": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-musl-4.54.0.tgz",
    "integrity": "sha512-gr5vDbg3Bakga5kbpqx81m2n9IX8M6gIM1QQIXiLTNeQW6CucvuInJ91EuCJ/JYvc+rcLLsDFcfAD1K7fMofg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",

```



```

      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-loong64-gnu": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64-gnu-4.54.0.tgz",
      "integrity": "sha512-gsrtB1NA3ZYj2vq0Rzkylo9y1CtW/PhpLEivlgWe0bpgtX5+9j9EZa0wtZiCjgu6zmSeZWyI/e2YRX1URozpIw==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-gnu": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu-4.54.0.tgz",
      "integrity": "sha512-y3qN0fTBStmFNq+t4s7Tmc9hw2ENTPg8FeUD/VShI7rKxNW704fFeaYbMsd3tpF1Ig1Q8IapFgy7Q9i2BqeBvA==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-gnu": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-riscv64-gnu-4.54.0.tgz",
      "integrity": "sha512-89sepv7h2lIVPsFma8iwmccN7Yjjtgz0Rj/Ou6fEqg3HDhpCa+Et+YSufy27i6b0Wav69Qv4WBN13Rs6pwhebQ==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-musl": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-linux-riscv64-musl-4.54.0.tgz",
      "integrity": "sha512-ZcU77ieh0M2Q8Ur7D5X7KvK+UxbXeDHwi0t/CPsBTI1fBmeDMivW0dPkdqkT4rOgDjrDDBUed9x4EgraIKoR2A==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-s390x-gnu": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linux-s390x-gnu-4.54.0.tgz",
      "integrity": "sha512-2AdWy5RdDF5+4YfG/YesGDDtbyJlC9LHmL6rZw6FurBJ5n4vFGups0BGfwMRjBYH7qRQowT8D/U4LoSvVw0hSQ==",
      "cpu": [
        "s390x"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-x64-gnu": {
      "version": "4.54.0",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-x64-gnu-4.54.0.tgz",

```

```

    "integrity": "sha512-WGt5J8Ij/rvyqpFexxk3ffKqqlF9AqrTBbWdK7ApGUzaIs6V+s2s84kAxk1FwmMF/vBNGrVdYgbb1COFFezMQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-linux-x64-musl": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux-x64-musl-4.54.0.tgz",
    "integrity": "sha512-JzQmb38ATzHjx1PHuTH6tE7ojnMKM2kYNzt44LO/jji8BpceEC8QuXYA908n8r3CNUg/B3BV8VR3Hi1rYtmPiw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@rollup/rollup-openharmony-arm64": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm64-4.54.0.tgz",
    "integrity": "sha512-huT3fd0iC7jigGh7n3q/+lfPcXxBi+om/Rs3yiFxjvSxbSB6aohDFXbwvlspaqqje0h+hx7DDHS+5Es5qRkWKZg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ]
  },
  "node_modules/@rollup/rollup-win32-arm64-msvc": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc-4.54.0.tgz",
    "integrity": "sha512-c2V0W1bsKIKfblMBU/WGBz6Yci8nJ/ZjdheE0EwB73N3MvHYKiKGs3mVi1X4Gs70eGeDaMqEob25Tw2Gb9Nqyw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-ia32-msvc": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win32-ia32-msvc-4.54.0.tgz",
    "integrity": "sha512-woEHgqQdCkAzrDhvDipnSirm5vxUXtSKDyTVpZG3nUdW/VVB5VdCYA2iReSj/u3yCZzXID4kuKG70ynPnB3WQ==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@rollup/rollup-win32-x64-gnu": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-x64-gnu-4.54.0.tgz",
    "integrity": "sha512-dzAc53LOuFvHwbCE0S0rPbXp6SiHaf2txMP5p6mGyOXXw5mwY8NGGbPMPrs4P1WItkfApDathBj/NzMLUZ9rtQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [

```

```

    "win32"
  ]
},
"node_modules/@rollup/rollup-win32-x64-msvc": {
  "version": "4.54.0",
  "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32-x64-msvc-4.54.0.tgz",
  "integrity": "sha512-hYT5d3YNdSh3mbCU1gwQyPgQd3T2ne0A3KG8KSBdav5TiBg6eInVmV+TeR5uHufiIgSFg0XsOWGW5/RhNcSvPg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ]
},
"node_modules/@tailwindcss/node": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.1.18.tgz",
  "integrity": "sha512-D0r93073K130Z1oV1zU8VTBZ0e44JgTSKMaZUdf17cfn5mHchfJ4KRBZRFA/Coo+MUF5+g0aCQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/remapping": "^2.3.4",
    "enhanced-resolve": "^5.18.3",
    "jiti": "^2.6.1",
    "lightningcss": "1.30.2",
    "magic-string": "^0.30.21",
    "source-map-js": "^1.2.1",
    "tailwindcss": "4.1.18"
  }
},
"node_modules/@tailwindcss/oxide": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.1.18.tgz",
  "integrity": "sha512-EgCR5tTS5bUSKQgzeMCLT6iCY3ToqE1y+ZB0AKldj809QXk1Y+3jB0up0YZrn9aGIzPtUsP7sX4QQ4XtjBB95A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 10"
  },
  "optionalDependencies": {
    "@tailwindcss/oxide-android-arm64": "4.1.18",
    "@tailwindcss/oxide-darwin-arm64": "4.1.18",
    "@tailwindcss/oxide-darwin-x64": "4.1.18",
    "@tailwindcss/oxide-freebsd-x64": "4.1.18",
    "@tailwindcss/oxide-linux-arm-gnueabihf": "4.1.18",
    "@tailwindcss/oxide-linux-arm64-gnu": "4.1.18",
    "@tailwindcss/oxide-linux-arm64-musl": "4.1.18",
    "@tailwindcss/oxide-linux-x64-gnu": "4.1.18",
    "@tailwindcss/oxide-linux-x64-musl": "4.1.18",
    "@tailwindcss/oxide-wasm32-wasi": "4.1.18",
    "@tailwindcss/oxide-win32-arm64-msvc": "4.1.18",
    "@tailwindcss/oxide-win32-x64-msvc": "4.1.18"
  }
},
"node_modules/@tailwindcss/oxide-android-arm64": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.1.18.tgz",
  "integrity": "sha512-dJHz7+Ugr9U/diKJA0W6N/6/cjI+ZTAoxPf9Iz9BFRF2GzEX8IvXxFii/dZBloVJX/MZGvRuFA9rqwdiIEZQ0Q==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-darwin-arm64": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.1.18.tgz",
  "integrity": "sha512-Gc2q4Qhs660bhjyBSKgq6BYvwDz4G+BuyJ5H1xfhmDR3D8HnHCmT/BSkvSL0vQLy/nkMLY20PQ20oYM01Sjd0A==",

```

```

    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@tailwindcss/oxide-darwin-x64": {
    "version": "4.1.18",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.1.18.tgz",
    "integrity": "sha512-FL5oxr2xQsFrc3X9o1fjHKBYBMD1QZNyc1Xzw/h5Qu4XnEBi3dZn96HcHm41c/euGV+GRiXFfh2hUCyKi/e+yw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@tailwindcss/oxide-freebsd-x64": {
    "version": "4.1.18",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.1.18.tgz",
    "integrity": "sha512-Fj+RHgu5bDodmV1dM9yAx1fJwkkWvLiRjbhu02LEtw1Y1BgIAT4x/j5wQr1tC3SANAgD+0YcmWVrj8R9trVMA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm-gnueabiHF": {
    "version": "4.1.18",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabiHF/-/oxide-linux-arm-gnueabiHF-4.1.18.tgz",
    "integrity": "sha512-Fp+Wzk/Ws4dZn+LV2Nqx3IilnhH51YZoRaYHQsVq3RQvE1+71VGKFpkfHrLM/Li+kt5c0DJe/bHXK1eHgDmdIA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
    "version": "4.1.18",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.1.18.tgz",
    "integrity": "sha512-S0n3jboLysNbH55Vrt7pk9wgyTTPD0fdQeh7wQfMqLPM/Hrxi+dVsLsPrycQjGKEQk85Kgbx+6+QnYNiHalnw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {

```

```

    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-linux-arm64-musl": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.1.18.tgz",
  "integrity": "sha512-1px92582HkPQ1aaCkdRcio71p8bc8i/ap5807tPRDK/uw953cauQBT8c5tVGk0wrHMfc2Yh6UuxaH4vtTjGvHg==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-linux-x64-gnu": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-4.1.18.tgz",
  "integrity": "sha512-v3gyT0ivkfBLoZGF9LyHmts0Isc8jHZyVcbzio6Wpzi fg/+5ZJpDiRiUhDLkcr7f/r38SWNe7ucxmGW3j3Kb/g==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-linux-x64-musl": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.1.18.tgz",
  "integrity": "sha512-bhJ2y20QN1cRwwgOAGMY0xTFStt4/wyU6pvI6LSuZpRgKQwxTec0/3Scu9108ir7qCR3AuepQKLU/kX99FouQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-wasm32-wasi": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.1.18.tgz",
  "integrity": "sha512-LffYTvPj0DiP6PT16oNeUQJzNVyJ11cjIebq/rWWBF+3eDst5JGEFSc5cWxyRCJ0Mx1+KyIkqRrk1XPES9x8TA==",
  "bundleDependencies": [
    "@napi-rs/wasm-runtime",
    "@emnapi/core",
    "@emnapi/runtime",
    "@tybys/wasm-util",
    "@emnapi/wasi-threads",
    "tslib"
  ],
  "cpu": [
    "wasm32"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@emnapi/core": "^1.7.1",
    "@emnapi/runtime": "^1.7.1",
    "@emnapi/wasi-threads": "^1.1.0",
    "@napi-rs/wasm-runtime": "^1.1.0",
    "@tybys/wasm-util": "^0.10.1",
  }
}

```

```

    "tslib": "^2.4.0"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.1.18.tgz",
  "integrity": "sha512-HjSA7mr9HmC8fu6bdsZvZ+dhjyGCLdotjV0gLA2vEqxEBZaQo9YTX4kwgEvPCpRh8o4uWc4J/wEoFzhEmjvPbA==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/oxide-win32-x64-msvc": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.1.18.tgz",
  "integrity": "sha512-bJWbyYpUlqamC8dpR7pfjA0I7vdF6t5VpUGMWRkXVE3AXgIZjYUYAK7II1GNaxR8J1SSrSrppRar8G++JekE3Q==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@tailwindcss/vite": {
  "version": "4.1.18",
  "resolved": "https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.1.18.tgz",
  "integrity": "sha512-jVA+/UpKL1vRLg6Hkao5jldawNmRo7mQYrZtNtHMIvPLfLhDmI5nMRUo/8MwoX2vNXvnaXNNMedrMfMugAVX1nA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@tailwindcss/node": "4.1.18",
    "@tailwindcss/oxide": "4.1.18",
    "tailwindcss": "4.1.18"
  },
  "peerDependencies": {
    "vite": "^5.2.0 || ^6 || ^7"
  }
},
"node_modules/@tootallnate/quickjs-emscripten": {
  "version": "0.23.0",
  "resolved": "https://registry.npmjs.org/@tootallnate/quickjs-emscripten/-/quickjs-emscripten-0.23.0.tgz",
  "integrity": "sha512-C5Mc6rdnsaJDjO3UpGW/CQThCkAYlScZTly4JIu97Jxo/odCiH0ITnDXSJPT0rEkK/ycSZ0A0gTmkDtkOsvIA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@types/estree": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
  "integrity": "sha512-dWHHzHa2WqEXI/01E90jrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIn0skIQJQ/L1rIex4X6w==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@types/yauzl": {
  "version": "2.10.3",
  "resolved": "https://registry.npmjs.org/@types/yauzl/-/yauzl-2.10.3.tgz",
  "integrity": "sha512-oJoftv0LSuaDZE3Le4DbkX+KS9G36NzOeSap90UIK0yMA/NhKJhq1SGtNDORNraIbQfzjXDrQa0ytJ6mNRGz/Q==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "@types/node": "*"
  }
}

```

```

},
"node_modules/agent-base": {
  "version": "7.1.4",
  "resolved": "https://registry.npmjs.org/agent-base/-/agent-base-7.1.4.tgz",
  "integrity": "sha512-MnAgT80tXWUd3o3hXVUv3wTQF7e8wR9vRzYzZzJm1Mwv37q00b9pdJ1MUEKFQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 14"
  }
},
"node_modules/ansi-regex": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-5.0.1.tgz",
  "integrity": "sha512-Qus5aolNMj1Hdn3GfOd16O4YkI98bqfI+84qf8pZ1eLWYDLhWnXvj2wE5lZKt6rEA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/ansi-styles": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
  "integrity": "sha512-Bb3U1+uAwJhrgToj39n7hsRLWrTjxNl2/afy30vRy1eT3G8f9Si/61qarxB6Zw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "color-convert": "^2.0.1"
  },
  "engines": {
    "node": ">=8"
  },
  "funding": {
    "url": "https://github.com/chalk/ansi-styles?sponsor=1"
  }
},
"node_modules/argparse": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
  "integrity": "sha512-8+9VqyUQZhaCk8n6PoF8lJLH5aCbN1Y2gyD7aGeZuCVvq9HDZNIw8GfBnV32==",
  "dev": true,
  "license": "Python-2.0"
},
"node_modules/ast-types": {
  "version": "0.13.4",
  "resolved": "https://registry.npmjs.org/ast-types/-/ast-types-0.13.4.tgz",
  "integrity": "sha512-x1FCFnFivYDDzTaLI71vG5uvDwgtmDTEVWAXrgeiR8VjMONCCKJx7E+USjDtHlwF==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "tslib": "^2.0.1"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/asynckit": {
  "version": "0.4.0",
  "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
  "integrity": "sha512-Oei90H4tRh0YqU3GxhX79dM/mwVgVbZJaSNaRk+bshk055cfHcgYakreBjrHwatXKbz+IoIdYLrKim2MjW0Q==",
  "dev": true,
  "license": "MIT"
},
"node_modules/axios": {
  "version": "1.13.2",
  "resolved": "https://registry.npmjs.org/axios/-/axios-1.13.2.tgz",
  "integrity": "sha512-VPk9ebNqPcy51RGUS1Kx7521lDat0jt9paPlm8A7y0uW2Fbvp4X3JznJt4f0GzGLLiWE9W8onz51SqLYwzGaA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "follow-redirects": "^1.15.6",
    "form-data": "^4.0.4",
    "proxy-from-env": "^1.1.0"
  }
},
"node_modules/b4a": {

```

```

    "version": "1.7.3",
    "resolved": "https://registry.npmjs.org/b4a/-/b4a-1.7.3.tgz",
    "integrity": "sha512-5Q2mfq2WfGuFp3uS//0s6ba0JLMoVduPYVeNmDYxu50UA1/cBfvr2RIS7vi62LdNj/urk1hfmj867I3qt6uZ7Q==",
    "dev": true,
    "license": "Apache-2.0",
    "peerDependencies": {
      "react-native-b4a": "*"
    },
    "peerDependenciesMeta": {
      "react-native-b4a": {
        "optional": true
      }
    }
  },
  "node_modules/bare-events": {
    "version": "2.8.2",
    "resolved": "https://registry.npmjs.org/bare-events/-/bare-events-2.8.2.tgz",
    "integrity": "sha512-riJjyv1/mHLIPX4RwiK+ow9/4c3TEUeORHKeFKAkNZ5kys1bN+HXowtbaVEqt4IMUB70X1fixcs6gsFeo/jhiQ==",
    "dev": true,
    "license": "Apache-2.0",
    "peerDependencies": {
      "bare-abort-controller": "*"
    },
    "peerDependenciesMeta": {
      "bare-abort-controller": {
        "optional": true
      }
    }
  },
  "node_modules/bare-fs": {
    "version": "4.5.2",
    "resolved": "https://registry.npmjs.org/bare-fs/-/bare-fs-4.5.2.tgz",
    "integrity": "sha512-veTnRzkb6aPH0vSKI0y60KzURfBdUflr5VReI+NSaPL6xf+XLdONQgZgpYvUuZLVQ8dCqxpBAudaOM1+KpAUxw==",
    "dev": true,
    "license": "Apache-2.0",
    "optional": true,
    "dependencies": {
      "bare-events": "^2.5.4",
      "bare-path": "^3.0.0",
      "bare-stream": "^2.6.4",
      "bare-url": "^2.2.2",
      "fast-fifo": "^1.3.2"
    },
    "engines": {
      "bare": ">=1.16.0"
    },
    "peerDependencies": {
      "bare-buffer": "*"
    },
    "peerDependenciesMeta": {
      "bare-buffer": {
        "optional": true
      }
    }
  },
  "node_modules/bare-os": {
    "version": "3.6.2",
    "resolved": "https://registry.npmjs.org/bare-os/-/bare-os-3.6.2.tgz",
    "integrity": "sha512-T+V1+1srU2qYNBmJCXZkUY5vQ0B4FS1L3QDR0nKQY0qeiQR8UbjNH1Pa+TibM4cuidiN9GaTa0ZgSEgsvPbh5A==",
    "dev": true,
    "license": "Apache-2.0",
    "optional": true,
    "engines": {
      "bare": ">=1.14.0"
    }
  },
  "node_modules/bare-path": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/bare-path/-/bare-path-3.0.0.tgz",
    "integrity": "sha512-tyfw2cQcB5NN8Saijrhqn0Zh7AnFnsnczRcuWODH0eYAXBsJ5gVxAUuNr7tsHSC6IZ77cA0SitzT+s47kot8Mw==",
    "dev": true,
    "license": "Apache-2.0",
    "optional": true,
    "dependencies": {
      "bare-os": "^3.0.1"
    }
  },
  "node_modules/bare-stream": {

```



```

    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/bare-stream/-/bare-stream-2.7.0.tgz",
    "integrity": "sha512-oyXQNicV1y8nc2aKffH+BUHFRXmx6VrPz1naEvMhram0nPBrKcEdcyBg5r08D0i8VxngHFAiVyn1QKXpSG0B8A==",
    "dev": true,
    "license": "Apache-2.0",
    "optional": true,
    "dependencies": {
      "streamx": "^2.21.0"
    },
    "peerDependencies": {
      "bare-buffer": "*",
      "bare-events": "*"
    },
    "peerDependenciesMeta": {
      "bare-buffer": {
        "optional": true
      },
      "bare-events": {
        "optional": true
      }
    }
  },
  "node_modules/bare-url": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/bare-url/-/bare-url-2.3.2.tgz",
    "integrity": "sha512-ZMq4gd9ngV5aTMa5p9+UfY0b3skwhHELaDkhEHetMdX0LRkw9kzaym4oo/Eh+Ghm0CCDuMTsRIGM/ytUc1ZYmw==",
    "dev": true,
    "license": "Apache-2.0",
    "optional": true,
    "dependencies": {
      "bare-path": "^3.0.0"
    }
  },
  "node_modules/basic-ftp": {
    "version": "5.0.5",
    "resolved": "https://registry.npmjs.org/basic-ftp/-/basic-ftp-5.0.5.tgz",
    "integrity": "sha512-4Bcg1P8xhUuqcii/S0Z9wiHIrQVPMeM1any+MX5GeGD7faD3/msQUDGLol9w0cz4/jbg/WJnGqoJF6LiBdtg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10.0.0"
    }
  },
  "node_modules/buffer-crc32": {
    "version": "0.2.13",
    "resolved": "https://registry.npmjs.org/buffer-crc32/-/buffer-crc32-0.2.13.tgz",
    "integrity": "sha512-090120885a0e1d90c1215c8e1b8014f6e7605e78f5c5a1421e1db0c1d10e61e6",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
    "integrity": "sha512-4o41/cYUe/tmCFs38HdYn8jlzdGVBkphVNVYHdID901YpcqY1Og4xUWH2gZy838K1Pp39L1yW1U63L83qYw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/callsites": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
    "integrity": "sha512-P8BjAsXvZS+VIDUI11hHCQE74YT67YU15JJFNWIqL235sBmJX4+qx9Muv1s5ivyNENctx46xQLQ3aTuE7ssaQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/chalk": {

```

```

    "version": "4.1.2",
    "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
    "integrity": "sha512-oKnbhFyRIXpUuez8iBMMyEa4nbj4IOqyuhc/wy9kY7/WVPcwIO9VA668Pu8Rk07+0G76SLROeyw9CpQ061i4mA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.1.0",
      "supports-color": "^7.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/chalk?sponsor=1"
    }
  },
  "node_modules/chalk/node_modules/supports-color": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
    "integrity": "sha512-qpCAvRl9stuOHveKsn7HncJRvv501qIacKzQl0/+Lwxcr9+0q2wLyyv4Dfvt80/DPn2pqOBsJdDiogXGR9+OvwRw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/chart.js": {
    "version": "4.5.1",
    "resolved": "https://registry.npmjs.org/chart.js/-/chart.js-4.5.1.tgz",
    "integrity": "sha512-GIjfiT9dbmHRIYi6N12yFCq7kkwdkp1W/lp2J99rX0yo9tgJGn3lKQATztIjb5tVtevcBtIdICNwqlq5+E8/Pw==",
    "dev": true,
    "license": "MIT",
    "peer": true,
    "dependencies": {
      "@kurkle/color": "^0.3.0"
    },
    "engines": {
      "pnpm": ">=8"
    }
  },
  "node_modules/chartjs-plugin-dragdata": {
    "version": "2.3.1",
    "resolved": "https://registry.npmjs.org/chartjs-plugin-dragdata/-/chartjs-plugin-dragdata-2.3.1.tgz",
    "integrity": "sha512-CFD1e2d+gyH9EXb92qWu4Zb2zVoY40trbJYLMoGw0InE7ftoOD//4B0/k9IvKzQbdVU3JsPqUQI9KHcMpQqVfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "d3-drag": "^3.0.0",
      "d3-selection": "^3.0.0"
    },
    "peerDependencies": {
      "chart.js": "^3.9.1 || ^4.0.1"
    }
  },
  "node_modules/chromium-bidi": {
    "version": "12.0.1",
    "resolved": "https://registry.npmjs.org/chromium-bidi/-/chromium-bidi-12.0.1.tgz",
    "integrity": "sha512-fGg+6jr0xjQhzipy5N4ErZxQ4wF7KLEvhGZXD6EgvZKDhu7i0hZXnZhcDxPJDcwTcrD48NPz0Co84RP2lv3Z+Cg==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "mitt": "^3.0.1",
      "zod": "^3.24.1"
    },
    "peerDependencies": {
      "devtools-protocol": "*"
    }
  },
  "node_modules/cliui": {
    "version": "8.0.1",
    "resolved": "https://registry.npmjs.org/cliui/-/cliui-8.0.1.tgz",
    "integrity": "sha512-9312334f37c14c359c3e588e39a30c3d7774a3a93af0af41cf12c1263642e461",
    "dev": true,
    "license": "ISC",
    "dependencies": {

```

```

    "string-width": "^4.2.0",
    "strip-ansi": "^6.0.1",
    "wrap-ansi": "^7.0.0"
  },
  "engines": {
    "node": ">=12"
  }
},
"node_modules/color-convert": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
  "integrity": "sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "color-name": "~1.1.4"
  },
  "engines": {
    "node": ">=7.0.0"
  }
},
"node_modules/color-name": {
  "version": "1.1.4",
  "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
  "integrity": "sha512-d0y+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff408yVp55Bf0efS8uEoYo5q4Fx7dY90gQGxGA8sQA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/combined-stream": {
  "version": "1.0.8",
  "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
  "integrity": "sha512-j0rkFlC3+W0NpNj3YsUO5BQW+TlMMqGw78p49t4Iq8Q+5R9M6Dx00i3d829pT5c8tKtIoW/z9769u8Z7nA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "delayed-stream": "~1.0.0"
  },
  "engines": {
    "node": ">= 0.8"
  }
},
"node_modules/concurrently": {
  "version": "9.2.1",
  "resolved": "https://registry.npmjs.org/concurrently/-/concurrently-9.2.1.tgz",
  "integrity": "sha512-618333311321113a1189136a640556d184d8132319e4780058c458f0bd0bbfbc",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "chalk": "4.1.2",
    "rxjs": "7.8.2",
    "shell-quote": "1.8.3",
    "supports-color": "8.1.1",
    "tree-kill": "1.2.2",
    "yargs": "17.7.2"
  },
  "bin": {
    "conc": "dist/bin/concurrently.js",
    "concurrently": "dist/bin/concurrently.js"
  },
  "engines": {
    "node": ">=18"
  },
  "funding": {
    "url": "https://github.com/open-cli-tools/concurrently?sponsor=1"
  }
},
"node_modules/cosmiconfig": {
  "version": "9.0.0",
  "resolved": "https://registry.npmjs.org/cosmiconfig/-/cosmiconfig-9.0.0.tgz",
  "integrity": "sha512-1d02wUx5q7YW44sYazESkx40s86M8Q8e17aegcH19Sb49R1vhuDoAPt+prfBs8AUNhdUwY7IdDvLLD8Z2Bg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "env-paths": "^2.2.1",
    "import-fresh": "^3.3.0",
    "js-yaml": "^4.1.0",
    "parse-json": "^5.2.0"
  }
},

```

```

    "engines": {
      "node": ">=14"
    },
    "funding": {
      "url": "https://github.com/sponsors/d-fischer"
    },
    "peerDependencies": {
      "typescript": ">=4.9.5"
    },
    "peerDependenciesMeta": {
      "typescript": {
        "optional": true
      }
    }
  },
  "node_modules/d3-dispatch": {
    "version": "3.0.1",
    "resolved": "https://registry.npmjs.org/d3-dispatch/-/d3-dispatch-3.0.1.tgz",
    "integrity": "sha512-rzUyPU/S7rwUflMyLc1ETDeBj0NRUHKKAcvukozwhshr6g6c5d8zh4c2gQjY2bZ0dXeGLWc1PF174P2tVvKhfg==",
    "dev": true,
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-drag": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/d3-drag/-/d3-drag-3.0.0.tgz",
    "integrity": "sha512-pWbUJLdETVA8lQNJecMxoXfH6x+m02UQo8rSmZ+QqxcbyA3hfepRFgIT//HW2nlHChWeIIMwS2Fq+gEARKhTkg==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "d3-dispatch": "1 - 3",
      "d3-selection": "3"
    },
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/d3-selection": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/d3-selection/-/d3-selection-3.0.0.tgz",
    "integrity": "sha512-fmTRwbNMmsmwQ6xJV8D19U/gw/bwrHfNXrIN+HfZgnzqTHp9jOmKMhsTUjXOJnZ0dZY9Q28y4yebKzqDK1x1Q==",
    "dev": true,
    "license": "ISC",
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/data-uri-to-buffer": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/data-uri-to-buffer/-/data-uri-to-buffer-6.0.2.tgz",
    "integrity": "sha512-7hvf7/GW8e86rW0ptuwS30cBGDjIi6Szva7hCyWC0Yry2c0PmLIjXAUHI6DK2HsnwJd9ifmt57i8eV2n4YNpw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGgwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTl1puvgI9GiijltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/degenerator": {

```

```

"version": "5.0.1",
"resolved": "https://registry.npmjs.org/degenerator/-/degenerator-5.0.1.tgz",
"integrity": "sha512-Tl1pMR/t0M5sqCXfj85i4XaAzxmS5tVA16dqvdKmwGmzI+dXLXnw3J+3Vdv7VKw+ThlTMboK6i9rnZ6Nntj5CQ==",
"dev": true,
"license": "MIT",
"dependencies": {
  "ast-types": "^0.13.4",
  "escodegen": "^2.1.0",
  "esprima": "^4.0.1"
},
"engines": {
  "node": ">= 14"
}
},
"node_modules/delayed-stream": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
  "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBX17Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkG7a7Q541jxPSZ17p4VdGnMHk3MQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.4.0"
  }
},
"node_modules/detect-libc": {
  "version": "2.1.2",
  "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
  "integrity": "sha512-B4tJ/aNcA8N5c087oH1wjfJn1u13N1QZNS0YBPBtJhYVGFubRUIh1JH0I1eF0Y3IjRf0P+QZM0H+Q==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/devtools-protocol": {
  "version": "0.0.1534754",
  "resolved": "https://registry.npmjs.org/devtools-protocol/-/devtools-protocol-0.0.1534754.tgz",
  "integrity": "sha512-26T91cV5db0YnXdJi5qHoTtUoNeqwkHcAyu/IKtjIAxiEqPMrDiRkDOPWvsGfNZGm1QVHQbZRSjD8sxagWVsQ==",
  "dev": true,
  "license": "BSD-3-Clause",
  "peer": true
},
"node_modules/dunder-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
  "integrity": "sha512-KIN/dNBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4UY7ct+A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.1",
    "es-errors": "^1.3.0",
    "gopd": "^1.2.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/emoji-regex": {
  "version": "8.0.0",
  "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz",
  "integrity": "sha512-MSjYzcwNOA0ewAhpz0MxpyFvwg6yjj1NG3xteoqz644VCo/RPgnr1/GGt+ic3iJTzQ8Eu3TdM14SawnVUmGE6A==",
  "dev": true,
  "license": "MIT"
},
"node_modules/end-of-stream": {
  "version": "1.4.5",
  "resolved": "https://registry.npmjs.org/end-of-stream/-/end-of-stream-1.4.5.tgz",
  "integrity": "sha512-0uod/01WtlMhT5KgPjyQ8uF56Z5vQ9uICvH4TzTVkyYbSvXRgEb4U5JxIBXZwqrj3PqSsBDPpQWtBMsA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "once": "^1.4.0"
  }
},
"node_modules/enhanced-resolve": {
  "version": "5.18.4",
  "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.18.4.tgz",
  "integrity": "sha512-2U8Q11o301CkxV6i4XUWV33UWqfz35X8H0LW9Wl5I4G143lSHX8IqOY9kgiXGbd2Yn+oMBvZq00A==",

```

```

    "dev": true,
    "license": "MIT",
    "dependencies": {
      "graceful-fs": "^4.2.4",
      "tapable": "^2.2.0"
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/env-paths": {
    "version": "2.2.1",
    "resolved": "https://registry.npmjs.org/env-paths/-/env-paths-2.2.1.tgz",
    "integrity": "sha512-+h1lkKhZMTYjog1VEpJNG7NZJWcuc2DDk/qsqSTRRCOXiLjeQ1d1/udrUGhqMxUgAlwKNZ0cf2uqan5GLuS2A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/error-ex": {
    "version": "1.3.4",
    "resolved": "https://registry.npmjs.org/error-ex/-/error-ex-1.3.4.tgz",
    "integrity": "sha512-SbWqB0Ppaz33S9U3aP2V38JqBzQeZp7n3J1dUuYdtYUz8y/0N7Z1axhdF40WghU94yZl7K2QfUdy1mw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-arrayish": "^0.2.1"
    }
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-022Tw+Yo4dW2/51d7h1Z5bK5n4eHdO1pS2+i1y6s2W5+P237V5M363zdR1bYBwK8FtW4pVTE8Y28mq==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
    "integrity": "sha512-UW9JtIPFzMXu52Sr8oYJK2B3RzOQ1ZCS1oI0NfO2hg8a3k6eC835ORxznYStZU19S/qcHm1oYmZQyh9A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
    "integrity": "sha512-FGgGH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhQotPv73jTaldXA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-set-tostringtag": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
    "integrity": "sha512-j6vVwZfNkGyMqR8tR3vH4QxvGNV9aX8cizOtdi6GMM/h4HfKYAIR4aSwy+1EvyxVyOxAcR+kJ5CqUSwA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6",
      "has-tostringtag": "^1.0.2",
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  }
}

```

```

},
"node_modules/esbuild": {
  "version": "0.27.2",
  "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.27.2.tgz",
  "integrity": "sha512-HyNQImnsOC7X9PMNaCIeAm4ISCQXs5a5YasTXVl1kV4uuBo1dKrG0A+uQS8M5eXjVMnLg3WgXaKvprHlFJQffw==",
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "bin": {
    "esbuild": "bin/esbuild"
  },
  "engines": {
    "node": ">=18"
  },
  "optionalDependencies": {
    "@esbuild/aix-ppc64": "0.27.2",
    "@esbuild/android-arm": "0.27.2",
    "@esbuild/android-arm64": "0.27.2",
    "@esbuild/android-x64": "0.27.2",
    "@esbuild/darwin-arm64": "0.27.2",
    "@esbuild/darwin-x64": "0.27.2",
    "@esbuild/freebsd-arm64": "0.27.2",
    "@esbuild/freebsd-x64": "0.27.2",
    "@esbuild/linux-arm": "0.27.2",
    "@esbuild/linux-arm64": "0.27.2",
    "@esbuild/linux-ia32": "0.27.2",
    "@esbuild/linux-loong64": "0.27.2",
    "@esbuild/linux-mips64el": "0.27.2",
    "@esbuild/linux-ppc64": "0.27.2",
    "@esbuild/linux-riscv64": "0.27.2",
    "@esbuild/linux-s390x": "0.27.2",
    "@esbuild/linux-x64": "0.27.2",
    "@esbuild/netbsd-arm64": "0.27.2",
    "@esbuild/netbsd-x64": "0.27.2",
    "@esbuild/openbsd-arm64": "0.27.2",
    "@esbuild/openbsd-x64": "0.27.2",
    "@esbuild/openharmony-arm64": "0.27.2",
    "@esbuild/sunos-x64": "0.27.2",
    "@esbuild/win32-arm64": "0.27.2",
    "@esbuild/win32-ia32": "0.27.2",
    "@esbuild/win32-x64": "0.27.2"
  }
},
"node_modules/escalade": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
  "integrity": "sha512-WUj2QtlQZdNgFC8c237WZTKL1ZszLZ17mTezrS1eQWdR53ayJ8OIKvvb+DcItZe3Uq1fT0P3ITHj1oQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/escodegen": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/escodegen/-/escodegen-2.1.0.tgz",
  "integrity": "sha512-4v7W7gglfRtN9zL4Zp4ZwDfYw9D/8em1zV0C1475sLzOYuB5CymCMyGdjBQN4F1hXjvgQNTS7VKkA==",
  "dev": true,
  "license": "BSD-2-Clause",
  "dependencies": {
    "esprima": "^4.0.1",
    "estraverse": "^5.2.0",
    "esutils": "^2.0.2"
  },
  "bin": {
    "escodegen": "bin/escodegen.js",
    "esgenerate": "bin/esgenerate.js"
  },
  "engines": {
    "node": ">=6.0"
  },
  "optionalDependencies": {
    "source-map": "~0.6.1"
  }
},
"node_modules/esprima": {
  "version": "4.0.1",
  "resolved": "https://registry.npmjs.org/esprima/-/esprima-4.0.1.tgz",

```

```

    "integrity": "sha512-eGuFFw7Upda+g4p+QHvnW0RyTX/SVeJBDM/gCtMAR00cLuT2HcEKnTPvhjV6aGeqrCB/sbNop0Kszm0jsaWU4A==",
    "dev": true,
    "license": "BSD-2-Clause",
    "bin": {
      "espars": "bin/espars.js",
      "esvalidate": "bin/esvalidate.js"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/estraverse": {
    "version": "5.3.0",
    "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
    "integrity": "sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8ffFeiINEbX36ZdN1fU/7A9f3gUw49B3oQsvwBA==",
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/esutils": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
    "integrity": "sha512-kVscQXk40Cp68S20dkgEKVi6/8ij300KBWJTq32P/dYewTSwK41WyTxa1N1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/events-universal": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/events-universal/-/events-universal-1.0.1.tgz",
    "integrity": "sha512-LUD5euvbMLpwOF8m6ivPCbhQeSiYVNB8Vs0fQ8QjXo0JTkEHpz8pxdQf0gStltaPpw0Cca8b39KxvK9cfKRIAw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "bare-events": "^2.7.0"
    }
  },
  "node_modules/extract-zip": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/extract-zip/-/extract-zip-2.0.1.tgz",
    "integrity": "sha512-GDH9ntwukYGX0dZBUgTIE+vXnWj0fppUETMDL0+idd5Sta8TGpHssn/eusA9mrPr9qNDym6SxAYZjNvCn/9RBg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "debug": "^4.1.1",
      "get-stream": "^5.1.0",
      "yauzl": "^2.10.0"
    },
    "bin": {
      "extract-zip": "cli.js"
    },
    "engines": {
      "node": ">= 10.17.0"
    },
    "optionalDependencies": {
      "@types/yauzl": "^2.9.1"
    }
  },
  "node_modules/fast-fifo": {
    "version": "1.3.2",
    "resolved": "https://registry.npmjs.org/fast-fifo/-/fast-fifo-1.3.2.tgz",
    "integrity": "sha512-d9sfos4yxpwkDkuN7k2SqFKtYNmCTzgfEpz82x34IM9/zc8KGxQoXg1liNC/izpRM/MBdt44Nm41ZWqk+FQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fd-slicer": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/fd-slicer/-/fd-slicer-1.1.0.tgz",
    "integrity": "sha512-1G02hVef/DG4jkEgFpa/zxkYpL9QHZ5Ph/d55gdfgCg62BZ4H1JYb9i2n2grgwm8QvBggvFxRnZ9kztk4zA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "pend": "~1.2.0"
    }
  }
}

```



```

},
"node_modules/fdir": {
  "version": "6.5.0",
  "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
  "integrity": "sha512-tIbYtZbuc0s0BRGqPJkshJUYdL+SDH7dVM8ggy+ERp3WAUjLEFJE+02kanyHtwjW0nwrKYBiwAmM0p4kJAnXg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12.0.0"
  },
  "peerDependencies": {
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/follow-redirects": {
  "version": "1.15.11",
  "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz",
  "integrity": "sha512-deG2P0JfjrTx150XGCDyfI97ZGVCxIpFKYmfyrQ54n5F0/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==",
  "dev": true,
  "funding": [
    {
      "type": "individual",
      "url": "https://github.com/sponsors/RubenVerborgh"
    }
  ],
  "license": "MIT",
  "engines": {
    "node": ">=4.0"
  },
  "peerDependenciesMeta": {
    "debug": {
      "optional": true
    }
  }
},
"node_modules/form-data": {
  "version": "4.0.5",
  "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
  "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUyCFTiy3+wuuOnUog2QBHCZWXRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "asynckit": "^0.4.0",
    "combined-stream": "^1.0.8",
    "es-set-tostringtag": "^2.1.0",
    "hasown": "^2.0.2",
    "mime-types": "^2.1.12"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fsevents": {
  "version": "2.3.3",
  "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
  "integrity": "sha512-5xwX9i3qKoSq0HqCp43wI5bZ24iS00v0z14zS4yIGzuEZcFl3u6p0Q1zB0162T60flqLjvFfjgOw==",
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
  }
},
"node_modules/function-bind": {
  "version": "1.1.2",
  "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
  "integrity": "sha512-7P80P9E591w6Yqjqb2wM2a006F7c4503eSf6f7efpfbW6ZDf10UWg5xttqL1z50P8Ur2hE2FzA==",
  "dev": true,
  "license": "MIT",

```

```

    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-caller-file": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/get-caller-file/-/get-caller-file-2.0.5.tgz",
    "integrity": "sha512-DyFP3BM/3YHTQOCUL/w0OZHR0lpKeGrxotcHWcQNEdnltqFwXVfHEBQ94eIo34AfQpo0rGki4cyIiftY06h2Fg==",
    "dev": true,
    "license": "ISC",
    "engines": {
      "node": "6.* || 8.* || >= 10.*"
    }
  },
  "node_modules/get-intrinsic": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
    "integrity": "sha512-9fV7ednW2ayolLVwpGpAqfmGfPukG4FJk1UW99biLqs/kMBhNcYArOcr957890JoazIr5oUXjB1s9aO86Esq==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "function-bind": "^1.1.2",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
    "integrity": "sha512-sTsfbBjoxBp89JvIKiefqw7U2CCebSc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFpNc9Ico0C40DfKHfXfmp0g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-stream": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/get-stream/-/get-stream-5.2.0.tgz",
    "integrity": "sha512-nBF+sF1rAZVCu/p7rjzgA+Yb4lfYXrp17a6VmJrU8wF9I1CKvP/QwPNZHn0lwbTkY6dvtFIzFMSyQXbLoTQPRpA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "pump": "^3.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/get-uri": {
    "version": "6.0.5",
    "resolved": "https://registry.npmjs.org/get-uri/-/get-uri-6.0.5.tgz",
    "integrity": "sha512-b107YqGx8kZpWuYpZLp3tUg4k1Mt6J23Egha3u8HbtyJ1y8im43nnGt1lKHdaaJW7iK5Y1QwUim46QWw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "basic-ftp": "^5.0.2",
      "data-uri-to-buffer": "^6.0.2",
    }
  },

```

```

      "debug": "^4.3.4"
    },
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/gopd": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
    "integrity": "sha512-hw9wWwXxwB1B0i1jnlG9PnrJsCcSjs1wyYD6vJpaYtgnzDrKYRSqf3006Rfa93xsRg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/graceful-fs": {
    "version": "4.2.11",
    "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
    "integrity": "sha512-13967933f3359/68EQL1CzB59FayQYJx6WGH4qmG1jd+jVgOJ3oG5lnH57I46Z0a2KoJc4PQY044w==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/has-flag": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
    "integrity": "sha512-tykTG01dAsatPTUGWHt9fOem+BSbm4wZ6t1O4eX3IV4hZHEw+1jv5Bf/88KxKqFzFhFjVC3jLKBEU==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/has-symbols": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
    "integrity": "sha512-8k+Dj2Q7r1O2vtyd4v12tpeV68A7y83d3vYsQ4jiXNaZ0uXdnR1fd9Za8oH2soyVDcyvJ9S1+qE==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity": "sha512-38p2y3VhKq6n3UgYPj1wXQ9ZwUaxuXN+8V36l6u09b+0ZL/94L10Q+d0IyW1K9Ct5nV31kYD==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
    "integrity": "sha512-0b7a9Hh11gE32rFt4NpPjVQNSLsHcBj9v8+O4UwH9jV1X9XgP48KJYkz3Hl6jy3XtW88U==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },

```

```

"node_modules/http-proxy-agent": {
  "version": "7.0.2",
  "resolved": "https://registry.npmjs.org/http-proxy-agent/-/http-proxy-agent-7.0.2.tgz",
  "integrity": "sha512-T1gkAiYDWYx3V5Bmyu7HcfcvL7mUrTWiM6yOfa3PIphViJ/gFPbvidQ+veqSOHci/PxBcDabeUNCzp00DJZig==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "agent-base": "^7.1.0",
    "debug": "^4.3.4"
  },
  "engines": {
    "node": ">= 14"
  }
},
"node_modules/https-proxy-agent": {
  "version": "7.0.6",
  "resolved": "https://registry.npmjs.org/https-proxy-agent/-/https-proxy-agent-7.0.6.tgz",
  "integrity": "sha512-3x03E38t3Hwv59QdwSvT0D2YqT792Wp5u4X41F6pZ9qS2Oqk7F59HISpmVvU7Mw2H+DyHxwKdVJp3aF8Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "agent-base": "^7.1.2",
    "debug": "4"
  },
  "engines": {
    "node": ">= 14"
  }
},
"node_modules/import-fresh": {
  "version": "3.3.1",
  "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
  "integrity": "sha512-TR3KfrTZTYPb6jUjfx6MF9WcWHL9su5T0bK4ZkYgBdWKP0FoSoQIdEuTuR82pmtxH2spWG9h6etwfr1pLBqQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "parent-module": "^1.0.0",
    "resolve-from": "^4.0.0"
  },
  "engines": {
    "node": ">=6"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/ip-address": {
  "version": "10.1.0",
  "resolved": "https://registry.npmjs.org/ip-address/-/ip-address-10.1.0.tgz",
  "integrity": "sha512-XXADHxXmvT9+CRxhXg56LJovE+bmWnEWB78LB83VZTprKTmaC5QfruXocxzTZ2K10DNwKuBd1IhjL8LeY8Sf8Q==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 12"
  }
},
"node_modules/is-arrayish": {
  "version": "0.2.1",
  "resolved": "https://registry.npmjs.org/is-arrayish/-/is-arrayish-0.2.1.tgz",
  "integrity": "sha512-zz06S8t0ozoXMG+ube26zeCTNxcKIPJZJi8hBrF4idCLms4CG9QtK7qB11boi50DzFpjswb5JPmHCbMpjaYzg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/is-fullwidth-code-point": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-point-3.0.0.tgz",
  "integrity": "sha512-1x0VJxk+4pL14kpTYM/Ry9uKl5u2Mf2Ta8idkQW6tF3UdYV4QW6t1kbD/ZK94FuPWeZ+Iyy0lGyBcydFmg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/jiti": {
  "version": "2.6.1",
  "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.6.1.tgz",
  "integrity": "sha512-eki1CSN1jwRvIbgeg/57YFh8qQDNbwDb9xT/qu2DAHbFFZUicI14ygVaAvzveMhMVr3LnpSKTNnw8P0OfmKhQ==",
  "dev": true,
  "license": "MIT",

```

```

    "bin": {
      "jiti": "lib/jiti-cli.mjs"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-RdJUF1cE3cUzKiMqQgsCu06FPu9UdIJ00beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/js-yaml": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.1.tgz",
    "integrity": "sha512-qQkt4zQxXl1LwBtHMWwTcGfF0Zvi0Jet3Oy/xmGk2gZH677CJM9EvtfdSkGwCATZhj/55JZ0rmy3myCT51sA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "argparse": "^2.0.1"
    }
  },
  "node_modules/json-parse-even-better-errors": {
    "version": "2.3.1",
    "resolved": "https://registry.npmjs.org/json-parse-even-better-errors/-/json-parse-even-better-errors-2.3.1.tgz",
    "integrity": "sha512-xyFwyhro/JEof6Ghe2iz2NcXoJ2sloNswr/XsERDK/oIPCfaNh15ONfp+jQdAZRQQ0IJWNzH9zIZF7li91kh2w==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/laravel-vite-plugin": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/laravel-vite-plugin/-/laravel-vite-plugin-2.0.1.tgz",
    "integrity": "sha512-zQuvzWfUKQu90NVi100RZAjCwhGsdhx4NE0yrVQwJHawDseGP9t17XUPLY2T8Cj6+IrZ6lmyx1R1KC8unf3RLA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "picocolors": "^1.0.0",
      "vite-plugin-full-reload": "^1.1.0"
    }
  },
  "node_modules/lightningcss": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.30.2.tgz",
    "integrity": "sha512-utfs7Pr5uJyyvDETitgsaqSyjCb2qNRAtuqUeWIAKztsoYdcACf2KtARYXg2pSvhkt+9NfoaNY7fxjl6nuMjIQ==",
    "dev": true,
    "license": "MPL-2.0",
    "dependencies": {
      "detect-libc": "^2.0.3"
    }
  },
  "node_modules/optionalDependencies": {
    "lightningcss-android-arm64": "1.30.2",
    "lightningcss-darwin-arm64": "1.30.2",
    "lightningcss-darwin-x64": "1.30.2",
    "lightningcss-freebsd-x64": "1.30.2",
    "lightningcss-linux-arm-gnueabi-hf": "1.30.2",
    "lightningcss-linux-arm64-gnu": "1.30.2",
    "lightningcss-linux-arm64-musl": "1.30.2",
    "lightningcss-linux-x64-gnu": "1.30.2",
    "lightningcss-linux-x64-musl": "1.30.2",
    "lightningcss-win32-arm64-msvc": "1.30.2",
  },

```

```

    "lightningcss-win32-x64-msvc": "1.30.2"
  },
  },
  "node_modules/lightningcss-android-arm64": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.30.2.tgz",
    "integrity": "sha512-BH9sEdOCahSgmKVhBLEU7Hc9DWeZ1Eb6wNS6Da8igvUwAe0sqROHddI1vU06q3WYXVEOYDZ6ykBZQnjTbmo4+A==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-arm64": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.30.2.tgz",
    "integrity": "sha512-y1TcDJB3Hp21TdhRT5zBOIi73P6/W0qvv1FEk22fkdXchtNT0U4Qc37SkzV+EKYxLouZ6M4LG9NfZ1qkhhBWA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.30.2.tgz",
    "integrity": "sha512-oBZgKchomuDYxr7ilwLcys6BCyLn0z8J0+Zzmfpjwg9fRVZIR5/GMXdr9RH94iDhld3UmSjBM6nXWM2TfZTQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-freebsd-x64": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.30.2.tgz",
    "integrity": "sha512-c2bH6xTrf4BDpK8MoGG4Bd6zAMZDAXS569UxCAGcA7IKbHNM1hGQ89RmvpIUGfKWNVdbbSbkQaWhEoMGmGs1A==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "freebsd"
    ]
  }
}

```

```

    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm-gnueabihf": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.30.2.tgz",
    "integrity": "sha512-eVdpXh4wYcm0PofJIzVuYuLiQBIAkQ9uFZmipf6LF/HRj5Bgm0eb3qL/mr1smyXIS1ttwwOxNWnnd8z0E374hiA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-gnu": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.30.2.tgz",
    "integrity": "sha512-UK65WJAbwIJBIBFXpxrbTNArtfuznvxAJw4Q2ZGLU8kPeDIWEX1dg3rn2veBVUy1A2Ezg89ktszWbaQnxD/e3A==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-musl": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.30.2.tgz",
    "integrity": "sha512-5Vh9dGeb1pTxwHp0x8iauV02popZDsCYMPIgiuw970J5uaDsL86cnqSFs5LZkG3ghHoX5isLgWzMs+eD1YzrnA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-gnu": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.30.2.tgz",
    "integrity": "sha512-Cfd46gdmj1vQ+1R6VRTTadNHu6ALuw2pKR91Yq4FnhvgBc4zWY1EtZcAc6EfffShbb1MFrIPfLDDX6Xprbnni4w==",
    "cpu": [
      "x64"
    ]
  }
}

```

```

    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-musl": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.30.2.tgz",
    "integrity": "sha512-XJaLUUFxb6/QG2lGIW6aIk6jKdtjtcffUT0NKvIqhSBY3hh9Ch+1LCeH80dR9q9LBjG3ewbDjnumefsLsP6aiA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-arm64-msvc": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.30.2.tgz",
    "integrity": "sha512-FZn+vaj7zLv//D/192WFFVA0RgHawIcHqLX9xuWiQt7P0PtdFEVaxgF9rjM/IRYHQXNnk61/H/gb2Ei+kUQ4xQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-win32-x64-msvc": {
    "version": "1.30.2",
    "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.30.2.tgz",
    "integrity": "sha512-5g1yc73p+iAkId5phb4oVFMB45417DkRevRbt/E1/gKXJk4jid+vPFF/AXbxn05Aky8PapwzZrdJShv5C0avjw==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  }
},

```



```

"node_modules/lines-and-columns": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
  "integrity": "sha512-7ylylesZQ/PV29jheDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/lru-cache": {
  "version": "7.18.3",
  "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-7.18.3.tgz",
  "integrity": "sha512-jumlc0BIUrS3qJGgIKwZsyfAM7NCWiBcCDhnd+3NNM5KbBmLTgHVfWBcg6W+rLUSIpzPERpsvwUP7CckAQSOoA==",
  "dev": true,
  "license": "ISC",
  "engines": {
    "node": ">=12"
  }
},
"node_modules/magic-string": {
  "version": "0.30.21",
  "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
  "integrity": "sha512-udMqnE5yT58pOqPziw5pVprRkVw2VtWp97W0B20dWBrIqLQD9vWxVwqH0X2kOJpW3Vp0o5jE1N8zFg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/sourcemap-codec": "^1.5.5"
  }
},
"node_modules/math-intrinsics": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
  "integrity": "sha512-IXtbwEk5HTPyEwyKX6hGkYXm9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlF6F6X19LHu1g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/mime-db": {
  "version": "1.52.0",
  "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
  "integrity": "sha512-sPU4uV7dY1vtWJxxwxHD0PuihVNIe7TyAbQ5SwxDCB9mUYv0GroQ0wYQQOKPJ8CIbE+1ETV10oK1UC2nU3gYvg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/mime-types": {
  "version": "2.1.35",
  "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
  "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQJzysHB1zxuWL50hzaeXiW==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "mime-db": "1.52.0"
  },
  "engines": {
    "node": ">= 0.6"
  }
},
"node_modules/mitt": {
  "version": "3.0.1",
  "resolved": "https://registry.npmjs.org/mitt/-/mitt-3.0.1.tgz",
  "integrity": "sha512-vKivATfr9712/QBCYAkXYDbrIWPm2IIKE17YPhjCvK1G3kE2gm+uBo6nEXK3M5/Ffh/FLpKExz0Q3JJ0JGFKBw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/ms": {
  "version": "2.1.3",
  "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
  "integrity": "sha512-6FbWg+J5lNTHSX1F8Vbm3R997+PC1HQU2Bi94QF8F4HR6Ib464L8QMXF5N1kzhn68WWJ68F3D8+3aQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/nanoid": {
  "version": "3.3.11",
  "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
  "integrity": "sha512-hE9nj5U29qc9Yh8zHFLUeEXFr+5TCsd6+WzmvJpL5E4VgwhbLlD+UsbJ2ZTmMvhK80biXb0g5nOg==",

```

```

    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "bin": {
      "nanoid": "bin/nanoid.cjs"
    },
    "engines": {
      "node": ">=10 || ^12 || ^13.7 || ^14 || >=15.0.1"
    }
  },
  "node_modules/netmask": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/netmask/-/netmask-2.0.2.tgz",
    "integrity": "sha512-dBpDMdxv9Irdq663040LfEmQ9tbNRFnFTuZiLo+bd+r332bBmMJ8GBLXklIXXgd3+v9+KUnZaUR5PJMa75Gsg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4.0"
    }
  },
  "node_modules/once": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/once/-/once-1.4.0.tgz",
    "integrity": "sha512-1l327216j1vg49jOHqyQwCvLkz181D16HlXU8Y568hv0Hnq348Uj8S68w08joB08adY7nF71qO31e7g==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "wrappy": "1"
    }
  },
  "node_modules/pac-proxy-agent": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/pac-proxy-agent/-/pac-proxy-agent-7.2.0.tgz",
    "integrity": "sha512-TEB8ESquiliM01v8vd5Q1/JAKAoyzHFXaStwjKzpOpC5Vv+PIzLfHvjTSdf3vpa2bMiUQrg9i627yn866aA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@tootallnate/quickjs-emscripten": "^0.23.0",
      "agent-base": "^7.1.2",
      "debug": "^4.3.4",
      "get-uri": "^6.0.1",
      "http-proxy-agent": "^7.0.0",
      "https-proxy-agent": "^7.0.6",
      "pac-resolver": "^7.0.1",
      "socks-proxy-agent": "^8.0.5"
    },
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/pac-resolver": {
    "version": "7.0.1",
    "resolved": "https://registry.npmjs.org/pac-resolver/-/pac-resolver-7.0.1.tgz",
    "integrity": "sha512-5NPgF8AT2STgw2nRMr45jTKrYBGkVU36yT0ig/n/GMAa3oPqhZfIQ2kMeimReg0+t9kZViDVZ83qfVU1ckg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "degenerator": "^5.0.0",
      "netmask": "^2.0.2"
    },
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/parent-module": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
    "integrity": "sha512-7GO91v0C1KdPs269o8ulA5Wlt6p6Hj8103N22i5YVzxYoM91Fq/3i06ABtK8r1Ks6lF+818g3gB9w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "callsites": "^3.0.0"
    }
  },

```

```

    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/parse-json": {
    "version": "5.2.0",
    "resolved": "https://registry.npmjs.org/parse-json/-/parse-json-5.2.0.tgz",
    "integrity": "sha512-ayCKvm/phCGx0kYRSCM82iDwct8/EonSEgCSxWxD7ve6jHggSF14fZVQBPRNgQoKiUv/odhFrGzQXZwbifC8Rg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.0.0",
      "error-ex": "^1.3.1",
      "json-parse-even-better-errors": "^2.3.0",
      "lines-and-columns": "^1.1.6"
    }
  },
  "engines": {
    "node": ">=8"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/pend": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/pend/-/pend-1.2.0.tgz",
  "integrity": "sha512-F3asv42UuXchdzt+xXqfW10G1VBemxa2mqI0pg5AHZPvFmY3Y6drSf/GQ1A86WgWEN9Kzh/WrgKa6iGcHXLg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/picocolors": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
  "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
  "dev": true,
  "license": "ISC"
},
"node_modules/picomatch": {
  "version": "4.0.3",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.3.tgz",
  "integrity": "sha512-5gTmgEY/sqK6gFLiIsQNh19lWb4ebPDLA4SdLP7dsWkIXHWlG66oPuVvXSGFPppYz8ZDZq0dYYrbHfBCVub1Q==",
  "dev": true,
  "license": "MIT",
  "peer": true,
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/postcss": {
  "version": "8.5.6",
  "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.6.tgz",
  "integrity": "sha512-3YbilitAuWAP9s0r1UQ2J4n5Y0G05bJkpUI00/bI9MhwmD70S5aTWbXGBwxHre1t+XM1k6dM0pk+SwNkpTRN7Pg==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/postcss"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "nanoid": "^3.3.11",
    "picocolors": "^1.1.1",
    "source-map-js": "^1.2.1"
  },
  "engines": {
    "node": "^10 || ^12 || >=14"
  }
}

```

```

    }
  },
  "node_modules/progress": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/progress/-/progress-2.0.3.tgz",
    "integrity": "sha512-7PiHTL115LdnKIMw100I+8xJXR5gW2QwWYkT6iJva0bXitZKa/XMrSbdmg3r2Xnaidz9Qumd0VPaMrZlF9V9sA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/proxy-agent": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/proxy-agent/-/proxy-agent-6.5.0.tgz",
    "integrity": "sha512-TmatMXdr2KlRiA2CyDu8GqR8EjahTG3aY3nXjdzFyoZbmB8hrBsTyMezhULIXKnC0jpfjlmIZ3+EaCzoInSu/A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "agent-base": "^7.1.2",
      "debug": "^4.3.4",
      "http-proxy-agent": "^7.0.1",
      "https-proxy-agent": "^7.0.6",
      "lru-cache": "^7.14.1",
      "pac-proxy-agent": "^7.1.0",
      "proxy-from-env": "^1.1.0",
      "socks-proxy-agent": "^8.0.5"
    },
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/proxy-from-env": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-1.1.0.tgz",
    "integrity": "sha512-D+zk0RcB9f1tdWRK0RaCR3GPv50cMxcrcz4X8k5LTSUD1Dkw47mKJEZQNunItRtkWwgtAUso1RVFRIG9ZXiFYg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/pump": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/pump/-/pump-3.0.3.tgz",
    "integrity": "sha512-tow0gluoqSijNN69xtWai2ZwAiN10Q2G4L013nZQWwXSjYR10Ww5kYR365oHkxZ/01FLU1oXMMt3Q/7w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "end-of-stream": "^1.1.0",
      "once": "^1.3.1"
    }
  },
  "node_modules/puppeteer": {
    "version": "24.34.0",
    "resolved": "https://registry.npmjs.org/puppeteer/-/puppeteer-24.34.0.tgz",
    "integrity": "sha512-Sdpl/zsY0sagZ4ICoZJPGZw8d9gZmK5DcxVal11dXi/1/t2eIXHjCf5NfmhDg5XnG9Nye+yo/LqMzIxie2rHTw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@puppeteer/browsers": "2.11.0",
      "chromium-bidi": "12.0.1",
      "cosmiconfig": "^9.0.0",
      "devtools-protocol": "0.0.1534754",
      "puppeteer-core": "24.34.0",
      "typed-query-selector": "^2.12.0"
    },
    "bin": {
      "puppeteer": "lib/cjs/puppeteer/node/cli.js"
    },
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/puppeteer-core": {
    "version": "24.34.0",
    "resolved": "https://registry.npmjs.org/puppeteer-core/-/puppeteer-core-24.34.0.tgz",
    "integrity": "sha512-24evaw0+mUGW4mvS2a2ivwLdX3gk8zRLZr9HP+7+VT2vBQnm0oh9jJEZmUE3ePJhRkYlZ93i70Mpdcoi2qNCLg==",
    "dev": true,
    "license": "Apache-2.0",

```

```

    "dependencies": {
      "@puppeteer/browsers": "2.11.0",
      "chromium-bidi": "12.0.1",
      "debug": "^4.4.3",
      "devtools-protocol": "0.0.1534754",
      "typed-query-selector": "^2.12.0",
      "webdriver-bidi-protocol": "0.3.10",
      "ws": "^8.18.3"
    },
    "engines": {
      "node": ">=18"
    }
  },
  "node_modules/require-directory": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/require-directory/-/require-directory-2.1.1.tgz",
    "integrity": "sha512-fGIdI48iigkz5JG59T00kgAACw0H1Lz5Vx8U0GxB317Jt3+s8qbU4w8Zf9MfNVsNirV7O1C6h6EH491Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/resolve-from": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
    "integrity": "sha512-pb/42J4IADL0/K8uN/X6raVJsmZyQn4a3n1Jh6ZQ6A8y2gt67TM5kzh45Q5QY6m3Fp4jYz9F7Qd2wQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/rollup": {
    "version": "4.54.0",
    "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.54.0.tgz",
    "integrity": "sha512-3KwZxXpZD8X8I10uk000bnv1R5Yz705u38NMQO01i9018P010591i11N1R6z8k39C0kxwQ3Ua3Iw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@types/estree": "1.0.8"
    },
    "bin": {
      "rollup": "dist/bin/rollup"
    },
    "engines": {
      "node": ">=18.0.0",
      "npm": ">=8.0.0"
    }
  },
  "optionalDependencies": {
    "@rollup/rollup-android-arm-eabi": "4.54.0",
    "@rollup/rollup-android-arm64": "4.54.0",
    "@rollup/rollup-darwin-arm64": "4.54.0",
    "@rollup/rollup-darwin-x64": "4.54.0",
    "@rollup/rollup-freebsd-arm64": "4.54.0",
    "@rollup/rollup-freebsd-x64": "4.54.0",
    "@rollup/rollup-linux-arm-gnueabi": "4.54.0",
    "@rollup/rollup-linux-arm-musleabi": "4.54.0",
    "@rollup/rollup-linux-arm64-gnu": "4.54.0",
    "@rollup/rollup-linux-arm64-musl": "4.54.0",
    "@rollup/rollup-linux-loong64-gnu": "4.54.0",
    "@rollup/rollup-linux-ppc64-gnu": "4.54.0",
    "@rollup/rollup-linux-riscv64-gnu": "4.54.0",
    "@rollup/rollup-linux-riscv64-musl": "4.54.0",
    "@rollup/rollup-linux-s390x-gnu": "4.54.0",
    "@rollup/rollup-linux-x64-gnu": "4.54.0",
    "@rollup/rollup-linux-x64-musl": "4.54.0",
    "@rollup/rollup-openharmony-arm64": "4.54.0",
    "@rollup/rollup-win32-arm64-msvc": "4.54.0",
    "@rollup/rollup-win32-ia32-msvc": "4.54.0",
    "@rollup/rollup-win32-x64-gnu": "4.54.0",
    "@rollup/rollup-win32-x64-msvc": "4.54.0",
    "fsevents": "~2.3.2"
  }
},
"node_modules/rxjs": {
  "version": "7.8.2",
  "resolved": "https://registry.npmjs.org/rxjs/-/rxjs-7.8.2.tgz",

```

```

    "integrity": "sha512-dhKf903U/PQZY6boNntAGdwbG85WAbJT/1xYoZIC7FAY0yWapOBQVsVrDl58W86//e1VpMNBtRV4MaXfdMySFA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "tslib": "^2.1.0"
    }
  },
  "node_modules/semver": {
    "version": "7.7.3",
    "resolved": "https://registry.npmjs.org/semver/-/semver-7.7.3.tgz",
    "integrity": "sha512-SdsKMrI9TdgdweUSR9MweHA4EJ8YxHn8DFaDisvhVlU0e4BF1tLD7GAj01IqWVl+dPb/rExr0Btby51oQm20Q==",
    "dev": true,
    "license": "ISC",
    "bin": {
      "semver": "bin/semver.js"
    },
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/shell-quote": {
    "version": "1.8.3",
    "resolved": "https://registry.npmjs.org/shell-quote/-/shell-quote-1.8.3.tgz",
    "integrity": "sha512-ObmnIF4hXNg1BqhnHmgbDETf8dLPCggZWbJkQfhZpbszZnYur5DUljTcCHii5LC3J5E0ye0/1LIMyH+UvHQgyw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/smart-buffer": {
    "version": "4.2.0",
    "resolved": "https://registry.npmjs.org/smart-buffer/-/smart-buffer-4.2.0.tgz",
    "integrity": "sha512-94hK0Hh8rPqQ12xC3HsaBo0XKV20MT0PkCjXvwBISWLEs+64sBq5kFgn2kJDHb1Pry9YrP0dxrCI9RRci7RXKg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6.0.0",
      "npm": ">= 3.0.0"
    }
  },
  "node_modules/socks": {
    "version": "2.8.7",
    "resolved": "https://registry.npmjs.org/socks/-/socks-2.8.7.tgz",
    "integrity": "sha512-HLpt+uLy/pxB+bum/9DzAgIKS8CX1EbvWxI4zlmGCEXImLdiad2iCwXT5Z4c9c3Eq8rP2318mPW2c+QbtjK8A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ip-address": "^10.0.1",
      "smart-buffer": "^4.2.0"
    },
    "engines": {
      "node": ">= 10.0.0",
      "npm": ">= 3.0.0"
    }
  },
  "node_modules/socks-proxy-agent": {
    "version": "8.0.5",
    "resolved": "https://registry.npmjs.org/socks-proxy-agent/-/socks-proxy-agent-8.0.5.tgz",
    "integrity": "sha512-9UqRtHnF60x5VWuSvZE31MR1YlxqaG28aIYwYIHU4QFV6z1Y1Wz11aQrMN2Nw30w9Q1w77841IYIw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "agent-base": "^7.1.2",
      "debug": "^4.3.4",
      "socks": "^2.8.3"
    },
    "engines": {
      "node": ">= 14"
    }
  },
  "node_modules/source-map": {
    "version": "0.6.1",
    "resolved": "https://registry.npmjs.org/source-map/-/source-map-0.6.1.tgz",
    "integrity": "sha512-UjgapumWlbMhkBgzt7Ykc5YXUT46F0iKu8SGXq0bcwP5dz/h0Plj6enJqjz1Zbq215WaQYnrVbwWOWMyF3F47g==",

```

```

    "dev": true,
    "license": "BSD-3-Clause",
    "optional": true,
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
    "integrity": "sha512-UxWMKkL0wVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBWj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
    "dev": true,
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/streamx": {
    "version": "2.23.0",
    "resolved": "https://registry.npmjs.org/streamx/-/streamx-2.23.0.tgz",
    "integrity": "sha512-kn+e44esVfn2Fa/00CPFcx27fjIL6MkVae0Mm6q+E6f0hWv578YCERbv+4m02cjxvDsPKLnmxr1/rR61BMAg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "events-universal": "^1.0.0",
      "fast-fifo": "^1.3.2",
      "text-decoder": "^1.1.0"
    }
  },
  "node_modules/string-width": {
    "version": "4.2.3",
    "resolved": "https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz",
    "integrity": "sha512-wKyQRPjJ0sIp62ErSZdGsJMJWsap5oRNihHhu6G7JV0/9jIB6UyevL+tXu0qrng8j/cxKTWYUwvSTriiZz/g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "emoji-regex": "^8.0.0",
      "is-fullwidth-code-point": "^3.0.0",
      "strip-ansi": "^6.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/strip-ansi": {
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz",
    "integrity": "sha512-Y38VPSHcqkFrCpFnQ9uSXmquuv5oXOKpGeT6aGrr3o3Gc9A1Va6JBfUSOCNbxGGZF+/0ooI7KrPuUSztUdU5A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-regex": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/supports-color": {
    "version": "8.1.1",
    "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-8.1.1.tgz",
    "integrity": "sha512-i9w89ZD9+Q88Ynq+jqa7cHjUX2aJOszbFgQXFNh23+ry14CAt1fLNUxhVWY/tU36p6LN9IhuS5e/fHgvcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/supports-color?sponsor=1"
    }
  },
  "node_modules/tailwindcss": {
    "version": "4.1.18",
    "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.1.18.tgz",
    "integrity": "sha512-4+Z0+yiYyEtUVCSyfHCxOYP06L5Ne+JiHhY2IjR2KwMIWhJOYZKLSGZaP5HkZ8+bY0cxfwDE5u0mzFXyIwxw==",
    "dev": true,
  }
}

```

```

    "license": "MIT"
  },
  "node_modules/tapable": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.0.tgz",
    "integrity": "sha512-g91jZiWki/LfxmQAD03dEY1CbpmXT5Hm2fJ+QaGKwSXUy1MybePR7/67YW7jOrrvjEgL1Fmz5kzyAjwVWllucg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/webpack"
  }
},
"node_modules/tar-fs": {
  "version": "3.1.1",
  "resolved": "https://registry.npmjs.org/tar-fs/-/tar-fs-3.1.1.tgz",
  "integrity": "sha512-LZA0oaPOc2fVo82Tx3gw+AkEd38szOD1ptMYejQUhndHMLQ9M059uXR+Afs7DNo0NpINvSqDsvyaCrBVkptWg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "pump": "^3.0.0",
    "tar-stream": "^3.1.5"
  },
  "optionalDependencies": {
    "bare-fs": "^4.0.1",
    "bare-path": "^3.0.0"
  }
},
"node_modules/tar-stream": {
  "version": "3.1.7",
  "resolved": "https://registry.npmjs.org/tar-stream/-/tar-stream-3.1.7.tgz",
  "integrity": "sha512-qJj60Xxt7IU1Ffyc3NJMjh6EkuCFej46zUqJ4J7pqY1Thyd9b00XTmc0IhSzZJWVfsLks0+nle/j538YAW9RQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "b4a": "^1.6.4",
    "fast-fifo": "^1.2.0",
    "streamx": "^2.15.0"
  }
},
"node_modules/text-decoder": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/text-decoder/-/text-decoder-1.2.3.tgz",
  "integrity": "sha512-3/09z3X0X0fTupwsYvR03pJ/DjWuqqrFWBgTQzdWdIQSm9KitAyz/9WqsT2JQW7KV2m+bC2o1/zqpW37NHxLaA==",
  "dev": true,
  "license": "Apache-2.0",
  "dependencies": {
    "b4a": "^1.6.4"
  }
},
"node_modules/tinyglobby": {
  "version": "0.2.15",
  "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
  "integrity": "sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZ0zKOINmWurp3smXu3y5wDcJrptwpSjgXhZIQxR0omX1jQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.3"
  },
  "engines": {
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/tree-kill": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/tree-kill/-/tree-kill-1.2.2.tgz",
  "integrity": "sha512-0ZiYd068KsI0JfDbKx918ghZdVfIl85Y8L1T341vY/nBwJIc5xqPrq1i0Em27ygnLzK7bLq6x44cSxLXw==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "tree-kill": "cli.js"
  }
}

```



```

    },
    "node_modules/tslib": {
      "version": "2.8.1",
      "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
      "integrity": "sha512-oJFu94HQB+KVduSUQL7wnpmqnfmLSOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83Mk0uHPRHtSXXKU99IBazS/2w==",
      "dev": true,
      "license": "0BSD"
    },
    "node_modules/typed-query-selector": {
      "version": "2.12.0",
      "resolved": "https://registry.npmjs.org/typed-query-selector/-/typed-query-selector-2.12.0.tgz",
      "integrity": "sha512-Sbk1Cd1F0EiZ0yPiW192rrHZzZ5sBiJB6xM+cpmrwDqObvdtun0HHik9fCGsoK5JVIYXoyEp4iEdE3upFH3PAg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/undici-types": {
      "version": "7.16.0",
      "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-7.16.0.tgz",
      "integrity": "sha512-Zz+aZWsj8LE6zoxD+xrjh4VfkIG8Ya6LvYkZqtUQGJPZjYl53ypCaUwWqo7eI0x66KBGeRo+m1BEkMSeSZ38Nw==",
      "dev": true,
      "license": "MIT",
      "optional": true
    },
    "node_modules/vite": {
      "version": "7.3.0",
      "resolved": "https://registry.npmjs.org/vite/-/vite-7.3.0.tgz",
      "integrity": "sha512-dZwN5L1VlUBewiP6H9s2+B3e3Jg96D0vzN+Ry73s0efebhYr9f94wwkMNN/9ouoU8pV1BqA1d1zGk8928cx0rg==",
      "dev": true,
      "license": "MIT",
      "peer": true,
      "dependencies": {
        "esbuild": "^0.27.0",
        "fdir": "^6.5.0",
        "picomatch": "^4.0.3",
        "postcss": "^8.5.6",
        "rollup": "^4.43.0",
        "tinyglobby": "^0.2.15"
      },
      "bin": {
        "vite": "bin/vite.js"
      },
      "engines": {
        "node": "^20.19.0 || >=22.12.0"
      },
      "funding": {
        "url": "https://github.com/vitejs/vite?sponsor=1"
      },
      "optionalDependencies": {
        "fsevents": "~2.3.3"
      },
      "peerDependencies": {
        "@types/node": "^20.19.0 || >=22.12.0",
        "jiti": ">=1.21.0",
        "less": "^4.0.0",
        "lightningcss": "^1.21.0",
        "sass": "^1.70.0",
        "sass-embedded": "^1.70.0",
        "stylus": ">=0.54.8",
        "sugarss": "^5.0.0",
        "terser": "^5.16.0",
        "tsx": "^4.8.1",
        "yaml": "^2.4.2"
      },
      "peerDependenciesMeta": {
        "@types/node": {
          "optional": true
        },
        "jiti": {
          "optional": true
        },
        "less": {
          "optional": true
        },
        "lightningcss": {
          "optional": true
        },
        "sass": {

```

```

    "optional": true
  },
  "sass-embedded": {
    "optional": true
  },
  "stylus": {
    "optional": true
  },
  "sugarss": {
    "optional": true
  },
  "terser": {
    "optional": true
  },
  "tsx": {
    "optional": true
  },
  "yaml": {
    "optional": true
  }
}
},
"node_modules/vite-plugin-full-reload": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/vite-plugin-full-reload/-/vite-plugin-full-reload-1.2.0.tgz",
  "integrity": "sha512-kz18NW79x0IHbxRSHm0jttP4zoO9P9gXh+n6UTwlNKnviTTEpOlum6oS9SmecrTtSr+muHEn5TUUC75UovQzcA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "picocolors": "^1.0.0",
    "picomatch": "^2.3.1"
  }
},
"node_modules/vite-plugin-full-reload/node_modules/picomatch": {
  "version": "2.3.1",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.1.tgz",
  "integrity": "sha512-JU3teHTNjmE2VCGFzuY8EXzCDVwEqB2a8fsIvwaStHhAWJEEvd1o1QD80CU6+ZdEXXSLbSsuLWjkCBWqRQUVA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8.6"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/webdriver-bidi-protocol": {
  "version": "0.3.10",
  "resolved": "https://registry.npmjs.org/webdriver-bidi-protocol/-/webdriver-bidi-protocol-0.3.10.tgz",
  "integrity": "sha512-5LAE43jAVLOhB/QqX4bwSiv0Hg1HBfMmOuwbSXhdvg4GMGu9Y01Iq7p4R/yySu6w74WmaR4GM4H9t2IwLW7hgw==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/wrap-ansi": {
  "version": "7.0.0",
  "resolved": "https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-7.0.0.tgz",
  "integrity": "sha512-Y0G0I7c2IlgKn+2yK40ZkV7y+d7iq8MTotBgTZUavFwlt9U7zYK8dv8fuNR4/aAHwIcfj8rqwbyEVUG9dAYg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ansi-styles": "^4.0.0",
    "string-width": "^4.1.0",
    "strip-ansi": "^6.0.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/chalk/wrap-ansi?sponsor=1"
  }
},
"node_modules/wrappy": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/wrappy/-/wrappy-1.0.2.tgz",
  "integrity": "sha512-l4Sp/DRseor9wL6EvV2+TuQn63dMkPjZ/sp9XkgTEbV9K1PS1xUsZ3u7/IQ04wxteFB4bgpQPrcR3QCvezPcQ==",
  "dev": true,
  "license": "ISC"
},

```

```

"node_modules/ws": {
  "version": "8.18.3",
  "resolved": "https://registry.npmjs.org/ws/-/ws-8.18.3.tgz",
  "integrity": "sha512-PEIGCY5tS1Ut50cqyMXfCzX+oOPqN0vuGqWzbcJ2xvnkzkq46oOpz7dQaTDBdfICb4N14+GARUDw2XV2N4tvzg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=10.0.0"
  },
  "peerDependencies": {
    "bufferutil": "^4.0.1",
    "utf-8-validate": ">=5.0.2"
  },
  "peerDependenciesMeta": {
    "bufferutil": {
      "optional": true
    },
    "utf-8-validate": {
      "optional": true
    }
  }
},
"node_modules/y18n": {
  "version": "5.0.8",
  "resolved": "https://registry.npmjs.org/y18n/-/y18n-5.0.8.tgz",
  "integrity": "sha512-0pfFzegeDWJHJIAmTLRP2DwHjdF5s7jo9tuztdQxAhINCdvs+3nGINqPd00AphqJR/0LhANUS6/+7SCb98Y0fA==",
  "dev": true,
  "license": "ISC",
  "engines": {
    "node": ">=10"
  }
},
"node_modules/yargs": {
  "version": "17.7.2",
  "resolved": "https://registry.npmjs.org/yargs/-/yargs-17.7.2.tgz",
  "integrity": "sha512-7dSzzRQ++CKnNI/krKnYRV7JKKPUXMEh61soahKg9mrWHzFWhFnxPxG1+69cD10u63C13NUPCnmIcrrvqCuM6w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "cliui": "^8.0.1",
    "escalade": "^3.1.1",
    "get-caller-file": "^2.0.5",
    "require-directory": "^2.1.1",
    "string-width": "^4.2.3",
    "y18n": "^5.0.5",
    "yargs-parser": "^21.1.1"
  },
  "engines": {
    "node": ">=12"
  }
},
"node_modules/yargs-parser": {
  "version": "21.1.1",
  "resolved": "https://registry.npmjs.org/yargs-parser/-/yargs-parser-21.1.1.tgz",
  "integrity": "sha512-tVpsJW7DdjecAifPbIB1e3qxIQsE6NoPc5/eTdrbbIC4h0LVsWhnoa3g+m2Hc1BIuJHzsxZ4VJVA+GUuc2/LBw==",
  "dev": true,
  "license": "ISC",
  "engines": {
    "node": ">=12"
  }
},
"node_modules/yauzl": {
  "version": "2.10.0",
  "resolved": "https://registry.npmjs.org/yauzl/-/yauzl-2.10.0.tgz",
  "integrity": "sha512-p4a9I6X6nu6IhoGmBqAcBjy1mLc4j27vEPZX9F4L4/vZT3Lyq1VkFHw/V/PUCB9Buo+DG3iHkT0x3Qya58zc3g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "buffer-crc32": "~0.2.3",
    "fd-slicer": "~1.1.0"
  }
},
"node_modules/zod": {
  "version": "3.25.76",
  "resolved": "https://registry.npmjs.org/zod/-/zod-3.25.76.tgz",
  "integrity": "sha512-gzUt/qt81nXsFGKIFcC3YnFEax5NkunCfnD1lvBSSFS02bcXu4Lmea0AFIUwbLWxWPx3d9p8S5QoaujKcNQxcQ==",
  "dev": true,
  "license": "MIT",

```

```

        "funding": {
            "url": "https://github.com/sponsors/colinhacks"
        }
    }
}

```

package.json

```

{
  "$schema": "https://www.schemastore.org/package.json",
  "private": true,
  "type": "module",
  "scripts": {
    "build": "vite build",
    "dev": "vite",
    "dev:all": "concurrently \"php artisan serve --port=8000\" \"vite\"",
    "start": "npm run dev:all",
    "doc:pdf": "node scripts/generate_pdf.js"
  },
  "devDependencies": {
    "@tailwindcss/vite": "^4.0.0",
    "axios": "^1.11.0",
    "chart.js": "^4.4.0",
    "chartjs-plugin-dragdata": "^2.0.1",
    "concurrently": "^9.0.1",
    "laravel-vite-plugin": "^2.0.0",
    "puppeteer": "^24.34.0",
    "tailwindcss": "^4.0.0",
    "vite": "^7.0.7"
  }
}

```

phpunit.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<phpunit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="vendor/phpunit/phpunit/phpunit.xsd"
  bootstrap="vendor/autoload.php"
  colors="true"
>
  <testsuites>
    <testsuite name="Unit">
      <directory>tests/Unit</directory>
    </testsuite>
    <testsuite name="Feature">
      <directory>tests/Feature</directory>
    </testsuite>
  </testsuites>
  <source>
    <include>
      <directory>app</directory>
    </include>
  </source>
  <php>
    <env name="APP_ENV" value="testing"/>
    <env name="APP_MAINTENANCE_DRIVER" value="file"/>
    <env name="BCRYPT_ROUNDS" value="4"/>
    <env name="BROADCAST_CONNECTION" value="null"/>
    <env name="CACHE_STORE" value="array"/>
    <env name="DB_CONNECTION" value="sqlite"/>
    <env name="DB_DATABASE" value=":memory:"/>
    <env name="MAIL_MAILER" value="array"/>
    <env name="QUEUE_CONNECTION" value="sync"/>
    <env name="SESSION_DRIVER" value="array"/>
    <env name="PULSE_ENABLED" value="false"/>
    <env name="TELESCOPE_ENABLED" value="false"/>
    <env name="NIGHTWATCH_ENABLED" value="false"/>
  </php>
</phpunit>

```

public/.htaccess

```
<IfModule mod_rewrite.c>
  <IfModule mod_negotiation.c>
    Options -MultiViews -Indexes
  </IfModule>

  RewriteEngine On

  # Handle Authorization Header
  RewriteCond %{HTTP:Authorization} .
  RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

  # Handle X-XSRF-Token Header
  RewriteCond %{HTTP:x-xsrf-token} .
  RewriteRule .* - [E=HTTP_X_XSRF_TOKEN:%{HTTP:X-XSRF-Token}]

  # Redirect Trailing Slashes If Not A Folder...
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteCond %{REQUEST_URI} (.+)/$
  RewriteRule ^ %1 [L,R=301]

  # Send Requests To Front Controller...
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteRule ^ index.php [L]
</IfModule>
```

public/favicon.ico

public/images/chem-bg.svg

```
<svg xmlns="http://www.w3.org/2000/svg" width="200" height="200" viewBox="0 0 100 100">
  <defs>
    <pattern id="hex" width="20" height="17.32" patternUnits="userSpaceOnUse" patternTransform="translate(0,0)">
      <path d="M10 0 L20 5 L20 15 L10 20 L0 15 L0 5 Z" fill="rgba(255,255,255,0.02)" stroke="rgba(255,255,255,0.03)" stroke-width=
    </pattern>
    <g id="molecule">
      <circle cx="10" cy="10" r="3" fill="ffffff" opacity="0.06"/>
      <circle cx="20" cy="10" r="3" fill="ffffff" opacity="0.04"/>
      <path d="M13 10 L17 10" stroke="ffffff" stroke-opacity="0.03" stroke-width="0.6"/>
    </g>
  </defs>
  <rect width="100" height="100" fill="#0f1724"/>
  <rect width="100" height="100" fill="url(#hex)"/>
  <g transform="translate(10,10) scale(1.6) rotate(8)">
    <use href="#molecule" />
  </g>
  <g transform="translate(60,40) scale(2) rotate(-12)">
    <use href="#molecule" />
  </g>
</svg>
```

public/index.php

```
<?php

use Illuminate\Foundation\Application;
use Illuminate\Http\Request;

define('LARAVEL_START', microtime(true));

// Determine if the application is in maintenance mode...
if (file_exists($maintenance = __DIR__.'/../storage/framework/maintenance.php')) {
    require $maintenance;
}

// Register the Composer autoloader...
require __DIR__.'/../vendor/autoload.php';

// Bootstrap Laravel and handle the request...
/** @var Application $app */
$app = require_once __DIR__.'/../bootstrap/app.php';

$app->handleRequest(Request::capture());
```

public/robots.txt

```
User-agent: *
Disallow:
```

resources/css/app.css

```
/*
    resources/css/app.css
    Styling and theme for the KINESO demo UI. Use utility-first Tailwind where appropriate
    and supplemental styles below for charts, panels, and pills.
*/
@import 'tailwindcss';

@source '../vendor/laravel/framework/src/Illuminate/Pagination/resources/views/*.blade.php';
@source '../storage/framework/views/*.php';
@source '../**/*.blade.php';
@source '../**/*.js';

@theme {
    --font-sans: 'Instrument Sans', ui-sans-serif, system-ui, sans-serif, 'Apple Color Emoji', 'Segoe UI Emoji',
        'Segoe UI Symbol', 'Noto Color Emoji';
}

/* Additional app styles */
:root {
    --brand-900: #0b2545;
    --brand-700: #1e6fb6;
    --accent: #ff8a00;
    --muted: #6c7a89;
    --card: #ffffff;
    --panel-border: #e6eef4;
    --glass: rgba(255,255,255,0.6);
}
body {
    background-image: url('/images/chem-bg.svg');
    background-repeat: repeat;
    background-attachment: fixed;
    background-size: 240px;
    color: #0f1724;
}
.app-header { background:linear-gradient(90deg,var(--brand-700), rgba(30,111,182,0.85)); color:#fff; padding:18px; border-radius:8px; }
.panel { background: linear-gradient(180deg,#ffffff,#fbfdff); border:1px solid var(--panel-border); border-radius:10px; padding:18px; }
.btn { padding:10px 14px; background:#f6fbff; border:1px solid var(--panel-border); border-radius:8px; cursor:pointer; color:var(--muted); }
.btn:hover { background:#eef6ff; }
.generate-btn { font-family:inherit; background:linear-gradient(180deg,var(--brand-700), #115ea7); color:#fff; padding:12px 16px; }
.generate-btn:hover { filter:brightness(1.03); }
.card-compact { padding:12px; border-radius:8px; }
.readout { background:linear-gradient(180deg,#ffffff,#fbfcff); border-radius:8px; padding:10px; border:1px solid var(--panel-border); }
.input-row label { font-size:13px; color:var(--muted); }
#chartsContainer { min-height:420px; }
.smallcharts > div { background:linear-gradient(180deg, rgba(255,255,255,0.6), rgba(255,255,255,0.4)); border-radius:8px; padding:10px; }
.smallchart-title { font-size:13px; color:var(--muted); margin-top:6px; display:flex; align-items:center; gap:8px; justify-content:center; }
.pill { display:inline-block; width:32px; height:12px; border-radius:8px; border:1px solid var(--panel-border); box-shadow:0 2px 6px rgba(16,24,40,0.06); }
.pill-orange { background: linear-gradient(90deg,#ffb74d,#ff9800); }
.pill-blue { background: linear-gradient(90deg,#64b5f6,#2196f3); }
.pill-red { background: linear-gradient(90deg,#ef9a9a,#f44336); }

/* Main chart wrapper spacing */
.panel.right .chart-wrapper { display:flex; flex:1; align-items:stretch; justify-content:center; }
canvas { image-rendering: optimizeQuality; }
.footer-note { font-size:12px; color:var(--muted); }
```

resources/js/app.js

```
import './bootstrap';
import './kinematics';
```

resources/js/bootstrap.js

```
import axios from 'axios';
window.axios = axios;

window.axios.defaults.headers.common['X-Requested-With'] = 'XMLHttpRequest';
```

resources/js/kinematics.js

```
/**
 * resources/js/kinematics.js
 * KINESO – Kinematics demo client-side module
 *
 * Contains functions to compute kinematic trajectories for constant acceleration,
 * render interactive charts (Chart.js) and a data table, and support dragging
 * chart points to update the dataset and keep charts and table in sync.
 *
 * Key helper functions:
 * - computeKinematics(x0, v0, a, t0, t1, dt)
 * - computeVFromX(xs, dt), computeAFromX(xs, dt), computeAFromV(vs, dt)
 * - integrateVToX(vs, x0, dt), integrateAToV(as, v0, dt)
 * - makeLineChart(ctx, datasets, labels, options)
 *
 * The module uses Chart.js and optionally chartjs-plugin-dragdata (loaded dynamically).
 * This file is annotated with JSDoc for better IDE support and documentation generation.
 */

import { Chart, LineController, LineElement, PointElement, LinearScale, CategoryScale, Title, Tooltip, Legend } from 'chart.js';
// Register only the components we need to avoid issues with multiple Chart copies
Chart.register(LineController, LineElement, PointElement, LinearScale, CategoryScale, Title, Tooltip, Legend);

// Try to load chartjs drag plugin dynamically (non-fatal). If it fails we'll still proceed and surface the message.
// dragPluginLoaded will be true if successful.
let dragPluginLoaded = false;
import('chartjs-plugin-dragdata').then(mod => {
  try {
    Chart.register(mod && (mod.default || mod));
    dragPluginLoaded = true;
    if (typeof pageLog === 'function') pageLog('Drag plugin loaded');
  } catch (err) {
    console.warn('Failed to register drag plugin:', err);
    if (typeof pageLog === 'function') pageLog('Drag plugin registration failed: ' + (err && err.message ? err.message : String(err)));
  }
}).catch(err => {
  console.warn('Drag plugin import failed:', err);
  if (typeof pageLog === 'function') pageLog('Drag plugin import failed: ' + (err && err.message ? err.message : String(err)));
});

// --- kinematics helpers ---
/**
 * Compute kinematic trajectories (x, v, a) for constant acceleration.
 * @param {number} x0 - initial position (m)
 * @param {number} v0 - initial velocity (m/s)
 * @param {number} a - constant acceleration (m/s^2)
 * @param {number} t0 - start time (s)
 * @param {number} t1 - end time (s)
 * @param {number} dt - time step (s)
 * @param {number} [maxPoints=1000] - limit points to avoid huge arrays
 * @returns {{times:number[], xs:number[], vs:number[], as:number[]}} computed arrays
 */
function computeKinematics(x0, v0, a, t0, t1, dt, maxPoints = 1000) {
  const times = [];
  const xs = [];
  const vs = [];
  const as = [];

  if (dt <= 0) return { times, xs, vs, as };

  for (let t = t0; t <= t1 + 1e-12; t += dt) {
    const x = x0 + v0 * t + 0.5 * a * t * t;
    const v = v0 + a * t;
    times.push(Number(t.toFixed(8)));
    xs.push(Number(x.toFixed(8)));
    vs.push(Number(v.toFixed(8)));
    as.push(Number(a.toFixed(8)));
    if (times.length >= maxPoints) break;
  }
  return { times, xs, vs, as };
}

/**
 * Estimate velocity from position using central differences.
 * Boundary points use forward/backward differences.
 * @param {number[]} xs - position samples
 */
```



```

* @param {number} dt - time step
* @returns {number[]} velocity estimates
*/
function computeVFromX(xs, dt) {
  const n = xs.length;
  const vs = new Array(n);
  for (let i = 0; i < n; i++) {
    if (i === 0) vs[i] = (xs[1] - xs[0]) / dt;
    else if (i === n - 1) vs[i] = (xs[n - 1] - xs[n - 2]) / dt;
    else vs[i] = (xs[i + 1] - xs[i - 1]) / (2 * dt);
  }
  return vs;
}

/**
 * Estimate acceleration from position using second differences.
 * @param {number[]} xs - position samples
 * @param {number} dt - time step
 * @returns {number[]} acceleration estimates
 */
function computeAFromX(xs, dt) {
  const n = xs.length;
  const as = new Array(n);
  for (let i = 0; i < n; i++) {
    if (i === 0) as[i] = (xs[2] - 2 * xs[1] + xs[0]) / (dt * dt);
    else if (i === n - 1) as[i] = (xs[n - 1] - 2 * xs[n - 2] + xs[n - 3]) / (dt * dt);
    else as[i] = (xs[i + 1] - 2 * xs[i] + xs[i - 1]) / (dt * dt);
  }
  return as;
}

/**
 * Estimate acceleration from velocity using finite differences.
 * @param {number[]} vs - velocity samples
 * @param {number} dt - time step
 * @returns {number[]} acceleration estimates
 */
function computeAFromV(vs, dt) {
  const n = vs.length;
  const as = new Array(n);
  for (let i = 0; i < n; i++) {
    if (i === 0) as[i] = (vs[1] - vs[0]) / dt;
    else if (i === n - 1) as[i] = (vs[n - 1] - vs[n - 2]) / dt;
    else as[i] = (vs[i + 1] - vs[i - 1]) / (2 * dt);
  }
  return as;
}

/**
 * Integrate velocity to produce position using trapezoidal rule.
 * @param {number[]} vs - velocity samples
 * @param {number} x0 - initial position
 * @param {number} dt - time step
 * @returns {number[]} integrated positions
 */
function integrateVToX(vs, x0, dt) {
  const n = vs.length;
  const xs = new Array(n);
  xs[0] = x0;
  for (let k = 1; k < n; k++) {
    xs[k] = xs[k - 1] + 0.5 * (vs[k - 1] + vs[k]) * dt;
  }
  return xs;
}

/**
 * Integrate acceleration to produce velocity using simple Euler integration.
 * @param {number[]} as - acceleration samples
 * @param {number} v0 - initial velocity
 * @param {number} dt - time step
 * @returns {number[]} integrated velocities
 */
function integrateAToV(as, v0, dt) {
  const n = as.length;
  const vs = new Array(n);
  vs[0] = v0;
  for (let k = 1; k < n; k++) {
    vs[k] = vs[k - 1] + as[k - 1] * dt;
  }
}

```

```

    }
    return vs;
}

/**
 * Render the data rows into the provided tbody element.
 * @param {HTMLTableSectionElement} tbody - table body element to populate
 * @param {number[]} times
 * @param {number[]} xs
 * @param {number[]} vs
 * @param {number[]} as
 */
function renderTable(tbody, times, xs, vs, as) {
    tbody.innerHTML = '';
    for (let i = 0; i < times.length; i++) {
        const tr = document.createElement('tr');
        tr.innerHTML = `<td style="padding:6px 8px">${times[i].toFixed(3)}</td><td style="padding:6px 8px; text-align:right">${vs[i].toFixed(3)}</td>`;
        tbody.appendChild(tr);
    }
}

/**
 * Convert arrays to CSV string suitable for download.
 * @param {number[]} times
 * @param {number[]} xs
 * @param {number[]} vs
 * @param {number[]} as
 * @returns {string} CSV content
 */
function csvFromData(times, xs, vs, as) {
    const lines = [['t (s)', 'x (m)', 'v (m/s)', 'a (m/s^2)']];
    for (let i = 0; i < times.length; i++) lines.push([times[i].toFixed(6), xs[i].toFixed(6), vs[i].toFixed(6), as[i].toFixed(6)]);
    return lines.map(r => r.join(',')).join('\n');
}

/**
 * Trigger download of a text file using a temporary blob link.
 * @param {string} filename
 * @param {string} text
 */
function downloadText(filename, text) {
    const blob = new Blob([text], { type: 'text/csv;charset=utf-8;' });
    const url = URL.createObjectURL(blob);
    const a = document.createElement('a');
    a.href = url; a.download = filename; document.body.appendChild(a); a.click(); a.remove(); URL.revokeObjectURL(url);
}

/**
 * Download a Chart.js chart as a PNG image (base64 export).
 * @param {Chart} chart - Chart.js instance
 * @param {string} filename - suggested filename
 */
function downloadChartImage(chart, filename) {
    const a = document.createElement('a');
    a.href = chart.toBase64Image(); a.download = filename; document.body.appendChild(a); a.click(); a.remove();
}

const baseChartOptions = {
    responsive: true,
    maintainAspectRatio: false,
    plugins: {
        legend: { position: 'top', labels: { boxWidth: 14, padding: 12, usePointStyle: true, pointStyle: 'rectRounded', color: '#263238' } },
        tooltip: { mode: 'index', intersect: false, backgroundColor: 'rgba(15,23,36,0.95)', titleColor: '#fff', bodyColor: '#fff' },
    },
    layout: { padding: { top: 6, right: 6, bottom: 6, left: 6 } },
    elements: { line: { borderWidth: 3, tension: 0.3 }, point: { radius: 2, hoverRadius: 5 } },
    scales: {
        x: { title: { display: true, text: 't (s)', color: '#263238', font: { size: 12 } }, grid: { color: 'rgba(8,12,24,0.06)' },
        y: { title: { display: false }, grid: { color: 'rgba(8,12,24,0.06)', borderDash: [4,4] }, ticks: { color: '#3b4a59' } }
    }
};

/**
 * Create a new Chart.js line chart with safe lifecycle handling.
 * Ensures any existing Chart on the canvas is destroyed first.
 * @param {CanvasRenderingContext2D|HTMLCanvasElement|string} ctx - canvas context or element or id
 * @param {Array<Object>} datasets - Chart.js dataset configurations
 * @param {Array<number|string>} labels

```

```

* @param {Object} [options={}] Chart.js configuration overrides
* @returns {Chart} created Chart.js instance
*/
function makeLineChart(ctx, datasets, labels, options = {}) {
  const cfg = Object.assign({}, baseChartOptions, options);
  // Ensure we're creating a line chart (explicit controller)
  cfg.type = cfg.type || 'line';
  // Ensure each dataset has a type to avoid controller lookup issues
  cfg.data = { labels, datasets: datasets.map(ds => Object.assign({ type: 'line' }, ds)) };

  // If a Chart already exists on this canvas, destroy it first to prevent "canvas already in use" errors
  try {
    let canvas = ctx && ctx.canvas ? ctx.canvas : ctx;
    if (typeof canvas === 'string') canvas = document.getElementById(canvas);
    const existing = Chart.getChart(canvas);
    if (existing) existing.destroy();
  } catch (e) { console.warn('makeLineChart destroy existing error', e); }

  return new Chart(ctx, cfg);
}

/**
 * Create a debounced version of a function.
 * @template T
 * @param {...args: T[]} => void} fn
 * @param {number} [wait=250]
 * @returns {...args: T[]} => void}
 */
function debounce(fn, wait = 250) {
  let t;
  return (...args) => { clearTimeout(t); t = setTimeout(() => fn(...args), wait); };
}

let smallPosChart = null, smallVelChart = null, smallAccChart = null, mainChart = null;

/**
 * Destroy a Chart instance if one exists on the canvas/context provided.
 * @param {CanvasRenderingContext2D|HTMLCanvasElement|string} ctxOrCanvas
 */
function destroyChartIfExists(ctxOrCanvas) {
  try {
    let canvas = ctxOrCanvas && ctxOrCanvas.canvas ? ctxOrCanvas.canvas : ctxOrCanvas;
    if (typeof canvas === 'string') canvas = document.getElementById(canvas);
    if (!canvas) return;
    const existing = Chart.getChart(canvas);
    if (existing) existing.destroy();
  } catch (e) { console.warn('destroyChartIfExists error', e); }
}

/**
 * Append a timestamped message to the debug panel (if present) and the console.
 * @param {string} msg
 */
function pageLog(msg) {
  try {
    console.log(msg);
    const el = document.getElementById('uiDebug');
    if (!el) return;
    const p = document.createElement('div');
    p.innerText = (new Date()).toLocaleTimeString() + ' - ' + String(msg);
    el.appendChild(p);
    // keep scroll at bottom
    el.scrollTop = el.scrollHeight;
  } catch (e) { console.log('pageLog error', e); }
}

// Global error / rejection handlers – show messages in UI to aid debugging
window.addEventListener('error', (e) => {
  try {
    console.error('Unhandled error:', e.error || e);
    const el = document.getElementById && document.getElementById('chartError');
    if (el) { el.style.display = 'block'; el.innerText = 'Unhandled JS error: ' + (e.error && e.error.message ? e.error.message : String(e.error)); }
    if (typeof pageLog === 'function') pageLog('Unhandled error: ' + (e.error && e.error.message ? e.error.message : String(e.error)));
  } catch (err) { console.warn('Error in global error handler:', err); }
});

window.addEventListener('unhandledrejection', (e) => {
  try {

```

```

        console.error('Unhandled promise rejection:', e.reason);
        const el = document.getElementById && document.getElementById('chartError');
        if (el) { el.style.display = 'block'; el.innerText = 'Unhandled promise rejection: ' + (e.reason && e.reason.message ? e.r
        if (typeof pageLog === 'function') pageLog('Unhandled rejection: ' + (e.reason && e.reason.message ? e.reason.message : St
        } catch (err) { console.warn('Error in rejection handler:', err); }
    });

function updateReadoutElements(t, x, v, a) {
    const el = (id) => document.getElementById(id);
    el('ro-t').innerText = typeof t === 'number' ? t.toFixed(3) : '-';
    el('ro-x').innerText = typeof x === 'number' ? x.toFixed(3) : '-';
    el('ro-v').innerText = typeof v === 'number' ? v.toFixed(3) : '-';
    el('ro-a').innerText = typeof a === 'number' ? a.toFixed(3) : '-';
}

/**
 * Apply a drag update to the shared state and recompute derived arrays.
 * - If position changed: recompute velocity and acceleration from positions
 * - If velocity changed: integrate to get new positions and recompute acceleration
 * - If acceleration changed: integrate to velocities and positions
 * @param {'position'|'velocity'|'acceleration'} chartType
 * @param {number} index - data index changed
 * @param {number} newValue - new numeric value after drag
 * @param {{times:number[], xs:number[], vs:number[], as:number[], x0:number, v0:number, dt:number}} state
 */
function applyDragSync(chartType, index, newValue, state) {
    // state: { times, xs, vs, as, x0, v0, dt }
    const { times, xs, vs, as, x0, v0, dt } = state;
    if (chartType === 'position') {
        xs[index] = newValue;
        const newV = computeVFromX(xs, dt);
        const newA = computeAFromX(xs, dt);
        state.vs.splice(0, state.vs.length, ...newV);
        state.as.splice(0, state.as.length, ...newA);
    } else if (chartType === 'velocity') {
        vs[index] = newValue;
        const newX = integrateVToX(vs, x0, dt);
        const newA = computeAFromV(vs, dt);
        state.xs.splice(0, state.xs.length, ...newX);
        state.as.splice(0, state.as.length, ...newA);
    } else if (chartType === 'acceleration') {
        as[index] = newValue;
        const newV = integrateAToV(as, v0, dt);
        const newX = integrateVToX(newV, x0, dt);
        state.vs.splice(0, state.vs.length, ...newV);
        state.xs.splice(0, state.xs.length, ...newX);
    }
    // Update charts and table
    refreshChartsAndTable(state);
}

/**
 * Redraw table and all charts using the supplied state object.
 * This function performs minimal updates to charts to avoid full re-creation when possible.
 * @param {{times:number[], xs:number[], vs:number[], as:number[], tbody:HTMLElement}} state
 */
function refreshChartsAndTable(state) {
    const { times, xs, vs, as, tbody } = state;
    // update table
    renderTable(tbody, times, xs, vs, as);

    // update small charts
    if (smallPosChart) {
        smallPosChart.data.datasets[0].data = xs.slice();
        smallPosChart.update('none');
    }
    if (smallVelChart) {
        smallVelChart.data.datasets[0].data = vs.slice();
        smallVelChart.update('none');
    }
    if (smallAccChart) {
        smallAccChart.data.datasets[0].data = as.slice();
        smallAccChart.update('none');
    }

    // main chart (x & v)
    if (mainChart) {
        mainChart.data.datasets[0].data = xs.slice();

```

```

        mainChart.data.datasets[1].data = vs.slice();
        mainChart.update('none');
    }

}

// --- main wiring ---
document.addEventListener('DOMContentLoaded', () => {
    const form = document.getElementById('kinForm');
    const tbody = document.querySelector('#resultsTable tbody');
    const resetBtn = document.getElementById('resetBtn');
    const exportBtn = document.getElementById('exportCsv');
    const downloadBtn = document.getElementById('downloadCharts');

    // Live update when typing form parameters (debounced)
    const debouncedUpdate = debounce(updateFromForm, 250);
    const liveInputs = form.querySelectorAll('input[name="x0"], input[name="v0"], input[name="a"], input[name="t0"], input[name="t"]');
    liveInputs.forEach(inp => inp.addEventListener('input', debouncedUpdate));

    // debug panel toggle
    const toggleDebugBtn = document.getElementById('toggleDebug');
    const uiDebug = document.getElementById('uiDebug');
    if (toggleDebugBtn && uiDebug) {
        toggleDebugBtn.addEventListener('click', () => {
            if (uiDebug.style.display === 'none') { uiDebug.style.display = 'block'; toggleDebugBtn.innerText = 'Hide debug'; }
            else { uiDebug.style.display = 'none'; toggleDebugBtn.innerText = 'Show debug'; }
        });
    }

    // small summary charts (top of right panel)
    const smallPosCtx = document.getElementById('smallPositionChartTop').getContext('2d');
    const smallVelCtx = document.getElementById('smallVelocityChartTop').getContext('2d');
    const smallAccCtx = document.getElementById('smallAccelerationChartTop').getContext('2d');

    // main combined chart (right side)
    const mainCtx = document.getElementById('mainChart').getContext('2d');

    let state = { times: [], xs: [], vs: [], as: [], x0: 0, v0: 0, dt: 0.1, tbody, dragEnabled: false };

    // Chart instances
    let mainChart = null;

    /**
     * Return drag plugin options for the given chart type.
     * When `state.dragEnabled` is false, returns a no-op config preventing movement.
     * @param {'position'|'velocity'|'acceleration'} chartType
     * @returns {Object} configuration accepted by chartjs-plugin-dragdata
     */
    function setupDragOptions(chartType) {
        // If dragging is disabled, return a no-op config so points aren't movable
        if (!state.dragEnabled) {
            return {
                round: 6,
                dragX: false,
                dragY: false,
                showTooltip: false,
                onDragStart: () => {},
                onDrag: () => {},
                onDragEnd: () => {}
            };
        }

        return {
            round: 6,
            dragX: false,
            dragY: true,
            showTooltip: true,
            onDragStart: () => {},
            onDrag: (e, datasetIndex, index, value) => {
                const t = state.times[index];
                // temporary update readout
                if (chartType === 'position') {
                    updateReadoutElements(t, value, state.vs[index], state.as[index]);
                    // quick visual sync for this dataset
                    if (chartType === 'position' && smallPosChart) {
                        smallPosChart.data.datasets[0].data[index] = value;
                    }
                }
            }
        };
    }

```

```

        smallPosChart.update('none');
    }
    } else if (chartType === 'velocity') {
        updateReadoutElements(t, state.xs[index], value, state.as[index]);
        if (smallVelChart) { smallVelChart.data.datasets[0].data[index] = value; smallVelChart.update('none'); }
    } else if (chartType === 'acceleration') {
        updateReadoutElements(t, state.xs[index], state.vs[index], value);
        if (smallAccChart) { smallAccChart.data.datasets[0].data[index] = value; smallAccChart.update('none'); }
    }
    },
    onDragEnd: (e, datasetIndex, index, value) => {
        // apply sync changes and update all charts
        applyDragSync(chartType, index, value, state);
        // update readout for final values
        updateReadoutElements(state.times[index], state.xs[index], state.vs[index], state.as[index]);
        // update form initial values if index == 0
        if (index === 0) {
            // update x0/v0 fields
            if (chartType === 'position') document.querySelector('input[name="x0"]').value = state.xs[0].toFixed(6);
            if (chartType === 'velocity') document.querySelector('input[name="v0"]').value = state.vs[0].toFixed(6);
            if (chartType === 'acceleration') document.querySelector('input[name="a"]').value = state.as[0].toFixed(6);
        }
    }
    };
}

/**
 * Read form inputs, compute kinematic data, render the table and charts.
 * Validates inputs and surfaces helpful messages when no data can be computed.
 */
function updateFromForm() {
    const f = new FormData(form);
    const x0 = parseFloat(f.get('x0')) || 0;
    const v0 = parseFloat(f.get('v0')) || 0;
    const a = parseFloat(f.get('a')) || 0;
    const t0 = parseFloat(f.get('t0')) || 0;
    const t1 = parseFloat(f.get('t1')) || 0;
    const dt = parseFloat(f.get('dt')) || 0.1;

    if (dt <= 0) { alert('Time step dt must be > 0'); return; }
    if (t1 < t0) { alert('End time must be >= start time'); return; }

    state.x0 = x0; state.v0 = v0; state.dt = dt;
    const maxPoints = 1000;
    const { times, xs, vs, as } = computeKinematics(x0, v0, a, t0, t1, dt, maxPoints);
    state.times = times; state.xs = xs; state.vs = vs; state.as = as;

    pageLog('Form params:', { x0, v0, a, t0, t1, dt, maxPoints });
    pageLog('Computed points: ' + times.length);

    // If there are no points, show a helpful placeholder
    const placeholder = document.getElementById('chartPlaceholder');
    const chartErrorEl = document.getElementById('chartError');
    if (!times.length) {
        pageLog('No points generated.');
```

if (placeholder) placeholder.style.display = 'block';

if (chartErrorEl) { chartErrorEl.style.display = 'block'; chartErrorEl.innerText = 'No data points generated - check t

return;

}

if (placeholder) placeholder.style.display = 'none';

if (chartErrorEl) chartErrorEl.style.display = 'none';

renderTable(tbody, times, xs, vs, as);

// Destroy old charts (use Chart.getChart to avoid "canvas already in use" errors)

```

    try {
        destroyChartIfExists(smallPosCtx);
        destroyChartIfExists(smallVelCtx);
        destroyChartIfExists(smallAccCtx);
        destroyChartIfExists(mainCtx);
        smallPosChart = smallVelChart = smallAccChart = mainChart = null;
    } catch (err) { console.warn('Error destroying charts:', err); }

    console.log('Creating charts - lengths:', { times: times.length, xs: xs.length, vs: vs.length, as: as.length });

    try {
        // Create small charts with drag
        pageLog('Creating small summary charts');
```

```

    smallPosChart = makeLineChart(smallPosCtx, [{ label: 'x (m)', data: xs.slice(), borderColor: 'rgba(255,152,0,1)', back
    smallVelChart = makeLineChart(smallVelCtx, [{ label: 'v (m/s)', data: vs.slice(), borderColor: 'rgba(33,150,243,1)', b
    smallAccChart = makeLineChart(smallAccCtx, [{ label: 'a (m/s^2)', data: as.slice(), borderColor: 'rgba(244,67,54,1)',
    // Force layout/resize and render for visibility
    try { smallPosChart.resize(); smallPosChart.update(); smallVelChart.resize(); smallVelChart.update(); smallAccChart.re
    pageLog('Small charts created');
  } catch (err) { console.error('Small chart creation failed:', err); if (chartErrorEl) { chartErrorEl.style.display = 'bloc
  // Large professional charts (three side-by-side)
  // Create main combined chart (x & v) on the right
  if (mainChart) mainChart.destroy();
  mainChart = makeLineChart(mainCtx, [
    { label: 'x(t) - Displacement (m)', data: xs.slice(), borderColor: 'rgba(255,152,0,1)', yAxisID: 'y', borderWidth: 3,
    { label: 'v(t) - Velocity (m/s)', data: vs.slice(), borderColor: 'rgba(33,150,243,1)', yAxisID: 'y1', borderWidth: 3,
  ], times, { plugins: { legend: { position: 'top' } }, scales: { y: { type: 'linear', position: 'left', title: { display: t
  try { mainChart.resize(); mainChart.update(); pageLog('Main chart created and rendered'); } catch (e) { pageLog('Main char

  // show/hide error
  if (chartErrorEl) { chartErrorEl.style.display = 'none'; }

  // (download wiring set later)

  // Export
  exportBtn.onclick = () => { const csv = csvFromData(state.times, state.xs, state.vs, state.as); downloadText('kinematics.c
  downloadBtn.onclick = () => { try { if (mainChart) downloadChartImage(mainChart, 'main-chart.png'); if (smallPosChart) dow

  // enable drag checkbox
  const enableDragChk = document.getElementById('enableDrag');
  if (enableDragChk) {
    state.dragEnabled = enableDragChk.checked;
    enableDragChk.addEventListener('change', () => { state.dragEnabled = enableDragChk.checked; updateFromForm(); });
  }

  // initial readout
  if (state.times.length) updateReadoutElements(state.times[0], state.xs[0], state.vs[0], state.as[0]);
}

form.addEventListener('submit', (e) => { e.preventDefault(); updateFromForm(); });

// populate charts immediately with form defaults so UI shows data on page load
updateFromForm();
resetBtn.addEventListener('click', () => { form.reset(); updateFromForm(); });

// initial render
updateFromForm();
});

```

resources/views/kinematics.blade.php

```
<!--
resources/views/kinematics.blade.php
KINESO – Kinematics demo UI
This Blade view contains the input panel, data table, and charts area.
Keep interactive logic in `resources/js/kinematics.js` and styling in `resources/css/app.css`.
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>KINESO</title>
    @if (file_exists(public_path('build/manifest.json'))) || file_exists(public_path('hot'))
        @vite(['resources/css/app.css', 'resources/js/app.js'])
    @endif
    <style>
        :root { --brand:#2c3e50; --muted:#6c7a89; --accent:#27ae60; --card:#ffffff; --panel-border:#e6e9ef; }
        /* Full-viewport layout, no outer scrollbars */
        html, body { height:100%; margin:0; padding:0; }
        body { background:#f5f7fa; color:#22303f; font-family: Inter, system-ui, -apple-system, 'Segoe UI', Roboto, 'Helvetica Neu

        /* Container spans the full viewport and uses flex to layout header + main area */
        .container { width:100vw; max-width:none; margin:0; padding:20px; box-sizing:border-box; display:flex; flex-direction:column;

        /* Header kept at natural height; main area expands to fill remaining space */
        .container > div[style] { /* the top title/readout row */ }

        /* Make the main content stretch vertically and avoid pushing beyond viewport */
        .main-content { display:flex; gap:1rem; align-items:stretch; height:100%; min-height:0; }

        /* Panels should fill vertically and allow internal scrolling where needed */
        .panel { background:var(--card); border:1px solid var(--panel-border); padding:14px; border-radius:8px; box-shadow:0 1px 3px 0 var(--card); }
        .left { width:360px; flex:0 0 360px; height:100%; overflow:auto; }
        .right { flex:1; height:100%; overflow:hidden; display:flex; flex-direction:column; }

        .generate-btn { display:block; width:100%; padding:12px 14px; background:linear-gradient(180deg,var(--accent), #1e8745); color:white; border-radius:6px; }
        .input-row { display:flex; justify-content:space-between; gap:10px; align-items:center; }
        .input-row label { flex:1; font-size:13px; color:var(--muted); }
        .input-row input { width:100px; padding:6px 8px; border:1px solid #e8eef4; border-radius:6px; background:#fbfcfd; }

        /* Charts area: let it fill and keep internal scrolling inside table only */
        .smallcharts { display:flex; gap:12px; margin-bottom:12px; align-items:flex-end; }
        .smallcharts > div { flex:1; height:120px; display:flex; flex-direction:column; justify-content:flex-end; }
        #chartsContainer { display:flex; gap:16px; align-items:stretch; min-height:360px; height:100%; }
        #chartsContainer > div:first-child { display:flex; flex-direction:column; justify-content:flex-end; }
        #chartsContainer > div:last-child { display:flex; align-items:stretch; }
        #chartsContainer canvas { display:block; width:100%; height:100%; }

        #resultsTable { width:100%; border-collapse:collapse; font-family:monospace; font-size:13px; }
        #resultsTable th { background:#fbfcfd; text-align:left; padding:8px; color:var(--muted); border-bottom:1px solid #f0f3f6; }
        #resultsTable td { padding:8px; text-align:right; border-bottom:1px dashed #eef2f5; }
        .readout { margin-bottom:10px; padding:8px 10px; background:#fff; border-radius:6px; display:flex; gap:12px; font-family:monospace; }
    </style>
</head>
<body>
<div class="container">
    <div style="display:flex; align-items:center; gap:16px; justify-content:space-between; margin-bottom:12px;">
        <div>
            <h1 style="margin:0; font-size:20px;">KINESO</h1>
            <div style="margin-top:6px; color:var(--muted);">Interactive physics demo with live draggable charts and CSV export</div>
        </div>
        <div class="readout" style="font-family:monospace;">
            <div>t = <strong id="ro-t">-</strong> s</div>
            <div>x = <strong id="ro-x">-</strong> m</div>
            <div>v = <strong id="ro-v">-</strong> m/s</div>
            <div>a = <strong id="ro-a">-</strong> m/s²</div>
        </div>
    </div>

    <!-- Debug panel -->
    <div style="display:flex; gap:8px; align-items:center; margin-bottom:10px;">
        <button id="toggleDebug" class="btn">Show debug</button>
        <div id="uiDebug" style="display:none; background:#fff; border:1px solid #eef2f5; padding:8px; border-radius:6px; width:100%; height:100px; font-family:monospace; font-size:12px; color:var(--muted); border-bottom:1px solid #eef2f5; margin-bottom:10px;">
            <div style="display:flex; gap:16px; justify-content:space-between; margin-bottom:12px;">
                <div>
                    <h1 style="margin:0; font-size:20px;">KINESO</h1>
                    <div style="margin-top:6px; color:var(--muted);">Interactive physics demo with live draggable charts and CSV export</div>
                </div>
                <div class="readout" style="font-family:monospace;">
                    <div>t = <strong id="ro-t">-</strong> s</div>
                    <div>x = <strong id="ro-x">-</strong> m</div>
                    <div>v = <strong id="ro-v">-</strong> m/s</div>
                    <div>a = <strong id="ro-a">-</strong> m/s²</div>
                </div>
            </div>
        </div>
    </div>
</div>
```



```

<div class="main-content">
  <section class="panel left" style="display:flex; flex-direction:column; flex:0 0 320px; width:320px;">
    <h3 style="margin-top:0; margin-bottom:8px">1. ENTER PARAMETERS</h3>
    <form id="kinForm">
      <div style="display:flex; flex-direction:column; gap:10px;">
        <div class="input-row"><label>Initial Velocity ( $v_0$ ):</label><input class="input-field" type="number" step="any">
        <div class="input-row"><label>Acceleration ( $a$ ):</label><input class="input-field" type="number" step="any" nam
        <div class="input-row"><label>Time Interval ( $t_1 - t_0$ ):</label><input class="input-field" type="number" step="a
      </div>

      <div style="margin-top:12px;"><button type="submit" class="generate-btn">GENERATE MOTION DATA</button></div>

      <div style="margin-top:12px;">
        <h4 style="margin:6px 0 10px 0; font-size:14px; color:var(--muted)">2. DATA TABLE</h4>
        <div style="max-height:260px; overflow:auto; border:1px solid #f0f3f6; padding:6px; background:#fbfcfd;">
          <table id="resultsTable">
            <thead>
              <tr><th style="text-align:left">Time (s)</th><th style="text-align:right">Vel (m/s)</th><th style=
            </thead>
            <tbody></tbody>
          </table>
        </div>
      </div>

      <div style="margin-top:12px; display:flex; gap:8px; align-items:center;">
        <button id="exportCsv" type="button" class="btn">Export CSV</button>
        <button id="downloadCharts" type="button" class="btn">Download Charts</button>
        <label style="margin-left:8px; font-size:13px; color:var(--muted)"><input id="enableDrag" type="checkbox"> Ena
      </div>
    </form>
  </section>

  <section class="panel right">
    <h3 style="margin-top:0; margin-bottom:8px">3. DYNAMIC GRAPHS</h3>
    <div id="chartsContainer" style="display:flex; gap:16px; align-items:stretch; min-height:360px;">
      <div style="flex:1; min-width:0; display:flex; flex-direction:column; justify-content:flex-end;">
        <div class="smallcharts" style="display:flex; gap:12px; align-items:flex-end;">
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallPositionChartTop" aria-label="position chart" role="img" style="width:100%; height:10
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-orange"></span>  $x(t) - \text{Di}$ 
          </div>
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallVelocityChartTop" aria-label="velocity chart" role="img" style="width:100%; height:10
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-blue"></span>  $v(t) - \text{Velo}$ 
          </div>
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallAccelerationChartTop" aria-label="acceleration chart" role="img" style="width:100%; h
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-red"></span>  $a(t) - \text{Accel}$ 
          </div>
        </div>
      </div>
      <div style="flex:3; min-width:0; display:flex; align-items:stretch;">
        <div style="flex:1; min-height:360px; padding:12px; background:linear-gradient(180deg,#ffffff,#fbfdff); border
          <canvas id="mainChart" style="width:100%; height:100%; display:block;"></canvas>
        </div>
      </div>
      <div id="chartPlaceholder" style="margin-top:12px; padding:8px; background:#fbfcfd; border:1px dashed #e6eef4; color:v
      <div id="chartError" style="display:none; margin-top:10px; padding:8px; border-radius:6px; background:#fff; border:1px
    </section>
  </div>

</div>

<!-- the compiled JS will import & run kinematics logic -->
</body>
</html>

```

resources/views/welcome.blade.php

```
<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <title>{{ config('app.name', 'Laravel') }}</title>

        <!-- Fonts -->
        <link rel="preconnect" href="https://fonts.bunny.net">
        <link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600" rel="stylesheet" />

        <!-- Styles / Scripts -->
        @if (file_exists(public_path('build/manifest.json')) || file_exists(public_path('hot')))
            @vite(['resources/css/app.css', 'resources/js/app.js'])
        @else
            <style>
                /*! tailwindcss v4.0.7 | MIT License | https://tailwindcss.com */@layer theme{:root,:host{--font-sans:'Instrument
            </style>
        @endif
    </head>
    <body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-center min-h-screen flex-co
        <header class="w-full lg:max-w-4xl max-w-[335px] text-sm mb-6 not-has-[nav]:hidden">
            @if (Route::has('login'))
                <nav class="flex items-center justify-end gap-4">
                    @auth
                        <a
                            href="{{ url('/dashboard') }}"
                            class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] border-[#19140035] hover:border-[#1915014a] border
                        >
                            Dashboard
                        </a>
                    @else
                        <a
                            href="{{ route('login') }}"
                            class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] text-[#1b1b18] border border-transparent hover:bor
                        >
                            Log in
                        </a>

                        @if (Route::has('register'))
                            <a
                                href="{{ route('register') }}"
                                class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] border-[#19140035] hover:border-[#1915014a] bo
                                Register
                            </a>
                        @endif
                    @endauth
                </nav>
            @endif
        </header>
        <div class="flex items-center justify-center w-full transition-opacity opacity-100 duration-750 lg:grow starting:opacity-0
            <main class="flex max-w-[335px] w-full flex-col-reverse lg:max-w-4xl lg:flex-row">
                <div class="text-[13px] leading-[20px] flex-1 p-6 pb-12 lg:p-20 bg-white dark:bg-[#161615] dark:text-[#EDEDEC] sha
                    <h1 class="mb-1 font-medium">Let's get started</h1>
                    <p class="mb-2 text-[#706f6c] dark:text-[#A1A09A]">Laravel has an incredibly rich ecosystem. <br>We suggest st
                    <ul class="flex flex-col mb-4 lg:mb-6">
                        <li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] dark:before:borde
                            <span class="relative py-1 bg-white dark:bg-[#161615]">
                                <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-[#161615] shadow-[
                                    <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>
                                </span>
                            </span>
                            <span>
                                Read the
                                <a href="https://laravel.com/docs" target="_blank" class="inline-flex items-center space-x-1 font-
                                    <span>Documentation</span>
                                <svg
                                    width="10"
                                    height="11"
                                    viewBox="0 0 10 11"
                                    fill="none"
                                    xmlns="http://www.w3.org/2000/svg"
                                    class="w-2.5 h-2.5"
                                >
```

```

                <path
                    d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
                    stroke="currentColor"
                    stroke-linecap="square"
                />
            </svg>
        </a>
    </span>
</li>
<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] dark:before:borde
    <span class="relative py-1 bg-white dark:bg-[#161615]">
        <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-[#161615] shadow-[
            <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>
        </span>
    </span>
    <span>
        Watch video tutorials at
        <a href="https://laracasts.com" target="_blank" class="inline-flex items-center space-x-1 font-med
            <span>Laracasts</span>
            <svg
                width="10"
                height="11"
                viewBox="0 0 10 11"
                fill="none"
                xmlns="http://www.w3.org/2000/svg"
                class="w-2.5 h-2.5"
            >
                <path
                    d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
                    stroke="currentColor"
                    stroke-linecap="square"
                />
            </svg>
        </a>
    </span>
</li>
</ul>
<ul class="flex gap-3 text-sm leading-normal">
    <li>
        <a href="https://cloud.laravel.com" target="_blank" class="inline-block dark:bg-[#eeeeec] dark:border-
            Deploy now
        </a>
    </li>
    <li>
        <a href="{{ url('kinematics') }}" class="inline-block px-5 py-1.5 border border-[#e3e3e0] rounded-sm
            Try Kinematics demo
        </a>
    </li>
</ul>
</div>
<div class="bg-[#fff2f2] dark:bg-[#1D0002] relative lg:-ml-px -mb-px lg:mb-0 rounded-t-lg lg:rounded-t-none lg:rou
    {{-- Laravel Logo --}}
    <svg class="w-full text-[#F53003] dark:text-[#F61500] transition-all translate-y-0 opacity-100 max-w-none dura
        <path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z" fill="currentColor" />
        <path d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667 31.3647 92.8016 30.3618
        <path d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416 31.3647 225.351 30.3618
        <path d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />
        <path d="M139.43 102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z" fill="currentColor" />
        <path d="M324.49 32.1665L303.995 85.794L283.498 32.1665H266.983L293.748 102.197H314.242L341.006 32.1665H32
        <path d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797 67.1828C340.797 89.6597 356.094 104 378.
    </svg>

    {{-- Light Mode 12 SVG --}}
    <svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem] dark:hidden" viewBox="0 0
        <g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
            <path d="M188.263 355.731L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
            <path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
            <path d="M188.263 355.731L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
            <path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
            <path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
            <path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
            <path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
            <path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
        </g>
        <g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
            <path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
            <path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
            <path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
            <path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
        </g>
    </svg>

```

```

<g style="mix-blend-mode: plus-darker" class="transition-all delay-300 translate-y-0 opacity-100 duration-
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823 262.256 254.539C275.617 243.
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608 102.198L218.282 331.711L155.339 3
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823 262.256 254.539C275.617 243.
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608 102.198L218.282 331.711L155.339 3
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393 219.772 328.11C233.133 316.8
<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 40
<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.
<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182 212.506C302.863 225.13
<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366 172.607C196.801 172.608
<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688 154.953L324.619 255.53C333.233 270.4
<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875 82.6442L132.806 183.221C143.959 176.1
<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697
<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.951L260.013 255.527C254.712 246.347
<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.251L336.049 294.827C335.459 303.45
<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.8
<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.6
<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.
<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39
<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.
<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.951L190.454 255.527C184.932 245.964 1
<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.911L113.925 212.487C114.618 206.83
<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.21
<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#1B
<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797
<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#1B1
<path d="M183.921 154.947L248.521 154.951L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#1B
<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.4
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842 227.528L219.774 328.105C233.135 316.
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z" stroke="
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862 254.789L188.794 355.366C195.64 348.48
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#1B1B
<path d="M44.5279 125.391L67.3864 125.391L9.31834 225.967L-13.5401 225.966L44.5279 125.392Z" stroke="#1B1
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911L233.863 75.
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#1
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#1
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#1
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#1
</g>
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
<path d="M246.544 254.791L246.875 254.792C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
<path d="M246.544 254.791L246.875 254.792C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
</g>
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
</g>
</svg>

{{-- Dark Mode 12 SVG --}}
<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem] hidden dark:block" viewBo
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.263 355.731L188.595 355.731C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
<path d="M188.263 355.731L188.595 355.731C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393 219.772 328.11C233.133 316.8
<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 40
<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.
<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182 212.506C302.863 225.13

```

```

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366 172.607C196.801 172.608
<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688 154.953L324.619 255.53C333.233 270.4
<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875 82.6442L132.806 183.221C143.959 176.1
<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697
<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013 255.527C254.712 246.347
<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049 294.827C335.459 303.45
<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.8
<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.6
<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.
<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39
<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.
<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454 255.527C184.932 245.964 1
<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925 212.487C114.618 206.83
<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.21
<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#FF
<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797
<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#FF7
<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#FF
<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.4
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842 227.528L219.774 328.105C233.135 316.
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z" stroke="
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862 254.789L188.794 355.366C195.64 348.48
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#FF75
<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401 225.966L44.5279 125.39Z" stroke="#FF7
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911ZM15.5431 75.
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#F
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#F
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#F
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#F
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
</g>
</svg>
<div class="absolute inset-0 rounded-t-lg lg:rounded-t-none lg:rounded-r-lg shadow-[inset_0px_0px_0px_1px_rgba
</div>
</main>
</div>

@if (Route::has('login'))
    <div class="h-14.5 hidden lg:block"></div>
@endif
</body>
</html>

```

routes/console.php

```

<?php

use Illuminate\Foundation\Inspiring;
use Illuminate\Support\Facades\Artisan;

Artisan::command('inspire', function () {
    $this->comment(Inspiring::quote());
})->purpose('Display an inspiring quote');

```

routes/web.php

```
<?php
/**
 * routes/web.php
 *
 * Simple routes for the KINESO demo application. Keep routes small and
 * focused on returning the appropriate Blade views for local development.
 */

use Illuminate\Support\Facades\Route;

Route::get('/', function () {
    // Redirect root to the kinematics demo for convenience
    return redirect('/kinematics');
});

// Kinematics UI: constant acceleration
/**
 * Route: GET /kinematics
 * Renders the KINESO kinematics demo Blade view which contains the
 * input panel, data table and interactive Chart.js graphs.
 */
Route::get('/kinematics', function () {
    return view('kinematics');
});
```

scripts/generate_pdf.js

```
#!/usr/bin/env node
/*
  scripts/generate_pdf.js
  Generate a single PDF containing all project source files (excluding vendor/ and node_modules/)
*/
import fs from 'fs/promises';
import path from 'path';
import puppeteer from 'puppeteer';

const ROOT = path.resolve(process.cwd());
const OUT_HTML = path.join(ROOT, 'docs', 'KINESO_all_code.html');
const OUT_PDF = path.join(ROOT, 'docs', 'KINESO_full_project.pdf');

const EXCLUDES = new Set(['node_modules', 'vendor', 'public/build', '.git']);

function isExcluded(p) {
  for (const ex of EXCLUDES) {
    if (p.split(path.sep).includes(ex)) return true;
  }
  return false;
}

async function walk(dir) {
  const entries = await fs.readdir(dir, { withFileTypes: true });
  const results = [];
  for (const e of entries) {
    const full = path.join(dir, e.name);
    if (isExcluded(full)) continue;
    if (e.isDirectory()) {
      results.push(...await walk(full));
    } else if (e.isFile()) {
      results.push(full);
    }
  }
  return results;
}

function escapeHtml(s) {
  return s.replace(/&/g, '&').replace(/</g, '<').replace(/>/g, '>');
}

function extToLang(ext) {
  const map = {
    '.js': 'javascript', '.jsx': 'javascript', '.ts': 'typescript', '.tsx': 'typescript',
    '.php': 'php', '.html': 'html', '.css': 'css', '.json': 'json', '.md': 'markdown', '.env': 'text', '.yaml': 'yaml', '.yml': 'yml'
  };
  return map[ext] || 'text';
}

(async () => {
  try {
    console.log('Collecting files...');
    const files = await walk(ROOT);
    // Filter to repository files (hide some big folders)
    const filtered = files.filter(f => !f.includes(path.join(ROOT, 'node_modules')) && !f.includes(path.join(ROOT, 'vendor'))) && !filtered.sort();

    console.log(`Found ${filtered.length} files`);

    let toc = '';
    let body = '';

    for (let i = 0; i < filtered.length; i++) {
      const f = filtered[i];
      const rel = path.relative(ROOT, f).replace(/\\/g, '/');
      const content = await fs.readFile(f, 'utf8');
      const ext = path.extname(f).toLowerCase();
      const lang = extToLang(ext);
      const anchor = 'file-' + i;
      toc += `<li><a href="#${anchor}>${rel}</a></li>`;
      body += `<section id="${anchor}" style="page-break-inside: avoid; margin-bottom: 16px;">
<h2 style="font-family: Arial, sans-serif; font-size: 14px;">${rel}</h2>
<pre style="background: #f8f9fb; border: 1px solid #e6eef4; padding: 12px; border-radius: 6px; overflow: auto; font-size: 11px; line-height: 1.2;">
</section>\n`;
    }
  }
})
```

```

    const html = `<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>KINESO – Full Project Source</title>
<style>
body { font-family: Arial, sans-serif; color:#263238; margin:24px; }
header { text-align:center; margin-bottom:20px; }
h1 { margin:0; font-size:22px; }
.subtitle { color:#586673; margin-top:6px; }
nav { margin:20px 0; }
nav ul { columns:2; -webkit-columns:2; -moz-columns:2; list-style:none; padding-left:0; }
nav li { margin-bottom:6px; }
a { color:#1e6fb6; text-decoration:none; }
</style>
</head>
<body>
<header>
    <h1>KINESO – Complete Project Source</h1>
    <div class="subtitle">Generated on ${new Date().toLocaleString()}</div>
</header>
<nav>
    <h3>Table of contents</h3>
    <ul>
        ${toc}
    </ul>
</nav>
<main>
    ${body}
</main>
<footer style="margin-top:40px; color:#8a9aa6; font-size:12px;">KINESO – Full repository source snapshot</footer>
</body>
</html>`;

    console.log('Writing HTML to', OUT_HTML);
    await fs.writeFile(OUT_HTML, html, 'utf8');

    console.log('Launching headless browser to create PDF...');
    const browser = await puppeteer.launch({args: ['--no-sandbox', '--disable-setuid-sandbox']});
    const page = await browser.newPage();
    await page.goto('file://' + OUT_HTML, { waitUntil: 'networkidle0' });
    await page.pdf({ path: OUT_PDF, format: 'A4', printBackground: true, margin: { top: '20mm', bottom: '20mm', left: '15mm', right: '15mm' } });
    await browser.close();
    console.log('PDF generated:', OUT_PDF);
  } catch (err) {
    console.error('Error generating PDF:', err);
    process.exit(1);
  }
})();

```

storage/app/.gitignore

```

*
!private/
!public/
!.gitignore

```

storage/app/private/.gitignore

```

*
!.gitignore

```

storage/app/public/.gitignore

```

*
!.gitignore

```


storage/framework/.gitignore

```
compiled.php
config.php
down
events.scanned.php
maintenance.php
routes.php
routes.scanned.php
schedule-*
services.json
```

storage/framework/cache/.gitignore

```
*
!data/
!.gitignore
```

storage/framework/cache/data/.gitignore

```
*
!.gitignore
```

storage/framework/sessions/.gitignore

```
*
!.gitignore
```

storage/framework/testing/.gitignore

```
*
!.gitignore
```

storage/framework/views/.gitignore

```
*
!.gitignore
```

storage/framework/views/6a660c9c067ccbb4fdd36c40f0c8d5f9.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <title><?php echo $__env->yieldContent('title'); ?></title>

    <style>
      /*! normalize.css v8.0.1 | MIT License | github.com/necolas/normalize.css */html{line-height:1.15;-webkit-text-size-ad
    </style>

    <style>
      body {
        font-family: ui-sans-serif, system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, "Helvetica Neue", Ar
      }
    </style>
  </head>
  <body class="antialiased">
    <div class="relative flex items-top justify-center min-h-screen bg-gray-100 dark:bg-gray-900 sm:items-center sm:pt-0" role
      <div class="max-w-xl mx-auto sm:px-6 lg:px-8">
        <div class="flex items-center pt-8 sm:justify-start sm:pt-0">
          <h1 class="px-4 text-lg dark:text-gray-300 text-gray-700 border-r border-gray-400 tracking-wider">
            <?php echo $__env->yieldContent('code'); ?>
          </h1>

          <div class="ml-4 text-lg dark:text-gray-300 text-gray-700 uppercase tracking-wider">
            <?php echo $__env->yieldContent('message'); ?>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
<?php /**PATH C:\xampp1\htdocs\Kineso\vendor\laravel\framework\src\Illuminate\Foundation\Exceptions\views\minimal.blade.php ENDPAT
```

storage/framework/views/83aa6ef9b5077ffc2a02fdeb17ff47fa.php

```
<!DOCTYPE html>
<html lang="<?php echo e(str_replace('_', '-', app()->getLocale())); ?>">
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1">

        <title><?php echo e(config('app.name', 'Laravel')); ?></title>

        <!-- Fonts -->
        <link rel="preconnect" href="https://fonts.bunny.net">
        <link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600" rel="stylesheet" />

        <!-- Styles / Scripts -->
        <?php if(file_exists(public_path('build/manifest.json')) || file_exists(public_path('hot'))): ?>
            <?php echo app('Illuminate\Foundation\Vite')(['resources/css/app.css', 'resources/js/app.js']); ?>
        <?php else: ?>
            <style>
                /*! tailwindcss v4.0.7 | MIT License | https://tailwindcss.com */@layer theme{:root,:host{--font-sans:'Instrument
            </style>
        <?php endif; ?>
    </head>
    <body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-center min-h-screen flex-co
    <header class="w-full lg:max-w-4xl max-w-[335px] text-sm mb-6 not-has-[nav]:hidden">
        <?php if(Route::has('login')): ?>
            <nav class="flex items-center justify-end gap-4">
                <?php if(auth()->guard()->check()): ?>
                    <a
                        href="<?php echo e(url('/dashboard')); ?>"
                        class="inline-block px-5 py-1.5 dark:text-[#EDEDCE] border-[#19140035] hover:border-[#1915014a] border
                    >
                        Dashboard
                    </a>
                <?php else: ?>
                    <a
                        href="<?php echo e(route('login')); ?>"
                        class="inline-block px-5 py-1.5 dark:text-[#EDEDCE] text-[#1b1b18] border border-transparent hover:bor
                    >
                        Log in
                    </a>

                <?php if(Route::has('register')): ?>
                    <a
                        href="<?php echo e(route('register')); ?>"
                        class="inline-block px-5 py-1.5 dark:text-[#EDEDCE] border-[#19140035] hover:border-[#1915014a] bo
                        Register
                    </a>
                <?php endif; ?>
            <?php endif; ?>
        </nav>
    <?php endif; ?>
</header>
<div class="flex items-center justify-center w-full transition-opacity opacity-100 duration-750 lg:grow starting:opacity-0
    <main class="flex max-w-[335px] w-full flex-col-reverse lg:max-w-4xl lg:flex-row">
        <div class="text-[13px] leading-[20px] flex-1 p-6 pb-12 lg:p-20 bg-white dark:bg-[#161615] dark:text-[#EDEDCE] sha
            <h1 class="mb-1 font-medium">Let's get started</h1>
            <p class="mb-2 text-[#706f6c] dark:text-[#A1A09A]">Laravel has an incredibly rich ecosystem. <br>We suggest st
            <ul class="flex flex-col mb-4 lg:mb-6">
                <li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] dark:before:borde
                    <span class="relative py-1 bg-white dark:bg-[#161615]">
                        <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-[#161615] shadow-[
                            <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>
                        </span>
                    </span>
                    <span>
                        Read the
                        <a href="https://laravel.com/docs" target="_blank" class="inline-flex items-center space-x-1 font-
                            <span>Documentation</span>
                            <svg
                                width="10"
                                height="11"
                                viewBox="0 0 10 11"
                                fill="none"
                                xmlns="http://www.w3.org/2000/svg"
                                class="w-2.5 h-2.5"
                            >
                                </div>
```

```

                <path
                    d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
                    stroke="currentColor"
                    stroke-linecap="square"
                />
            </svg>
        </a>
    </span>
</li>
<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] dark:before:borde
    <span class="relative py-1 bg-white dark:bg-[#161615]">
        <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-[#161615] shadow-[
            <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>
        </span>
    </span>
    <span>
        Watch video tutorials at
        <a href="https://laracasts.com" target="_blank" class="inline-flex items-center space-x-1 font-med
            <span>Laracasts</span>
            <svg
                width="10"
                height="11"
                viewBox="0 0 10 11"
                fill="none"
                xmlns="http://www.w3.org/2000/svg"
                class="w-2.5 h-2.5"
            >
                <path
                    d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
                    stroke="currentColor"
                    stroke-linecap="square"
                />
            </svg>
        </a>
    </span>
</li>
</ul>
<ul class="flex gap-3 text-sm leading-normal">
    <li>
        <a href="https://cloud.laravel.com" target="_blank" class="inline-block dark:bg-[#eeeeec] dark:border-
            Deploy now
        </a>
    </li>
    <li>
        <a href="<?php echo e(url('/kinematics'));" class="inline-block px-5 py-1.5 border border-[#e3e3e0]
            Try Kinematics demo
        </a>
    </li>
</ul>
</div>
<div class="bg-[#fff2f2] dark:bg-[#1D0002] relative lg:-ml-px -mb-px lg:mb-0 rounded-t-lg lg:rounded-t-none lg:rou

<svg class="w-full text-[#F53003] dark:text-[#F61500] transition-all translate-y-0 opacity-100 max-w-none dura
    <path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z" fill="currentColor" />
    <path d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667 31.3647 92.8016 30.3618
    <path d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416 31.3647 225.351 30.3618
    <path d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />
    <path d="M139.43 102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z" fill="currentColor" />
    <path d="M324.49 32.1665L303.995 85.794L283.498 32.1665H266.983L293.748 102.197H314.242L341.006 32.1665H32
    <path d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797 67.1828C340.797 89.6597 356.094 104 378.

</svg>

<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem] dark:hidden" viewBox="0 0
    <g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
        <path d="M188.263 355.731L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
        <path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
        <path d="M188.263 355.731L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
        <path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
        <path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
        <path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
        <path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
        <path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
    </g>
    <g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
        <path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
        <path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
        <path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
        <path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
    </g>

```

```
<g style="mix-blend-mode: plus-darker" class="transition-all delay-300 translate-y-0 opacity-100 duration-
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823 262.256 254.539C275.617 243.
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608 102.198L218.282 331.711L155.339 3
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823 262.256 254.539C275.617 243.
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608 102.198L218.282 331.711L155.339 3
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393 219.772 328.11C233.133 316.8
<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 40
<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.
<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182 212.506C302.863 225.13
<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366 172.607C196.801 172.608
<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688 154.953L324.619 255.53C333.233 270.4
<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875 82.6442L132.806 183.221C143.959 176.1
<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697
<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.951L260.013 255.527C254.712 246.347
<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.251L336.049 294.827C335.459 303.45
<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.8
<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.6
<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.
<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39
<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.
<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.951L190.454 255.527C184.932 245.964 1
<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.911L113.925 212.487C114.618 206.83
<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.21
<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#1B
<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797
<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#1B1
<path d="M183.921 154.947L248.521 154.951L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#1B
<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.4
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842 227.528L219.774 328.105C233.135 316.
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z" stroke="
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862 254.789L188.794 355.366C195.64 348.48
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#1B1B
<path d="M44.5279 125.391L67.3864 125.391L9.31834 225.967L-13.5401 225.966L44.5279 125.392Z" stroke="#1B1
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911L233.863 75.
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#1
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#1
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#1
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#1
</g>
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
<path d="M246.544 254.791L246.875 254.792C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
<path d="M246.544 254.791L246.875 254.792C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
</g>
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-7
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
</g>
</svg>

<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem] hidden dark:block" viewBo
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.263 355.731L188.595 355.731C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
<path d="M188.263 355.731L188.595 355.731C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193
<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 40
<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.
<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.8
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515 125.768L204.673 355.282L141.729 355.
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393 219.772 328.11C233.133 316.8
<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 40
<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.
<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182 212.506C302.863 225.13
```

```

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366 172.607C196.801 172.608
<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688 154.953L324.619 255.53C333.233 270.4
<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875 82.6442L132.806 183.221C143.959 176.1
<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697
<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013 255.527C254.712 246.347
<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049 294.827C335.459 303.45
<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.8
<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.6
<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.
<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39
<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.
<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454 255.527C184.932 245.964 1
<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925 212.487C114.618 206.83
<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.21
<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#FF
<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797
<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#FF7
<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#FF
<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.4
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842 227.528L219.774 328.105C233.135 316.
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z" stroke="
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862 254.789L188.794 355.366C195.64 348.48
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#FF75
<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401 225.966L44.5279 125.39Z" stroke="#FF7
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911ZM15.5431 75.
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#F
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#F
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#F
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#F
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253
</g>
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:tran
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886 304.712L170.942 304.71
</g>
</svg>
<div class="absolute inset-0 rounded-t-lg lg:rounded-t-none lg:rounded-r-lg shadow-[inset_0px_0px_0px_1px_rgba
</div>
</main>
</div>

<?php if(Route::has('login')): ?>
    <div class="h-14.5 hidden lg:block"></div>
<?php endif; ?>
</body>
</html>
<?php /**PATH C:\xampp1\htdocs\Kineso\resources\views/welcome.blade.php ENDPATH**/ ?>

```

storage/framework/views/a5b943592954048c90d33304a013b6b3.php

```
<!--
resources/views/kinematics.blade.php
KINESO – Kinematics demo UI
This Blade view contains the input panel, data table, and charts area.
Keep interactive logic in `resources/js/kinematics.js` and styling in `resources/css/app.css`.
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>KINESO</title>
    <?php if(file_exists(public_path('build/manifest.json')) || file_exists(public_path('hot'))): ?>
        <?php echo app('Illuminate\Foundation\Vite')(['resources/css/app.css', 'resources/js/app.js']); ?>
    <?php endif; ?>
    <style>
        :root { --brand:#2c3e50; --muted:#6c7a89; --accent:#27ae60; --card:#ffffff; --panel-border:#e6e9ef; }
        /* Full-viewport layout, no outer scrollbars */
        html, body { height:100%; margin:0; padding:0; }
        body { background:#f5f7fa; color:#22303f; font-family: Inter, system-ui, -apple-system, 'Segoe UI', Roboto, 'Helvetica Neu

        /* Container spans the full viewport and uses flex to layout header + main area */
        .container { width:100vw; max-width:none; margin:0; padding:20px; box-sizing:border-box; display:flex; flex-direction:colu

        /* Header kept at natural height; main area expands to fill remaining space */
        .container > div[style] { /* the top title/readout row */ }

        /* Make the main content stretch vertically and avoid pushing beyond viewport */
        .main-content { display:flex; gap:1rem; align-items:stretch; height:100%; min-height:0; }

        /* Panels should fill vertically and allow internal scrolling where needed */
        .panel { background:var(--card); border:1px solid var(--panel-border); padding:14px; border-radius:8px; box-shadow:0 1px 3
        .left { width:360px; flex:0 0 360px; height:100%; overflow:auto; }
        .right { flex:1; height:100%; overflow:hidden; display:flex; flex-direction:column; }

        .generate-btn { display:block; width:100%; padding:12px 14px; background:linear-gradient(180deg,var(--accent), #1e8745); c
        .input-row { display:flex; justify-content:space-between; gap:10px; align-items:center; }
        .input-row label { flex:1; font-size:13px; color:var(--muted); }
        .input-row input { width:100px; padding:6px 8px; border:1px solid #e8eef4; border-radius:6px; background:#fbfcfd; }

        /* Charts area: let it fill and keep internal scrolling inside table only */
        .smallcharts { display:flex; gap:12px; margin-bottom:12px; align-items:flex-end; }
        .smallcharts > div { flex:1; height:120px; display:flex; flex-direction:column; justify-content:flex-end; }
        #chartsContainer { display:flex; gap:16px; align-items:stretch; min-height:360px; height:100%; }
        #chartsContainer > div:first-child { display:flex; flex-direction:column; justify-content:flex-end; }
        #chartsContainer > div:last-child { display:flex; align-items:stretch; }
        #chartsContainer canvas { display:block; width:100%; height:100%; }

        #resultsTable { width:100%; border-collapse:collapse; font-family:monospace; font-size:13px; }
        #resultsTable th { background:#fbfcfd; text-align:left; padding:8px; color:var(--muted); border-bottom:1px solid #f0f3f6; }
        #resultsTable td { padding:8px; text-align:right; border-bottom:1px dashed #eef2f5; }
        .readout { margin-bottom:10px; padding:8px 10px; background:#fff; border-radius:6px; display:flex; gap:12px; font-family:m

    </style>
</head>
<body>
<div class="container">
    <div style="display:flex; align-items:center; gap:16px; justify-content:space-between; margin-bottom:12px;">
        <div>
            <h1 style="margin:0; font-size:20px;">KINESO</h1>
            <div style="margin-top:6px; color:var(--muted);">Interactive physics demo with live draggable charts and CSV export</d
        </div>
        <div class="readout" style="font-family:monospace;">
            <div>t = <strong id="ro-t">-</strong> s</div>
            <div>x = <strong id="ro-x">-</strong> m</div>
            <div>v = <strong id="ro-v">-</strong> m/s</div>
            <div>a = <strong id="ro-a">-</strong> m/s²</div>
        </div>
    </div>

    <!-- Debug panel -->
    <div style="display:flex; gap:8px; align-items:center; margin-bottom:10px;">
        <button id="toggleDebug" class="btn">Show debug</button>
        <div id="uiDebug" style="display:none; background:#fff; border:1px solid #eef2f5; padding:8px; border-radius:6px; width:10
    </div>
```

```

<div class="main-content">
  <section class="panel left" style="display:flex; flex-direction:column; flex:0 0 320px; width:320px;">
    <h3 style="margin-top:0; margin-bottom:8px">1. ENTER PARAMETERS</h3>
    <form id="kinForm">
      <div style="display:flex; flex-direction:column; gap:10px;">
        <div class="input-row"><label>Initial Velocity (v0):</label><input class="input-field" type="number" step="any">
        <div class="input-row"><label>Acceleration (a):</label><input class="input-field" type="number" step="any" nam
        <div class="input-row"><label>Time Interval (t1 - t0):</label><input class="input-field" type="number" step="a
      </div>

      <div style="margin-top:12px;"><button type="submit" class="generate-btn">GENERATE MOTION DATA</button></div>

      <div style="margin-top:12px;">
        <h4 style="margin:6px 0 10px 0; font-size:14px; color:var(--muted)">2. DATA TABLE</h4>
        <div style="max-height:260px; overflow:auto; border:1px solid #f0f3f6; padding:6px; background:#fbfcfd;">
          <table id="resultsTable">
            <thead>
              <tr><th style="text-align:left">Time (s)</th><th style="text-align:right">Vel (m/s)</th><th style=
            </thead>
            <tbody></tbody>
          </table>
        </div>
      </div>

      <div style="margin-top:12px; display:flex; gap:8px; align-items:center;">
        <button id="exportCsv" type="button" class="btn">Export CSV</button>
        <button id="downloadCharts" type="button" class="btn">Download Charts</button>
        <label style="margin-left:8px; font-size:13px; color:var(--muted)"><input id="enableDrag" type="checkbox"> Ena
      </div>
    </form>
  </section>

  <section class="panel right">
    <h3 style="margin-top:0; margin-bottom:8px">3. DYNAMIC GRAPHS</h3>
    <div id="chartsContainer" style="display:flex; gap:16px; align-items:stretch; min-height:360px;">
      <div style="flex:1; min-width:0; display:flex; flex-direction:column; justify-content:flex-end;">
        <div class="smallcharts" style="display:flex; gap:12px; align-items:flex-end;">
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallPositionChartTop" aria-label="position chart" role="img" style="width:100%; height:10
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-orange"></span> x(t) – Di
          </div>
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallVelocityChartTop" aria-label="velocity chart" role="img" style="width:100%; height:10
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-blue"></span> v(t) – Velo
          </div>
          <div style="flex:1; height:120px; display:flex; flex-direction:column; align-items:stretch; justify-conten
            <canvas id="smallAccelerationChartTop" aria-label="acceleration chart" role="img" style="width:100%; h
            <div class="smallchart-title" style="margin-top:8px;"><span class="pill pill-red"></span> a(t) – Accel
          </div>
        </div>
      </div>
      <div style="flex:3; min-width:0; display:flex; align-items:stretch;">
        <div style="flex:1; min-height:360px; padding:12px; background:linear-gradient(180deg,#ffffff,#fbfdff); border
          <canvas id="mainChart" style="width:100%; height:100%; display:block;"></canvas>
        </div>
      </div>
      <div id="chartPlaceholder" style="margin-top:12px; padding:8px; background:#fbfcfd; border:1px dashed #e6eef4; color:v
      <div id="chartError" style="display:none; margin-top:10px; padding:8px; border-radius:6px; background:#fff; border:1px
    </section>
  </div>

</div>

<!-- the compiled JS will import & run kinematics logic -->
</body>
</html><?php /**PATH C:\xampp1\htdocs\Kineso\resources\views\kinematics.blade.php ENDPATH**/ ?>

```

storage/framework/views/ac9308cb6b484e459d56386432664060.php

```

<?php $__env->startSection('title', __('Not Found')); ?>
<?php $__env->startSection('code', '404'); ?>
<?php $__env->startSection('message', __('Not Found')); ?>

<?php echo $__env->make('errors::minimal', array_diff_key(get_defined_vars(), ['__data' => 1, '__path' => 1]))->render(); ?><?php

```


storage/logs/.gitignore

```
*  
!.gitignore
```

tests/Feature/ExampleTest.php

```
<?php  
  
namespace Tests\Feature;  
  
// use Illuminate\Foundation\Testing\RefreshDatabase;  
use Tests\TestCase;  
  
class ExampleTest extends TestCase  
{  
    /**  
     * A basic test example.  
     */  
    public function test_the_application_returns_a_successful_response(): void  
    {  
        $response = $this->get('/');  
  
        $response->assertStatus(200);  
    }  
}
```

tests/TestCase.php

```
<?php  
  
namespace Tests;  
  
use Illuminate\Foundation\Testing\TestCase as BaseTestCase;  
  
abstract class TestCase extends BaseTestCase  
{  
    //  
}
```

tests/Unit/ExampleTest.php

```
<?php  
  
namespace Tests\Unit;  
  
use PHPUnit\Framework\TestCase;  
  
class ExampleTest extends TestCase  
{  
    /**  
     * A basic test example.  
     */  
    public function test_that_true_is_true(): void  
    {  
        $this->assertTrue(true);  
    }  
}
```

vite.config.js

```
import { defineConfig } from 'vite';
import laravel from 'laravel-vite-plugin';
import tailwindcss from '@tailwindcss/vite';

export default defineConfig({
  plugins: [
    laravel({
      input: ['resources/css/app.css', 'resources/js/app.js'],
      refresh: true,
    }),
    tailwindcss(),
  ],
  server: {
    watch: {
      ignored: ['**/storage/framework/views/**'],
    },
  },
});
```