



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

Ketentuan;

Simpanlah file lembar jawaban ini dengan format; **Kelas_Nama Lengkap**

Contoh; **TI 2A_Elok Nur Hamdana**

Upload tugas jobsheet ini dengan batas maksimum sesuai jadwal perkuliahan masing masing kelas

Upload file tugas jobsheet di website **lms.polinema**



Nama	:	AL AZHAR RIZQI RIFA'I FIRDAUS
Nim	:	2241720263
Kelas	:	TI 2I

Tulislah Jawaban Pada Kolom Yang tersedia di bawah ini;

LEMBAR JAWABAN JOBSHEET-2

Soal No	Jawaban
1	<p>Code:</p> <pre>div.html x html > div.html > html > body > p 1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="UTF-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1.0"> 6 <title>Document</title> 7 </head> 8 <body> 9 <p>Ini adalah beberapa teks</p> 10 11 <div style="background-color: lightblue;"> 12 <h3>Ini adalah sebuah heading di dalam elemen div</h3> 13 <p>Ini adalah teks didalam div</p> 14 </div> 15 <p>This is some text.</p> 16 </body> 17 </html></pre> <p>Result:</p>



	 <p>The HTML code creates a simple web page with some text and a colored <div> element containing a heading and more text.</p>
2	<p>Code:</p>  <pre>1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="UTF-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1.0"> 6 <title>Main page</title> 7 <link rel="stylesheet" href="../../css/style.css"> 8 </head> 9 <body> 10 <h2>Welcome to basic web</h2> 11

 12 <!-- example of class usage --> 13 <div class="kotak">kotak 1</div> 14 <div class="kotak">kotak 2</div> 15 <div class="kotak">kotak 3</div> 16 <div id="kotak">kotak 4</div> 17 </body> 18 </html></pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web



Agustus 2020

```
index.html style.css ×
css > style.css > #kotak
1  h2 {
2      color: orange;
3      font-family: Trebuchet MS;
4      text-align: center;
5  }
6
7  .kotak {
8      padding: 50px;
9      width: 100px;
10     color: #ffff;
11     margin: 10px;
12     background: orange;
13 }
14
15 #kotak {
16     width: 400px;
17     color: #ffff;
18     background: blue;
19     padding: 50px;
20 }
```

Result:





Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

	 <p>The web page features a centered heading, four colored boxes (with one having unique styles) and utilizes an external CSS file for styling. The boxes have space, colors, and sizes defined by the CSS rules. The page is structured with HTML and styled with CSS to create a visually appealing layout.</p>
3	<p>Code:</p>  <p>Result:</p>




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

	 <p>This CSS code enhances the visual appearance of your web page by giving it a light cyan background and making the text content more readable by setting it to white. It's a common practice to style the <code><body></code> element to provide an overall visual theme for your webpage.</p>
4	<p>Code:</p>  <pre>index.html style.css × css > style.css > #kotak 1 body { 2 background: url('../img/bunga2.webp'); 3 color: white; 4 } 5</pre> <p>Result:</p>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020



This change means that instead of having a solid background color, the web page now has a background image, which is an image of "bunga2.webp." The text content within the page remains white, providing good contrast against the background image. This can create an aesthetically pleasing visual effect on your web page by incorporating an image into the background.

5


Code:

```
index.html style.css x
css > style.css > body
1 body {
2   background: url('../img/bunga2.webp'), url('../img/bunga1.jpg');
3   background-repeat: no-repeat, repeat;
4   color: white;
5 }
6
```

Result:



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

	 <p>The background of the entire webpage (controlled by the <code><body></code> element) is customized with two background images. The first background image ("bunga2.webp") appears only once and doesn't repeat. It might be a decorative or prominent image on the page. The second background image ("bunga1.jpg") repeats both horizontally and vertically, creating a pattern that fills the background. This can be useful for creating textures or backgrounds that seamlessly tile. The text color of the content within the webpage remains white, ensuring good contrast against the background images.</p>
6	Code:



```
index.html x styleMargin.css
html > index.html > html > body > div.box-dua > h1
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Margin css</title>
7   <link rel="stylesheet" href="../css/styleMargin.css">
8 </head>
9 <body>
10   <div class="box">
11     <h1>Ini adalah box</h1>
12   </div>
13   <div class="box-dua">
14     <h1>Ini adalah box dua</h1>
15   </div>
16 </body>
17 </html>
```




Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web


Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020


```
index.html styleMargin..css X
css > styleMargin..css > .box-dua
1  h1 {
2      color: pink;
3  }
4
5  .box {
6      background: blue;
7      height: 200px;
8      width: 300px;
9      margin: 30px;
10 }
11
12 .box-dua {
13     background: black;
14     height: 100px;
15     width: 200px;
16     margin-left: 500px;
17 }
```

Result:



	 <p>The webpage contains two boxes, one with a blue background ("box") and the other with a black background ("box-dua"). The first box is larger and has a 30-pixel margin around it. The second box is smaller and is pushed to the right by 500 pixels from the left edge of the viewport. Both boxes have pink-colored headings.</p>
7	<p>Code:</p> <pre data-bbox="354 1329 893 1627">.box { background: blue; height: 200px; width: 300px; margin: 30px; }</pre> <p>Result:</p>



	 <p>Ini adalah box</p> <p>Ini adalah box dua</p> <p>This change will result in a large blue box on the webpage with significant spacing around it due to the 300-pixel margin. The box may be positioned far from its original location in the document flow because of the large margin, affecting the overall layout of the webpage.</p>
8	Code:



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

```
index.html x stylePadding.css
html > index.html > html > body > div.box-dua > h1
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Padding css</title>
7   <link rel="stylesheet" href="../css/stylePadding.css">
8 </head>
9 <body>
10   <h2>Belajar padding dengan css</h2>
11   <div class="box">
12     <h1>Ini adalah box</h1>
13   </div>
14   <div class="box-dua">
15     <h1>Ini adalah box dua</h1>
16   </div>
17 </body>
18 </html>
```



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

index.html stylePadding.css

```
css > stylePadding.css > .box-dua
1  h1 {
2      text-align: center;
3      color: ■ cornsilk;
4  }
5
6  h2 {
7      text-align: center;
8  }
9
10 .box {
11     background: ■ blue;
12     height: 200px;
13     width: 300px;
14     padding: 20;
15 }
16
17 .box-dua {
18     background: ■ red;
19     height: 100px;
20     width: 600px;
21     padding-left: 70px;
22 }
```

Result:

localhost/basicweb/js2/html/index.html

Belajar padding dengan css

Ini adalah box

Ini adalah box dua



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS



Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

	<p>The webpage contains an <h2> heading and two boxes. The boxes have different backgrounds and sizes. The first box ("box") has a blue background, a height of 200 pixels, a width of 300 pixels, and 20 pixels of padding on all sides. The second box ("box-dua") has a red background, a height of 100 pixels, a width of 600 pixels, and 70 pixels of left padding. The headings are styled with center-aligned text and specific text colors. Please note that the padding values should be specified with units (e.g., "20px") to be valid CSS.</p>
9	<p>Code:</p> <pre>10 .box { 11 background: blue; 12 height: 200px; 13 width: 300px; 14 padding: 20px; 15 } 16</pre> <p>Result:</p>



	<div>← → ↺ 🏠 localhost/basicweb/js2/html/index.html</div> <div>Belajar padding dengan css</div> <div><p>Ini adalah box</p><p>Ini adalah box dua</p><p>The most significant change is the application of a massive 200-pixel padding on all sides of the element. This means that the content inside the element will be pushed 200 pixels away from the element's borders in all directions.</p></div>
10	<p>Code:</p> <pre>index.html × styleFont.css html > index.html > html > body > h1.tulisan-tiga 1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="UTF-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1.0"> 6 <title>Font css</title> 7 <link rel="stylesheet" href="../css/styleFont.css"> 8 </head> 9 <body> 10 <h1 class="tulisan-satu">belajar css asik</h1> 11 <h1 class="tulisan-dua">belajar css cihui</h1> 12 <h1 class="tulisan-tiga">belajar css yuhu</h1> 13 </body> 14 </html></pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

```
index.html styleFont.css X
css > styleFont.css > .tulisan-tiga
1  .tulisan-satu {
2      color: red;
3      font-family: sans-serif;
4      font-style: normal;
5  }
6  .tulisan-dua {
7      color: green;
8      font-size: 24pt;
9      font-style: italic;
10 }
11 .tulisan-tiga {
12     color: blue;
13     font-weight: bold;
14     font-style: oblique;
15 }
```

Result:



belajar css asik

belajar css cihui

belajar css yuhu



	<p>The webpage contains html document with three H1 elements. Each H1 element has a different class, and each class has different CSS properties associated with it. .tulisan-satu class will style the first H1 element red, sans-serif, and normal. This means that the text will be red, the font will be sans-serif, and the font style will be normal, which is the default. .tulisan-dua class will style the second H1 element green, 24pt, and italic. This means that the text will be green, the font size will be 24 points, and the font style will be italic. .tulisan-tiga class will style the third H1 element blue, bold, and oblique. This means that the text will be blue, the font weight will be bold, and the font style will be oblique, which is a slanted font.</p>
11	<p>Code:</p> <pre>index.html × styleLink.css html > index.html > html > body > a.link 1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="UTF-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1.0"> 6 <title>Hyperlink css</title> 7 <link rel="stylesheet" href="../css/styleLink.css"> 8 </head> 9 <body> 10 Klik disini 11 </body> 12 </html></pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

index.html styleLink.css

```
css > styleLink.css > .link:link
1  .link {
2      font-size: 20pt;
3  }
4
5  .link:hover {
6      color: red;
7  }
8  .link:link {
9      color: blue;
10 }
```

Result:




Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web



Agustus 2020

	 <p>Klik disini</p> <p>www.polinema.ac.id</p> <p>The anchor tag will have blue text and a font size of 20pt by default. When the mouse is hovered over the anchor tag, the text will turn red. The font size will remain the same in both states.</p>
12	<p>Code:</p> <pre>11 .link:visited { 12 color: lightgreen; 13 }</pre>



	<p>Result:</p>  <p>Klik disini</p> <p>A new selector, <code>.link:visited</code>, was added. This selector targets links that have already been visited. so the text color of the link will also be light green when it has been visited.</p>
13	<p>Code:</p>  <p>Result:</p>  <p>The web page containing the text in the first paragraph will be blue, while the text in the second paragraph will be the default color, which is usually black.</p>



14	<p>Code:</p> <pre>4 body { 5 text-align: center; 6 }</pre> <p>Result:</p>  <p>The result is position paragraph changes into center.</p>
15	<p>Code:</p> <pre>4 body { 5 text-align: center; 6 text-decoration: underline; 7 }</pre> <p>Result:</p>  <p>The result is there is underline at paragraph text after we add text-decoration: underline;.</p>
16	<p>Code:</p> <pre>4 body { 5 text-align: center; 6 text-decoration: underline; 7 letter-spacing: 5px; 8 }</pre> <p>Result:</p>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

17	<p>Code:</p> <pre>index.html X stylePosition.css html > index.html > html > body > div 1 <!DOCTYPE html> 2 <html lang="en"> 3 <head> 4 <meta charset="UTF-8"> 5 <meta name="viewport" content="width=device-width, initial-scale=1.0"> 6 <title>Position css</title> 7 <link rel="stylesheet" href=" ../css/stylePosition.css"> 8 </head> 9 <body> 10 <h2>position: static;</h2> 11 12 <p>Position static digunakan untuk mengatur element menjadi statis secara default. 13 Element akan mengikuti posisi normal secara default, 14 element tidak akan terpengaruh oleh properti seperti top, bottom, left, dan right.: 15 </p> 16 <div class="static"> 17 Elemen ini diatur menggunakan posisi: static; 18 </div> 19

 20 <h2>position: relative;</h2> 21 22 <p>Sebuah elemen HTML yang menggunakan position relative akan terletak pada posisi normal. 23 Mengatur properti atas, kanan, bawah, dan kiri dari elemen yang diposisikan sebagai "relatif" 24 akan membuatnya jauh dari posisi normalnya. 25 Konten lain tidak akan disesuaikan agar sesuai dengan celah yang ditinggalkan oleh elemen tersebut.: 26 </p> 27 <div class="relative"> 28 Elemen ini diatur menggunakan posisi: relative; 29 </div> 30

 31 <h2>position: fixed;</h2> 32 33 <p>Sebuah element HTML yang di setting dengan position fixed akan memiliki sifat tetap, 34 tanpa ada perubahan bahkan jika halaman website di scroll. 35 Berlaku pengaturan left, bottom, top, dan right pada position fixed: 36 </p> 37 <div class="fixed"> 38 Elemen ini diatur menggunakan posisi: fixed; 39 </div> 40

 41

</pre>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

```
index.html x stylePosition.css
html > index.html > html > body > div
42 <br><br><br>
43 <br><br><br>
44 <br><br><br>
45
46 <h2>position: absolute;</h2>
47 <p>Elemen HTML yang menggunakan position absolute akan diposisikan relatif dengan
48 elemen lain yang mendahuluinya yang terdekat,
49 bukan relatif terhadap layar secara normal.:
50 </p>
51 <div class="relative">Elemen ini diatur menggunakan posisi: relative;
52 <div class="absolute">Elemen ini diatur menggunakan posisi: absolute;</div>
53 </div>
54
55 <br><br><br>
56 <br><br><br>
57
58 <h2>position: sticky;</h2>
59 <p>Cobalah untuk <b>scroll</b> untuk mengetahui bagaimana posisi sticky bekerja.</p>
60 <p>Catatan: IE/Edge 15 dan versi yang lebih lama tidak mendukung sticky</p>
61
62 <div class="sticky">Hola Aku adalah sticky!</div>
63
64 <div style="padding-bottom: 200px">
65 <p>Dalam contoh ini, elemen sticky menempel pada posisi paling atas halaman (top:0),
66 ketika mencapai posisi scrollnya.
67 </p>
68 <p>Cobalah untuk melakukan scroll.</p>
69 <p>Cobalah untuk melakukan scroll.. Lorem ipsum dolor sit amet,
70 consectetur adipisicing elit. Voluptates, sit laborum necessitatibus
71 unde odit molestias, rerum quae eum suscipit repellat,
72 corrupti temporibus nemo nostrum. Officiis aliquam dolorum
73 cupiditate optio voluptatem!
74 </p>
75 <p>Cobalah untuk melakukan scroll.. Lorem ipsum dolor sit amet
76 consectetur adipisicing elit. Tenetur ipsa ipsum ad expedita saepe
77 omnis unde dolor, provident, architecto nisi soluta illum ut
78 commodi amet eum, vero id nam nobis!
79 </p>
80 </div>
81 </body>
82 </html>
```



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

```
index.html stylePosition.css X
css > stylePosition.css > div.sticky
1  div.static{
2      position: static;
3      border: 3px solid #73AD21;
4  }
5  div.relative{
6      position: relative;
7      left: 30px;
8      border: 3px solid #73AD21;
9  }
10 div.fixed{
11     position: fixed;
12     bottom: 0;
13     right: 0;
14     width: 300px;
15     border: 3px solid #73AD21;
16 }
17 div.relative1{
18     position: relative;
19     width: 400px;
20     height: 200px;
21     border: 3px solid #73AD21;
22 }
23 div.absolute{
24     position: absolute;
25     top: 80px;
26     right: 0;
27     width: 200px;
28     height: 100px;
29     border: 3px solid #73AD21;
30 }
31 div.sticky{
32     position: -webkit-sticky;
33     position: sticky;
34     top: 0;
35     background-color: yellow;
36     border: 2px solid #4CAF50;
37 }
```

Result:

The code contains multiple sections that demonstrate different CSS positioning properties. Each section includes a heading (<h2>) describing the CSS property being demonstrated, along with an explanatory paragraph. Various <div> elements are used to showcase the different positioning properties (static, relative, fixed, absolute, and sticky). CSS (stylePosition.css). CSS rules are defined to style the <div> elements with different positioning properties. div.static: position: static; is applied, and it has a green border. div.relative: position: relative; is applied with a left offset and a green border. div.fixed: position: fixed; is applied, fixing it to the bottom right corner with a green



border. div.relative1: position: relative; is applied with a green border. **div.absolute:** position: absolute; is applied with top and right offsets and a green border. **div.sticky:** position: sticky; is applied, making it sticky at the top with a yellow background and a green border.

18

Code:



```
index.html x styleFloat.css
html > index.html > html > body > p
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Left Float</title>
7   <link rel="stylesheet" href="../css/styleFloat.css">
8 </head>
9 <body>
10 <p>
11   Lorem, ipsum dolor sit amet consectetur adipisicing elit. Tempora sapiente nam eveniet
12   
13   Lorem ipsum, dolor sit amet consectetur adipisicing elit. Atque cum aspernatur necessi
14
15 </p>
16 </body>
17 </html>
```

```
index.html styleFloat.css x
css > styleFloat.css > .gambar
1 h2{
2   text-align: center;
3   color: blueviolet;
4 }
5 .gambar{
6   width: 100px;
7   float: left;
8   margin-right: 10px;
9 }
```

Result:



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

	 <p>This HTML document displays a paragraph of text with Lorem Ipsum content, and it includes an image with the class "gambar." The CSS stylesheet "styleFloat.css" is used to center the text in <h2> elements and style images with the "gambar" class to have a specific width, float to the left, and have a right margin. The result is text wrapping around the image with a specified margin, creating a specific layout.</p>
	<p>Assignment Job Sheet 2</p>  <p>Code:</p> <p>Index</p>



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

```
index.html X
assignment > html > index.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Zharsuke - home</title>
7   <link rel="stylesheet" href="../css/index.css">
8 </head>
9 <body>
10
11 <!-- header -->
12 <div class="navbar font">
13   <nav>
14     <h3><a href="#">Zharsuke</a></h3>
15     <ul>
16       <li><a href="#">Home</a></li>
17       <li><a href="#about">About</a></li>
18       <li><a href="blog.html">Blog</a></li>
19     </ul>
20   </nav>
21 </div>
22
23 <hr>
24
25 <!-- content -->
26 <div class="profile">
27   
28   <h1 class="font">I'm AL AZHAR RIZQI RIFA'I FIRDAUS</h1>
29 </div>
30
31 <div id="about">
32   <h2 class="font">About Me</h2>
33   <p class="font">
34     Hello! I'm AL AZHAR RIZQI RIFA'I FIRDAUS, I'm student at State Polytechnic of Malang. This is my personal website
35     that contains about myself, and a collections of article that I wrote. I'm cybersecurity enthusiast.
36     I practiced a lot of machines in hack the box and also played Capture the Flag.
37     With a lot practiced, I hope in the future I can be a cybersecurity professional.
38     I was born in Surabaya on August 24, 2003. I graduated from State of Vocational High School 4 malang majoring in software
39     My favorite food is fried indomie. that's all from me, because I've run out of words and don't know what else to write,
40     thank you.
41   </p>
42 </div>
43
44
45 <!-- footer -->
46 <div class="footer">
47   <p class="font">made by zharsuke</p>
48 </div>
49
50
51 </body>
52 </html>
```



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

```
Index.html  Index.css x
assignment > css > Index.css > body
1  body {
2      margin: 0;
3      padding: 0;
4      margin-left: 350px;
5      margin-right: 350px;
6      background-color: #0c0f0a;
7  }
8
9  nav {
10     display: flex;
11     margin: 0 auto;
12     justify-content: space-between;
13     align-items: center;
14     max-width: 1500px;
15 }
16
17 ul {
18     list-style: none;
19     display: flex;
20 }
21
22 li {
23     margin-left: 20px;
24 }
25
26 a {
27     text-decoration: none;
28     color: #16db65;
29     font-weight: bold;
30 }
31
32 .font {
33     color: #16db65;
34     font-family: Arial, Helvetica, sans-serif;
35 }
36
37 .profile {
38     margin-top: 20px;
39     text-align: center;
40 }
41
```



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

```
42 .image {  
43     width: 300px;  
44     height: 300px;  
45     border-radius: 50%;  
46 }  
47  
48 #about {  
49     margin-top: 200px;  
50     text-align: center;  
51 }  
52  
53 .footer {  
54     margin-top: 500px;  
55     text-align: center;  
56 }  
57  
58 hr {  
59     border-width: 1px;  
60     border-color: #16db65;  
61 }
```

Blog

```
blog.html x  blog.css  
assignment > html > blog.html > ...  
1  <!DOCTYPE html>  
2  <html lang="en">  
3  <head>  
4      <meta charset="UTF-8">  
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">  
6      <title>Zharsuke - blog</title>  
7      <link rel="stylesheet" href="css/blog.css">  
8  </head>  
9  <body>  
10     <!-- header -->  
11     <div class="navbar font">  
12         <nav>  
13             <h3><a href="#">Zharsuke</a></h3>  
14             <ul>  
15                 <li><a href="index.html">Home</a></li>  
16                 <li><a href="#">Blog</a></li>  
17             </ul>  
18         </nav>  
19     </div>  
20     <hr>  
21  
22     <!-- content -->  
23     <div class="content">  
24           
25         <h1 class="font">Benefits of Exercise for Health</h1>  
26         <p class="font">  
27             Exercise is an essential part of a healthy lifestyle. Numerous studies have proven that regular physical  
28             activity has significant positive impacts on both physical and mental health... <a href="post.html">read more</a>  
29         </p>  
30     </div>  
31  
32     <!-- footer -->  
33     <div class="footer">  
34         <p class="font">made by zharsuke</p>  
35     </div>  
36  
37 </body>  
38 </html>
```



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

```
blog.html  blog.css  X
assignment > css > blog.css > body
1  body {
2    margin: 0;
3    padding: 0;
4    margin-left: 350px;
5    margin-right: 350px;
6    background-color: #0c0f0a;
7  }
8
9  nav {
10   display: flex;
11   margin: 0 auto;
12   justify-content: space-between;
13   align-items: center;
14   max-width: 1500px;
15 }
16
17 ul {
18   list-style: none;
19   display: flex;
20 }
21
22 li {
23   margin-left: 20px;
24 }
25
26 a {
27   text-decoration: none;
28   color: #16db65;
29   font-weight: bold;
30 }
31
32 hr {
33   border-width: 1px;
34   border-color: #16db65;
35 }
36
37 img {
38   width: 50%;
39   height: 50%;
40 }
41 }
```



```
42
43  .content {
44      margin-top: 20px;
45  }
46
47  .font {
48      color: #16db65;
49      font-family: Arial, Helvetica, sans-serif;
50  }
51  .footer {
52      margin-top: 500px;
53      text-align: center;
54  }
```

Post

```
post.html x post.css
assignment > html > post.html > ...
1  !DOCTYPE html
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7      <link rel="stylesheet" href=".../css/post.css">
8  </head>
9  <body>
10     <!-- header -->
11     <div class="navbar font">
12         <nav>
13             <h3><a href="#">Zharsuke</a></h3>
14             <ul>
15                 <li><a href="index.html">Home</a></li>
16                 <li><a href="blog.html">Blog</a></li>
17                 <li><a href="#">Post</a></li>
18             </ul>
19         </nav>
20     </div>
21     <hr>
22
23     <!-- content -->
24     <div class="content">
25         
26         <h1 class="font">Benefits of Exercise for Health</h1>
27         <p class="font">
28             Exercise is an essential part of a healthy lifestyle. Numerous studies have proven that regular physical activity has significant
29         </p><br>
30         <h3 class="font">1. Improves Heart Health</h3>
31         <p class="font">
32             Aerobic exercises like jogging, swimming, and cycling can help strengthen your heart and lungs. This leads to improved blood flow,
33         </p>
34         <br>
35         <h3 class="font">2. Weight Management</h3>
36         <p class="font">
37             Exercise is an effective way to burn calories and control your weight. If you're looking to lose weight, combining a regular exerc
38         </p>
39         <br>
40         <h3 class="font">3. Enhances Mental Health</h3>
41         <p class="font">
```




Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020

```
42 | Exercise isn't just good for your body; it's also beneficial for your mind. Physical activity boosts the production of endorphins,  
43 |  
44 | </p>  
45 | <h3 class="font">4. Increases Strength and Flexibility</h3>  
46 | <p class="font">  
47 | Various types of exercises, such as weightlifting, yoga, and pilates, can enhance muscle strength and body flexibility. This can h  
48 | </p>  
49 | <br>  
50 | <h3 class="font">5. Maintains Bone Health</h3>  
51 | <p class="font">  
52 | Weight-bearing exercises like running and weightlifting help maintain bone health. This is particularly important as you age, as i  
53 | </p>  
54 | <br>  
55 | <h3 class="font">6. Boosts the Immune System</h3>  
56 | <p class="font">  
57 | Regular exercise can enhance your immune system, making you more resistant to infections and illnesses.  
58 | </p>  
59 | <br>  
60 | <h3 class="font">Conclusion</h3>  
61 | <p class="font">  
62 | Exercise is an investment in your health. To reap the maximum benefits, aim for at least 150 minutes of moderate-intensity exerci  
63 | </p>  
64 | </div>  
65 |  
66 | <!-- footer -->  
67 | <div class="footer">  
68 | <p class="font">made by zharsuke</p>  
69 | </div>  
70 | </body>  
71 | </html>
```


Result:

Index






Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
Mata Kuliah Desain dan Pemrograman Web
Pengampu: Tim Ajar Desain dan Pemrograman Web
Agustus 2020



Blog



Post



Jurusan Teknologi Informasi Politeknik Negeri Malang
Jobsheet-2: HTML & CSS
 Mata Kuliah Desain dan Pemrograman Web
 Pengampu: Tim Ajar Desain dan Pemrograman Web
 Agustus 2020

20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	



Jurusan Teknologi Informasi Politeknik Negeri Malang

Jobsheet-2: HTML & CSS

Mata Kuliah Desain dan Pemrograman Web

Pengampu: Tim Ajar Desain dan Pemrograman Web

Agustus 2020

35	
36	
37	
38	