Cloud Audio Streaming Config

Supported Devicetypes:

1. Hikvision

2. HikProConnect

3. Avigilon (Not yet tested and not in live)

Configuration:

Edit Custom Properties at Service Provider Level

- Navigate to the **Service Provider** configuration section →
  Select **Edit** at the Service Provider level.



- Go to:
  Additional Settings→ Custom Property
- Ensure the following properties are set correctly based on the mode:

  If Cloud Only Toggle is Enabled in the Device level:

- Hikvision_Device_Custom_localAudioNodeUrl
  ➔ https://streaming03.nxgen.cloud:1880/
- Hikvision_Device_Custom_localAudioStreamUrl
  ➔ wss://streaming03.nxgen.cloud:1880/audioStream

If Connected via Local Mode:

- Hikvision_Device_Custom_localAudioNodeUrl
  ➔ http://localhost:1880/
- Hikvision_Device_Custom_localAudioStreamUrl
  ➔ ws://localhost:1880/audioStream



Important Note:

- Both URLs must point to the correct domain depending on the mode (Cloud or Local).
- Incorrect configuration may result in **failure of cloud audio functionalities**.
- These URLs can be configured either at the **Service Provider level** or at the **Device level**.

  1. If configured at the **Service Provider level**, the settings will be applied to **all Hikvision devices** under that service provider.
  2. Or, you can set the URLs separately for each device if you need different settings for different devices or modes.

- If you want to use the Device level configuration, you must remove the URLs from the Service Provider level. Otherwise, the system will always use the URLs defined in the Service Provider configuration, and the Device level configuration will be ignored.



Catalog:

Enable Cloud Audio Support

- Navigate to the following menu path:
  Menu → Catalog → Hikvision Edit → Capabilities



- In the **Capabilities** section:
  ➔ Enable the checkbox **Cloud Audio Supported**
- Below the checkbox, there is a field labeled:
  Cloud Audio Supported Version in or Above
- ➔ Update this field with the latest **Node-RED version number** that cloud audio supported (i.e., 2.8.2).



Important Reason:

- The **local mode Node-RED version installed** on the system must be **greater than or equal to** the version specified in the **Cloud Audio Supported Version** field.
- If the installed version is lower than the specified version, the **browser microphone will not work properly** when enabling audio in the Video Viewer page.
- Also, if the **Cloud Audio Supported checkbox is not enabled** in the capabilities, the **cloud audio functionality will not work at all**.

Video Viewer:

1. On the **Video Viewer** page, perform the following steps:
    - Drag and drop the desired video stream into the viewer area.
    - Enable the **mic** by selecting respective channel. *(Refer to the Hikvision Audio Documentation for channel information*).
2. Once the audio is enabled:
    - The browser will prompt for microphone access, or the microphone icon in the browser toolbar will indicate that the mic is active.
    - This confirms that **Cloud Audio is enabled** and the audio data is being transmitted to the cloud service.

Refer to the image below for an example of the browser microphone indication during audio transmission:


Nodes
Folders
Local Client ON
Auto Streaming
Multi Monitor
Save
30 mins
Isolate Time
Timer Mask
© 2025 NXGEN TECHNOLOGY AG