bifacial_radiance: a python package for modeling bifacial solar photovoltaic systems

Silvana Ayala Pelaez[1] **and Chris Deline**[1]

1 National Renewable Energy Laboratory (NREL)

DOI: 10.21105/joss.01865

Software

- Review
- Repository
- Archive

Submitted: 19 October 2019
Published: 05 November 2019

Summary

bifacial_radiance is a national-laboratory-developed, community-supported, open-source toolkit that provides a set of functions and classes for simulating the performance of bifacial photovoltaic (PV) systems. (Bifacial PV modules collect light on the front as well as the rear side.) bifacial_radiance automates calculations of PV system layout and performance to use along with the popular ray-tracing software tool RADIANCE (Ward, 1994). Specific algorithms include design and layout of PV modules, reflective ground surfaces, shading obstructions, and irradiance calculations throughout the system, among others. bifacial_radiance is an important component of a growing ecosystem of open-source tools for solar energy (Holmgren, Hansen, Stein, & Mikofski, 2018).

bifacial_radiance is hosted on Github and PyPi, and it was developed by contributors from national laboratories, academia, and private industry. bifacial_radiance is copyrighted by the Alliance for Sustainable Energy with a BSD 3-clause license allowing permissive use with attribution. bifacial_radiance is extensively tested for functional and algorithm consistency. Continuous integration services check each pull request on multiple platforms and Python versions. The bifacial_radiance application programming interface (API) is thoroughly documented, and detailed tutorials are provided for many features. The documentation includes help for installation and guidelines for contributions. The documentation is hosted at readthedocs.org as of this writing. Github's issue trackers, a Google group and StackOverflow tag provide venues for user discussions and help.

Visualization of a bifacial photovoltaic array generated through bifacial_radiance. Courtesy of J. Alderman.

The bifacial_radiance API and graphical user interface (GUI) were designed to serve the various needs of the many subfields of bifacial solar panel power research and engineering. It is implemented in three layers: core RADIANCE-interface functions; `Bifacial-Radiance`, `Meteorological`, `Scene`, and `Analysis` classes; and the `GUI` and `model-chain` classes. The core API consists of a collection of functions that implement commands directly to the RADIANCE software. These commands are typical implementations of algorithms and models described in peer-reviewed publications. The functions provide maximum user flexibility; however, some of the function arguments require an unwieldy number of parameters. The next API level contains the `Bifacial-Radiance`, `Meteorological`, `Scene`, and `Analysis` classes. These abstractions provide simple methods that wrap the core function API layer and communicate with the RADIANCE software, which provides ray-trace processing capabilities. The method API simplification is achieved by separating the data that represent the object (object attributes) from the data that the object methods operate on (method arguments). For example, a `Bifacial-Radiance` object is represented by a `module` object, meteorological data, and `scene` objects. The `gendaylit` method operates on the meteorological data to calculate solar position and generate corresponding sky files, linking them to the `Bifacial-Radiance` object. Then the `makeOct` method combines the sky files, `module` and `scene` objects when calling the function layer, returning the results from an `Analysis` object to the user. The final level of API is the `ModelChain` class, designed to simplify and standardize the process of stitching together the many modeling steps necessary to convert a time series of weather data to AC solar power generation, given a PV system and a location. The `ModelChain` also powers the `GUI`, which provides a cohesive visualization of all the input parameters and options for most common modeling needs.

bifacial_radiance was first coded in Python and released as a stable version in Github in 2017 (MacAlpine, Deline, & Marion, 2017), and it was submitted as a U.S. Department of Energy Code project on December of the same year (Deline, Marion, & Ayala Pelaez, 2017). Efforts to make the project more pythonic were undertaken in 2018 (Ayala Pelaez, 2019). Additional features continue to be added as described in (Ayala Pelaez, Deline, Marion, et al., 2019; J. S. Stein et al., 2019) and the documentation's "What's New" section.

bifacial_radiance has been used in numerous studies, for example, for modeling and validation of rear irradiance for fixed-tilt systems (Ayala Pelaez, Deline, MacAlpine, et al., 2019), estimation of energy gain and performance ratio for single-axis-tracked bifacial systems (Ayala Pelaez et al., 2019a; Berrian, Libal, Klenk, Nussbaumer, & Kopecek, 2019), as well as the study of edge effects (Ayala Pelaez et al., 2019a) and smart tracking algorithms (Ayala Pelaez, Deline, Greenberg, Stein, & Kostuk, 2018); benchmarking with other rear-irradiance calculation softwares (Ayala Pelaez et al., 2018; Capelle, Araya, Haffner, Sayritupac, & Colin, 2019; Diorio & Deline, 2018), estimation of shading factor from racking structures (Ayala Pelaez, Deline, Stein, et al., 2019), and parameterization of electrical mismatch power losses due to irradiance nonuniformity in bifacial systems (Ayala Pelaez et al., 2019b; Deline et al., 2019a, 2019b). Sensitivity studies of installation and simulation parameters (Asgharzadeh et al., 2018) and optimization for bifacial fields with the aid of high-performance computing (J. S. Stein et al., 2019; Stein et al., 2019) have also been performed with bifacial_radiance.

Plans for bifacial_radiance development include the implementation of new and existing models, addition of functionality to assist with input/output, and improvements to API consistency.

The source code for each bifacial_radiance version is archived with Github (Contributors, n.d.).

Acknowledgements

The authors acknowledge and thank the code, documentation, and discussion contributors to the project.

S.A.P. and C.D. acknowledge support from the U.S. Department of Energy's Solar Energy Technologies Office. This work was authored, in part, by the National Renewable Energy Laboratory, operated by Alliance for Sustainable Energy, LLC, for the U.S. Department of Energy (DOE) under Contract No. DE-AC36-08GO28308. Funding was provided by the U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy (EERE) under Solar Energy Technologies Office Agreement Number 34910.

The National Renewable Energy Laboratory is a national laboratory of the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, operated by the Alliance for Sustainable Energy, LLC.

References

Asgharzadeh, A., Member, S., Marion, B., Deline, C., Hansen, C., Stein, J. S., & Toor, F. (2018). A sensitivity study of the impact of installation parameters and system configuration on the performance of bifacial PV arrays. *IEEE Journal of Photovoltaics*, *8*(3), 798–805. doi:10.1109/JPHOTOV.2018.2819676

Ayala Pelaez, S. (2019). *Bifacial solar panels system design, modeling, and performance* (PhD thesis). University of Arizona. Retrieved from https://repository.arizona.edu/handle/10150/631283

Ayala Pelaez, S., Deline, C., Greenberg, P., Stein, J. S., & Kostuk, R. K. (2018). Single-axis tracked bifacial system results. In *5th Bifi PV Workshop, Denver, Colorado* (pp. 1–23).

Ayala Pelaez, S., Deline, C., Greenberg, P., Stein, J. S., & Kostuk, R. K. (2019a). Model and validation of single-axis tracking with bifacial PV. *IEEE Journal of Photovoltaics*, *9*(3), 715–721. doi:10.1109/JPHOTOV.2019.2892872

Ayala Pelaez, S., Deline, C., MacAlpine, S., Marion, B., Stein, J. S., & Kostuk, R. K. (2019). Comparison of bifacial solar irradiance model predictions with field validation. *IEEE Journal of Photovoltaics*, *9*(1), 82–88. doi:10.1109/JPHOTOV.2018.2877000

Ayala Pelaez, S., Deline, C., MacAlpine, S., & Olalla, C. (2019b). Bifacial PV system mismatch loss estimation. In *6th bifipv workshop, amsterdam, nl* (p. 1). Retrieved from https://www.nrel.gov/docs/fy19osti/74831.pdf

Ayala Pelaez, S., Deline, C., Marion, B., Muller, M., Stein, J. S., & Stark, C. (2019). The subtle art of bifacial performance modeling bifacial performance modeling. In *12th PV Performance Modeling and Monitoring Workshop, Albuquerque NM*.

Ayala Pelaez, S., Deline, C., Stein, J. S., Marion, B., Anderson, K., & Muller, M. (2019). Effect of torque-tube parameters on rear-irradiance and rear-shading loss for bifacial PV performance on single-axis tracking systems. In *46th ieee photovoltaic specialists conference proceedings, chicago il*. Retrieved from https://www.nrel.gov/docs/fy20osti/73203.pdf

Berrian, D., Libal, J., Klenk, M., Nussbaumer, H., & Kopecek, R. (2019). Performance of bifacial PV arrays with fixed tilt and horizontal single-axis tracking: Comparison of simulated and measured data. *IEEE Journal of Photovoltaics*, *Early Acce*, 2156–3381. doi:10.1109/JPHOTOV.2019.2924394

Capelle, T., Araya, F., Haffner, F., Sayritupac, J., & Colin, H. (2019). A comparison of bifacial PV system modelling tools. In *6th bifipv workshop, amsterdam, nl* (pp. 1–21).

Deline, C., Ayala Pelaez, S., MacAlpine, S., & Olalla, C. (2019a). Bifacial PV system mismatch loss estimation and parameterization. In *36th eu pvsec, marseille, france*. Retrieved from https://www.nrel.gov/docs/fy20osti/73541.pdf

Deline, C., Ayala Pelaez, S., MacAlpine, S., & Olalla, C. (2019b). Estimating and parameterizing mismatch power loss in bifacial photovoltaic systems. *(Submitted)*.

Deline, C., Marion, W., & Ayala Pelaez, S. (2017, December). Bifacial_Radiance. [Computer Software] \url{https://doi.org/10.11578/dc.20180530.16}. Retrieved from https://doi.org/10.11578/dc.20180530.16

Diorio, N., & Deline, C. (2018). Bifacial simulation in SAM. In *5th bifi pv workshop, denver, colorado*.

Holmgren, W. F., Hansen, C. W., Stein, J. S., & Mikofski, M. A. (2018). Review of open source tools for PV modeling. In *2018 ieee 45th photovoltaic specialists conference*. doi:10.5281/zenodo.1401378

MacAlpine, S., Deline, C., & Marion, B. (2017). Progress toward efficient bifacial rear irradiance models. In *8th pv performance modeling and monitoring workshop* (pp. 1–16).

Stein, J. S., Deline, C., Ayala Pelaez, S., Stark, C., Riley, D., & Carmignani, C. (2019). Bifacial photovoltaic performance optimization using ray tracing and high performance computing. In *Keynote presentation at 2019 Photonics North, Quebec City, Canada*.

Stein, J. S., Prilliman, M., Stark, C., Nagyvary, J., Ayala Pelaez, S., & Deline, C. (2019). Bifacial performance optimization studies using Bifacial Radiance and high performance computing. In *36th EU PVSEC, Marseille, France* (p. 1).

Ward, G. J. (1994). The RADIANCE lighting simulation and rendering system. In *21st Annual Conference on Computer Graphics and Interactive Techniques* (pp. 459–472). doi:10.1145/192161.192286