

One
daemon.
One
authority.

MAMA OS becomes the daemon owner.

Keep the transaction contract. Change the runtime owner. Nanobot becomes a bounded worker adapter—not a second operating system.

Recommendation: MAMA OS coordinates; MAMA core remembers; Obsidian records; nanobot executes bounded work.

MAMA already has the daemon role.

Its package split is more than a memory library: it is an operating runtime with connected sources and standing work.

MAMA is not merely a memory plugin.

mama-os	RUN IT	Always-on server with connectors, trigger loop, reports, task board, web UI, and standing workers.
mama-core	LIBRARY	Local SQLite memory, embeddings, provenance, graph, scopes, truth projection, and retrieval.
mama-server	MCP ADAPTER	Thin MCP surface over the core for Claude Desktop and other MCP clients; no daemon logic.

Implication: MAMA is already the candidate coordinator, not just another memory provider.

Three full
peers create
ambiguous
authority.

WHY THE COMPOSITION MUST BE ASYMMETRIC

The collision is architectural, not cosmetic.

MAMA OS, nanobot, and obsidian-mind each bring pieces of the desired system. Treating them as peer runtimes creates multiple answers to the same question: who is allowed to decide?

Scheduling	MAMA + NANOBOT	Two daemons can poll, trigger, retry, and report the same work.
Transaction identity	MAMA + BRIDGE	Duplicate intake and restart behavior diverge if each owns IDs and checkpoints.
Memory writes	MAMA + OBSIDIAN-MIND	SQLite memory and vault memory can disagree about truth, scope, and supersession.
Delivery	MAMA + NANOBOT	A response may be sent twice—or processed again because delivery state is unclear.

One daemon. One transaction authority. One memory split.


OWNERSHIP DECISION

**One daemon.
One
transaction
authority.**

Make the runtime asymmetry explicit so every side effect has one owner.

MAMA-CENTERED COMPOSITION

One control plane, with nanobot behind a bounded adapter.



MAMA owns

Scheduling, transaction identity, retries, memory commits, Obsidian projection, review gates, and delivery.

Nanobot owns

Only the bounded execution step: model/tool work within the granted capability set and lease.

Decision rule: if a component can create a durable side effect, it must report through MAMA's transaction authority.

CANONICAL MEMORY DECISION

MAMA core plus Obsidian: an explicit memory split.

Do not ask one store to be both a fast operational index and the human-readable record. Give each layer one clear authority.

STRUCTURED OPERATIONAL MEMORY

MAMA core

The searchable, scoped, provenance-aware memory engine used by the runtime.

- Typed memories and truth projection
- SQLite, embeddings, and hybrid retrieval
- Graph edges, scopes, and supersession
- Fast recall for active transactions

HUMAN-READABLE DURABLE RECORD

Obsidian

The Markdown record that a human can read, edit, review, and preserve.

- Research notes and decisions
- Daily pages and durable work records
- Human edits and long-lived context
- Controlled projection with content hashes

Bridge contract
Link, do not duplicate.

Every projection carries **transaction ID**, **MAMA memory ID**, **Obsidian note ID**, **scope**, **provenance**, and **content hash**. MAMA commits; Obsidian records the durable artifact.

The contract survives.
The runtime owner changes.

Keep the states, evidence, and recovery rules. Move coordination into the daemon that already exists.

Every state gets one accountable owner.

The transaction specification remains the cross-component contract; MAMA OS becomes the process that advances it and records its effects.

Received	MAMA INTAKE	Normalize event; assign ID.	Classified	MAMA TRIGGER LANE	Select route and confidence.
Context loaded	MAMA CORE + OBSIDIAN	Recall scoped memory; read vault.	Executing	MAMA WORKORDER	Acquire lease; dispatch worker.
Persisting	MAMA WRITER	Validate result; save memory.	Responding	MAMA DELIVERY	Queue response; record effect.

Review and failure: MAMA pauses, exposes the ambiguity, and resumes only through an explicit transition.

Nanobot executes. MAMA decides.

Give the worker enough context to do useful work—and not enough authority to create an untracked side effect.

Nanobot becomes a bounded worker adapter.

Task ID	Transaction	Step	Scoped context	Lease
Unique execution handle	Correlation to MAMA state	One leased unit	Recall bundle with provenance and hashes	Owner, token, expiry

May receive

- memory_read
- public_url_fetch
- model inference
- approved MCP read tools

May not

- Create transactions or global leases
- Write MAMA core or Obsidian directly
- Send external messages
- Change policy or permissions

Typed result

Return a schema-valid result, source references, proposed Markdown if needed, and a deterministic **content hash**. MAMA validates and commits.

MAMA controls the side effects.

Nanobot contributes bounded computation. MAMA decides when the work starts, what it may touch, what becomes memory, and when a response is safe to send.



MAMA owns the boundary. Transaction identity, leases, memory commits, Obsidian projection, review gates, and outbound delivery remain outside the nanobot worker.

Retry rule: retry only the failed boundary. A delivery timeout must not rerun research, memory promotion, or the Obsidian write.

Migrate meaning and provenance, not just rows.

Preserve identity, history, evidence, and human edits while moving authority into MAMA.

The migration is a semantic cutover.

A copied table is not a recovered system. Each record must retain its correlation, scope, provenance, effect status, and recovery meaning.

01 / FREEZE	02 / NORMALIZE	03 / RECONCILE	04 / PROMOTE	05 / CUT OVER
Export Freeze the source schema. Export transactions, sessions, artifacts, events, and note links. GATE: HASH MANIFEST	Identify Canonicalize provider IDs, channel keys, scopes, event time, ingest time, and content hashes. GATE: REJECT REPORT	Checkpoint Convert sessions into MAMA workorders, leases, effects, and restart-safe checkpoints. GATE: NO REPLAY	Remember Promote only validated findings into MAMA core; preserve worker drafts as artifacts. GATE: PROVENANCE	Verify Dual-read, reconcile Obsidian projections, then make MAMA the sole daemon and writer. GATE: VERTICAL SLICE
Cutover rule No silent replay.		If a historical record lacks a side-effect receipt, import it as unknown and require review. Never resend or rewrite merely because the row was migrated.		

Map meanings. Preserve receipts.

The target is not a copy of the old tables. It is a recoverable MAMA operating record with the same history and authority boundaries.

Nanobot transaction records map into MAMA concepts.

Preserve the original transaction identity and provenance while translating execution state into MAMA’s workorders, memory units, projections, graph, and effect ledger.

Transaction ID	EXTERNAL CORRELATION	Keep the immutable source ID; attach it to the MAMA run, workorder, events, memories, and effects.
Session + step	WORKORDER + CHECKPOINT	Move state, attempt, lease, worker, input hash, output hash, and next action into resumable operational state.
Worker result	ARTIFACT + CANDIDATE MEMORY	Retain the draft as an artifact; promote only validated, scoped, evidence-backed findings into MAMA core.
Durable note	OBSIDIAN PROJECTION	Preserve path, note ID, revision, content hash, transaction ID, and human-edit conflicts.
Graph + delivery	EDGES + EFFECT LEDGER	Translate explicit supersession/build relationships and import send receipts without replaying uncertain effects.

Migration gate
Nothing silent.

If a source effect lacks a verified receipt, import it as **unknown** and require review. A migration must never create a duplicate send or durable write.

Coherence beats minimal change.

The MAMA-centered choice changes the runtime owner now to avoid duplicating authority later.

TWO COHERENT OPTIONS · ONE OPTION TO REJECT

The MAMA-centered decision optimizes coherence.

The question is not which project has the best individual feature. It is which composition can explain every side effect with one authority.

MAMA-centered Recommended

BENEFITS

- One daemon, one scheduler, one delivery authority
- Local memory, provenance, scopes, graph, and effects
- Nanobot can be added only where it improves a measured worker

COSTS

- Transaction contract must adapt to MAMA terminology
- Obsidian becomes an explicit source/projection boundary

Nanobot-centered Viable alternative

BENEFITS

- Preserves the existing nanobot worker and channel loop

COSTS

- MAMA OS daemon features must be demoted or disabled
- More custom integration around MAMA connectors and state
- Two full daemons remain an unacceptable composition

Decision rule

Choose MAMA-centered unless nanobot proves a capability MAMA cannot provide. If nanobot is retained, run it behind the bounded worker contract—not as a peer coordinator.

**Prove the
circuit.
Then add
the worker.**

THE MAMA-CENTERED DECISION

**Make MAMA OS the only daemon,
and keep nanobot behind a bounded
task boundary.**

MAMA OS owns the runtime

Intake, scheduling, transaction identity,
policy, leases, review, retries, and delivery.

Obsidian owns the durable record

Human-readable Markdown is projected
through a controlled, attributable write path.

MAMA core owns operational memory

Structured memories, scopes, provenance,
graph, truth projection, and fast recall.

Nanobot owns one worker step

It receives scoped context and returns a
typed result; it creates no untracked side
effect.

**First acceptance
test**

Email → MAMA intake → scoped recall → nanobot task →
validated MAMA memory → Obsidian projection → idempotent
response, with duplicate and restart tests passing.