Adding Variables with `mutate()`

Let’s dissect some code...

"Select the name and grade of students who attended more than 2 classes and scored higher on the post assessment than the pre assessment."

```
student_df %>%
 filter(
   Post.Assessment.Score > Pre.Assessment.Score &
   (
     Week.1.Attendance +
     Week.2.Attendance +
     Week.3.Attendance +
     Week.4.Attendance +
     Week.5.Attendance
   ) > 2
 ) %>%
 select(Name, Grade)
```

What if we had a variable representing total attendance?

Use `mutate()` to create new columns in your tibble



Let’s dissect some code…

"Select the name and grade of students who attended more than 2 classes and scored higher on the post assessment than the pre assessment."

```
student_df %>%
  mutate(
    Total_Attendance = (
      Week.1.Attendance +
      Week.2.Attendance +
      Week.3.Attendance +
      Week.4.Attendance +
      Week.5.Attendance
    )
  ) %>%
  filter(
    Post.Assessment.Score > Pre.Assessment.Score &
    Total_Attendance > 2
  ) %>%
  select(Name, Grade)
```

`mutate()`

Create new column based on old columns.

Demo

`mutate()`

Create a column representing total attendance.

Knowledge Check

mutate

PollEv.com/
albertlee033

True or False:

You can change existing columns with `mutate()`.

Knowledge Check

mutate

PollEv.com/
albertlee033

True or False:

You can change existing columns with `mutate()`.

You can use `mutate()` to modify existing columns or create new columns.

University of California
San Francisco