


Grammar of Graphics

We will be using the **ggplot2** package (within the Tidyverse) to create data visualizations.

It's an implementation of the **Grammar of Graphics**, which is a way to describe elements of a plot.

Exercise

Which of the code blocks generated the plot on the left?



PollEv.com/
albertlee033

a)

```
penguins %>%  
  ggplot() +  
    geom_point(  
      mapping = aes(x =  
        bill_length_mm,  
                     y = bill_depth_mm)  
    )
```

b)


```
penguins %>%  
  ggplot() +  
    geom_histogram(  
      mapping = aes(x =  
        bill_length_mm),  
    )
```

Exercise

Which of the code blocks generated the plot on the left?



PollEv.com/
albertlee033



a)

```
penguins %>%  
  ggplot() +  
    geom_point(  
      mapping = aes(x =  
        bill_length_mm,  
                     y = bill_depth_mm)  
    )
```

b)

```
penguins %>%  
  ggplot() +  
    geom_histogram(  
      mapping = aes(x =  
        bill_length_mm),  
    )
```

Demo

ggplot2

In this demo, we will:

Create visualizations using ggplot2.

You shouldn't try to memorize every R function.

You shouldn't try to memorize every R visualization.

Look up the visualization you need on the [**R Graph Gallery**](#).



University of California
San Francisco