

Matrices

Matrices

Stores 2-D values.

```
matrix(  
  c(80, 90, 85, 85, 90, 90, 85, 100),  
  nrow = 4,  
  ncol = 2  
)
```

```
column_1 <- c(80, 90, 85, 85)  
column_2 <- c(90, 90, 85, 100)  
  
cbind(column_1, column_2)
```

Matrices

Indexing is similar to vectors, but you index both rows and columns.

```
grades[  
  grades > 85  
]
```

	[, 1]	[, 2]
[1,]	80	90
[2,]	90	90
[3,]	85	85
[4,]	85	100

Matrices

Indexing is similar to vectors, but you index both rows and columns.

```
grades[  
  3:4,  
  1  
]
```

	[, 1]	[, 2]
[1,]	80	90
[2,]	90	90
[3,]	85	85
[4,]	85	100

Matrices

Indexing is similar to vectors, but you index both rows and columns.

```
grades[  
    grades[, 1] >= 85,  
    2  
]
```

	[, 1]	[, 2]
[1,]	80	90
[2,]	90	90
[3,]	85	85
[4,]	85	100

Demo

Matrices

In this demo, we will:

Index matrices

Knowledge Check

Matrices

Which of the following code snippets outputs the following:

```
[1] 90 100
```

a)

```
grades[c(1, 4), ]
```

b)

```
grades[c(1, 4), 2]
```

c)

```
grades[c(2, 4), 2]
```

	[, 1]	[, 2]
[1,]	80	90
[2,]	90	90
[3,]	85	85
[4,]	85	100

Knowledge Check

Matrices

Which of the following code snippets outputs the following:

[1] 90 100

a)

```
grades[c(1, 4), ]
```

b)

```
grades[c(1, 4), 2]
```

c)

```
grades[c(2, 4), 2]
```

	[, 1]	[, 2]
[1,]	80	90
[2,]	90	90
[3,]	85	85
[4,]	85	100



University of California
San Francisco