

## Pentest —

#MSN-57892726 · Workflow: pentest · Cible: — · Durée: 7m 39s

## // PARAMÈTRES DE LA MISSION

| Paramètre    | Valeur                                                                               |
|--------------|--------------------------------------------------------------------------------------|
| dictionnaire | C:\Users\alber\Documents\Informatique\CERBER\Argos\data\ressources\fuzz_wordlist.txt |
| domaine      | 10.105.1.69                                                                          |
| permutation  | False                                                                                |
| severity     | MEDIUM                                                                               |
| cible        | Sup de vinci                                                                         |

## // SCAN D'IDENTITÉ — SPIDERFOOT

```
[
{
  "type": "Human Name",
  "source": "Sup de vinci",
  "data": "Sup de vinci",
  "module": "SpiderFoot UI",
  "timestamp": 1781005518
},
{
  "type": "Username",
  "source": "Sup de vinci",
  "data": "supdevinci",
  "module": "sfp_accounts",
  "timestamp": 1781005644
},
{
  "type": "Username",
  "source": "Sup de vinci",
  "data": "sup.de.vinci",
  "module": "sfp_accounts",
  "timestamp": 1781005644
},
{
  "type": "Public Code Repository",
  "source": "supdevinci",
  "data": "Name: supdevinci\nURL: https://github.com/Aghabache/supdevinci\nDescription: Pour le cours git",
  "module": "sfp_github",
  "timestamp": 1781005646
},
{
  "type": "Account on External Site",
  "source": "supdevinci",
  "data": "Arduino (Project Hub) (C
```

## // NMAP SCAN — NMAP

| Port | Proto | Service      | Produit                       | Version |
|------|-------|--------------|-------------------------------|---------|
| 135  | TCP   | msrpc        | Microsoft Windows RPC         | —       |
| 139  | TCP   | netbios-ssn  | Microsoft Windows netbios-ssn | —       |
| 445  | TCP   | microsoft-ds | —                             | —       |
| 902  | TCP   | vmware-auth  | VMware Authentication Daemon  | 1.10    |
| 3000 | TCP   | http         | Node.js Express framework     | —       |
| 3306 | TCP   | mysql        | MySQL                         | —       |

## // SCAN DES VULNÉRABILITÉS — VULNERABILITY LOOKUP

```
[
{
  "cve_id": "CVE-2005-3059",
  "service": "msrpc",
  "product": "Microsoft Windows RPC",
  "version": "",
  "severity": "HIGH",
  "score": 10.0,
  "description": "Multiple unspecified vulnerabilities in Opera 8.50 on Linux and Windows have unknown impact and attack vectors, related ...",
  "cpe": "cpe:2.3:o:microsoft:windows:-:*:*:*:*:*:*"
},
{
  "cve_id": "CVE-2005-1274",
  "service": "mysql",
  "product": "MySQL",
  "version": "",
  "severity": "HIGH",
  "score": 10.0,
  "description": "Stack-based buffer overflow in the getIfHeader function in the WebDAV functionality in MySQL MaxDB before 7.5.00.26 allo...",
  "cpe": "cpe:2.3:a:mysql:maxdb:-:*:*:*:*:*:*"
},
{
  "cve_id": "CVE-2006-4305",
  "service": "mysql",
  "product": "MySQL",
```

## // SCAN DES SOUS DOMAINES — FFUF

```
[
{
  "path": "style",
  "status": 301,
  "size": 155,
  "words": 6,
  "lines": 11,
  "redirect": "/style/",
  "base_url": "http://10.105.1.69:3000"
},
{
  "path": "?wsdl",
  "status": 200,
  "size": 8734,
  "words": 2050,
  "lines": 184,
```

```
"redirect": "",
"base_url": "http://10.105.1.69:3000"
},
{
"path": "shell?/bin/busybox+abcd",
"status": 301,
"size": 173,
"words": 6,
"lines": 11,
"redirect": "/shell/?/bin/busybox+abcd",
"base_url": "http://10.105.1.69:3000"
},
{
"path": "health",
"status": 200,
"size": 41,
"words": 1,
"lines": 1,
"redirect": "",
"base_url": "http://10.105.1.69:3000"
},
{
"path": "?view=log",
"status": 200,
"size": 8734,
"words": 2050,
"lines": 18
```