

STRAVYX

Australia's On-Demand Drone Services Network

Working Demo Runbook (Phase 1A / 2A)

Customer book -> operator accept -> admin economics -> HubSpot lead sync

Stravyx Pty Ltd | 25 Jul 2026 | CONFIDENTIAL | localhost + Supabase

Source: docs/demo-runbook.md. Branch: feature/harness-monorepo. Host: apps/app-web (Next.js) against Supabase project ruzblzcvnayajmnwyjyc (Tokyo). Edge Functions: api + hubspot-sync. Password for all demo users: DemoPass123!

1. What you are demonstrating

Story beat	What the audience should see
Customer books	One Network Price (not Layer 1 / fee split)
Mock pay	Mission booked then dispatched
Operator offer	Suburb + earn only (no full address / network)
First-to-accept	Accept reveals full street address
Status + upload	Flown + media_files upload stub
Admin	Full economics + address
HubSpot	Lead INSERT -> contact + hubspot_contact_id

Architecture: browser -> Supabase Auth + Edge api -> Postgres (RLS + visibility firewall). HubSpot is one-way after lead persist via pg_net trigger -> hubspot-sync.

2. Prerequisites (once)

1. Repo on branch feature/harness-monorepo.
2. From repo root: pnpm install
3. apps/app-web/.env.local with NEXT_PUBLIC_SUPABASE_URL, NEXT_PUBLIC_SUPABASE_ANON_KEY, NEXT_PUBLIC_API_URL=.../functions/v1, and NEXT_PUBLIC_DEMO_ROLE_SWITCH=true (shows Account -> Switch View; set false for JWT-only role shell).
4. Edge secret HUBSPOT_ACCESS_TOKEN set (for HubSpot beat only).
5. Optional: HubSpot portal tab open to show the synced contact.

3. Demo accounts (seeded)

Email	Role	Notes
customer@demo.stravyx.com	customer	Books missions
operator@demo.stravyx.com	operator	Online verified ReOC
admin@demo.stravyx.com	admin	Full economics

Password for all: DemoPass123! Seed: supabase/seed/demo_users.sql (idempotent).

4. Start the app

From monorepo root:

```
pnpm dev:app
```

Open http://localhost:3000. Login should pre-fill customer demo credentials.

Health check (if book fails)

curl the Edge health endpoint: GET .../functions/v1/api/health with apikey + Authorization Bearer anon. Expect ok:true, service stravix-api.

5. Five-minute script (two browsers recommended)

Use two browser profiles (or Chrome + Incognito) so customer and operator sessions do not clash.

Beat A - Customer books (Browser 1)

1. Open localhost:3000; sign in as customer@demo.stravix.com / DemoPass123!
2. Start a booking; pick a service (e.g. aerial photography -> category aerial_photo).
3. Enter Sydney address, e.g. 1 Martin Place, Sydney NSW 2000.
4. Urgency STANDARD, duration 60 minutes -> Network Price should be \$250.
5. On Review, confirm label is Network Price (not a client-side x1.4 Total).
6. Confirm Booking (mock pay). Mission should reach dispatched (online ReOC fan-out).

Talk track: customer only sees Network Price. Flight fee, Layer 2, and operator earn are not in the customer API payload.

Beat B - Operator accepts (Browser 2)

1. Second profile: sign in as operator@demo.stravix.com / DemoPass123!
2. Offer board: suburb + earn only; no full address / network / L2.
3. Accept -> full address appears (1 Martin Place...).
4. Begin/allocate -> allocated (UI may say in progress).
5. Mark complete/flown -> flown; upload stub written to media_files.

Talk track: first-to-accept is DB-enforced (unique accepted offer per mission).

Beat C - Admin economics

- Option 1: Account -> Switch View -> Admin (if DEMO_ROLE_SWITCH=true).
- Option 2: Sign in as admin@demo.stravix.com.
- Confirm network, flight fee, L2, operator earn, platform fee, and full address.

Talk track: admin is the only surface that combines money + address - the visibility firewall.

Beat D - HubSpot lead path (optional)

1. INSERT into contact_leads (or any of the five lead tables).
2. Trigger hubspot_sync_on_insert calls Edge hubspot-sync via pg_net.
3. Row hubspot_contact_id fills within seconds; HubSpot contact has stravix_lead_table / stravix_lead_id.

Talk track: CRM is never SoT for missions or pricing - one-way after Postgres persist.

6. Single-browser shortcut

1. Keep NEXT_PUBLIC_DEMO_ROLE_SWITCH=true.
2. Login as customer -> book.
3. Switch View -> Operator -> accept + complete.
4. Switch View -> Admin -> show economics.

This flag is a demo affordance only. Production builds should keep it false so JWT app_metadata.role alone drives the shell.

7. Success checklist

- Customer login with seeded password
- Review shows Network Price only
- Create mission dispatches offer to online ReOC
- Operator list suburb + earn only before accept
- Accept reveals full address
- Status flown + media stub exists
- Admin sees full split + address
- (Optional) Lead -> HubSpot contact id written

8. Troubleshooting

Symptom	Likely cause / fix
Sign-in error	Wrong .env.local URL/anon key
Book: Invalid urgency	Confirm grants migration 20260725022000 applied
No operator offers	ReOC must be online+verified; re-book as customer
Accept 409	Already taken - book a new mission
No HubSpot id	Set HUBSPOT_ACCESS_TOKEN; props stravix_lead_* exist
No Switch View	Set DEMO_ROLE_SWITCH=true; restart pnpm dev:app
Stale board	Truncate missions/offers or book fresh

Reset marketplace board (keeps users)

TRUNCATE media_files, payments, mission_status_events, mission_offers, mission_locations, missions RESTART IDENTITY CASCADE;

9. Talking points (30 seconds each)

1. Same contracts later: Edge today; NestJS can replace runtime without rewriting api-client.
2. Money in cents: \$250/hr x equipment x urgency x hours -> integer cents.
3. Visibility firewall: API projectors + RLS, not UI-only hiding.
4. HubSpot boundary: leads land in Postgres first; CRM follows.

10. Out of scope (say so if asked)

- Live payment rail (mock hold only)
- DJI / FlightHub telemetry
- PostGIS eligibility (fan-out = online verified ReOCs)
- Google OAuth
- Live stravix.com forms until Replit Secrets point here
- NestJS / Sydney region migration

11. Quick reference

Item	Value
App	http://localhost:3000
Start	pnpm dev:app
Supabase	https://ruzblzcvnayajmnwyjyc.supabase.co

API	.../functions/v1/api
HubSpot sync	.../functions/v1/hubspot-sync
Password	DemoPass123!
Plan	docs/backend-build-plan.md
Seed	supabase/seed/demo_users.sql
Markdown	docs/demo-runbook.md