

The Alberta Buck - Basket Operations (v1.0)

One Filter Bank, Two Mandates: Commodity Rebalancing and Monetary Operations

Perry Kundert

2026-08-16



The BuckBasket rebalances commodities against each other. It reads a seven-scale filter bank over its pool prices, finds which constituent is rich and which is poor, and moves value between them as excursions turn. The `pairs` engine works in *differential mode* and cancels the common mode deliberately, because "BUCK's own valuation is the K-controller's job".

But a Uniswap tick is a log price, so the MEAN of those legs is BUCK's own valuation – `basketValueInBuck`, the controller's process variable. The signal is already in the filter bank. The basket computes it every cycle and discards it.

This article puts it to work. The same ladder drives two mandates: the differences steer commodity rebalancing, the mean steers *monetary operations*. The basket becomes a market maker in BUCK whose quote skew is set by the controller's error, and whose inventory changes *are* the open market operation.

The purpose is speed. K works, but it works slowly: it acts only through `creditLimit`, and a credit book turns over in months. An attacker with real money can push BUCK off parity faster than K can pull it back. A basket that trades the common mode acts in hours, absorbs the excursion while it is forming, and books the attacker's loss as depositor profit.

In simulation, over nine seeds, an inflation attack's peak excursion falls from 1538bp to 1099bp, the basket books \$604k, and the attacker is worse off in nine runs out of nine. The same machinery LOSES when the move is real rather than an attack, which is the property that makes the rest of it trustworthy.

Getting there required three separate bounds, and each was invisible until the one before it was in place. Without them the basket accumulated half the pool, showed a profit the whole way, and never once raised an alarm – because the act of absorbing suppresses the very signal that would say stop. That sequence is documented here in full, because it is more useful than the result.

Contents

1	The signal is already there	3
2	Why speed matters	3
3	The four quadrants	3
3.1	Q1 and Q3 are repo	4
3.2	Q2 and Q4 are outright	4
4	What produces what	4
5	What it measures	5
6	The constraints, and one of them is a correctness bound	5
6.1	Measure fast enough, or you become the destabilizer	5
6.2	Depositor claims must not be diluted	7
6.3	Reserves are finite and the bound is public	7
6.4	Anti-windup	7
7	Three runaways, each hiding behind the fix for the last	7
7.1	One: the operator suppresses its own alarm	7
7.2	Two: the fix relocated the runaway	8
7.3	Three: only then does the failure test pass honestly	8
8	Implementation	8
8.1	The director gains a second output	8
8.2	The basket gains one keeper entry point	8
8.3	Implementing the agent against the chain simulation	9
8.4	Order of work	11
9	Limitations	11

1 The signal is already there

The **pairs** rebalance engine keeps, for each constituent, a ladder of seven EMAs over the pool tick. A tick is log of the constituent's price *in BUCK*. Write c_i for leg i 's log price. Then

$$\underbrace{c_i - \bar{c}}_{\text{differential}} \quad \text{and} \quad \underbrace{\bar{c} = \frac{1}{N} \sum_i c_i}_{\text{common}}$$

are the two halves of the same reading. The differences say which commodity is rich against which. The mean says what the whole basket costs in BUCK – which is **basketValueInBuck**, the number the PID steers.

The EMA is linear, so this costs nothing:

$$\frac{1}{N} \sum_i \text{EMA}_k(c_i) = \text{EMA}_k\left(\frac{1}{N} \sum_i c_i\right)$$

The common mode at every one of the seven scales is the mean of the per-leg ladders the engine already maintains. No new state, no new reads, no new storage. The basket has been computing BUCK's own mispricing at seven timescales and throwing it away every cycle.

2 Why speed matters

BUCK_K is a sound controller and a slow one. It acts through **creditLimit**, so its only lever is how much new credit-backed BUCK may be issued. A credit book turns over in months. When someone mints a fortune against pledged wealth and spends it, K responds by tightening the tap – and the tap governs a flow that takes quarters to matter.

Meanwhile the attack lands in days.

The BuckBasket is the largest pool of real assets in the system and it can act immediately. It already holds both sides of every pool. Giving it the common-mode signal turns the system's inertia into its fastest actuator:

- **K sets the standing policy.** Slow, structural, and it decides how much BUCK the economy may carry.
- **The basket runs the operations.** Fast, bounded, reversible, and it decides what happens this week.

That is the division a central bank already makes between its policy rate and its open market desk.

3 The four quadrants

Two questions decide the operation. Is BUCK cheap or dear? And has the excursion turned, or is it persisting?

BUCK CHEAP ($\text{bvib} > 1$)	BUCK DEAR ($\text{bvib} < 1$)
basket costs more BUCK	basket costs less BUCK
than it should	than it should

REVERTING the excursion has turned	Q1	ABSORB (temporary) TOKEN-funded bids BELOW the price. Buy the dump; sell it back on recovery. Net supply: unchanged.	Q3	SUPPLY (temporary) BUCK-funded offers ABOVE the price. Sell into the bid; buy back on the return. Net supply: unchanged.
PERSISTENT past the leash for N days	Q2	RETIRE (outright) Burn acquired BUCK against outstanding. Supply FALLS.	Q4	ISSUE (outright) Mint against basket TOKEN and sell. Supply RISES.

3.1 Q1 and Q3 are repo

A concentrated Uniswap V3 range order performs an operation and unwinds it automatically. Place BUCK above the price: as BUCK strengthens the position sells it, and as BUCK returns the position buys it back. The operation reverses itself, and it earns the spread while it waits.

That is what a temporary open market operation is. A central bank uses repo for daily noise precisely because it self-reverses and needs no decision to unwind. The basket gets the same instrument for free from the AMM it already lives in.

Temporary operations are the default. They are cheap to be wrong with.

3.2 Q2 and Q4 are outright

An outright operation changes the size of the balance sheet. Burning BUCK retires it permanently; minting creates it permanently. These are reached only when the temporary operation has been consumed *and* the price has stayed away.

Persistence is measured as a duration, not a velocity. This matters: a short-window velocity changes sign on noise, so a "has it turned" test built on velocity almost never reports "no". In the first version of the model the outright quadrants were unreachable for exactly this reason – supply never moved, and half the mechanism was inert while looking healthy.

The rule is: the deviation exceeds the leash on every one of N consecutive days. Thirty days at 200bp in the model.

4 What produces what

Ordinary commodity dispersion. cbBTC rises against LABR; the basket's weights drift apart; the mean does not move. This is *differential* and it goes to commodity rebalancing exactly as today. No monetary operation, because BUCK is not mispriced – the commodities have moved relative to each other.

A whale mints and spends a fortune. Every pool's BUCK reserve rises together. The differences barely move – the whale sold BUCK, not one commodity – so the rebalancer sees almost nothing. The MEAN moves hard. This is *common* and it is Q1: the basket bids for BUCK below the market with TOKEN it already holds, and buys the dump at a discount.

The whale's position persists. The excursion does not turn. After thirty days past the leash the basket escalates to Q2, burning the BUCK it has accumulated against `totalOutstandingBuck`. Supply falls permanently. The whale must eventually buy BUCK back to retire the credit line that funded the attack – into a market whose float the basket has removed.

Someone wants BUCK badly and bids it up. The mean moves the other way. Q3: the basket offers BUCK above the market from inventory. If the bid persists, Q4 mints against basket TOKEN and sells into it, acquiring real assets with money the market has over-valued.

A genuine revaluation. Commodities really do become worth more BUCK, and stay there. This looks exactly like an attack to the signal, and it is the case the design must lose gracefully. See *When it should lose* below.

5 What it measures

The model is `alberta_buck/sim/monetary_ops.py`. It abstracts the pools to a single price with constant-product impact against depth, mean-reverting at a 120-day timescale, and runs an attacker who sells 6M BUCK over 20 days, holds 60 days, then unwinds – because an inflation attack is funded by drawing credit, and the credit must be retired by buying BUCK back. Costs are 30bp a leg. Operations are bounded at 0.4% of depth per day, outright at 0.2%.

Means over nine seeds, because a single draw proves nothing – the first version of this table was built on one seed and reported the opposite conclusion in the `drift` row:

scenario	peak dev off	peak dev ON	days off 2%	basket P&L	profitable
inflate	1538bp	1099bp	244	+603,772	9/9
squeeze	1366bp	1274bp	208	+491,509	9/9
drift	1141bp	870bp	313	-96,234	2/9
quiet	760bp	509bp	135	+147,392	9/9

The excursion is damped in every scenario, the basket is paid for absorbing it in the three where the move is not real, and it **LOSES** where the move is real. Against the attacker, over nine seeds, operations cost the attacker a further \$256k on the inflation attack and \$295k on the squeeze – worse for the attacker in 9 runs out of 9 in both cases.

6 The constraints, and one of them is a correctness bound

6.1 Measure fast enough, or you become the destabilizer

`basketValueInBuck` is read from the basket’s own pools, so a basket that trades on it moves its own sensor. The obvious guard is to measure on a scale so slow that one bounded operation cannot shift it. That was the first design, measuring on the 160-day EMA.

It made things worse. The excursion peaks at 1645bp on spot but only 712bp on the 160-day average, and that 933bp of attenuation is phase lag. Operations timed off a lagged signal arrive after the spot has turned, so their flow lands pro-cyclically. Peak deviation grew from 1645bp to 2116bp.

They still made money. That is the uncomfortable part, and the central result of this model:

Profitability and stabilization are not the same objective. "The corrective trade is the profitable trade" holds only when the signal is timely. With lag they come apart, and a lagged operator is a profitable destabilizer.

Measured across the ladder, on the inflation scenario:




Figure 1: Four scenarios, with operations off and on. Left: the deviation the market actually experiences. Middle: who pays – the attacker’s mark against the basket’s. Right: BUCK supply, which only the outright quadrants move. The bottom row is the honest failure case.

measure on	peak dev	damping	basket P&L	attacker P&L	supply change
10d	1004bp	-641bp	+623,186	-580,548	-566,628
20d	1074bp	-570bp	+672,384	-622,660	-801,908
40d	1185bp	-460bp	+694,414	-711,547	-623,610
80d	1344bp	-301bp	+746,063	-985,063	+685,152

Two things fall out.

Stabilization and extraction trade off. Acting early damps the excursion, and therefore forecloses the profit that excursion would have paid. The basket cannot both prevent the attack and maximally loot it. This is a policy choice, and it should be made explicitly rather than discovered.

Past roughly 80 days the outright operations invert. The lagged reading still says "dear" long after the market has gone cheap, so an inflation attack is answered by ISSUING more. That is not a preference, it is a correctness bound on the measurement scale.

20d is the knee. Collocation at that scale is handled by the size bound instead: an operation capped at 0.4% of depth per day cannot dominate a 20-day average.

6.2 Depositor claims must not be diluted

A depositor's claim is $\text{redeemBuck} \times \text{NAV} / \text{totalOutstandingBuck}$. BUCK minted for a monetary operation is not backed by a depositor's TOKEN, so folding it into the same counter would dilute every depositor.

Monetary issuance must be tracked as its own liability class. Depositor claims are computed against NAV net of the monetary book.

6.3 Reserves are finite and the bound is public

A convertibility undertaking is only as good as its reserves. The basket's defensive capacity is its NAV, and any bound it publishes will be probed – the 1992 ERM crisis is the standing lesson. Size operations against NAV, and expect the bound to be tested rather than respected.

6.4 Anti-windup

Bounding the operation while K keeps demanding more winds the PID integrator against the bound. Feed the *achieved* action back to the integrator, not the requested one.

7 Three runaways, each hiding behind the fix for the last

The **drift** scenario – a genuine 8% revaluation, no attacker – is the test that matters, because a design which profits in every scenario is not being tested. Building it exposed three separate unbounded behaviours, and each was invisible until the previous one was fixed. This section is the most useful thing in this article.

7.1 One: the operator suppresses its own alarm

Absorbing holds the measured deviation down. That is what absorbing IS. So a persistence test built on that deviation is silenced by the very act it exists to police.

In the drift scenario the basket bought until its BUCK inventory reached **49.9% of pool depth, and still climbing**, having spent essentially its entire TOKEN reserve – and the outright quadrants never once fired, because its own bid held the price inside the leash the whole time.

Worse, it showed a PROFIT throughout, in 7 of 9 seeds. The gain was real volatility harvesting around the prevailing level; the loss was an unrealized mark on a position that could not have been unwound. A P&L that looks healthy while the position becomes the market is the classic shape of a blow-up, and nothing in the price signal reported it.

The fix is to escalate on INVENTORY rather than on price. Inventory is the one signal the operator's own action cannot suppress, because it *is* the operator's own action. If a large position has been absorbed and the price has not come back, the move is real – whatever the price says.

7.2 Two: the fix relocated the runaway

With inventory-based escalation the position limit held – 49.9% of depth fell to 5.3% – and the basket promptly burned **18.65M BUCK, 93% of all supply**, chasing a gap that 8% would have closed. Escalation fired every day and nothing bounded the cumulative balance-sheet change.

The fix is a cumulative bound on outright operations, 10% of supply here. A central bank announces the size of a programme; it does not run the desk until the number comes right.

7.3 Three: only then does the failure test pass honestly

With all three bounds – per-operation size, position limit with inventory-based escalation, and cumulative balance-sheet cap – the drift scenario loses in 7 seeds of 9, and the supply change lands at 1.99M against a 2.0M cap for an 8% revaluation. The right magnitude, in the right direction, and a loss.

The general lesson is worth stating on its own. Each bound was necessary, each was invisible until the previous one was in place, and the system looked healthy and profitable in between. A bounded operator needs bounds on the FLOW, on the POSITION, and on the CUMULATIVE BALANCE SHEET, and they are three different constraints rather than three settings of one.

8 Implementation

8.1 The director gains a second output

RebalanceDirectorBase already caches per-leg ladders and folds them into per-leg efforts. The common mode is the mean of those ladders, so:

```
/// Signed monetary effort, bp of NAV per epoch.  
/// > 0 issue BUCK < 0 retire BUCK  
/// 'outright' distinguishes a balance-sheet change from a range order.  
function monetaryEffort() external view returns (int32 effortBp, bool outright);
```

The computation is a mean over the cached `m[k]` the engine already holds, a deadband, a leash, and a consecutive-day counter. No new per-leg state.

8.2 The basket gains one keeper entry point

`monetaryOperation()`, permissionless and bounded, mirroring the existing `rebalanceSource` / `rebalanceSink` pattern:

1. read `monetaryEffort()`;

2. if not `outright`, place or refresh a concentrated range order on the indicated side, sized by the effort and capped by the per-epoch bound;
3. if `outright`, burn from the monetary book (retire) or mint into it (issue), within the same bound;
4. account to `monetaryOutstanding`, never to `totalOutstandingBuck`.

8.3 Implementing the agent against the chain simulation

Step 2 below is the one to do first, and this section is what it needs. Every item here cost a debugging cycle while building `BuckPoolInvestorAgent` and `BuckIssuerArbAgent`; none of it is visible from the contracts alone.

8.3.1 Where it goes

A `_ProxyAgent` subclass in `alberta_buck/sim/equilibrium_agents.py`, registered with `@register` and added to the `REBALANCING` roster. The base class provides `_bind_proxy`, `_proxy_exec`, `_buy_buck`, `_sell_capped` and `_swap_via_simlp`. The proxy is a `SimLP`, which matters: it can serve the Uniswap V3 mint callback itself, so the agent can hold concentrated positions directly.

8.3.2 Reading the signal

`basketValueInBuck()` off the basket is the spot common mode. The agent keeps its own EMA ladder over `log(bvib)` on the `PairsRebalanceDirector` window geometry (5,10,20,40,80,160,320), measures the level on the 20-day rung, and detects the turn on the 10-day rung. Advance the ladder ONCE per day, before any decision, or the level lags the action by a tick.

8.3.3 The three primitives, and their exact call paths

Range order. The proxy mints directly:

```
d.chain.send(self.proxy.functions.mint(pool, tickLower, tickUpper, L, t0, t1))
```

Exiting takes TWO calls through `exec`, and a burn alone silently strands the capital – `burn` only credits the owed amounts, `collect` moves them:

```
self._proxy_exec(d, pool, pool_c.encode_abi(
    "burn(int24,int24,uint128)", args=[lo, hi, liquidity]))
self._proxy_exec(d, pool, pool_c.encode_abi(
    "collect(address,int24,int24,uint128,uint128)",
    args=[self.proxy.address, lo, hi, 2**128 - 1, 2**128 - 1]))
```

Issue. `Buck.mint(amount)` ACTIVATES coverage against the agent's `BuckCredit`; it does not credit the balance. Spending afterwards is what draws. Two consequences that look like bugs if they are not expected: `BuckCredit.currentValue` returns 0 while `activatedValue` is zero, so an un-activated NFT contributes nothing to `creditLimit` and the agent can hold collateral it cannot spend; and remaining capacity must be read from chain, never tallied in Python, because depreciation moves it underneath any local count. Note the two halves live on DIFFERENT contracts:

```

face = d.credit.functions.depreciatedFaceValue(tid).call()    # BuckCredit
used = d.buck.functions.mintsBacked(tid).call()              # Buck
headroom = max(0, face - used)

```

A Python-side tally of what was activated drifts from the chain within days and presents as "insufficient credit allocation" on most attempts.

Retire. Buy BUCK back so the signed balance climbs toward zero, then burn to release coverage. `Buck.burn(uint256)` or the tokenIds overload.

8.3.4 Units and orientation, which are the two silent killers

`bvib` is BUCK PER BASKET. TOKEN to BUCK multiplies; BUCK to TOKEN divides. Getting this backwards still runs, still trades, and reports plausible numbers – it simply sizes every operation wrongly and marks the book wrong.

`Buck.balanceOf` on a Non-Carrying account is held BUCK PLUS unused credit headroom, so before any draw it already reports `creditLimit` = K x collateral. That is the drawable amount and it is what a position should be sized against. `signedBalanceOf` is the raw balance and does NOT net the demurrage lien, so sizing a transfer off it produces "amount exceeds spendable".

Pool orientation decides which side of the current tick a directional position sits on. The pool price is `token1/token0`, so holding BUCK to sell into a BUCK rally is ABOVE the tick when BUCK is `token0` and BELOW it when BUCK is `token1`. Getting this wrong puts every position on exactly the wrong side and looks like bad luck.

8.3.5 Concentrated liquidity is not full-range liquidity

The seeding formula in `deploy.py` is for full-range positions. Reusing it for a narrow band under-sizes by the ratio of the widths – 20 to 30x at 300 to 600bp – which presents as positions placing successfully while most of the capital sits idle. With the price inside the range both legs bind:

$$a_0 = L \frac{\sqrt{B} - \sqrt{P}}{\sqrt{P}\sqrt{B}}, \quad a_1 = L(\sqrt{P} - \sqrt{A}), \quad L = \min(L_0, L_1)$$

A tick is a log price, so a 'bp' move is $\ln(1+x)/\ln(1.0001)$ ticks – 900bp is 862 ticks, not 900. Using bp directly makes a wide range 4% narrower than intended.

8.3.6 Telemetry, or the agent is invisible

Counters written into `ctr` are NOT in the vector unless `snapshot.py` copies them into the frame dict. A counter that is not copied reads 0 forever, and that has produced two separate "the agent is dead" conclusions on this branch about agents that were working. Add the counters to `snapshot.py` in the same commit as the agent, never later.

Report per-agent inventory through `arb_state()`, which the snapshotter collects into `arb2[]`. Aggregate counters hide the failure that matters here: an agent whose position is quietly becoming the market shows healthy totals right up until it cannot exit.

8.3.7 Where each bound is enforced

bound	value	enforced
per-operation	0.4% depth	trade sizing, via <code>_impact_cap</code>
position	10% depth	refuse to add when inventory exceeds it
escalation	5% depth	switch temporary -> outright
cumulative	10% supply	net (minted - burned) across the run
measurement scale	20d rung	never slower than 40d (80d inverts)

8.3.8 Verification checklist

Before trusting any result from it:

1. counters appear in the vector and are non-zero;
2. `arb_state` inventory is bounded and NOT monotonically growing;
3. outright operations fire at all – if Q2/Q4 are zero the mechanism is half inert, which is how this model first behaved;
4. supply moves in the correct direction during an attack, not merely at the end of the run;
5. a run with the agent disabled, same seed, for the baseline;
6. several seeds, because the failure case reversed sign between one seed and nine.

8.4 Order of work

1. The model in this article (done): does the mechanism work, and where does it fail?
2. An *agent* that runs the quadrants against the live chain sim, so the behaviour is observed against real pools and real counterparties before any contract changes. This is deliberately before the contract work: it puts the basket's own sensor outside its own control loop while the dynamics are still being learned.
3. `monetaryEffort()` on the director, with the fuzz treatment the amortization invariant already gets.
4. `monetaryOperation()` on the basket, with the separate liability class.

9 Limitations

- The model abstracts every pool to one price. Real operations act on one TOKEN/BUCK pool at a time and must choose which, which is a routing problem the differential engine already solves and this model does not exercise.
- Attack sizing is a single shape: 6M over 20 days, held, then unwound. A patient attacker who bleeds size in over months is a different problem and is not tested here.
- The reversion timescale is assumed, not fitted. The basket's real reversion rate should come from the same OU fit that the rebalance article proposes for its deadbands.

- Nothing here models the interaction between monetary operations and the commodity rebalancer competing for the same pool depth. They share an actuator, and that coupling is unexamined.
- The 1:K position sizing that a real range order needs – placing an exact mix over the current price – is solved in `BuckPoolInvestorAgent` but not reflected in this model, which trades a single abstract price.
- **The parameterization is not converged.** The bounds above are the ones that stopped the runaways this model produced, at the sizes that happened to work; they are not fitted, and no claim is made that they are optimal or even good. The end-of-run supply change also reflects the whole path rather than the attack alone – an inflation attack contracts supply while it runs and expands it again as the attacker unwinds, so the terminal number is not a clean read on the response.