




<https://github.com/albertattard/demo>

Examples



Secure Coding

Write Code. Build Trust. Secure by Design.

Albert Attard

Principal Java Success Consultant

Java Success Consulting Team

September 2026



Who am I?

Who am I?



- Albert Attard
- Born in Malta (**a long time ago**)
- Passionate Java Developer
- Moved to Köln, Germany, in Oct. 2018
- Joined Oracle in July 2022, as part of the Java Success Consultancy team

Who am I?

Where is Malta?



What do you expect to gain from this session about Secure Coding?

Objectives

- Identify trust boundaries and security weaknesses in Java code
- Demonstrate how unsafe code or configuration can be exploited
- Apply and justify practical mitigations
- Assess tests and scans as evidence, not proof, of security

Mastery takes about 10,000 hours...

Good news: We're not doing all that today.

You are not expected to become an expert after this workshop


but rather to simply identify gaps in your knowledge and begin a conversation

There are no shortcuts!



To find the right solution, experimentation must be affordable enough to do it frequently.

*“If there’s something strange, in your **Java**
code, who you gonna call?”*

Java Success Team!





References



Secure Coding Guidelines for Java SE

Oracle





Secure Coding Standards


Oracle






dev.java

Oracle





inside.java

Oracle



Disclaimer

Disclaimer

- This workshop contains educational examples that may deliberately include insecure code, configurations, credentials, or certificates

Disclaimer

- The material is provided “as is” for demonstration purposes only and must not be used or relied upon in production
- You are responsible for independent review, testing, and security, legal, and compliance validation





Framework

OWASP Top 10:2025



- A widely used awareness document describing the most significant web-application security risks
- We use it as a practical framework to organise this workshop, not as a checklist or proof that an application is secure

OWASP Top 10:2025



A01 Broken Access Control

Demo

broken-object-level-authorization



Demo

url-data-leak



A02 Security Misconfiguration

Demo

`secure-jdbc-mysql`



A03 Software Supply Chain Failures

Demo

owasp-dependency-check

Demo

library-ambiguity

Ao4 Cryptographic Failures

Demo

mitm-http

Demo

client-certs

Demo

mysql-encryption



A05 Injection

Demo

sql-injection



Demo

owasp-java-encoder

Demo

xml-parsing-attack



Ao6 Insecure Design

Demo

input-validation

Demo

api-validation

Demo

limit-check-overflow

Demo

token-bucket

Ao7 Authentication Failures

Demo

jsp-auth

Ao8 Software or Data Integrity Failures

Demo

deser-filter



Demo

serialization-leak



A09 Security Logging and Alerting Failures

Demo

sanitizing-log-output

A10 Mishandling of Exceptional Conditions

Demo

`faulty-exception-handler`



Demo

try-with-resources



Next



Proof of concept

- **Identify** an application
- **Experiment** and compare the results



How can we help

- Ad hoc conversations
- Workshops
- Knowledge Transfer
- Pairing sessions
- Hands-on



We are here to help

You are not alone
Oracle is here to
help



Thank you

Albert Attard

Principal Java Success Consultant


albert.attard@oracle.com



Your feedback is invaluable to us! Please share your thoughts through our [brief survey](#) or by email:

albert.attard@oracle.com.

Thank you for helping us improve!



ORACLE

Our mission is to help people see
data in new ways, discover insights,
unlock endless possibilities.

