

System Specification

Extended Petri net Simulator

Group A

October 21, 2013

Abstract

This document includes the requirements for the Software Engineering 2 project, which consists of an Extended Petri net software system.

Contents

1 Introduction

2 Overall description

3 System Features

3.1 Petri net editor

Author: *Albert*

The Petri net editor is a component that will extend the features provided by the *ePNK*, in order to fulfil the requirements of the project. The extended features include *Input Places* and the definition of links between geometry and animation components.

3.1.1 Functional Requirements

1. The Petri net editor **shall** allow the user to create, edit and delete Places.
2. The Petri net editor **shall** allow the user to create, edit and delete Tokens inside Places.
3. The Petri net editor **shall** allow the user to create, edit and delete Transitions.
4. The Petri net editor **shall** allow the user to create, edit and delete Arcs. An arc **shall** connect a Place to a Transition or vice versa.
5. The Petri net editor **shall** allow the user to define a Geometry label to a Place.
6. The Petri net editor **shall** allow the user to define an Appearance label to a Place.
7. The Petri net editor **shall** allow the user to define an Input Place label to a Place.
8. The Petri net editor **shall** allow the user to define an Animation label to a Place.
9. The Petri net editor **shall** allow the user to save and load a Petri net model.
10. The Petri net editor **shall** create a Petri net file in a format that can be read by the Simulator.
11. It **would be nice** that the Petri net editor allowed the user to undo and redo actions.
12. It **would be nice** that the Petri net editor allowed the user to copy and paste.

3.1.2 Use cases

The features are shown in Figure ??.




Figure 1: Use cases for the Petri net Editor

3.2 Configuration editor

4 Non functional requirements

5 Glossary

GUI Graphical User Interface

Petri net A mathematical and graphical model for the description of distributed systems. It is a directed bipartite graph, in which nodes represent transitions and places. The directed arcs describe which places are pre- and/or postconditions for which transitions. [source wiki]

Synchronization Transition finings are synchronized on the occurrences of external events, such as when animation is finished or user triggers the transition.

Token Petri Net element which moves along the Petri net places through transitions.

Use case A list of steps defining interactions between a role (e.g. “Technical user”), also known as an actor, and a system for achieving a goal. The actor can be a human or an external system

3D Three dimensional.

ePNK Eclipse Petri Net Kernel.