


Final Demo: 01 Aug (Wed)
15:00-15:50, Rm2134

Tutorial 9

Project



Preliminary Scoring Scheme

Task No.	Task	Points
i	Start running after the wall sensor is triggered	2
ii	Straight Line	1
iii	Navigate the 1 st Left Split	1
iv	Gentle Curves I	1
v	Navigate the 2 nd Left Split	1
vi	Gentle Curves II	1
vii	Navigate Right Split	4
viii	Right angle Curves I (finish all 6 right angles)	2
ix	Right angle Curves II (finish all 10 right angles)	3
x	Move Backward from the wall	2
xi	Stop after move backward to the right angle corner	2
xii	Perfect Run (all above, no failed tasks)	3
xiii	Time (finish each trial within 35 seconds)	2
	Total	25

Supplementary documents

- Canvas → Files → Project
 - Project Guide
 - Supplementary

Your car

- You have 2 trials.
- Your task is to gather as many points as possible.
- Touching the Restricted Zones or going out of the track → **FAILURE**
 - Restart from the point where you failed at the cost of (failed) task score & perfect run score.
 - Restart from the very beginning as the 2nd trial

Basic Rules

- Project Rules:

- Rule 1: 4 sensors max
- Rule 2: Use provided Arduino Nano-board;
- Rule 3: All projects only use 1 given breadboard

- Demo Rules:

- Show clearly the group number on the breadboard to your TA.

- After Demo:

- Post-demo Interview

Other Rules

- Both members **MUST** show up during the demo.
- No marks will be given to the one being absent.
- Show up at 15:00-15:50 on Aug 01 (Wed).

Being late may result in a mark penalty

Project Report


- Deadline: **12:00noon** on **Aug 03 (Fri)**
 - Upload to Canvas Assignment “Project Report”
 - Each group: **ONE Report** + **one Arduino sketch**
 - rename the files to your Group number

Warning: Your Arduino code will be examined by a similarity detecting software. **Copying code from others may result in zero mark in your demo & report scores.**

Administrative matters


- You will be able to access the lab room using your student ID card from Jul 20 – Aug 01
- For equipment, ask the TO
 - Allen, eeallen@ust.hk
 - Tel 2358 8535, Extension 8535

NO STEALING




Sequential Logic

- Combinational: $\text{Output} = f(\text{Inputs})$
- Sequential: $\text{Output} = f(\text{Inputs}, \text{Current State})$



Typical Flow

For reference ONLY



- The Logic decides the Next State based on the Inputs.
- The Logic decides the Outputs based on Input and Current State; it also decides the Next State.
- The cycle goes on and on.

Conditional Execution

Review Lecture 07, pages 5-12

- ❖ if ... else ...
- ❖ for
- ❖ while
- ❖ switch
- ❖ break

Coding Environment

- You may choose to use the online IDE (Arduino Web Editor) or download the latest version of the Arduino IDE and set up on your laptop.

<https://www.arduino.cc/>

- You can also use the Arduino IDE on the desktop of your lab (Rm2134) computer.