codility

Check out Codility training tasks

Candidate Report: Anonymous

Test Name:

Summary Timeline

Test Score

68 out of 100 points

68%

Tasks in Test

	Time Spent	Task Score
Triangle Submitted in: Java 8	1 min	68%

TASKS DETAILS

EASY

1. Triangle

Determine whether a triangle can be built from a given set of edges.

Task Score	Correctness	Performance
68%	90%	33%

Task description

An array A consisting of N integers is given. A triplet (P, Q, R) is *triangular* if 0 ≤ P < Q < R < N and:

- A[P] + A[Q] > A[R],
- A[Q] + A[R] > A[P],
- A[R] + A[P] > A[Q].

For example, consider array A such that:

```
A[0] = 10    A[1] = 2    A[2] = 5
A[3] = 1     A[4] = 8    A[5] = 20
```

Triplet (0, 2, 4) is triangular.

Write a function:

```
class Solution { public int solution(int[] A); }
```

that, given an array A consisting of N integers, returns 1 if there exists a triangular triplet for this array and returns 0 otherwise.

For example, given array A such that:

```
A[0] = 10    A[1] = 2    A[2] = 5
A[3] = 1     A[4] = 8    A[5] = 20
```

the function should return 1, as explained above. Given array A such that:

```
A[0] = 10    A[1] = 50    A[2] = 5
A[3] = 1
```

the function should return 0.

Write an **efficient** algorithm for the following assumptions:

- N is an integer within the range [0..100,000];

Solution

Programming language used:	Java 8
Total time used:	1 minutes
Effective time used:	1 minutes
Notes:	*not defined yet*

Task timeline

12:02:52 12:03:44

Code: 12:03:44 UTC, java, final, score: **68**

show code in pop-up

```
1  // you can also use imports, for example:
2  // import java.util.*;
3
4  // you can write to stdout for debugging purposes, e.g.
5  // System.out.println("this is a debug message");
6
7  class Solution {
8      public static int solution(int[] a) {
9                  // System.out.println(a.length);
```

- each element of array A is an integer within the range [−2,147,483,648..2,147,483,647].


```
10
11              if (a.length < 3)
12                      return 0;
13
14              for (int p = 0; p < a.length - 2; p++) {
15                      // System.out.println(p);
16
17                      for (int q = p + 1; q < a.length -
18                              // System.out.println(p +
19
20                              for (int r = q + 1; r < a.
21                                      // System.out.prin
22                                      if (ck(a[p], a[q],
23                                              return 1;
24                              }
25                      }
26              }
27              return 0;
28      }
29
30          public static boolean ck(int ap, int aq, int ar) {
31                  return ap + aq > ar && aq + ar > ap && ar
32          }
33  }
```

Analysis summary

The following issues have been detected: wrong answers, timeout errors.

Analysis

Detected time complexity: **O(N**3)**

expand all	Example tests	
▶	example example, positive answer, length=6	✓ OK
▶	example1 example, answer is zero, length=4	✓ OK
expand all	Correctness tests	
▶	extreme_empty empty sequence	✓ OK
▶	extreme_single 1-element sequence	✓ OK
▶	extreme_two_elems 2-element sequence	✓ OK
▶	extreme_negative1 three equal negative numbers	✓ OK
▶	extreme_arith_overflow1 overflow test, 3 MAXINTs	✗ WRONG ANSWER got 0 expected 1
▶	extreme_arith_overflow2 overflow test, 10 and 2 MININTs	✓ OK
▶	extreme_arith_overflow3 overflow test, 0 and 2 MAXINTs	✓ OK
▶	medium1 chaotic sequence of values from [0..100K], length=30	✓ OK
▶	medium2 chaotic sequence of values from [0..1K], length=50	✓ OK
▶	medium3 chaotic sequence of values from [0..1K],	✓ OK

	length=100	
expand all	Performance tests	
▶	large1 chaotic sequence with values from [0..100K], length=10K	✓ OK
▶	large2 1 followed by an ascending sequence of ~50K elements from [0..100K], length=~50K	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.
▶	large_random chaotic sequence of values from [0..1M], length=100K	✓ OK
▶	large_negative chaotic sequence of negative values from [-1M..-1], length=100K	✗ TIMEOUT ERROR Killed. Hard limit reached: 7.000 sec.
▶	large_negative2 chaotic sequence of negative values from [-10..-1], length=100K	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.
▶	large_negative3 sequence of -1 value, length=100K	✗ TIMEOUT ERROR Killed. Hard limit reached: 6.000 sec.