codility

Candidate Report: Anonymous

Test Name:

Summary Timeline

Test Score

Tasks in Test

50 out of 100 points

50%

PermMissingElem Submitted in: Java 8

16 min

Time Spent

50%

Task Score

TASKS DETAILS

1SY

1. **PermMissingElem**Find the missing element in a given permutation.

Task Score

50%

Correctness

Performance

100% 0%

Task description

An array A consisting of N different integers is given. The array contains integers in the range [1..(N+1)], which means that exactly one element is missing.

Your goal is to find that missing element.

Write a function:

class Solution { public int solution(int[] A); }

that, given an array A, returns the value of the missing element.

For example, given array A such that:

A[0] = 2

A[1] = 3

 $A\lceil 2 \rceil = 1$

A[3] = 5

the function should return 4, as it is the missing element.

Write an efficient algorithm for the following assumptions:

- N is an integer within the range [0..100,000];
- the elements of A are all distinct;
- each element of array A is an integer within the range [1.. (N + 1)].

 $\label{lem:copyright} \begin{tabular}{ll} Copyright 2009-2020 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited. \end{tabular}$

Solution

Programming language used: Java 8

Total time used: 17 minutes

Effective time used: 16 minutes

Notes: not defined yet

Task timeline





10:00:16

Code: 10:00:15 UTC, java, final,
show code in pop-up
score: 50

// you can also use imports, for example:
// import java.util.*;

// you can write to stdout for debugging purposes, e.g.
// System.out.println("this is a debug message");

class Solution {
 public static int max = 10;
 public static boolean[] mem;

```
11
12
             public static int solution(int[] a) {
13
                     mem = new boolean[max + 1];
14
                     if (a.length == 0)
15
                             return 1;
16
                     for (int i = 0; i < a.length; i++) {
17
18
                             mem[a[i]] = true;
19
                     }
20
                     System.out.println(Arrays.toString(a));
21
22
     //
                     System.out.println(Arrays.toString(mem));
23
                     for (int i = 1; i < a.length + 1; i++) {</pre>
                             if (!mem[i])
25
26
                                     return i;
27
                     }
28
29
                     return a.length + 1;
30
             }
31
     }
```

Analysis summary

The following issues have been detected: runtime errors.

Analysis ?

Detected time complexity: O(N ** 2)

expand all	Example tests
example example test	√ OK
expand all	Correctness tests
empty_and_single empty list and single elen	✓ OK ent
missing_first_or_last the first or the last element	
► single single element	√ OK
double two elements	√ OK
simple simple test	√ OK
expand all	Performance tests
► medium1 medium test, length = ~1	X RUNTIME ERROR 0,000 tested program terminated with exit code 1
► medium2 medium test, length = ~1	,000 X RUNTIME ERROR tested program terminated with exit code 1
► large_range range sequence, length =	X RUNTIME ERROR ~100,000 tested program terminated with exit code 1
► large1 large test, length = ~100,	X RUNTIME ERROR tested program terminated with exit code 1
► large2 large test, length = ~100,	X RUNTIME ERROR 100 tested program terminated 10 with exit code 1

PDF version of this report that may be downloaded on top of this site may contain sensitive data including personal information. For security purposes, we recommend you remove it from your system once reviewed.