GET_All Departamentos:


```
GET  /api/departamento  getAll
```

Parameters

Cancel

No parameters

| Execute | Clear |

Responses

Response content type: */*

Curl

```
curl -X GET "http://localhost:8080/api/departamento" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/departamento
```

Server response

| Code | Details |

200

Response body

```
[
  {
    "departamentoID": 1,
    "nome": "Customer Service",
    "dataDeInclusao": "2021-10-26"
  },
  {
    "departamentoID": 2,
    "nome": "Development",
    "dataDeInclusao": "2021-10-26"
  },
  {
    "departamentoID": 3,
    "nome": "Finance",
    "dataDeInclusao": "2021-10-26"
  },
  {
    "departamentoID": 4,
    "nome": "Human Resources",
    "dataDeInclusao": "2021-10-26"
  },
  {
    "departamentoID": 5,
    "nome": "Marketing",
    "dataDeInclusao": "2021-10-26"
  },
  {
    "departamentoID": 6,
    "nome": "Production",
```

Download

GET By DepartamentoId:

```
GET  /api/departamento/{id}  getById
```

Parameters

Cancel

| Name | Description |

id * required
integer($int32) id
(path)

```
2
```

| Execute | Clear |

Responses

Response content type: */*

Curl

```
curl -X GET "http://localhost:8080/api/departamento/2" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/departamento/2
```

Server response

| Code | Details |

200

Response body

```
{
  "departamentoID": 2,
  "nome": "Development",
  "dataDeInclusao": "2021-10-26"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed,27 Oct 2021 18:03:46 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

| Code | Description |

200

POSTDepartamento:

POST /api/departamento post

Parameters

Name	Description
departamento * required	departamento
object
(body)	Edit Value	Model
{
"departamentoID": null,
"nome": "Sales",
"dataDeInclusao": "2021-10-26"
}

Response body

{
  "departamentoID": 10,
  "nome": "Sales",
  "dataDeInclusao": "2021-10-26T00:00:00.000+00:00"
}

PUT Departamento

PUT /api/departamentos put

Parameters

Name	Description
novoDepartamento * required	novoDepartamento
object
(body)	Edit Value	Model
{
"dataDeInclusao": "2021-10-27T18:37:20.950Z",
"departamentoID": 11,
"nome": "teste novo"
}

Response body

{
  "departamentoID": 11,
  "nome": "teste novo",
  "dataDeInclusao": "2021-10-27T18:37:20.950+00:00"
}

DELETE Departamento:

DepartamentosPorFuncionarios:

GET by ID:

GET by FuncionarioID:

GET by DepartamentoID:

POST DepartamentosFuncionarios:

DELETE DepartamentosFuncionarios:

PUT DepartamentosFuncionarios