The Economic Logic of Online Community Management: an Empirical Study

January 29, 2017

Abstract

Online communities are pervasive in many contexts, such as business, politics, expertise sharing and education. We model them as networks of interactions; each network's topology emerges from the pairwise interactions of its members. Almost all online communities are initiated and run by organisations; the latter typically employ professionals, online community managers, to encourage participation and resolve conflicts. We conjecture the role of online community managers is to nudge the (emergent) network's topology towards a state that servers the organisation purposes. Online community managers do this by interacting with users of the community. Though the practice of employing online community managers is pervasive, there is little evidence that their work makes a measurable difference in user behaviour. We devise a test, based on panel data econometrics, to ascertain whether interaction with community managers is likely to make users more active; and implement it on a small online community. We find that, indeed, interaction with online community managers has a positive, strongly significant effect on user activity. We then estimate its marginal effect, and find it is relatively large, but rapidly decreasing in the number of interactions per period.

1 Introduction

Online communities are used to aggregate and process information dispersed across many individuals. Pioneered in the 1980s, they have become more widespread with mass adoption of the Internet, and are now used across many different contexts in business [18, 26], politics and public decision making [22, 21, 8], expertise sharing [22, 28, 25], and education [19]. At the same time as they spread across domains, they did so geographically: for example, they have attracted large numbers of users and large venture capital investments in China [29]. Most online communities lack a central command structure; despite

this, many display remarkably coherent behaviour, and have proven effective at large tasks like writing the largest encyclopedia in human history (Wikipedia), providing an always-on free helpline for software engineering problems (Stack-Overflow), or building, and continuously updating, a detailed map of planet Earth (OpenStreetMap) [25].

Organizations running online communities typically employ community managers, tasked with encouraging participation and resolving conflict: this practice is almost as old as online communities themselves and predates the Internet [22], although it has become much more widespread as Internet access became a mass phenomenon. Though most participants to online communities are unpaid and answer to no one, a small number of them (only one or two in the smaller communities, many more in the larger ones) report to a central command, and carry out its directives. Following the convention of practitioners themselves, we shall henceforth call such directives policies.

Putting in place policies for online communities is costly. Professional community managers need to be recruited, trained and paid; software tools to monitor communities and make their work possible need to be developed and maintained. This raises the question of what benefits organisations running online communities expect from policies; and why they choose certain policies, and not others.

A full investigation of this matter is outside the scope of this paper; however, in what follows we outline and briefly discuss the set of assumptions that underpin our investigation.

- 1. In line with the network science approach to online communities, we model online communities as social networks of interactions across participants.
- 2. We assume that organisations can be modelled as economic agents maximising some objective function. The target variable being maximised can be profit (for online communities run by commercial companies); or welfare (for online communities run by governments or other nonprofit entities); or some combination of the two.
- 3. We assume that the topology of the interaction network characteristic of online communities affects their ability to contribute to the maximisation of the target variable.
- 4. We assume that such organisations choose their policies as follows:
 - Solve their maximisation problem over network topology. This yields a vector of desired network characteristics, where "desired" means that those characteristics define a maximum of the objective function. These solutions will be statements with the form "In order to best meet our ultimate [profit or welfare] goals, the interaction network

in our online community should be in state Θ_D , where Θ is a vector of topology-related parameters".

- Derive a course of action that community managers could take to change the network away from its present state Θ_0 to the desired state Θ_D .
- Encode such course of action in a set of simple instructions for community managers to execute. They call them policies; computer scientists might think of such instructions as algorithms; economists call them mechanisms.

All this implies that the organisation running the online community has tools at its disposal to (attempt to) reach such preferred states of the interaction network. But rarely, if ever, is it explicitly argued that, in fact, it does. Network topology results from the uncoordinated behaviour of all users of the online community. Most of them have joined the community by their own free will, can leave at any time, and can in no way be forced to comply with the organisation's directives. This makes topology an emergent property of the pattern of interaction. For recommendations about "better" states to be meaningful, we need to verify that organisations have the tools to achieve them.

This paper attempts to bridge that gap. To do so, it does not attempt to model the whole chain of decision starting from the maximisation problem. Rather, it focuses on those participants in an online community that *are* answerable to the organisation in charge of it: its online community managers. We conjecture the following:

- 1. Organisations can formulate policies and instruct online community managers to execute them.
- 2. Online community managers execute by communicating with users.
- 3. Communication with online community managers nudges users towards taking the course of action desired by the organisation.

The first two items in this list are assumed to fit into the mechanism design framework. This entails assuming that the organisation in charge of the online community knows both the desired network state Θ_D and the set of behaviours that, were they adopted by the online community's users, would result in it achieving Θ_D . We focus on the final item, which is equivalent to assuming that user behaviour is responsive to communication with online community managers. This assumption is implicit both in the literature and in managerial practice but, to the best of our knowledge, has not yet been tested.

We consider a policy aimed at user activation: it consists of commenting a unit of content authored by a user. The comment could read something like the one below:

"Hello, Alice! That was a very interesting point. It definitely resonates with my own experience in the field. In our community, the people who are most involved in the matter are Bob [link] and Charlie [link]. You might be interested in this post [link] by Bob, where he relates his own experience: if you leave him a comment, I am sure an interesting conversation will ensue."

It is successful if the user becomes active in the current period.

Many online communities take care to do this systematically with new users. As a new participant becomes active (for example by posting her first post, or commenting somebody else's post for the first time), community managers are instructed to leave her a comment that contains (a) friendly, positive feedback and (b) suggestions to engage with other, existing participants that she might have interests in common with¹, perhaps one of the simplest and most common in online community management [22, 25].

In the remainder of the paper, we consider the issue of whether user behaviour does, indeed, respond to activation policies. Organizations running online communities invest considerable resources in them, and user responsiveness is an important parameter in making the decision of how much to spend in this activity as opposed to other, competing ones.

Section 2 briefly examines the literature that we mostly draw upon. Section 3 presents some data from a real-world online community called Edgeryders; then proceeds to specify a model of that community's user behaviour in the presence of activation policies. Section 4 presents the estimation's results. Section 5 discusses them.

2 Literature survey

We are interested in the responsiveness of the behaviour of participants in online communities when policies, aiming to change the topology of the interaction network to a desired state, are enacted by the organisations in charge of the online community itself. This topic finds itself at the intersection of two different strands of academic literature.

The first strand is mainly interested in the determinants of the behaviour of individuals participating in online communities. Many scholars, moving from a psychology or business management background, take the view that individual behaviour in online community both responds to social norms and contributes

¹Katherina Fake, founder of Flickr, a popular website to share photographs, is reported to have deployed the company's employees as the website's first users and the initial core of its community. According to her "We learned you have to greet the first ten thousand users personally". [25]

to shape them. Several attempts have been made to conceptualize this view into testable models ([1], [10], [29]). Such attempts use survey data to estimate structural equation models. The models' parameters quantify the influence of both individual incentives (such as obtaining valued information) and social incentives (such as group norms) in participating in online communities.

The second strand moves from a social network science background, and focuses on the interplay between network topology and user behaviour. The best-known example is probably Ronald Burt's theory of structural holes ([5]), which generalises to any community, both online and offline. There exist several studies dedicated to specific online communities, such as Slashdot ([27]), Java developers forums ([28]) and Linux ports developer forums ([14]). Some authors have attempted to merge these two strands of literature, treating network topology characteristics as variables to incorporate into their structural equation models ([27], [14]).

Authors from both strands agree that some topological characteristics are more conducive than others to the organisation's goals. For example, Burt ([5]) suggests that densely connected clusters of individuals are useful to better focus on goals and targets, whereas less dense networks with some individuals bridging across clusters are more conducive to innovation; Ganley and Lampe ([14]) propose that densely connected clusters of "power users" lead to social tensions and a loss of the egalitarian spirit that makes many online communities attractive; Kim and collaborators ([17]) show that, in some circumstances, a tendency towards communication reciprocity ("intimacy") leads to membership loss and, potentially, network breakdown. Dholakia and collaborators are perhaps clearest in indicating that their findings are relevant to designing and enacting policies:

Understanding the antecedents of social influence is important since it is likely to provide significant managerial guidance regarding how to make virtual communities useful and influential for their participants. ([10], p. 242)

Most authors do not explicitly envision pathways leading from the formulation of a policy to attaining the desired change in network topology, though some point to the relevance of online community managers([10], [27]),[22]). Cottica and collaborators, however, ([9]), have proposed such a pathway for the onboarding policy: online community managers communicate one-to-one with new members of the online community and suggest they initiate communication with existing members, indicating those existing members that seem to match the newcomer's interests best. This paper provides an empirical test that such behaviour does indeed prompt users to interact with each other, underpinning the usefulness and profitability of engaging in online community management activities.

The present paper is also related to the growing mass of literature on the treatment of time in network analysis. Early work in networks, both in mathematics (for example [13]) and in sociology (for example [20]), focused on the topology of static networks. The beginning of the 21st century marked a surge of interest in evolving networks (for example [2] and related work; see [11] for a survey). Scholars sharing this interest investigate the growth paths that produce certain notable topologies often encountered in real-world networks. Later still, a literature on dynamic networks developed, interested in dynamical processes that happen in networks, like information diffusion (for example [12]) or epidemics (for example [23]). Many of these studies direct their attention towards the statistical properties of the sequences of event that make up spreading dynamics. Human communication dynamics, they find, turns out to be "bursty", with the timings between communication events deviating significantly from uniform or Poissonian statistics (see [16] for a survey).

Our focus does not lie in the dynamics of communication events in online communities. Rather, we wish to establish whether community managers can really influence the behaviour of participants in the online community. The pattern of relationships across the community is likely to have some influence on users' willingness to initiate communication. Since such patterns varies across time, we adopt the stance of representing temporal data as a sequence of static graphs, tracing the evolution of the interaction network. This allows us to treat the topology of the network as a control variable, whose effect on the users likelihood to initiate communication must be kept separate from that of the action of community managers. This technique, while entailing a loss of information, is deemed appropriate when, as is our case, topology is more central to the analysis than time sequence ([24]).

3 Materials and methods

3.1 Data

We consider an online community called Edgeryders, whose members discuss and try to implement various projects connected to social innovation in a decentralized manner. The community is run by a British company, also called Edgeryders, which we cast as the policy maker of the community. The affordances of the online platform that hosts the community and its discussion deeply influence the social dynamics thereof ([15]). Those of Edgeryders are as follows: the discussion is hosted on a web platform based on an open source framework called Drupal 7. Drupal is one of the largest open source projects globally; in this sense, Edgeryders is fairly typical from a technology point of view. It consists of users posting reflections or status reports on their social innovation projects; these are then commented upon by ot her members of the community.




Figure 1: Threaded comments in the Edgeryders online community. Each comment is in turn commentable. This is represented visually by nested indentation: "sibling" comments (comments to the same post or comment) are visualized in chronological order, with the same level of indent. "Children" comments are visualized directly under their "parent", indented with respect to it.

The Edgeryders community website supports what is known in online community parlance as threaded comments: in other words, comments are themselves commentable. Of course, posts are commentable too, so that a comment can be directed either towards a post or towards another comment. Both posting and commenting are restricted to registered users only. This architecture has not changed since inception of Edgeryders in October 2011.

We extracted a snapshot of the database on October 7th 2015. At the time, the community had 2,904 registered users, who had authored 4,062 posts and 18,285 comments. 23 of the users had, at some point in time, reported to the Edgeryders company; we cast them as the online community managers for this particular community.

All events in our dataset (creating accounts, creating posts, creating comments) are timestamped. This allows for the possibility of modelling interaction in the online community dynamically.

3.2 A network model of interaction in online communities

We need to consider carefully how we incorporate dynamics in our model ([16]). We make the following assumptions:

- 1. The duration of interactions is negligible. This means that events can be represented by a contact sequence, i.e. triples (i, j, t) where $i, j \in V$, the set of interactants (represented as vertices in the network) and t denotes time. This is a standard assumption in studies of person-to-person communication online ([16]).
- 2. First-time interaction produces a permanent change in the social relationship between the source and the target of the interaction (the author and the recipient of the comment). All Edgeryders users can be assumed to share some common interests around social innovation, that motivated them to join Edgeryders. When they interact directly, however, they begin to unpack and specify such common interests, and they (often explicitly) signal interest in each other's activities. This produces a shift in the nature of the relationship between the interacting, which becomes one of actual, as opposed to potential, interaction. Mathematically, this translates into representing interaction by a network whose edges do not decay.
- 3. Subsequent interaction also carry social significance. They have the effect of further strengthening the relationship between the two interactants. The strength of the relationship increases monotonically with the number of interactions recorded. The effect of all interactions after the first one, too, is permanent. Mathematically, this translates into representing interaction by a weighted network.

We then proceeded to build a social network of the interactions within the community as follows:

- 1. Users that have posted at least one post or one comment are included as nodes in the network.
- 2. We interpret each comment as one interaction event. Whenever a comment is posted, an edge is induced. The new edge's source node is the node associated to the author of the comment. The new edge's target node is the node associated to the author of the post or comment being commented.
- 3. If an edge with the same source and target already exist, we do not add a new one, but rather increase the edge's weight by one.
- 4. If the source and target of the edge are the same, the edge is discarded.

5. The sequence of timestamped interaction events allows us to model interaction in Edgeryders as an evolving network. We divide the observation period in one week-long intervals, and consider users to be acting on the basis of the interaction network that they find themselves in at that period. In other words, we do not attempt to model explicitly the entire sequence of interactions; rather, we assume that all agents make simultaneous decisions on who to interact with at the beginning of each time period, and that those decisions are based on the snapshot of the network at the beginning of said period. This means we are following the tradition of literature on evolving networks ([11]) rather than that of temporal networks ([16]). This reflects our preoccupation with topological aspects over temporal ones. We claim the choice is justified under the terms suggested by Holme and Saramaki ([16]) ².

This process results in a sequence of 212 networks, each one a step on the growth path of the interaction network in Edgeryders. At the end of week 1 the network had only 6 nodes and 1 edge; at the end of week 212 it had 789 nodes and 4,861 edges.

3.3 Model

We model user activity in an online community as a function of three groups of variables:

$$A_{i,t} = f(NN_{i,t}, EN_{i,t}, GN_t) \tag{1}$$

Where:

- $A_{i,t}$ denotes the activity of user i at time t, defined as the number of posts plus the number of comments authored by user i during the period.
- $NN_{i,t}$ denotes a vector of non-network variables associated with user i at time t. These include writing a post or a comment; receiving a comment from a community manager; receiving a comment from another user who is not a community manager; the total number of posts and comments written by other users users $A_{j,t}, j \neq i$; and i's experience as a user of Edgeryders, as measured by the number of weeks elapsed since she joined the community. The week of joining can predate the week in which the user writes her first post or comment.

^{2&}quot; [...] a contact sequence that is fairly well modeled by a weighted graph with the assumption that contact times are random, with a frequency proportional to the edge weight"




Figure 2: Growth of the number of nodes (top) and edges (bottom) in the Edgeryders interaction network.

- $EN_{i,t}$ denotes a vector of variables pertaining to the user's ego network at time t. These include her own in-degree (the number of users linking to her); her out-degree (the number of users she links to); her betweenness centrality (the fraction of shortest paths across any two users $j, k \neq i$ that i finds herself on); her PageRank (the probability that a random walker across the network would end up at this particular node³; and her clustering coefficient (the fraction of i's neighbours that are also neighbours to each other).
- $GN_{i,t}$ denotes a vector of variables pertaining to the global network at time t. These include the total number of nodes; the total number of edges; the average degree; and the network's Louvain modularity⁴.

3.4 Estimation

We estimate the behaviour of a binary variable $A_{i,t}$ that takes value 1 if user i engages actively in interaction (i.e. writes a post or a comment at time t), and 0 otherwise. We make use of a logit model:

$$PR(A_{i,t} = 1|X_{i,t}) = \frac{e^{X_{i,t}\beta}}{1 + e^{X_{i,t}\beta}}$$
(2)

Where $X_{i,t}$ is a vector of observed explanatory variables; β is a vector of parameters.

An advantage of the logit model is that its coefficient lend themselves to being interpreted in terms of marginal effects on the log-odds ratio ([6]). We rewrite equation 2 as

$$ln\frac{Pr(A_{i,t}=1)}{1 - Pr(A_{i,t}=1)} = X_{i,t}\beta$$
(3)

Next, we proceed to estimating equation 3 with fixed effects on the 766 Edgery-ders users who have no moderator or site administrator role. To do this, we drop the 23 users that have such roles. We add to the right hand-side c_i , an unobserved time-invariant effect specific to user i; this is intended to get rid

 $^{^3\}mathrm{PageRank}$ was originally developed as a measure of network centrality for the World Wide Web ([4]).

⁴The modularity of a network is a measure of how much it differs from an Erdos-Renyi random network with the same degree distribution. Values close to 0 indicate it is indistinguishable from a random network; values close to -1 or 1 indicate structure ([7]). Measuring modularity is computationally hard; it is customary to use algorithms to compute an approximate value. Of these, the Louvain algorithm is the most widely used in the literature for its attractive computational efficiency [3].

of the bias introduced by different individuals having a different propensity to participate in the online conversation, as this is likely to be correlated with some of the regressors⁵. We also add $u_{i,t}$, a residual error term, with mean zero and uncorrelated with right-hand side variables. We take care to employ lagged variables when failure to do so might cause endogeneity issues.

$$ln\frac{Pr(A_{i,t}=1)}{1 - Pr(A_{i,t}=1)} = X_{i,t}\beta + c_i + u_{i,t}$$
(4)

3.5 Software stack

Primary data from the Edgeryders database were obtained using a Drupal plugin called Views JSON. We used a modified version of an application software called Edgesense⁶ to build a network representation of the interaction in Edgeryders. We then enriched the data so obtained with non-network metrics computed directly from the primary data, and exported the results in tabular form. Such results were then imported into Stata for estimation.

Code and data are available at the following address: (redacted to guarantee author's anonymity).

4 Results

4.1 Hypotheses

We wish to test the following hypotheses.

Hypothesis 1 The number of comments a user receives from community managers has no influence on her probability to be active.

The organisations running online communities wish for their users to do certain things, most of which imply being active in the community itself: writing posts and comments. They cannot order them to do so, since users are not on the payroll and remain unanswerable to those organisations. Online community managers are then tasked to prompt users into action without using either monetary incentives or command power. That leaves interaction as the main

 $^{^5}$ For example, it is possible that "chattier" individuals might end up with higher in- and -out degrees, higher network centrality, and so on.

⁶https://github.com/Wikitalia/edgesense. Modifications added support for computing some extra network metrics, like the clustering coefficient.

tool online community managers have at their disposal. Rejecting Hypothesis 1 would imply that users do, in fact, respond to cues from online community managers.

We expect Hypothesis 1 to be falsified by data. Moreover, we expect that the coefficient on the number of comments received by the user from community managers, besides being statistically different from zero, is positive. Denote said coefficient by β_{cmrec} , and the related variable by x_{cmrec} . Check that:

$$\frac{\partial Pr(A=1|x)}{\partial x_{cmrec}} > 0 \Rightarrow \frac{\partial LOR}{\partial x_{cmrec}} > 0 \tag{5}$$

where LOR denotes the logarithm of the log-odds ratio as per equation 4. Since x_{cmrec} enters equation 3 linearly, equation 5 implies that:

$$\frac{\partial LOR}{\partial x_{cmrec}} > 0 \Rightarrow \beta_{cmrec} > 0 \tag{6}$$

Hypothesis 2 Receiving comments from community managers has the same effect on the probability to be active than receiving comments from users that are not community managers.

Online community managers are professionals. They are likely to have better communication skills than the average user, and they certainly have stronger incentives to craft their interaction modes so as to drive users to being more active in the online community. We therefore expect, on average, the effect of incoming communication from online community manager to have a larger positive effect on the probability of becoming active than that of incoming communication from other users. Therefore, we expect Hypothesis 2 to be falsified by the data.

Hypothesis 3 Receiving an additional comment from a community manager has a large effect on the probability that a user becomes active.

The number of comments authored by online community manager is the main policy variable in Edgeryders and other online communities like it. Employing community managers would not make economic sense if their impact on the level of activity in the community was not large enough. Hypothesis 3 is more restrictive than Hypothesis 1, as it implies that the policy variable, the number of comments received from community manager, has a marginal effect that is not only statistically distinguishable from zero, but also sizeable. For example, if targeting users with a comment only increased their probability of being active by a few percent, many businesses running online communities would probably reconsider their decision to hire a community manager.

4.2 Regression

Table 1 summarizes the estimation's results.

Variable	Coefficient	(Std. Err.)
n. comments received from community managers	1.250**	(0.053)
n. comments received from other users	0.215^{**}	(0.037)
n. comments and posts written by ego (lagged)	0.126^{\dagger}	(0.066)
weeks since creating the account	-0.011^{\dagger}	(0.006)
n. of posts and comments written by users excluding ego	0.037^{**}	(0.004)
n. of posts and comments written by community managers	0.001	(0.006)
user out-degree (lagged)	0.028*	(0.013)
user in-degree (lagged)	-0.003	(0.013)
user betweenness centrality	-107.870**	(20.778)
user pagerank (lagged)	-5.592	(14.610)
user clustering coefficient	-0.654**	(0.195)
network average distance	-4.156*	(2.007)
network average betweenness centrality at $t-1$	-9.260	(209.212)
network Louvain modularity	8.379**	(2.520)
n. nodes	-0.001	(0.004)
n. edges	0.000	(0.001)

^{**= 1%} significant; *= 5% significant; \dagger = 10% significant.

Table 1: Estimation results for the dependent variable $A_{i,t}$

The coefficients on the first two variables are positive and highly significant (p < 0.001). This supports the conventional wisdom that users of online communities tend to engage with each other: when made the object of comments, they are more likely to become active than when they are not. By implication, our Hypothesis 1 must be rejected.

To test Hypothesis 2, we start by noting that the coefficient on the number of comments received from community managers is larger than that on the number of comments received from other (non-community managers) users. We next run a Wald test on the null hypothesis that the coefficients on our first two variables are identical. The null is strongly rejected (p < 0.0001). This, in turn, means we have no support for Hypothesis 2.

Ideally, we would like that to support the alternative hypothesis that the difference between the coefficient on the number of comments received by the user from community managers and the coefficient on the number of comments received by other (non-community managers) users be positive. Wald tests, being one-tailed, cannot do that. However, we can deduce the non-negativity of such difference from the signs and values of the estimated coefficients and our functional form in equation 4. Formally, denote the coefficient on the number of comments received by other (non-community managers) users by β_{urec} , and the

related variable by x_{urec} . Since the transformation from probability to odds is monotonic, we have:

$$\frac{\partial Pr(A=1|x)}{\partial x_{cmrec}} > \frac{\partial Pr(A=1|x)}{\partial x_{urec}} \Rightarrow \frac{\partial LOR}{\partial x_{cmrec}} > \frac{\partial LOR}{\partial x_{urec}}$$
 (7)

Applying again equation 4, and remembering that both x_{cmrec} and x_{urec} enter it linearly, we have:

$$\frac{\partial LOR}{\partial x_{cmrec}} > \frac{\partial LOR}{\partial x_{urec}} \Rightarrow \beta_{cmrec} > \beta_{urec} \Rightarrow \beta_{cmrec} - \beta_{urec} > 0$$
 (8)

So, the difference $\beta_{cmrec} - \beta_{urec}$ cannot be negative. Since we have strongly rejected that it be zero, it follows that it must be strictly positive. The activation effect of receiving comments from online community managers is thus significantly greater than that of receiving comments from ordinary users.

4.3 Marginal effects

Regression analysis shows that the activity of community managers does indeed have a positive impact on the probability that the users they engage will become active. This, however, does not tell us how large that impact is. Since online community management is costly, this is likely to be a question of some relevance to an organisation trying to make a decision to invest in it. Coefficient estimates are a poor indicator of marginal effects, because the logit model we employ here is not linear. The relationship between the linear prediction (as defined by the sum of each coefficient multiplied by the regressor it refers to, and assuming the fixed effects are zero) and the probability that the dependent variable is equal to 1 follows a logistic curve (figure 3). An increase in the number of comments received by community managers has a small effect for small or large values of $x\beta$. When $x\beta$ is between -5 and 5, however, the probability that the user becomes active increases quickly as community managers engage more with the user.

Table 2 shows a point estimate the marginal effect of comments from the two sources (online community managers vs. other users) on the probability that a user will become active. Neither is significant. This turns out to be an artefact of the computation: the size of the marginal effect is computed fixing the value of regressors at their mean. The means of the variables in question are low. In the average period, the average Edgeryders user received 0.08 comments from online community managers and 0.09 comments from other users. This is consistent with what we know about patterns of human communication, which is sparse and bursty ([16]).




Figure 3: Predicted probability of Edgeryders users to become active as the linear prediction $x\beta$ based on number of comments received by community managers and other users increases.

Variable	dy/dx	Std.Err.	P > z
n. comments from community managers	.0000959	.0004127	0.816
n. comments from other users	.0000165	.000071	0.816

Table 2: Marginal effects of the number of comments received by a user (both from community managers and from other users) on the probability of that user to become active. The estimates are computed under the assumption that regressors be fixed at their means.

A more intuitive approach is to estimate the elasticities of the probability of becoming active with respect to the number of comments received from each source. These are shown in table 3. They are both highly significant. In absolute terms, they are both small, but quite different. Receiving an extra comment by a community manager increases the probability that a user will become active by 10%; but receiving one from another user will increase it by less than 2%.

Variable	ey/ex	Std.Err.	P > z
n. comments from community managers	.1024245**	.0043113	0.000
n. comments from other users	.01882**	.0032799	0.000

Table 3: Elasticities of the probability that a user becomes active with respect to the number of comments received from community managers and from other users. The estimates are computed under the assumption that regressors be fixed at their means.

Significant elasticities do not, per se, guarantee that the action of community managers will produce a large marginal effect in the online communities, unless the extra action (the differential increase in the regressor) is applied in a region of the distribution where the probability of the user being active is already reasonably high. We therefore turn to computing the marginal effect of the number of comments received from moderators on the probability that a user becomes active. Before we can proceed, however, we need an adjustment. In the model estimated so far, the mean of the predicted probability of a positive outcome (defined as the user being active in the period) does not coincide with the proportion of users actually active across the dataset (table 4).

Variable	Obs	Mean	Std. Dev.
\overline{prob}	84262	.0023325	.0410453
active	84262	.0181577	.1335221

Table 4: Descriptive statistics for the probability of users to become active as predicted by the model (prob) and users actually being active (active).

This is caused by fact that the mean of the fixed effects c_i is nonzero. To correct this, we need to add to the model a constant α such that:

$$\frac{e^{mean(X_{i,t}\beta)+\alpha}}{1+e^{mean(X_{i,t}\beta)+\alpha}} = \frac{\sum_{i=1}^{N} \sum_{t=1}^{T} active_{i,t}}{NT}$$
(9)

In equation 9, $active_{i,t}$ takes value 1 if user i is active at period t, and 0 otherwise; the $x_{i,t}\beta$ are the ones already estimated. The corrected model's linear predictions are unbiased, allowing us to compute marginal effects correctly. The right-hand side of equation 9 is identical to the mean of the variable active in table 4. Replacing the appropriate values from table 4 yields:

$$\frac{e^{-9.52+\alpha}}{1+e^{-9.52+\alpha}} = 0.18\tag{10}$$

$$\alpha \simeq 8$$
 (11)

We can now replace equation 11 in to equation 9 and proceed to estimate its marginal effects. Start by noting that, differentiating the right-hand side of 9 with respect to X yields:

$$\frac{\partial Pr(A=1|X)}{\partial X} = \beta \frac{e^{X\beta + \alpha}}{(1 + e^{X\beta + \alpha})^2}$$
 (12)

Replace the point estimates for β_{cmrec} , β_{urec} and α to yield marginal effects of receiving one additional comments from, respectively, community managers and other users on the probability of being active in the period:

$$\frac{\partial Pr(A=1|X)}{\partial x_{cmrec}} = \beta_{cmrec} \frac{e^{\beta_{cmrec} + \alpha}}{(1 + e^{x_{cmrec}\beta_{cmrec} + \alpha})^2}$$
(13)

$$\frac{\partial Pr(A=1|X)}{\partial x_{urec}} = \beta_{urec} \frac{e^{\beta_{urec} + \alpha}}{(1 + e^{x_{urec}\beta_{urec} + \alpha})^2}$$
(14)

Equations 13 and 14 allow us to "drill down" into the information contained in Table 2 and study the marginal effects of receiving one additional comment after the same user has already received zero, one or more comments. To do so, we compute, for each observation and for both x_{cmrec} and x_{urec} , the estimate of the marginal effect on the probability of the user being active. These are obtained plugging the observed regressor values, the computed value of α and the point estimates of the coefficient values into, respectively, equations 13 and 14. We then repeat the procedure to compute the marginal effect of receiving comments from fellow participants in the Edgeryders community who are not online community managers.

Plotting the frequency density of the two marginal effects shows that the comments of community managers have a greater activating marginal effect than those of non-community managers (Figure 4).

Marginal effects of regressors depend obviously on the values of regressors themselves. Receiving comments has generally decreasing returns on the probability of users becoming active. Fixing the value of all other regressors at their respective means and computing the marginal effects of both x_{cmrec} and x_{urec} as the number of comments received by users increase, we obtain the graph of Figure 5.




Figure 4: Frequency density of the marginal effect on the probability of being active of receiving a comment from online community managers and from other users in Edgeryders. Computed using point estimates for coefficient and observed values of regressors.

The marginal effect of xcmrec is initially high (close to 0.3), but then decreases monotonically and quickly. That of xurec starts at a much lower level (about 0.05), rises slightly to reach a maximum for xurec = 2, and then it decreases much more slowly.

This finding, illustrated by Figure 5 and Table 5, indicates support for Hypothesis 3, but only for low levels of x_{cmrec} .

Let's take a closer look, starting with the marginal effect of online community managers first. Tabulating the results according to the number of of comments received in each period by users, we derive Table 5. For users that have received no comments, the mass of the observations obtains for marginal probability values in or close to the 0.2-0.3 range. As the number of comments increases, predicted marginal probabilities decrease and quickly become indistinguishable from zero.

Table 5 has an interesting implication. The first and second comments any user receives are those with the highest (over .2) marginal effect on her activation in each period. Yet, community managers in Edgeryders write more than two comments to the same user in a relatively high number of instances. Of the 84,262 observations in our dataset, 2,617 are those for which the user received at least one comment from online community managers. Over a third (929) saw the user receiving three or more comments, having no predicted marginal

		Marginal probability of user being active				
		X is at the observed value for each observation				
N. comments		0 - 0.1	0.1 - 0.2	0.2 - 0.3	over 0.3	Total
	mean	.06	.15	.26	.31	.23
0	SE	.02	.03	.03	.00	.07
	N	5,748	$15,\!303$	41,028	$19,\!566$	81,645
	mean	.04	.14	.25	.31	.15
1	SE	.03	.03	.03	.00	.10
	N	438	308	362	111	1,219
	mean	.03	.14	.25	.31	.07
2	SE	.03	. 03	.03	.00	.08
	N	340	91	32	6	469
	mean	.02	.14	. 25	.31	.04
3	SE	.02	.03	.00	.07	
	N	223	8	13	2	246
	mean	.01	.12	.25	.31	.04
4	SE	.02	.01	.03	.00	.07
	N	135	4	5	2	146
	mean	.01	.15	.25	.31	.03
5 to 10	SE	.02	.03	.03	.00	.08
	N	329	13	22	8	372
11 and above	prob	.00	.16	.26	.30	.02
	$^{\mathrm{I}}$ SE	.01	.03	.04	0	.05
	N	154	6	4	1	165
Total	mean	.05	.16	.26	.31	.23
	SE	.03	.03	.03	.00	.08
	N	7,367	15,733	$41,\!466$	$19,\!696$	84,262

Table 5: Distribution of the observations according to the marginal effect of the user being active in the period with respect to receiving an extra comment from a community manager, and to the number of comments received in the same period. All other regressors enter the prediction function at the value observed for each observation.




Figure 5: Marginal effect on the probability of being active of receiving a comment from online community managers and from other users in Edgeryders. Computed using point estimates for coefficient and mean values of regressors.

effect on user activity in the period. We interpret these extra comments as exchanges, with community managers and users commenting (presumably) the same content within the same time period. This is not necessarily ineffective behaviour: online community managers might be driven by purposes other than activation, for example helping to give users a good experience of the community.

We now turn to the marginal effect on the probability of being active of comments written by users who are not online community managers. Table 6 is less informative than Table 5, given that the predicted marginal effect of x_{urec} is smaller and more clustered around a single value than that of x_{cmrec} . Still, we do observe that the predicted marginal effect of the former is greater than .05 about one third of the times when $x_{urec} = 0$. As x_{urec} increases, this proportion decreases, as does the average marginal effect.

5 Discussion

The existence of professional online community managers is predicated on their work solving some optimisation problem for organisations running the online community themselves. Their ability to do so rests ultimately on the influence they can exert on the other participants in the online community. Given the pervasiveness of online community management as a profession, it is perhaps

		Marginal probability of user being active			
		X is at the observed value for each observation			
N. comments		0 - 0.05	0.05 - 0.1	Total	
	mean	.03	.05	.04	
0	SE	.01	.00	.01	
	N	56,183	25,716	81,899	
	mean	.02	.05	.03	
1	SE	.02	.00	.02	
	N	871	192	1,063	
	mean	.02	.08	.02	
2	SE	.02	.00	.02	
	N	425	47	472	
3	mean	.01	.05	.01	
	SE	.01	.00	.02	
	N	235	13	248	
	mean	.01	.05	.01	
4	SE	.01	.00	.02	
	N	136	8	144	
	mean	.01	.05	.01	
5 to 10	SE	.01	.00	.01	
	N	309	14	323	
11 and above	prob	•	.00		
	SE	.01		.01	
	N	113	0	113	
	mean	.03	.05	.04	
Total	SE	.01	.00	.01	
	N	58,272	25,990	84262	

Table 6: Distribution of the observations according to the marginal effect of the user being active in the period with respect to receiving an extra comment from a non-community manager, and to the number of comments received in the same period. All other regressors enter the prediction function at the value observed for each observation.

surprising that this influence is generally simply assumed to be there: we have been unable to find explicit empirical tests that this assumption is correct. In this paper, we devise an econometric test for it, and implement it on one online community, called Edgeryders, that explicitly relies on community management as a way to get more, better engagement from its members. We find that interaction with online community managers is associated with a measurably higher probability of users in the online community becoming active.

We also find that interaction with other (non-community managers) users also increases a user's probability of becoming active; but that this increase is significantly smaller than that associated with the interaction with online community managers. We interpret this as the signature of of the latter's professional skills.

Our data lend some support to those authors who claim that the topology of the interaction network in online communities influences user behaviour. The probability of a user becoming active depends on some ego network variables (clustering coefficient and betweenness centrality, negatively for both variables) and one global network variable (Louvain modularity, positively) in statistically significant ways. Furthermore, incoming communication is effective in prompting additional (outgoing) communication. This is consistent with the "bursty" nature of human communication described in section ??.

Extant work by Cottica and collaborators ([9]) assumes that online community managers can influence the behaviour of other users. They make use of a scalar parameter representing the effectiveness of the community management policy ("onboarding effectiveness"), represented as the increase in probability that users would become active conditional to receiving a communication from one of the community managers. They make no attempt to provide a plausible value for that probability, letting it vary between 0 and 1. The policy considered there is the same as that considered here, except that in [9] it targets only newcomers to the online community.

If we are prepared to assume that the propensity to respond to receiving comments to one's content does not change after one's very first contribution to an online community, we can use the data in this paper to attempt a quantification of the onboarding effectiveness parameter. In Edgeryders, the value of the policy effectiveness parameter could be estimated at starting in the 0.2 to 0.3 range, rapidly decreasing as the number of comments received increases. We also computed the marginal effect of receiving comments from users who are not online community managers, and that can be used as an estimate for the second parameter used in [9] ("community responsiveness"). We found it to be starting around 0.05, slowly decreasing as the number of comments received increases.

References

- [1] Arthur Armstrong and John Hagel. The real value of online communities. Knowledge and communities, pages 85–95, 2000.
- [2] Albert-László Barabási and Réka Albert. Emergence of scaling in random networks. *science*, 286(5439):509–512, 1999.
- [3] Vincent D Blondel, Jean-Loup Guillaume, Renaud Lambiotte, and Etienne Lefebvre. Fast unfolding of communities in large networks. *Journal of Statistical Mechanics: Theory and Experiment*, 2008(10):P10008, 2008.
- [4] Sergey Brin and Lawrence Page. Reprint of: The anatomy of a large-scale hypertextual web search engine. *Computer networks*, 56(18):3825–3833, 2012.
- [5] Ronald S Burt. Brokerage and closure: An introduction to social capital. OUP Oxford, 2005.
- [6] A Colin Cameron and Pravin K Trivedi. *Microeconometrics: methods and applications*. Cambridge university press, 2005.
- [7] Aaron Clauset, Mark EJ Newman, and Cristopher Moore. Finding community structure in very large networks. *Physical review E*, 70(6):066111, 2004.
- [8] Alberto Cottica. Wikicrazia: l'azione di governo al tempo della rete: capirla, progettarla, viverla da protagonista. Navarra, 2010.
- [9] Alberto Cottica, Guy Melançon, and Benjamin Renoust. Online community management as social network design: testing for the signature of management activities in online communities. Studies in computational intelligence, 693:41–54, 2016.
- [10] Utpal M Dholakia, Richard P Bagozzi, and Lisa Klein Pearo. A social influence model of consumer participation in network-and small-groupbased virtual communities. *International journal of research in marketing*, 21(3):241–263, 2004.
- [11] Sergey N. Dorogovtsev and Jose F.F. Mendes. Evolution of networks. *Advances in physics*, 51(4):1079–1187, 2002.
- [12] Jean-Pierre Eckmann, Elisha Moses, and Danilo Sergi. Entropy of dialogues creates coherent structures in e-mail traffic. *Proceedings of the National Academy of Sciences of the United States of America*, 101(40):14333–14337, 2004.
- [13] P ERDdS and A R&WI. On random graphs i. *Publ. Math. Debrecen*, 6:290–297, 1959.

- [14] Dale Ganley and Cliff Lampe. The ties that bind: Social network principles in online communities. *Decision Support Systems*, 47(3):266–274, 2009.
- [15] Nathan O Hodas and Kristina Lerman. The simple rules of social contagion. Scientific reports, 4, 2014.
- [16] Petter Holme and Jari Saramäki. Temporal networks. *Physics reports*, 519(3):97–125, 2012.
- [17] Kibum Kim, Woo Seong Jo, and Beom Jun Kim. Group intimacy and network formation. In 2015 11th International Conference on Signal-Image Technology & Internet-Based Systems (SITIS), pages 366–370. IEEE, 2015.
- [18] Gil McWilliam. Building stronger brands through online communities. Sloan management review, 41(3), 2012.
- [19] Colin Milligan, Allison Littlejohn, and Anoush Margaryan. Patterns of engagement in connectivist moocs. *MERLOT Journal of Online Learning and Teaching*, 9(2), 2013.
- [20] Jacob L Moreno. Sociometry in relation to other social sciences. Sociometry, 1(1/2):206-219, 1937.
- [21] Beth Simone Simone Noveck. Wiki government: how technology can make government better, democracy stronger, and citizens more powerful. Brookings Institution Press, 2009.
- [22] Howard Rheingold. The virtual community: Homesteading on the electronic frontier. MIT press, 1993.
- [23] Luis EC Rocha, Fredrik Liljeros, and Petter Holme. Simulated epidemics in an empirical spatiotemporal network of 50,185 sexual contacts. PLoS Comput Biol, 7(3):e1001109, 2011.
- [24] Martin Rosvall and Carl T Bergstrom. Mapping change in large networks. *PloS one*, 5(1):e8694, 2010.
- [25] Clay Shirky. Here comes everybody: The power of organizing without organizations. Penguin, 2008.
- [26] Don Tapscott and Anthony D. Williams. Wikinomics: How mass collaboration changes everything. Penguin, 2008.
- [27] Sergio L Toral, M Rocío Martínez-Torres, Federico Barrero, and Francisco Cortés. An empirical study of the driving forces behind online communities. Internet Research, 19(4):378–392, 2009.
- [28] Jun Zhang, Mark S Ackerman, and Lada Adamic. Expertise networks in online communities: structure and algorithms. In *Proceedings of the 16th* international conference on World Wide Web, pages 221–230. ACM, 2007.

[29] Tao Zhou. Understanding online community user participation: a social influence perspective. *Internet Research*, 2011.