



Technical report

Alberto Gálvez Aguado

Contents

01	Executive summary	07	Implementation and quality
02	Context and problem	08	Deployment and operations
03	Objectives and scope	09	Current result
04	Product design	10	Evolution 2026/2027
05	Technical architecture	11	Conclusions
06	Security and privacy	12	References and technical documentation

Executive summary

Convive integrates the reporting channel and professional work in one product, with separate host responsibilities for the public website and the application.

Purpose and responsibility

The code implements account-free intake and authorised professional work. The public deployment illustrates both journeys without persisting visitor input and with a read-only professional area.

Core domain rule

A report does not establish that bullying has occurred and does not activate a protocol automatically. The school team makes and records that decision.

Technical profile

- STATUS
- Non-persistent public demonstration
- DATA
- Exclusively fictional
- SCOPE
- Separate public and application hosts
- CONTRACT
- OpenAPI 3.1 · /api/v1

TABLE 01 Implemented decisions and source

DECISION	TECHNICAL CONSEQUENCE	EVIDENCE
Report distinct from case	Explicit conversion after assessment	ReportTriageDecision.php
Server-side authority	Active professional, membership, assignment and exact permission	AuthoriseCaseAccess.php
Fictional data	Runtime seed guards	SeedFictionalDemoCommand.php

Context and problem

The problem is not only receiving information: it is also preserving context, coordinating responsibility and recording why each decision is made.

Problem origin

A person who observes a situation may fear exposure, retaliation or disbelief. Once the report arrives, the school may have to coordinate email, paper, conversations and spreadsheets, risking loss of context and traceability.

01 Barrier to reporting

Reduces friction without promising absolute anonymity.

02 Barrier to response

Information organises professional work; it must never decide by itself.

TABLE 02 Domain-record separation

ASPECT	REPORT	CASE
Purpose	Raise a concern	Manage professional work
Origin	Account-free public channel	Authorised assessment
Content	Initial narrative and evidence	People, tasks, measures and audit
Outcome	Awaiting assessment	Documented follow-up and closure

Only an explicit and reasoned professional assessment may link a report to a case.

03

Objectives and scope

Scope is expressed as traceability between objective, implementation, evidence and the human or operational boundary.

TABLE 03 Scope and evidence matrix

ID	OBJECTIVE	IMPLEMENTATION	EVIDENCE	BOUNDARY
O-01	Report without an account	/r/:publicReportingIdentifier	app.routes.ts	No promise of absolute anonymity
O-02	Follow up with a secret	Opaque capability scoped to one report	VerifyReportAccessControllerTest.php	Does not create a professional session
O-03	Assess reports	Professional API and triage decision	ProfessionalReportControllerTest.php	No automated bullying determination
O-04	Manage cases	Tasks, people, evidence and audit	ProfessionalCaseControllerTest.php	No implicit admin case access
O-05	Apply territorial sources	Document, authority and version retained	ProfessionalCaseControllerTest.php	No invented deadlines or decisions
O-06	Operate reproducibly	Release, rollback and encrypted recovery	controlled-release-workflow.md	Exclusively fictional data

NOTE

The operational contract and flows are implemented and tested; public demonstration mode blocks their mutations and exposes non-persistent or read-only fictional journeys.

04

Product design

The design separates two journeys with different expectations and connects them through explicit domain actions.

PUBLIC DEMO · NON-PERSISTENT

- 01
- 02
- 03
- Reach the school
- Describe and review
- Local fictional receipt




Figure 1. Public mobile form; the school and fictional status remain visible.

PROFESSIONAL DEMO · READ-ONLY

- 01
- 02
- 03
- Explore reports
- Inspect cases
- Review follow-up





Figure 2. Professional detail with status, tasks, team, evidence, activity and decision.

Operational flows are implemented and tested; the public deployment exposes a non-persistent simulation and read-only fictional professional sessions. Authority remains in Symfony.

Technical architecture

The system uses a modular monolith: Angular presents the interface, Symfony owns contract, rules and authorisation, and state dependencies remain isolated behind the backend.



Structural decisions

01 Versioned API

JSON under /api/v1, OpenAPI 3.1 and Problem Details errors.

02 Controlled persistence

Doctrine ORM/DBAL and versioned migrations; the client never accesses data.

03 Separate credentials

Professional session and anonymous capability are not interchangeable.

04 Private attachments

Quarantine, fail-closed scan and
Symphony-mediated retrieval.

05 Isolated ingress

Platform Caddy is the VPS's only public listener.

Figure 3. Logical architecture and authority boundaries.

Authority

Every protected operation revalidates session or capability, organisation and exact permission in Symfony.

Security and privacy

Security relies on separate credentials, server-side authorisation and private storage. Public demonstration mode blocks mutations; this scheme documents the implemented and tested operational contract.



Figure 4. Credential and data flow; no credential is elevated into another.

TABLE 04 Credential controls

CONTEXT	CREDENTIAL AND STORAGE	EFFECTIVE AUTHORISATION	SOURCE
Reporter follow-up	__Host-report_access cookie; hash in PostgreSQL	One report; server-side expiry and revocation	ADR-0008
Professional	PostgreSQL session; __Host-professional_session cookie	Identity; each operation rechecks membership, role and exact-case assignment where applicable	access-control-matrix.md
Operations	Root-only secrets outside Git	One specific service; never reaches the browser	vendor-and-access-governance.md

Implementation and quality

Verification is organised by risk and layer. Every control has a mechanism and maintained source; this evidence is not replaced by a repository-wide coverage percentage.




Figure 5. Verification chain from source code to operations.

TABLE 05 Verification matrix

CONTROL	MECHANISM	VERIFIABLE SOURCE
Static analysis	PHPStan level 8, lint and dependency review	.github/workflows/ci.yaml
Persistence and permissions	PHPUnit with isolated PostgreSQL and negative cases	apps/api/tests/
HTTP contract	Generated OpenAPI diff and route coverage	docs/api/openapi.yaml
Interface	Vitest, rendering, semantics and safe errors	docs/testing/strategy.md
Critical journey	Playwright without retries in an ephemeral project	public-reporting.spec.ts
Operations	Smoke test, rollback and encrypted restore	deployment-release-and-rollback.md

Accessibility: automated semantic and keyboard checks exist. Cognitive and screen-reader review remains a manual 2026/2027 verification; no WCAG certification is claimed.

Deployment and operations

The demonstration runs as an isolated project on a shared VPS. Platform Caddy is the only public listener; networks, volumes and secrets remain scoped to Convive.



Figure 6. Deployment topology, networks and persistent state.

Release sequence

- 01

Preflight

CI, digests, secrets, capacity and recent backup.
- 02

Prepare

Migrations and healthy services without publishing route.
- 03

Route

Validate and reload platform Caddy only.
- 04

Verify

Internal and public-hostname smoke tests.
- 05

Rollback

Previous generation or restore according to migration.

Recovery

	backup-and-recovery.md development-log.md
REPOSITORY	Restic encrypted to private EU R2
EXERCISE	Isolated restore without revived sessions
RETENTION	14 daily / 8 weekly / 12 monthly
TARGETS	RPO 24 h / RTO 4 h

Current result

The result is a public demonstration consistent with the architecture, security and operations described in this report.

TABLE 06 Public state and evidence

CAPABILITY	VERIFIED STATE	REPOSITORY SOURCE
Publication	Public website and application live over HTTPS	README.md
Reporter channel	Non-persistent journey and read-only fictional example	public-reporting.spec.ts
Professional area	Read-only demonstration session with prepared fictional cases	professional-case-detail.spec.ts
Public coverage	6 published locales and 19 territorial jurisdictions	README.md
Operations	Controlled release, rollback and encrypted recovery	controlled-release-workflow.md




Figure 7. Published public website with explicit separation from the application.




Figure 8. Professional case list for the fictional demonstration.

Evolution 2026/2027

The documented horizon spans 2026/2027. These directions are candidates; their order and timing depend on validation and a traceable issue-level decision.

TABLE 07 2026/2027 candidates

CANDIDATE DIRECTION	TECHNICAL WORK	PROPOSED VALIDATION
Cognitive accessibility	Review language, reading load and critical states.	Cognitive review record
Screen readers	Manual journeys through critical tasks.	Manual journey and barrier matrix
Reporter follow-up	Clearer messages and states inside secure access.	Content and exposure tests
Sources and languages	Versioned territorial maintenance and qualified review.	Source, authority, version and language review

Decision gates

Live prioritisation: issue #71

Real data

Outside the current scope: controller/DPO, DPIA, legal basis, privacy, identity/MFA, security, operations and safeguarding.

Automation

Outside the current scope: new impact assessment and explicit human control.

Analytics

Outside the current scope: demonstrated purpose, minimisation and a privacy decision.

Offline

Outside the current scope: a new threat, privacy and synchronisation model.

Conclusions

Convive closes this stage as a complete, verifiable and deliberately bounded technical demonstration.

Technical result

The product connects the public channel to professional work over a coherent domain and versioned HTTP contract.

Assurances reached

Credentials remain separate, authorisation is server-side, attachments are private and recovery has been exercised outside the VPS.

Condition for evolution

The architecture, versioned contract, tests and runbooks provide controlled change points. Any real use requires new legal, privacy, identity and operational decisions.

Closure criteria

DOMAIN

Explicit separation

Report, assessment and case

SECURITY

Verified boundary

Access and evidence isolated

OPERATIONS

Documented closure

Release, rollback and recovery

TABLE 08 Closure state

SCOPE	READINESS	CONDITION
Fictional demonstration	Live and verified	Maintain CI, operations and recovery
Real data	Not authorised	Close controller/DPO, DPIA, legal, privacy and security gates
Next validation	Candidate	Not yet prioritised: cognitive accessibility and screen readers

Closure keeps the fictional-data, human-authorisation and controlled-operation boundaries in force.

References and technical documentation

This report summarises versioned documentation. The repository, migrations, OpenAPI contract and executable system remain authoritative.

TABLE 09 Source register

AUDITED REVISION 8dc1b12e

REF.	DOCUMENT	PURPOSE	LOCATION
R-01	README	Status, hosts, languages and territories	README.md
R-02	Product scope	Users and boundaries	docs/discovery/product-scope.md
R-03	Architecture	Components and responsibilities	docs/architecture/README.md
R-04	ADR decisions	Decisions and alternatives	docs/architecture/decisions/README.md
R-05	API contract	HTTP operations and schemas	docs/api/openapi.yaml
R-06	Access map	Hosts, routes and entries	docs/access-map.md
R-07	Access matrix	Roles, assignments and actions	docs/architecture/access-control-matrix.md
R-08	Threat model	Risks and controls	docs/security/threat-model.md
R-09	Privacy register	Data, purpose and retention	docs/security/privacy-engineering-register.md
R-10	Demonstration mode	Public block and bounded seed	docs/operations/fictional-demo-data.md
R-11	Test strategy	Layers and responsibilities	docs/testing/strategy.md
R-12	Release and rollback	Preparation, routing and reversal	docs/operations/deployment-release-and-rollback.md
R-13	Backup and recovery	Policy, retention, RPO and RTO	docs/operations/backup-and-recovery.md
R-14	Development log	Off-host recovery evidence	docs/development-log.md
R-15	Product captures	Fictional visual evidence	docs/product/screenshots/

REPOSITORY <https://github.com/albertogalvez-dev/Convive>

PUBLIC WEBSITE <https://conviveaula.com>

APPLICATION <https://app.conviveaula.com>

ROADMAP <https://github.com/albertogalvez-dev/Convive/issues/71>