SAP HR Cheat Sheet

H4S4 on SAP S/4HANA 2025 FPS02 · SuccessFactors 2H 2026 (2611) · AI-generated summary — verify against help.sap.com · see the SAP HR pages for details

LANDSCAPE

Options

SAP ERP HCM (classic); SAP HCM for SAP S/4HANA (H4S4), separate license, active by default from 2025; SuccessFactors Employee Central; Employee Central Payroll.

Dates SAP published

Business Suite 7 mainstream maintenance to end of 2027, optional extended to end of 2030; S/4HANA commitment to end of 2040. No H4S4 end date stated.

Core hybrid

Employee Central holds core HR; H4S4 runs payroll or time management. Replication through SAP Cloud Integration (add-on ECS4HCM).

ENTERPRISE AND PERSONNEL STRUCTURE

Enterprise structure

Client > company code > personnel area (4 chars) > personnel subarea (4 chars). Subarea: pay scales, work schedules, holiday calendar.

Personnel structure

Employee group (1 char) > employee subgroup (2 chars: PCR, wage types, work schedule, quotas). Payroll area (2 chars): who is paid together, when.

Stored in

```
Infotype 0001 Organizational Assignment
Example: EX01 / 0001 / 1 / AA / E1
```

ORGANIZATIONAL MANAGEMENT

Object types

```
O organizational unit   S position
C job                   P person
```

Storage

Infotype 1000 Object = HRP1000; infotype 1001 Relationships = HRP1001.

Relationships

```
A003/B003 belongs to / incorporates
A008 holder (S to P)   007 job
012 manages            B002 supervisor
```

Evaluation path

O-S-P follows B002, B003, A008: start object 50000001 gives 9 objects, 50000002 gives 5. Integration switch PLOGI ORGA; report RHINTE30.

INFOTYPES

Key infotypes

```
0000 Actions      0001 Org. Assignment
0002 Personal     0003 Payroll Status
0006 Addresses    0007 Planned Work Time
0008 Basic Pay    0014 Recurring Pay/Ded
0015 Additional Payments
2001 Absences     2002 Attendances
2006 Absence Quotas
```

Time constraints

```
1 exactly one record always
2 at most one, gaps allowed
3 any number    A/B one record only
T by subtype     Z time infotypes
```

Dictionary

PAnnnn table, Pnnnn and PSnnnn structures. Customer range 9000 to 9999, created with PM01.

PERSONNEL ACTIONS

Transactions

```
PA40 personnel actions (hire, move, leave)
PA30 maintain one infotype
PA20 display only
HRFE_MASS_UPDATE mass update
```

Hire flow

PA40, start date, action type Hiring, position; then infotypes of the infogroup 0000, 0001, 0002, 0006, 0007, 0008. Action is recorded in 0000.

Validity

A new record delimits the old one; open end is 31.12.9999. Change after payroll triggers retroactive accounting.

TIME MANAGEMENT AND EVALUATION

Work schedule chain

```
Daily EXDAY 08:00–16:30, break 0.5 h = 8.0
Period EXWEEK Mon–Fri EXDAY = 40.0 h
Rule EXRULE; shifts EXEARLY, EXLATE
```

Time status (0007)

0 no evaluation; 1, 2 actual times; 9 deviations only; 7 no payroll transfer; 8 external staff.

RPTIME00 (PT60)

```
TIP input > TOP output > TES/ZES/SALDO
DZL, ZML > ZL (cluster B2)
IFTYP: S planned  M overtime  A absence
Payroll imports ZL: IMPRT B2
Time types: table T555A
```

PAYROLL PROCESS

Control record (PA03)

```
Exit payroll > Released for payroll
  > run / Check result
  > Released for correction > release again
  > Exit payroll
```

Driver and tools

```
RPCALCx0 or HxxCALC0, RPCALCX0 intl.
PC00_M99_CALC     H99_DISPLAY_PAYRESULT
Test run T, simulation S
Off-cycle: blank, A bonus, B corr., C manual
```

Check result

Result status A current, P previous, O older. Block a person with infotype 0003 to skip the run.

SCHEMAS, PCRS, WAGE TYPES

Schema X000 (subschemas)

```
COPY XIN0 init     COPY XBD0 basic data
COPY XT00 gross    COPY XAP9 add. pay
LPBEG ... LPEND iteration (XDD9, XNA9)
COPY XRR0 retro    COPY XNN0 net
COPY XEND final     * in D = line off
```

Rules and tables

```
PCR X011: ADDWT, VWTCL, GCY subrule
Editors PE01 schema, PE02 rule, PE04
Fields AMT, RTE, NUM; tables WPBP IT RT
CRT BT C0 C1 ORT; secondary /101 /559
```

AUTHORIZATIONS AND FORMS

Authorization objects

```
P_ORGIN INFTY SUBTY AUTHC PERSA PERSG
        PERSK VDSK1
P_ORGXX extended   P_PERNR own number
P_PCLX clusters    PLOG structural
AUTHC: R M W E D S, PSIGN: I include
Switches: T77S0 group AUTSW, ADAYS 15
```

Forms

```
HRFORMS Forms Workplace   PE51 form editor
Report RPCEDTx0, PC00_M99_CEDT
Copy a form to a Z name, then activate
```

HR ABAP AND KEY TRANSACTIONS

Logical database

```
TABLES pernr.   INFOTYPES 0008.
GET pernr (PNP)   GET peras (PNPCE)
PROVIDE * FROM p0008 BETWEEN
  pn-begda AND pn-endda.  ENDPROVIDE.
```

Macros, function modules

```
RP-READ-INFOTYPE   RP_PROVIDE_FROM_LAST
RP_UPDATE   HR_READ_INFOTYPE
HR_INFOTYPE_OPERATION with
BAPI_EMPLOYEE_ENQUEUE / _DEQUEUE
```

Other transactions

```
SU21 objects  PFCG roles  SE37  SE36
PU12 Interface Toolbox
```

SUCCESSFACTORS ODATA API

Entities

```
PerPerson (personIdExternal)
EmpEmployment (personIdExternal, userId)
EmpJob (userId, startDate, seqNumber)
User   navigation: employmentNav, jobInfoNav
```

Effective dating

```
...odata/v2/EmpJob?$filter=userId eq
  '00001234'&asOfDate=2025-06-30
  or fromDate=...&toDate=... (not both)
POST .../odata/v2/upsert (eventReason)
```

Paging

At most 1,000 records a query: $top, $skip, or paging=cursor, paging=snapshot.

RUNNING EXAMPLE

Example Trading Co.

```
Company code EX01, EUR, payroll area E1
00001234 Ana Torres  4,000.00 EUR  AA
00001235 Ben Okoye   2,400.00 EUR  AA
00001236 Chloe Martin 14.00 EUR/h  AB
```

Ana, March 2026 payslip

```
Gross 1000  4,000.00   Social 3000  800.00
Tax 3100  15% of 3,200 = 480.00
Net 2,720.00   Employer 3500  840.00
```