

(Over-)Realism in evolutionary computation: Commentary on “On the Mapping of Genotype to Phenotype in Evolutionary Algorithms” by Peter A. Whigham, Grant Dick, and James Maclaurin

G. Squillero¹ · A. Tonda²

© Springer Science+Business Media New York 2017

Abstract Inspiring metaphors play an important role in the beginning of an investigation, but are less important in a mature research field as the real phenomena involved are understood. Nowadays, in evolutionary computation, biological analogies should be taken into consideration only if they deliver significant advantages.

1 Commentary

It is a truism that natural processes have been great sources of inspiration for computer scientists. To name a few, McCulloch and Pitts’ pioneering model of artificial neural networks (ANN) dates back to the early 1940s [1]; the similarities between natural evolution and learning were pointed out by Turing in 1950 [2], and the whole field of evolutionary computation (EC) is considered by some scholars a direct result of this intuition.

While undeniably useful as starting points, however, inspiring metaphors become less important in mature research fields. For instance, the classical model of neural networks is likely to be biologically incorrect: isolated neurons have recently been shown to possess memory [3], a fact quite inconsistent with the model used in ANNs. Significantly, when last year Vanhoucke introduced Deep Learning in an open, online course sponsored by Google [4], he did not even mention neurons nor axioms. Yet, despite the probable lack of a reliable biological basis, ANNs are

This comment refers to the article available at doi:[10.1007/s10710-017-9288-x](https://doi.org/10.1007/s10710-017-9288-x).

✉ G. Squillero
giovanni.squillero@polito.it

¹ Politecnico di Torino, Torino, Italy

² INRA (Institut National de la Recherche Agronomique), 78850 Thiverval-Grignon, France

experiencing a glorious moment, and are widely regarded as the state of the art for many practical applications.

EC originates from the theory of evolution, but its biological foundations are questionable, if not widely inaccurate. A true environment is missing, and it is usually replaced by its oversimplified effect calculated through the fitness function. In such a situation, the relationship between genotype and phenotype, and fitness, is rather unclear; and Grammatical Evolution (GE) complicates the situation, creating an intermediate representation [5]. Darwin's *principle of divergence* has no correspondence in EC. Genetic operators, selective pressure, mutation rates, and all other parameters are not tweaked evaluating their biological plausibility. And, above all, as also Whigham, Dick, and Maclaurin recall in their paper, evolution is not an optimization process [6, 7].

Evolutionary algorithms (EAs) can be analyzed as mere optimization algorithms performing a stochastic sampling of vast search spaces, followed by random mutation, and recombination that allow to escape local optima. While the originating metaphor is important, what ultimately matters to practitioners is the algorithm's behavior and performance, not how close it is to a natural phenomenon.

Several techniques used by practitioners for solving industrial problems are barefacedly different from biological processes. For instance, memetic algorithms (MAs) [8] combine the exploitative ability of local search and the exploration power of EAs to obtain the best of the two worlds. Although MAs allegedly take inspiration from the field of *memetics*, they are de facto a mix of two effective optimization techniques, with the objective to create an even more powerful method. MAs obtained several important successes in real-world applications, but, when it comes to the metaphor: Are they mimicking cultural information transfer? Are they performing something similar to Lamarckian evolution theory? These questions might not be relevant: the technique works on difficult problems, and this is its ultimate goal.

In their paper, Whigham, Dick, and Maclaurin discuss the philosophical foundations of GE, identifying properties of the algorithm that are in direct conflict with what is considered to be effective for an evolutionary search. However, we are inclined to think that GE cannot benefit from real-world analogies any more. Sterenly's opinions are still extremely interesting when discussing a comprehensive view of evolution, along with the opinions of other scholars who criticized Dawkins' gene-centric approach [9] and his extended phenotypes [10], but they might not be useful to further improve well established EAs.

The recent rise of networking projects such as the European COST Action *Improving Applicability of Nature-Inspired Optimisation by Joining Theory and Practice* (ImAppNIO)¹ shows the need, inside the EC community, to bridge the gap between theoretical analysis of the algorithms and what is used in practice. Sorensen's witty critique on the abuse of metaphors in meta-heuristics [11] could be used as an Occam's razor: biological analogies should be taken into consideration only whether they help bringing significant advantages.

¹ <http://www.cost.eu/COST Actions/ca/CA15140>.

References

1. W.S. McCulloch, W. Pitts, A logical calculus of the ideas immanent in nervous activity. *Bull. Math. Biophys.* **5**(4), 115–133 (1943)
2. A.M. Turing, Computing machinery and intelligence. *Mind* **59**(236), 433–460 (1950)
3. F. Johansson, D.-A. Jireheden, A. Rasmussen, R. Zucca, G. Hesslow, Memory trace and timing mechanism localized to cerebellar purkinje cells. *Proc. Natl. Acad. Sci.* **111**(41), 14 930–14 934 (2014)
4. A. Chakraborty, V. Vanhoucke (2016) Deep Learning—take machine learning to the next level. <https://www.udacity.com/course/deep-learning--ud730>
5. C. Ryan, J. Collins, M.O. Neill, Grammatical evolution: evolving programs for an arbitrary language, in *Lecture Notes in Computer Science*. (Springer Science + Business Media, 1998), pp. 83–96
6. S.J. Gould, R.C. Lewontin, The spandrels of san marco and the panglossian paradigm: a critique of the adaptationist programme. *Proc. R. Soc. Lond. B Biol. Sci.* **205**(1161), 581–598 (1979)
7. J.E. Dupré, *The Latest on the Best: Essays on Evolution and Optimality* (The MIT Press, Cambridge, 1987)
8. P. Moscato et al., On evolution, search, optimization, genetic algorithms and martial arts: towards memetic algorithms. *Caltech Concurr. Computat. Prog. C3P Rep.* **826**, 1989 (1989)
9. R. Dawkins, *The selfish gene* (1976)
10. R. Dawkins, *The Extended Phenotype: The Long Reach of the Gene* (Oxford Paperbacks, Oxford, 1999)
11. K. Sørensen, Metaphors in metaheuristics: a symptom of a deeper ailment? *ACM SIGEVolution* **9**(1), 5–6 (2016)