

SYNTHETIC SCANNED PAGE

Dossier: VET-NEW-LINE-NONAMR-ANT1-0015-Q

Section: m1_application_form

Page: 1

Effect skew_rotation

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 2

Module/Section: Module 1 / m1_cover_letter - Cover Letter

Page Type: searchable_text

Cover Letter for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 3

Module/Section: Module 1 / m1_authorization_letter - Letter of Authorization

Page Type: searchable_text

Letter of Authorization for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC SCANNED PAGE

Dossier: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Section: m1_gmp_certificate

Page: 4

Effect compression_artifacts

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 5

Module/Section: Module 1 / m1_cpp_certificates - CPP / Certificate Documents

Page Type: searchable_text

CPP / Certificate Documents for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 6

Module/Section: Module 1 / m1_product_label - Product Label

Page Type: searchable_text

Product Label for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 7

Module/Section: Module 1 / m1_pil - Patient Information Leaflet

Page Type: searchable_text

Patient Information Leaflet for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflammox Product (antiinflammox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). PIL Section: What this medicine is and what it is used for. PIL Route and Form: Route=subcutaneous; Dosage form=injectable suspension; Strength=50 mg/mL. PIL Instructions: Follow the prescribed dose schedule. Do not exceed recommended dose. PIL Warnings: Do not stop treatment abruptly unless advised by a healthcare professional. Tell your doctor about kidney, liver, or heart conditions before use. Report dizziness, fainting, severe abdominal pain, or persistent vomiting immediately. For veterinary use in cattle, dogs only. PIL Storage: Store below 30C, protect from moisture/light, keep out of reach of children. PIL Adverse Effects: Common effects include gastrointestinal upset and headache; serious effects require urgent review.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 8

Module/Section: Module 1 / m1_pil - Patient Information Leaflet

Page Type: searchable_text

Patient Information Leaflet for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). PIL Section: What this medicine is and what it is used for. PIL Route and Form: Route=subcutaneous; Dosage form=injectable suspension; Strength=50 mg/mL. PIL Instructions: Follow the prescribed dose schedule. Do not exceed recommended dose. PIL Warnings: Do not stop treatment abruptly unless advised by a healthcare professional. Tell your doctor about kidney, liver, or heart conditions before use. Report dizziness, fainting, severe abdominal pain, or persistent vomiting immediately. For veterinary use in cattle, dogs only. PIL Storage: Store below 30C, protect from moisture/light, keep out of reach of children. PIL Adverse Effects: Common effects include gastrointestinal upset and headache; serious effects require urgent review.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 9

Module/Section: Module 1 / m1_smpc - SmPC

Page Type: searchable_text

SmPC for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflammox Product (antiinflammox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). SmPC 4.1 Therapeutic indications: As approved in the application form. SmPC 4.2 Posology and method of administration: Dose by age/weight and clinical condition as approved. SmPC 4.3 Contraindications: Known hypersensitivity to active ingredient or excipients, Severe allergy to related therapeutic class where applicable. SmPC 4.4 Special warnings and precautions: monitor organ function and hypersensitivity risks. SmPC 4.8 Undesirable effects: nausea, diarrhoea, rash, dizziness; serious adverse reactions listed. SmPC 6.4 Special precautions for storage: store according to label and stability commitments.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 10

Module/Section: Module 1 / m1_smpc - SmPC

Page Type: searchable_text

SmPC for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflammox Product (antiinflammox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). SmPC 4.1 Therapeutic indications: As approved in the application form. SmPC 4.2 Posology and method of administration: Dose by age/weight and clinical condition as approved. SmPC 4.3 Contraindications: Known hypersensitivity to active ingredient or excipients, Severe allergy to related therapeutic class where applicable. SmPC 4.4 Special warnings and precautions: monitor organ function and hypersensitivity risks. SmPC 4.8 Undesirable effects: nausea, diarrhoea, rash, dizziness; serious adverse reactions listed. SmPC 6.4 Special precautions for storage: store according to label and stability commitments.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 11

Module/Section: Module 1 / m1_payment_proof - Proof of Payment

Page Type: searchable_text

Proof of Payment for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 12

Module/Section: Module 2 / m2_qos - Quality Overall Summary

Page Type: searchable_text

Quality Overall Summary for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 14

Module/Section: Module 2 / m2_be_summary - Bioequivalence Summary

Page Type: searchable_text

Bioequivalence Summary for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC SCANNED PAGE

Dossier: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Section: m3_drug_substance

Page: 15

Effect skew_rotation

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 16

Module/Section: Module 3 / m3_drug_product - Drug Product Information

Page Type: searchable_text

Drug Product Information for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 17

Module/Section: Module 3 / m3_manufacturing_process - Manufacturing Process

Page Type: searchable_text

Manufacturing Process for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 18

Module/Section: Module 3 / m3_batch_formula - Batch Formula

Page Type: searchable_text

Batch Formula for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 19

Module/Section: Module 3 / m3_specifications - Specifications

Page Type: searchable_text

Specifications for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

Dossier: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Section: m3_analytical_procedures

Page: 20

Effect uneven_brightness

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Section: m3_method_validation

Page: 21

Effect grayscale_photocopy

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 22

Module/Section: Module 3 / m3_coa - Certificate of Analysis

Page Type: searchable_text

Certificate of Analysis for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). CoA Table: Batch Number=BCH-24011; Specification Limits=Conforms; Results=Within limits; Conclusion=Pass; Authorized Signature=Present. Mutation injected: missing_reference_product.

Dossier: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Section: m3_stability

Page: 23

Effect synthetic_signature_shadow

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 24

Module/Section: Module 3 / m3_container_closure - Container Closure System

Page Type: searchable_text

Container Closure System for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 25

Module/Section: Module 4 / m4_nonclinical - Nonclinical Study Reports / Justification

Page Type: searchable_text

Nonclinical Study Reports / Justification for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product:

Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 26

Module/Section: Module 5 / m5_be_or_clinical - Bioequivalence / Clinical Study Reports

Page Type: searchable_text

Bioequivalence / Clinical Study Reports for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product:

Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

Clinical Summary: Endpoint met where applicable; Effect size and safety summary included.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 27

Module/Section: Module 5 / m5_reference_comparator - Reference / Comparator Product Evidence

Page Type: searchable_text

Reference / Comparator Product Evidence for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product:

Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 28

Module/Section: Module 1 / m1_vet_target_species - Target Species and Posology

Page Type: searchable_text

Target Species and Posology for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 29

Module/Section: Module 1 / m1_vet_withdrawal_periods - Withdrawal / Residue Information

Page Type: searchable_text

Withdrawal / Residue Information for dossier VET-NEW-LINE-NONAMR-ANTI-0015. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt). Withdrawal Periods: Meat=28 days; Milk=7 days.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-NEW-LINE-NONAMR-ANTI-0015-Q

Page: 30

Module/Section: Module 1 / m1_vet_user_safety - Veterinary User Safety and Environmental Risk

Page Type: searchable_text

Veterinary User Safety and Environmental Risk for dossier VET-NEW-LINE-NONAMR-ANTI-0015.

Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 718 (Kenya); Manufacturer: Synthetic Manufacturer 38 (Egypt).