

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 1

Module/Section: Module 1 / m1_application_form - Application Form

Page Type: searchable_text

Application Form for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_cover_letter

Page: 2

Effect scanned_table_low_contrast

This artifact is generated for OCR/vision stress testing.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_authorization_letter

Page: 3

Effect grayscale_photocopy

This artifact is generated for OCR/vision stress testing.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_gmp_certificate

Page: 4

Effect skew_rotation

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 5

Module/Section: Module 1 / m1_cpp_certificates - CPP / Certificate Documents

Page Type: searchable_text

CPP / Certificate Documents for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-AVTI-0011

Section: m1_product_label

Page: 6

Effect skew_rotation

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 7

Module/Section: Module 1 / m1_pil - Patient Information Leaflet

Page Type: searchable_text

Patient Information Leaflet for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflammox Product (antiinflammox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India). PIL Section: What this medicine is and what it is used for. PIL Route and Form: Route=subcutaneous; Dosage form=injectable suspension; Strength=50 mg/mL. PIL Instructions: Follow the prescribed dose schedule. Do not exceed recommended dose. PIL Warnings: Do not stop treatment abruptly unless advised by a healthcare professional. Tell your doctor about kidney, liver, or heart conditions before use. Report dizziness, fainting, severe abdominal pain, or persistent vomiting immediately. For veterinary use in cattle, dogs only. PIL Storage: Store below 30C, protect from moisture/light, keep out of reach of children. PIL Adverse Effects: Common effects include gastrointestinal upset and headache; serious effects require urgent review.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 8

Module/Section: Module 1 / m1_pil - Patient Information Leaflet

Page Type: searchable_text

Patient Information Leaflet for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflammox Product (antiinflammox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India). PIL Section: What this medicine is and what it is used for. PIL Route and Form: Route=subcutaneous; Dosage form=injectable suspension; Strength=50 mg/mL. PIL Instructions: Follow the prescribed dose schedule. Do not exceed recommended dose. PIL Warnings: Do not stop treatment abruptly unless advised by a healthcare professional. Tell your doctor about kidney, liver, or heart conditions before use. Report dizziness, fainting, severe abdominal pain, or persistent vomiting immediately. For veterinary use in cattle, dogs only. PIL Storage: Store below 30C, protect from moisture/light, keep out of reach of children. PIL Adverse Effects: Common effects include gastrointestinal upset and headache; serious effects require urgent review.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_smpc

Page: 9

Effect synthetic_signature_shadow

This artifact is generated for OCR/vision stress testing.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_payment_proof

Page: 11

Effect scanned_table_low_contrast

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

DocId: VET-REN-2020-000000-ANTI-0011

Section: m2_ga

Page: 12

Effect: blur_low_resolution

This artifact is generated for OCR/visual stress testing

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m2_clinical_overview

Page: 13

Effect grayscale_photocopy

This artifact is generated for OCR/vision stress testing.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m2_be_summary

Page: 14

Effect grayscale_photocopy

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 15

Module/Section: Module 3 / m3_drug_substance - Drug Substance Information

Page Type: searchable_text

Drug Substance Information for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_drug_product

Page: 16

Effect uneven_brightness

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_manufacturing_process

Page: 17

Effect scanned_table_low_contrast

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_batch_formula

Page: 18

Effect noise_speckles

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMBI-ANTI-0011

Section: ns3_specifications

Page: 19

Effect: faint_stamp_low_resolution

This artifact is generated for OCR/vision stress testing

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_analytical_procedures

Page: 20

Effect noise_speckles

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_method_validation

Page: 21

Effect synthetic_signature_shadow

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_coa

Page: 22

Effect uneven_brightness

This artifact is generated for OCR/vision stress testing.

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_stability

Page: 23

Effect noise_speckles

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m3_container_closure

Page: 24

Effect grayscale_photocopy

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 25

Module/Section: Module 4 / m4_nonclinical - Nonclinical Study Reports / Justification

Page Type: searchable_text

Nonclinical Study Reports / Justification for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product:

Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m5_be_or_clinical

Page: 26

Effect cropped_margin

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 27

Module/Section: Module 5 / m5_reference_comparator - Reference / Comparator Product Evidence

Page Type: searchable_text

Reference / Comparator Product Evidence for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product:

Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous.

Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_renewal_history

Page: 28

Effect uneven_brightness

This artifact is generated for OCR/vision stress testing.

|

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_renewal_declaration

Page: 29

Effect synthetic_signature_shadow

This artifact is generated for OCR/vision stress testing.

■

■

-

-

■

-

■

|

|

|

|

■

■

|

■

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_variation_history

Page: 30

Effect noise_speckles

This artifact is generated for OCR/vision stress testing.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_pv_recall_summary

Page: 31

Effect cropped_margin

This artifact is generated for OCR/vision stress testing.

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 32

Module/Section: Module 1 / m1_vet_target_species - Target Species and Posology

Page Type: searchable_text

Target Species and Posology for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India).

SYNTHETIC PRE-MARKET AUTHORIZATION DOSSIER

Dossier ID: VET-REN-INNOV-NONAMR-ANTI-0011

Page: 33

Module/Section: Module 1 / m1_vet_withdrawal_periods - Withdrawal / Residue Information

Page Type: searchable_text

Withdrawal / Residue Information for dossier VET-REN-INNOV-NONAMR-ANTI-0011. Product: Synthetic Antiinflamox Product (antiinflamox); strength 50 mg/mL; route subcutaneous. Applicant: Synthetic Applicant 532 (Uganda); Manufacturer: Synthetic Manufacturer 31 (India). Withdrawal Periods: Meat=28 days; Milk=7 days.

SYNTHETIC SCANNED PAGE

Dossier: VET-REN-INNOV-NONAMR-ANTI-0011

Section: m1_wt_user_safety

Page: 34

Effect: faint_stamp_low_resolution

This artifact is generated for OCR/vision stress testing