A4.1 read-only paired point metric summary

No retraining, COCO scoring or bootstrap. Values come from native evaluator metadata.

Domain	Comparison	ΔAP (pp)	ΔAR100 (pp)	Δsmall AP (pp)	Δsmall AR100 (pp)	Δlarge AP (pp)
clean	dct − anchor	-0.200	+0.000	+0.000	+0.100	-1.100
clean	dct − orth	+0.000	+0.200	+0.100	+0.300	-0.300
clean	orth − anchor	-0.200	-0.200	-0.100	-0.200	-0.800
clean	dct/on − dct/fourier-off	+0.000	+0.000	+0.000	+0.000	+0.100
clean	dct/on − dct/memory-off	+0.000	+0.000	+0.100	+0.000	+0.000
clean	dct/on − dct/spi-off	+0.000	+0.000	+0.000	+0.000	+0.000
clean	dct/on − dct/context-off	+0.000	+0.000	+0.000	+0.000	+0.100
clean	dct/on − dct/dense-off	+0.000	+0.000	+0.000	+0.000	+0.000
clean	dct/on − dct/all-new-off	+0.000	+0.000	+0.000	+0.000	+0.000
fog	dct − anchor	-0.200	-1.800	-3.800	-4.900	-1.000
fog	dct − orth	+1.800	-0.100	-2.200	-3.900	+4.300
fog	orth − anchor	-2.000	-1.700	-1.600	-1.000	-5.300
fog	dct/on − dct/fourier-off	+0.000	+0.000	+0.100	-0.100	+0.100
fog	dct/on − dct/memory-off	-0.100	+0.200	-0.100	-0.200	+0.100
fog	dct/on − dct/spi-off	+0.000	+0.000	+0.000	+0.000	+0.100
fog	dct/on − dct/context-off	+0.000	+0.000	+0.700	+0.000	+0.100
fog	dct/on − dct/dense-off	+0.000	+0.000	+0.000	+0.000	+0.100

Domain	Comparison	ΔAP (pp)	ΔAR100 (pp)	Δsmall AP (pp)	Δsmall AR100 (pp)	Δlarge AP (pp)
fog	dct/on − dct/all-new-off	-0.200	+0.300	+0.500	-0.200	+0.100
rain	dct − anchor	+1.400	+1.200	+1.600	+0.600	+5.100
rain	dct − orth	+0.300	-0.300	+1.000	-1.900	+8.700
rain	orth − anchor	+1.100	+1.500	+0.600	+2.500	-3.600
rain	dct/on − dct/fourier-off	+0.000	+0.000	+0.000	+0.000	+0.000
rain	dct/on − dct/memory-off	+0.200	+0.100	+0.000	+0.000	+0.300
rain	dct/on − dct/spi-off	+0.000	+0.000	+0.000	+0.000	+0.100
rain	dct/on − dct/context-off	+0.100	+0.200	+0.000	+0.000	+0.400
rain	dct/on − dct/dense-off	+0.100	+0.000	+0.000	+0.000	+0.400
rain	dct/on − dct/all-new-off	+0.200	+0.200	+0.000	+0.000	+0.200
snow	dct − anchor	+1.500	+1.500	+3.400	+4.700	+7.400
snow	dct − orth	-0.200	-1.400	+1.200	+1.000	+1.400
snow	orth − anchor	+1.700	+2.900	+2.200	+3.700	+6.000
snow	dct/on − dct/fourier-off	+0.000	+0.000	-0.100	+0.000	+0.000
snow	dct/on − dct/memory-off	+0.100	+0.000	+0.100	+0.000	+0.200
snow	dct/on − dct/spi-off	+0.000	-0.100	+0.000	+0.000	+0.000
snow	dct/on − dct/context-off	-0.100	-0.200	+0.000	+0.000	+0.000
snow	dct/on − dct/dense-off	+0.000	+0.000	-0.100	+0.000	+0.000
snow	dct/on − dct/all-new-off	-0.100	-0.300	-0.100	+0.000	+0.200
night	dct − anchor	-0.500	+2.000	+0.400	+0.100	+2.700

Domain	Comparison	ΔAP (pp)	ΔAR100 (pp)	Δsmall AP (pp)	Δsmall AR100 (pp)	Δlarge AP (pp)
night	dct − orth	+1.400	+1.100	-0.100	-0.400	+4.300
night	orth − anchor	-1.900	+0.900	+0.500	+0.500	-1.600
night	dct/on − dct/fourier-off	+0.000	+0.000	+0.000	+0.000	-0.100
night	dct/on − dct/memory-off	+0.000	+0.100	+0.000	-0.100	+0.500
night	dct/on − dct/spi-off	+0.000	+0.000	+0.000	+0.000	+0.000
night	dct/on − dct/context-off	+0.000	+0.000	+0.000	+0.000	-0.100
night	dct/on − dct/dense-off	+0.000	+0.000	+0.000	+0.000	+0.000
night	dct/on − dct/all-new-off	+0.000	+0.000	-0.100	-0.100	+0.500

Integrity / missing reports

No detected metadata/protocol issues in completed comparisons.

Interpretation

A4.1 DCT vs orth isolates the fixed filter basis more closely than A4.1 vs Mosaic anchor.
A4.1 vs anchor changes multiple model components but uses a matched real-Mosaic training policy.
One seed and two epochs cannot establish long-run superiority or statistically reliable gains.
All-scale AP AND AR and per-class behavior must be inspected before promotion.