

# Jordan Vs. Lebron

Xiang Jiang and Albion Shoshi

April 5, 2024

```
# Import libraries and data here
library(dplyr)
library(readr)
library(tidyverse)
library(rvest)
library(ggplot2)
library(tidyr)
library(esquisse)

# Downloaded Lebron Data from BasketBall Reference
# Link: https://www.basketball-reference.com/players/j/jamesle01.html#per_game
LebronPerGame <- read_csv('./LebronNew/LebronPerGameNew.csv')
LebronTotals <- read_csv('./LebronNew/LebronTotalStatsNew.csv')
LebronAdvanced <- read_csv('./LebronNew/LebronAdvancedNew.csv')
LebronPer100Poss <- read_csv('./LebronNew/LebronPer100Poss.csv')
LebronAllStarGames <- read_csv('./LebronNew/LebronAllStarGame.csv')

# Downloaded Jordan Data from BasketBall Reference
# Link: https://www.basketball-reference.com/players/j/jordami01.html
JordanPerGame <- read_csv('./JordanNew/JordanPerGameNew.csv')
JordanTotals <- read_csv('./JordanNew/JordanTotalStatsNew.csv')
JordanAdvanced <- read_csv('./JordanNew/JordanAdvancedNew.csv')
JordanPer100Poss <- read_csv('./JordanNew/JordanPer100Poss.csv')
JordanAllStarGames <- read_csv('./JordanNew/JordanAllStarGame.csv')

# Downloaded from StatHeadBasketBall
# # Link: https://stathead.com/basketball/us/lebron-james-vs-michael-jordan#coverage_note
LebronVJordanPlayoffTotals <- read_csv('./LebronVJordanPlayoffTotals.csv')
```

## Data Access

Below are the imported data, inspected with head():

```
head(LebronPerGame, 5)
```

```
## # A tibble: 5 x 31
##   Season Age Tm   Lg   Pos      G    GS    MP   FG   FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 2003--  19 CLE  NBA   SG      79    79  39.5   7.9  18.9 0.417   0.8   2.7
## 2 2004--  20 CLE  NBA   SF      80    80  42.4   9.9  21.1 0.472   1.4   3.9
## 3 2005--  21 CLE  NBA   SF      79    79  42.5  11.1  23.1 0.48    1.6   4.8
## 4 2006--  22 CLE  NBA   SF      78    78  40.9   9.9  20.8 0.476   1.3    4
## 5 2007--  23 CLE  NBA   SF      75    74  40.4  10.6  21.9 0.484   1.5   4.8
## # i 18 more variables: '3P%' <dbl>, '2P' <dbl>, '2PA' <dbl>, '2P%' <dbl>,
## #   'eFG%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>,
## #   TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   Awards <chr>
```

```
head(LebronTotals, 5)
```

```
## # A tibble: 5 x 32
##   Season Age Tm   Lg   Pos      G    GS    MP    FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 2003--  19 CLE  NBA   SG      79    79  3122   622  1492 0.417    63   217
## 2 2004--  20 CLE  NBA   SF      80    80  3388   795  1684 0.472   108   308
## 3 2005--  21 CLE  NBA   SF      79    79  3361   875  1823 0.48    127   379
## 4 2006--  22 CLE  NBA   SF      78    78  3190   772  1621 0.476    99   310
## 5 2007--  23 CLE  NBA   SF      75    74  3027   794  1642 0.484   113   359
## # i 19 more variables: '3P%' <dbl>, '2P%' <dbl>, '2PA%' <dbl>, '2P%' <dbl>,
## #   'eFG%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>,
## #   TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   ...31 <lgl>, 'Trp-Dbl' <dbl>
```

```
head(LebronAdvanced, 5)
```

```
## # A tibble: 5 x 29
##   Season Age Tm   Lg   Pos      G    MP    PER 'TS%' '3PAr' FTr 'ORB%'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 2003-04  19 CLE  NBA   SG      79  3122  18.3 0.488  0.145 0.308  3.5
## 2 2004-05  20 CLE  NBA   SF      80  3388  25.7 0.554  0.183 0.378  3.8
## 3 2005-06  21 CLE  NBA   SF      79  3361  28.1 0.568  0.208 0.447  2.6
## 4 2006-07  22 CLE  NBA   SF      78  3190  24.5 0.552  0.191 0.432  3
## 5 2007-08  23 CLE  NBA   SF      75  3027  29.1 0.568  0.219 0.47   4.9
## # i 17 more variables: 'DRB%' <dbl>, 'TRB%' <dbl>, 'AST%' <dbl>, 'STL%' <dbl>,
## #   'BLK%' <dbl>, 'TOV%' <dbl>, 'USG%' <dbl>, ...20 <lgl>, OWS <dbl>,
## #   DWS <dbl>, WS <dbl>, 'WS/48' <dbl>, ...25 <lgl>, OBPM <dbl>, DBPM <dbl>,
## #   BPM <dbl>, VORP <dbl>
```

```
head(LebronPer100Poss, 5)
```

```
## # A tibble: 5 x 32
##   Season Age Tm   Lg   Pos      G    GS    MP    FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 2003--  19 CLE  NBA   SG      79    79  3122  10.5  25.3 0.417    1.1  3.7
## 2 2004--  20 CLE  NBA   SF      80    80  3388  12.6  26.6 0.472    1.7  4.9
## 3 2005--  21 CLE  NBA   SF      79    79  3361  13.9  29   0.48    2    6
## 4 2006--  22 CLE  NBA   SF      78    78  3190  12.8  26.9 0.476    1.6  5.1
## 5 2007--  23 CLE  NBA   SF      75    74  3027  14   28.9 0.484    2    6.3
## # i 19 more variables: '3P%' <dbl>, '2P%' <dbl>, '2PA%' <dbl>, '2P%' <dbl>,
## #   FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>, TRB <dbl>,
## #   AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   ...30 <lgl>, ORtg <dbl>, DRtg <dbl>
```

```
head(LebronAllStarGames, 5)
```

```
## # A tibble: 5 x 25
##   Season Age Team Lg   Pos      G    GS MP      FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <tim> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 2004--  20 CLE  NBA   SF      1    1 31:25    6    13 0.462    1    4
## 2 2005--  21 CLE  NBA   SF      1    1 30:34   12    21 0.571    4   10
## 3 2006--  22 CLE  NBA   SF      1    1 32:16   11    20 0.55    4    8
## 4 2007--  23 CLE  NBA   SF      1    1 30:15   12    22 0.545    2    7
## 5 2008--  24 CLE  NBA   SF      1    1 26:50    8    19 0.421    2    5
## # i 12 more variables: '3P%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>,
## #   ORB <dbl>, TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>,
## #   PTS <dbl>
```

```
head(JordanPerGame, 5)
```

```
## # A tibble: 5 x 31
##   Season Age Tm   Lg   Pos      G    GS    MP    FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 1984-- 21 CHI  NBA   SG      82    82  38.3  10.2  19.8 0.515  0.1  0.6
## 2 1985-- 22 CHI  NBA   SG      18     7  25.1   8.3  18.2 0.457  0.2   1
## 3 1986-- 23 CHI  NBA   SG      82    82  40    13.4  27.8 0.482  0.1  0.8
## 4 1987-- 24 CHI  NBA   SG      82    82  40.4  13    24.4 0.535  0.1  0.6
## 5 1988-- 25 CHI  NBA   SG      81    81  40.2  11.9  22.2 0.538  0.3  1.2
## # i 18 more variables: '3P%' <dbl>, '2P' <dbl>, '2PA' <dbl>, '2P%' <dbl>,
## #   'eFG%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>,
## #   TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   Awards <chr>
```

```
head(JordanTotals, 5)
```

```
## # A tibble: 5 x 32
##   Season Age Tm   Lg   Pos      G    GS    MP    FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 1984-- 21 CHI  NBA   SG      82    82  3144  837  1625 0.515    9   52
## 2 1985-- 22 CHI  NBA   SG      18     7   451  150   328 0.457    3   18
## 3 1986-- 23 CHI  NBA   SG      82    82  3281  1098  2279 0.482   12   66
## 4 1987-- 24 CHI  NBA   SG      82    82  3311  1069  1998 0.535    7   53
## 5 1988-- 25 CHI  NBA   SG      81    81  3255   966  1795 0.538   27   98
## # i 19 more variables: '3P%' <dbl>, '2P' <dbl>, '2PA' <dbl>, '2P%' <dbl>,
## #   'eFG%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>,
## #   TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   ...31 <lgl>, 'Trp-Dbl' <dbl>
```

```
head(JordanAdvanced, 5)
```

```
## # A tibble: 5 x 29
##   Season Age Tm   Lg   Pos      G    MP    PER 'TS%' '3PAr' FTr 'ORB%'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 1984-85 21 CHI  NBA   SG      82  3144  25.8 0.592 0.032 0.459  6.3
## 2 1985-86 22 CHI  NBA   SG      18   451  27.5 0.533 0.055 0.381  5.6
## 3 1986-87 23 CHI  NBA   SG      82  3281  29.8 0.562 0.029 0.427  5.6
## 4 1987-88 24 CHI  NBA   SG      82  3311  31.7 0.603 0.027 0.43   4.8
## 5 1988-89 25 CHI  NBA   SG      81  3255  31.1 0.614 0.055 0.442  5.5
## # i 17 more variables: 'DRB%' <dbl>, 'TRB%' <dbl>, 'AST%' <dbl>, 'STL%' <dbl>,
## #   'BLK%' <dbl>, 'TOV%' <dbl>, 'USG%' <dbl>, ...20 <lgl>, OWS <dbl>,
## #   DWS <dbl>, WS <dbl>, 'WS/48' <dbl>, ...25 <lgl>, OBPM <dbl>, DBPM <dbl>,
## #   BPM <dbl>, VORP <dbl>
```

```
head(JordanPer100Poss, 5)
```

```
## # A tibble: 5 x 32
##   Season Age Tm   Lg   Pos      G    GS    MP    FG    FGA 'FG%' '3P' '3PA'
##   <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 1984-- 21 CHI  NBA   SG      82    82  3144  12.9  25    0.515  0.1  0.8
## 2 1985-- 22 CHI  NBA   SG      18     7   451   16    35    0.457  0.3  1.9
## 3 1986-- 23 CHI  NBA   SG      82    82  3281  16.8  34.8 0.482  0.2   1
## 4 1987-- 24 CHI  NBA   SG      82    82  3311  16.2  30.3 0.535  0.1  0.8
## 5 1988-- 25 CHI  NBA   SG      81    81  3255  14.7  27.3 0.538  0.4  1.5
## # i 19 more variables: '3P%' <dbl>, '2P' <dbl>, '2PA' <dbl>, '2P%' <dbl>,
## #   FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>, DRB <dbl>, TRB <dbl>,
## #   AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>, PTS <dbl>,
## #   ...30 <lgl>, ORtg <dbl>, DRtg <dbl>
```

```
head(JordanAllStarGames, 5)
```

```
## # A tibble: 5 x 25
##   Season   Age Team  Lg   Pos      G    GS MP      FG   FGA  'FG%'  '3P'
##   <chr>   <dbl> <chr> <chr> <chr> <dbl> <dbl> <time> <dbl> <dbl> <dbl> <dbl>
## 1 1984-85    21 CHI   NBA   SG      1      1 22:00      2     9  0.222      0
## 2 1985-86    22 CHI   NBA   SG     NA     NA   NA      NA    NA  NA        NA
## 3 1986-87    23 CHI   NBA   SG      1      1 28:00      5    12  0.417      0
## 4 1987-88    24 CHI   NBA   SG      1      1 29:00     17    23  0.739      0
## 5 1988-89    25 CHI   NBA   SG      1      1 33:00     13    23  0.565      0
## # i 13 more variables: '3PA' <dbl>, '3P%' <dbl>, FT <dbl>, FTA <dbl>,
## #   'FT%' <dbl>, ORB <dbl>, TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>,
## #   TOV <dbl>, PF <dbl>, PTS <dbl>
```

```
head(LebronVJordanPlayoffTotals, 5)
```

```
## # A tibble: 3 x 31
##   Rk Player      Age From To      G    GS   MP   FG   FGA  'FG%'  '2P'
##   <dbl> <chr>      <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1    NA <NA>      <NA> <NA> <NA>    NA    NA   NA   NA   NA  NA    NA
## 2      1 LeBron Jam~ 21-38 2005~ 2022~  282  282 11654  2872  5797  0.495  2412
## 3      2 Michael Jo~ 21-34 1984~ 1997~  179  179  7474  2188  4497  0.487  2040
## # i 19 more variables: '2PA' <dbl>, '2P%' <dbl>, '3P' <dbl>, '3PA' <dbl>,
## #   '3P%' <dbl>, 'eFG%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, 'TS%' <dbl>,
## #   ORB <dbl>, DRB <dbl>, TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>,
## #   TOV <dbl>, PF <dbl>, PTS <dbl>
```

## Comparing Lebron and Jordan's Per-Game Stats:

```
LebronStatsPerGame <- LebronTotals %>%
  summarise(Player = "Lebron James", AssistsPerGame = sum(AST, na.rm = TRUE) / sum(G, na.rm = TRUE),
    ReboundsPerGame = sum(TRB, na.rm = TRUE) / sum(G, na.rm = TRUE),
    PointsPerGame = sum(PTS, na.rm = TRUE) / sum(G, na.rm = TRUE))


JordanStatsPerGame <- JordanTotals %>%
  summarise(Player = "Michael Jordan", AssistsPerGame = sum(AST, na.rm = TRUE) / sum(G, na.rm = TRUE),
    ReboundsPerGame = sum(TRB, na.rm = TRUE) / sum(G, na.rm = TRUE),
    PointsPerGame = sum(PTS, na.rm = TRUE) / sum(G, na.rm = TRUE))

StatsComparison <- bind_rows(LebronStatsPerGame, JordanStatsPerGame)

StatsComparisonLong <- StatsComparison %>%
  pivot_longer(cols = c(AssistsPerGame, ReboundsPerGame,
    PointsPerGame), names_to = "Statistic", values_to = "Value")

StatsComparisonLong %>%
  ggplot(aes(x = Statistic, y = Value, fill = Player)) +
  geom_bar(stat = "identity", position = position_dodge(width = 0.7), width = 0.6, alpha = 0.6) +
  geom_text(aes(label = round(Value, 1)),
    position = position_dodge(width = 0.7), vjust = -0.3, size = 3.5) +
  theme_minimal() +
  labs(title = "Comparison of Per Game Statistics",
    subtitle = "LeBron James vs. Michael Jordan",
    x = "Statistic",
    y = "Average per Game",
    fill = "Player") +
```

```
scale_fill_manual(values = c("Lebron James" = "#BB99FF", "Michael Jordan" = "#9999FF")) +
theme(text = element_text(size = 12), legend.position = "bottom",
      plot.title = element_text(size = 16, face = "bold"),
      plot.subtitle = element_text(size = 14),
      axis.text.x = element_text(angle = 45, hjust = 1)) +
ylim(0, 40)
```



```
print(StatsComparisonLong)
```

```
## # A tibble: 6 x 3
##   Player      Statistic      Value
##   <chr>      <chr>      <dbl>
## 1 Lebron James AssistsPerGame  7.38
## 2 Lebron James ReboundsPerGame  7.50
## 3 Lebron James PointsPerGame  27.1
## 4 Michael Jordan AssistsPerGame  5.25
## 5 Michael Jordan ReboundsPerGame  6.22
## 6 Michael Jordan PointsPerGame  30.1
```

Over his epic 21-year career, LeBron James has racked up averages of 27.1 points, 7.4 assists, and 7.5 rebounds per game, proving his all-around skills on the court. LeBron isn't just known for putting points on the board; he's also a standout because of his ability to set up his teammates, evidenced by his impressive assists average. This part of his game really bolsters his image as not just a scorer, but a dynamic leader and player. On the other side, Michael Jordan, during his 15 years in the league, had averages of 30.1 points, 5.3 assists, and 6.2 rebounds per game. These numbers have cemented him as one of the top scorers in basketball history. Jordan's scoring, driven by his phenomenal athleticism, finesse, and clutch plays, usually grabbed the headlines, sometimes making it easy to overlook his playmaking abilities. While Jordan definitely influenced the game in numerous ways, he's mainly remembered for his scoring prowess. So, while Jordan's higher scoring average points to his scoring supremacy, LeBron's ability to mix scoring with playmaking underlines his versatility and extensive influence on the game.

## Comparing Lebron and Jordan's Total Game Stats:

```
LebronTotalsStats <- LebronTotals %>%
  summarise(Player = "Lebron James", TotalRebounds = sum(TRB, na.rm = TRUE),
            TotalAssists = sum(AST, na.rm = TRUE),
            TotalPoints = sum(PTS, na.rm = TRUE))

JordanTotalsStats <- JordanTotals %>%
  summarise(Player = "Michael Jordan", TotalRebounds = sum(TRB, na.rm = TRUE),
            TotalAssists = sum(AST, na.rm = TRUE),
            TotalPoints = sum(PTS, na.rm = TRUE))


StatsComparison <- bind_rows(LebronTotalsStats, JordanTotalsStats)

StatsComparisonLong <- StatsComparison %>%
  pivot_longer(cols = c(TotalRebounds, TotalAssists, TotalPoints),
               names_to = "Statistic", values_to = "Value")

StatsComparisonLong %>%
  ggplot(aes(x = Statistic, y = Value, fill = Player)) +
  geom_bar(stat = "identity", position = position_dodge(width = 0.7), width = 0.6, alpha = 0.6) +
  geom_text(aes(label = round(Value, 1)),
            position = position_dodge(width = 0.7), vjust = -0.3, size = 3.5) +
  theme_minimal() +
  labs(title = "Comparison of Total Career Statistics",
       subtitle = "LeBron James vs. Michael Jordan",
       x = "Statistic",
       y = "Total",
       fill = "Player") +
  scale_fill_manual(values = c("Lebron James" = "#BB99FF", "Michael Jordan" = "#9999FF")) +
  theme(text = element_text(size = 12),
        axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom",
        plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14)) +
  ylim(0, 50000)
```

# Comparison of Total Career Statistics

## LeBron James vs. Michael Jordan



```
print(StatsComparison)
```

```
## # A tibble: 2 x 4
##   Player      TotalRebounds TotalAssists TotalPoints
##   <chr>          <dbl>         <dbl>         <dbl>
## 1 LeBron James    11185         11009         40474
## 2 Michael Jordan   6672          5633         32292
```

LeBron James has put up some jaw-dropping numbers over his 21-year NBA career: 40,474 points, 11,009 assists, and 11,185 rebounds, solidifying his status as one of the sport's most productive and adaptable players. His scoring is especially remarkable, having recently surpassed Kareem Abdul-Jabbar to become the all-time leading scorer. Additionally, LeBron is fourth in total assists, showcasing his ability to both score and set up plays. Comparatively, Michael Jordan, in his 15-year career, accumulated 32,292 points, 5,633 assists, and 6,672 rebounds. Jordan's scoring ability is legendary, but his assists and rebounds are noticeably lower than LeBron's, leaving him outside the top ranks in these areas. Even though LeBron has played six more seasons than Jordan, his continued excellence is undeniable. At 39 years old, he still averages 27 points per game. Jordan, on the other hand, retired at 39, largely due to declining performance, underscoring the enduring impact and longevity of LeBron's impressive career.

## Comparing LeBron and Jordan's Theoretical Playoff Stats

```
LebronVJordanPlayoffTotals <- data.frame(
  Player = c(rep("LeBron James", 10), rep("Michael Jordan", 10)),
  TRB = round(runif(20, 5, 15)), AST = round(runif(20, 5, 15)),
  PTS = round(runif(20, 20, 40)))

PlayOffBron <- LebronVJordanPlayoffTotals %>%
  filter(Player == "LeBron James") %>%
  summarise(TotalRebounds = sum(TRB, na.rm = TRUE),
```

```

    TotalAssists = sum(AST, na.rm = TRUE),
    TotalPoints = sum(PTS, na.rm = TRUE),
    Player = "LeBron James")

PlayOffJordan <- LeBronVJordanPlayoffTotals %>%
  filter(Player == "Michael Jordan") %>%
  summarise(TotalRebounds = sum(TRB, na.rm = TRUE),
            TotalAssists = sum(AST, na.rm = TRUE),
            TotalPoints = sum(PTS, na.rm = TRUE),
            Player = "Michael Jordan")

StatsComparison <- bind_rows(PlayOffBron, PlayOffJordan)


StatsComparisonLong <- StatsComparison %>%
  pivot_longer(cols = -Player, names_to = "Statistic", values_to = "Value")

StatsComparisonLong %>%
  ggplot(aes(x = Value, fill = Player)) +
  geom_density(alpha = 0.6) +
  labs(title = "Playoff Stats Density Comparison: LeBron James vs. Michael Jordan",
       x = "Value",
       y = "Density",
       fill = "Player") +
  theme_minimal() +
  theme(text = element_text(size = 12),
        axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom",
        plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14)) +
  scale_fill_manual(values = c("LeBron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  theme(legend.position = "bottom")

```



## Playoff Stats Density Comparison: LeBron James vs. M



```
print(StatsComparisonLong)
```

```
## # A tibble: 6 x 3
##   Player      Statistic      Value
##   <chr>      <chr>      <dbl>
## 1 LeBron James TotalRebounds  110
## 2 LeBron James TotalAssists   101
## 3 LeBron James TotalPoints   282
## 4 Michael Jordan TotalRebounds  103
## 5 Michael Jordan TotalAssists    81
## 6 Michael Jordan TotalPoints   325
```

(X)

## Comparing LeBron and Jordan's Longevity

```
convert_percentage <- function(perc) {
  as.numeric(gsub("%", "", perc)) / 100
}

LebronLongevity <- LebronAdvanced %>%
  mutate(PlayerName = "LeBron James", Games = as.integer(G),
         TrueShootingPercentage = convert_percentage(`TS%`),
         WinShare = as.numeric(WS),
         ValueOverReplacementPlayer = as.numeric(VORP)) %>%
  select(PlayerName, Season, Games, TrueShootingPercentage,
         WinShare, ValueOverReplacementPlayer)
```

```

JordanLongevity <- JordanAdvanced %>%
  mutate(PlayerName = "Michael Jordan", Games = as.integer(G),
         TrueShootingPercentage = convert_percentage(`TS%`),
         WinShare = as.numeric(WS),
         ValueOverReplacementPlayer = as.numeric(VORP)) %>%
  select(PlayerName, Season, Games, TrueShootingPercentage,
         WinShare, ValueOverReplacementPlayer)

CombinedData <- bind_rows(LebronLongevity, JordanLongevity)


CombinedDataLonger <- CombinedData %>%
  pivot_longer(cols = c(Games, TrueShootingPercentage, WinShare),
              names_to = "Statistic", values_to = "Value")

CombinedDataLonger %>%
  ggplot(aes(x = Season, y = Value, color = PlayerName)) +
  geom_point(aes(shape = PlayerName), size = 3,
            position = position_jitterdodge()) +
  geom_line(aes(group = PlayerName), alpha = 0.5) +
  scale_color_manual(values = c("LeBron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  facet_wrap(~Statistic, scales = "free_y") +
  labs(title = "Longevity Analysis: LeBron James vs Michael Jordan",
       subtitle = "Statistical comparison across different seasons",
       x = "Season", y = "Value") +
  theme_minimal() +
  theme(text = element_text(size = 12),
        axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom", plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14))

```

## Longevity Analysis: LeBron James vs Michael Jordan

### Statistical comparison across different seasons



```
print(CombinedDataLonger)
```

```
## # A tibble: 135 x 5
##   PlayerName Season ValueOverReplacementPlayer Statistic Value
##   <chr>      <chr>          <dbl> <chr>          <dbl>
## 1 LeBron James 2003-04          2.9 Games          7.9 e+1
## 2 LeBron James 2003-04          2.9 TrueShootingPercenta~ 4.88e-3
## 3 LeBron James 2003-04          2.9 WinShare          5.1 e+0
## 4 LeBron James 2004-05          9.1 Games           8 e+1
## 5 LeBron James 2004-05          9.1 TrueShootingPercenta~ 5.54e-3
## 6 LeBron James 2004-05          9.1 WinShare          1.43e+1
## 7 LeBron James 2005-06          9.4 Games          7.9 e+1
## 8 LeBron James 2005-06          9.4 TrueShootingPercenta~ 5.68e-3
## 9 LeBron James 2005-06          9.4 WinShare          1.63e+1
## 10 LeBron James 2006-07          8.1 Games          7.8 e+1
## # i 125 more rows
```

(X)

## Comparing LeBron and Jordan's Player Performance Analysis

```
convert_percentage <- function(perc) {
  as.numeric(sub("%", "", perc))
}

LebronLongevity <- LebronAdvanced %>%
  mutate(PlayerName = "Lebron James", Games = G,
         TrueShootingPercentage = convert_percentage(`TS%`),
         WinShare = WS, ValueOverReplacementPlayer = VORP) %>%
  select(PlayerName, Season, Games, TrueShootingPercentage,
         WinShare, ValueOverReplacementPlayer)

JordanLongevity <- JordanAdvanced %>%
  mutate(PlayerName = "Michael Jordan", Games = G,
         TrueShootingPercentage = convert_percentage(`TS%`),
         WinShare = WS, ValueOverReplacementPlayer = VORP) %>%
  select(PlayerName, Season, Games, TrueShootingPercentage,
         WinShare, ValueOverReplacementPlayer)

CombinedData <- bind_rows(LebronLongevity, JordanLongevity)


CombinedDataLonger <- CombinedData %>%
  pivot_longer(cols = c(Games, TrueShootingPercentage, WinShare),
               names_to = "Statistic", values_to = "Value")

CombinedDataLonger %>%
  ggplot(aes(x = PlayerName, y = Value, color = PlayerName)) +
  geom_point(shape = 21, size = 3) +
  scale_color_hue(direction = 1) +
  theme_minimal() +
  facet_wrap(~Statistic, scales = "free_y") +
  labs(title = "Player Performance Analysis",
       subtitle = "Comparison of LeBron James and Michael Jordan",
       x = "Player Name", y = "Value") +
  theme(text = element_text(size = 12),
        axis.title = element_text(size = 16),
```

```
axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
legend.position = "bottom", plot.title = element_text(size = 16, face = "bold"),
plot.subtitle = element_text(size = 14))
```

## Player Performance Analysis

### Comparison of LeBron James and Michael Jordan



```
print(CombinedDataLonger)
```

```
## # A tibble: 135 x 5
##   PlayerName Season ValueOverReplacementPlayer Statistic Value
##   <chr>      <chr>      <dbl> <chr>      <dbl>
## 1 Lebron James 2003-04      2.9 Games      79
## 2 Lebron James 2003-04      2.9 TrueShootingPercentage 0.488
## 3 Lebron James 2003-04      2.9 WinShare      5.1
## 4 Lebron James 2004-05      9.1 Games      80
## 5 Lebron James 2004-05      9.1 TrueShootingPercentage 0.554
## 6 Lebron James 2004-05      9.1 WinShare     14.3
## 7 Lebron James 2005-06      9.4 Games      79
## 8 Lebron James 2005-06      9.4 TrueShootingPercentage 0.568
## 9 Lebron James 2005-06      9.4 WinShare     16.3
## 10 Lebron James 2006-07      8.1 Games      78
## # i 125 more rows
```

This graph compares LeBron and Jordans efficiency ratings over the course of their careers when comparing their turnover percentages to their scoring ability. The graph shows that LeBrons per 100 possessions stats makes LeBron a more efficient player.

## Comparing Lebron and Jordan's Personal Efficiency Rating At Ages 30+

```

OldBron <- LeBronPer100Poss %>%
  filter(Season >= "2014-15") %>%
  mutate(PER = (PTS + TRB + AST + STL + BLK - ((FGA - FG) + (FTA - FT) + TOV)) / G,
         Player = "LeBron James")

OldJordan <- JordanPer100Poss %>%
  filter(Season >= "1995-96") %>%
  mutate(PER = (PTS + TRB + AST + STL + BLK - ((FGA - FG) + (FTA - FT) + TOV)) / G,
         Player = "Michael Jordan")

OldComp <- bind_rows(OldBron, OldJordan) %>%
  select(Player, everything())

maxPER <- OldComp %>%
  group_by(Player) %>%
  summarize(MaxPER = max(PER))


OldComp %>%
  ggplot(aes(x = Player, y = PER, fill = Player)) +
  geom_bar(stat = "identity", position = position_dodge(), width = 0.5) +
  geom_text(data = maxPER, aes(label = sprintf("%.2f", MaxPER), y = MaxPER),
           position = position_dodge(width = 0.5), vjust = -0.5, size = 3.5) +
  theme_minimal() +
  labs(title = "Efficiency Per 100 Possessions at Age 30+",
       subtitle = "Comparative Analysis: LeBron James vs. Michael Jordan",
       x = "", y = "Average Efficiency Per 100 Possessions", fill = "Player") +
  scale_fill_manual(values = c("LeBron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  theme(text = element_text(size = 12), axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom", plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14)) +
  ylim(0, 1)

```

Average Efficiency Per 100 Possessio

## Efficiency Per 100 Possessions at Age 30+

### Comparative Analysis: LeBron James vs. Michael Jordan



```
print(OldComp)
```

```
## # A tibble: 15 x 34
##   Player      Season  Age Tm   Lg   Pos    G    GS   MP   FG   FGA 'FG%'
##   <chr>      <chr> <dbl> <chr> <chr> <chr> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 LeBron Ja~ 2014--   30 CLE  NBA   SF     69   69 2493  13   26.7 0.488
## 2 LeBron Ja~ 2015--   31 CLE  NBA   SF     76   76 2709  14   26.9 0.52
## 3 LeBron Ja~ 2016--   32 CLE  NBA   SF     74   74 2794 13.1  24   0.548
## 4 LeBron Ja~ 2017--   33 CLE  NBA   PF     82   82 3026 13.9  25.6 0.542
## 5 LeBron Ja~ 2018--   34 LAL  NBA   SF     55   55 1937 13.4  26.3 0.51
## 6 LeBron Ja~ 2019--   35 LAL  NBA   PG     67   67 2316 13.2  26.8 0.493
## 7 LeBron Ja~ 2020--   36 LAL  NBA   PG     45   45 1504 13.7  26.6 0.513
## 8 LeBron Ja~ 2021--   37 LAL  NBA   C      56   56 2084 14.7  28.1 0.524
## 9 LeBron Ja~ 2022--   38 LAL  NBA   PF     55   54 1954 14.8  29.6 0.5
## 10 LeBron Ja~ 2023--   39 LAL  NBA   PF     71   71 2504  13   24.1 0.54
## 11 Michael J~ 1995--   32 CHI  NBA   SG     82   82 3090 15.6  31.5 0.495
## 12 Michael J~ 1996--   33 CHI  NBA   SG     82   82 3106 15.8  32.5 0.486
## 13 Michael J~ 1997--   34 CHI  NBA   SG     82   82 3181 14.9  32.1 0.465
## 14 Michael J~ 2001--   38 WAS  NBA   SF     60   53 2093 14.3  34.4 0.416
## 15 Michael J~ 2002--   39 WAS  NBA   SF     82   67 3031 12.2  27.4 0.445
## # i 22 more variables: '3P' <dbl>, '3PA' <dbl>, '3P%' <dbl>, '2P' <dbl>,
## #   '2PA' <dbl>, '2P%' <dbl>, FT <dbl>, FTA <dbl>, 'FT%' <dbl>, ORB <dbl>,
## #   DRB <dbl>, TRB <dbl>, AST <dbl>, STL <dbl>, BLK <dbl>, TOV <dbl>, PF <dbl>,
## #   PTS <dbl>, ...30 <lgl>, ORtg <dbl>, DRtg <dbl>, PER <dbl>
```

(X)

## Comparing Lebron and Jordan's Personal Efficiency Rating At Ages 30+ Each Season


```
OldBron <- LebronPer100Poss %>%
  filter(Season > "2014-15") %>%
  mutate(PER = (PTS + TRB + AST + STL + BLK - ((FGA - FG) + (FTA - FT) + TOV)) / G,
         Player = "LeBron James",
         Season = as.numeric(substr(Season, 1, 4))) %>%
  select(Player, Season, PER)

OldJordan <- JordanPer100Poss %>%
  filter(Season > "1994-95") %>%
  mutate(PER = (PTS + TRB + AST + STL + BLK - ((FGA - FG) + (FTA - FT) + TOV)) / G,
         Player = "Michael Jordan",
         Season = as.numeric(substr(Season, 1, 4))) %>%
  select(Player, Season, PER)

OldComp <- bind_rows(OldBron, OldJordan)

HighestPERLebron <- OldBron %>% filter(PER == max(PER))
LowestPERLebron <- OldBron %>% filter(PER == min(PER))
HighestPERJordan <- OldJordan %>% filter(PER == max(PER))
LowestPERJordan <- OldJordan %>% filter(PER == min(PER))

ggplot(OldComp, aes(x = Season, y = PER, color = Player, group = Player)) +
  geom_line() +
  geom_point(size = 3) +
  geom_smooth(method = "loess", se = FALSE, color = "black", size = 1) +
  geom_text(data = HighestPERLebron, aes(label = sprintf("Highest: %.1f", PER)),
           hjust = -0.2, vjust = 2, size = 3.5) +
  geom_text(data = LowestPERLebron, aes(label = sprintf("Lowest: %.1f", PER)),
           hjust = -0.2, vjust = 2, size = 3.5) +
  geom_text(data = HighestPERJordan, aes(label = sprintf("Highest: %.1f", PER)),
           hjust = 1.2, vjust = -1, size = 3.5) +
  geom_text(data = LowestPERJordan, aes(label = sprintf("Lowest: %.1f", PER)),
           hjust = 1.2, vjust = -1, size = 3.5) +
  scale_color_manual(values = c("LeBron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  labs(title = "Efficiency Per 100 Possessions at Age 30 Plus",
       subtitle = "LeBron James vs. Michael Jordan",
       x = "Season (Year)", y = "Average Efficiency Per 100 Possessions",
       color = "Player") +
  theme_minimal() +
  theme(text = element_text(size = 12), axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom", plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14)) +
  ylim(0, 1) +
  xlim(1990, 2025)
```



```
print(OldComp)
```

```
## # A tibble: 14 x 3
##   Player      Season  PER
##   <chr>      <dbl> <dbl>
## 1 LeBron James 2015 0.524
## 2 LeBron James 2016 0.551
## 3 LeBron James 2017 0.529
## 4 LeBron James 2018 0.725
## 5 LeBron James 2019 0.606
## 6 LeBron James 2020 0.902
## 7 LeBron James 2021 0.730
## 8 LeBron James 2022 0.725
## 9 LeBron James 2023 0.568
## 10 Michael Jordan 1995 0.493
## 11 Michael Jordan 1996 0.463
## 12 Michael Jordan 1997 0.405
## 13 Michael Jordan 2001 0.488
## 14 Michael Jordan 2002 0.337
```

This bar graph compares Michael Jordan and LeBrons efficiency's per 100 possessions at age 30 plus. We can clearly see the longevity LeBron holds. When comparing points, assists, rebounds, field goal percentages, and turnover rate, we see that LeBron dominates. At age 39 LeBron is still considered a top player in the NBA while Jordan was a dwindling old man expiring in his puny body.

## Comparing Total All Star Appearances



```


LebronAllStarAppearances <- nrow(LebronAllStarGames)
JordanAllStarAppearances <- nrow(JordanAllStarGames)

AllStarData <- data.frame(Player = c("Lebron James", "Michael Jordan"),
                          Appearances = c(LebronAllStarAppearances, JordanAllStarAppearances))

AllStarData$Percentage <- with(AllStarData, Appearances / sum(Appearances) * 100)

ggplot(AllStarData, aes(x = Player, y = Appearances, label = Appearances)) +
  geom_segment(aes(y = 0, x = Player, yend = Appearances, xend = Player)) +
  geom_point(size = 5, aes(color = Player)) +
  scale_color_manual(values = c("Lebron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  geom_text(nudge_y = 1, size = 4, color = "black") +
  labs(title = "All-Star Game Appearances",
       subtitle = "Comparison of LeBron James and Michael Jordan",
       x = "", y = "Number of Appearances") +
  theme_minimal() +
  theme(text = element_text(size = 12), axis.title = element_text(size = 16),
        axis.text.x = element_text(angle = 45, vjust = 1, hjust = 1),
        legend.position = "bottom", plot.title = element_text(size = 16, face = "bold"),
        plot.subtitle = element_text(size = 14))

```



```


ggplot(AllStarData, aes(x = "", y = Percentage, fill = Player)) +
  geom_bar(stat = "identity", width = 1, color = "white") +
  coord_polar(theta = "y") +
  scale_fill_manual(values = c("Lebron James" = "#BB99FF", "Michael Jordan" = "#B6DFF7")) +
  labs(title = "All-Star Game Appearances",
       subtitle = "Proportional Comparison of LeBron James and Michael Jordan",
       x = NULL, y = NULL) +
  theme_void() +

```

```
theme(plot.title = element_text(size = 16, face = "bold"),
      plot.subtitle = element_text(size = 14)) +
geom_text(aes(label = sprintf("%.1f%%", Percentage)),
          position = position_stack(vjust = 0.5), color = "white", size = 5)
```

## All-Star Game Appearances

### Proportional Comparison of LeBron James and Michael Jordan



```
print(AllStarData)
```

```
##           Player Appearances Percentage
## 1   Lebron James          21    58.33333
## 2 Michael Jordan          15    41.66667
```

When it comes to All-Star game appearances LeBron has been selected to one every season he has played in the NBA and sits at the most all-star selections ever. Jordans 15, although impressive, are expected when you are considered one of the greatest of all time. Lebrons Longevity to be able to make it to an all star game 21 years, even at his current age of 39 is unheard of.

## Conclusion

Key insight/takeaway about research question - Summarize the key insight, takeaway, conclusion to the research question that motivated your analysis

While studying our data comparing LeBron and Jordan we found that the GOAT debate is closer than we originally thought it was when viewed from a statistical perspective. We couldn't really conclude who was the greatest player ever with some of the most insightful basketball stats, there were strong cases for both. But because basketball is just more than statistics, a visual eye test might also help you sway a certain direction with who you think is the greatest basketball player of all time. We will still go with LeBron as our GOAT.

Challenge Encountered - Describe the biggest challenge that you encountered and how you overcame it in the project.

The biggest challenge we faced was finding relevant data sources. All the data sources off of Kaggle were old when it comes to finding LeBron's stats. LeBron is still currently playing so we needed up to date statistics while everything on Kaggle was over 5 years behind. We came across the websites basketball reference and Stat head to head which aided us heavily for finding out the statistics we needed and wanted to use.

Initially, I had used an absolute path to load the data into R Studio, but I had realized that anyone who was accessing this program outside of my computer were unable to run the program since the files were connected to my computer absolutely. I had realized this mistake and now made my path relative so now anyone with the source files can access the data.