

Please write clearly in block cap		
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature		

# INTERNATIONAL AS FURTHER MATHEMATICS

(9665/FM02) Pure Maths, Statistics and Mechanics Unit FPSM1

Thursday 24 January 2019 07:00 GMT Time allowed: 1 hour 30 minutes

## **Materials**

- For this paper you must have the Oxford International AQA booklet of formulae and statistical tables.
- · You may use a graphics calculator.

## Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box on each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

#### Information

- The marks for questions are shown in brackets.
- There are three sections to this paper.
- The maximum mark for this paper is 80. There are 40 marks for **Section A**, 20 marks for **Section B** and 20 marks for **Section C**.

## **Advice**

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use			
Mark			



# **Section A**

Answer all questions in the spaces provided.

1	A curve passes	through the point	(1.2, 0.8) and	d satisfies the	differential equation
---	----------------	-------------------	----------------	-----------------	-----------------------

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{1}{x^2 + y^2}$$

Use Euler's step-by-step method with a step length of 0.1 to estimate the value of y when x = 1.4

Give your answer to three decimal places.	[5 marks]

Answer

5

he	eq	uation
	he	he eq

$$x^3 - 8x - 12 = 0$$

has a real root,  $\alpha$ , in the interval 3 < x < 4

Use linear interpolation to show that  $\alpha$  is in the interval  $\frac{96}{29} < x < 4$ 

[5 marks]

5

Turn over for the next question



3	The variables $x$ and	v are thought to be related b	v an equation of the form
•	THE VARIABLES A GITA	are thought to be related by	y arr equation or the form

$$y = ax^n$$

where a and n are constants.

Let 
$$Y = \log_{10} y$$
 and  $X = \log_{10} x$ 

3 (a) Show that there is a linear relationship between X and Y.

[3 marks]

3 (b)	An experiment gives the following values of $x$ and $y$ .

x	2	4	6	8
y	19	92	232	458


Complete the table below.

X	0.301		
Y	1.28		

[2 marks]

3 (c) On the grid below, draw a linear graph relating X and Y.

[2 marks]



**3** (d) Use your graph to find estimates for a and n.

[4 marl	KS]
---------	-----


a =

n =

11



4 (a) The matrix  ${\bf P}$  represents the transformation which maps triangle U to triangle V in the diagram below.



Write down the matrix P.

[1 mark	
---------	--


Answer \_\_\_\_\_

**4 (b)** The transformation R is a reflection in the line y = -x

R maps triangle V to triangle W.

Draw triangle  $\ensuremath{\mathcal{W}}$  on the diagram below.

[2 marks]



Question 4 continues on the next page



		Do not write outside the box
4 (c)	The matrix <b>Q</b> represents the transformation R.	BOX
	Find the determinant of QP.	
	[3 marks]	
	Answer	6



Do not write outside the box There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



Do	not	writ
ou	tside	e the
	ha	

5	The matrix <b>B</b> is defined by $\mathbf{B} = \begin{bmatrix} -1 \\ -1 \end{bmatrix}$	1 –1

The matrix C is defined by  $C = \begin{bmatrix} 2 & 4 \\ 2 & 6 \end{bmatrix}$ 

The matrix A is such that AB = C.

5 (a)	Find ${f A}$ .	[4 marks]

Answer \_\_\_\_\_



Dο	not	V	vrit	E
ou	tside	9	the	Э
	bo	X		

5	(b)		Show that $\mathbf{B}^4 = k\mathbf{I}$ for some integer $k$ , where $\mathbf{I}$ is the 2 × 2 identity matrix.	[4 marks]
5	(c)		The matrix ${f B}$ represents a combination of an enlargement and a rotation.	
5	(c)	(i)	Find the scale factor of the enlargement.	[4 magula]
				[1 mark]
			Answer	
5	(c)	(ii)	Find the angle of the rotation.	
				[1 mark]
			Answer	





5 (d)	Use your answer to part <b>(b)</b> to find <b>B</b> <sup>21</sup>	Do not wn outside the box
	Answer	
		13



Do not write outside the box There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



	Section B
	Answer all questions in the spaces provided.
	$\boldsymbol{X}$ is a discrete uniform distribution where $\boldsymbol{x}$ can take the value 1, 2 or 3
(a)	Find P(X > 1) [1 mark
	Answer
(b)	Derive the probability generating function, $G_X(t)$ , of $X$ . [2 marks
	Answer



6 (c)	$Y$ is a discrete random variable with probability generating function $G_Y(t)$ where
	$G_{Y}(t) = 0.6 + 0.4t$
	Given that $X$ and $Y$ are independent, find $P(X + Y = 1)$ [3 marks]
	[o marks]
	Answer

6




Do not write outside the box

7	To prepare for a tennis tournament, Holly plays practice tennis matches until she wins a match.	outsi b
	The results of different tennis matches are independent.	
	The probability that Holly wins a practice tennis match is 0.6	
	Let $H$ represent the event that Holly plays more than 3 practice tennis matches.	
7 (a)	Find P(H). [1 mark]	
	Answer	
7 (b)	Let ${\it W}$ represent the event that Holly wins the tennis tournament.	
	Given that $P(W) = 0.7$ and $P(H W) = 0.01$ , complete the tree diagram opposite by finding the probability for each branch. [5 marks]	
		_



Do not write outside the box



Turn over for the next question




	Do not write outside the box
arks]	

8	The discrete random variable $P$ has:
	E(P) = 2
	$E(P^2)=5$
	$E(P^3) = 14.6$
	The discrete random variable $Q$ is such that $Q = 2P^2 - 5$
	The disorder fandem variable g to each that g = 21
8 (a)	Find $Cov(P, Q)$ . [5 marks]
	[Sindiks]
	Answer
	, wiewei



			Do not write
8 (b)	The variance of $Q$ is 8		outside the box
	Find $Var(P + Q)$ .	[3 marks]	
	Answer		
			8
	Turn over for the next question		







# **Section C**

Answer all questions in the spaces provided.

A model for the resistance force, R newtons, acting on a sphere moving with speed v m s<sup>-1</sup> through a fluid is given by

$$R = kv^{\frac{3}{2}}$$

where k is a constant.

Find the dimensions of k in terms of M, L and T.

[2 marks]

Answer

2


Turn over for the next question



During a 10-second interval, the speed of a van decreases from 20 m s<sup>-1</sup> to U m s<sup>-1</sup> as it moves along a straight road.

The mass of the van is 2000 kg.

The graph shows how the magnitude of the resultant force acting on the van varies during the 10 seconds.



10 (a)	Calculate the magnitude of the impulse on the van over the 10-second interval.	[1 mark]

Answer



40 (1)			Do not write outside the box
10 (b)	Find $U$ .	[3 marks]	
	Answer	_	
			4



Do not write outside the box

11	Two discs, A and B, are the same size.
	Disc $A$ has mass $m$ and disc $B$ has mass $4m$ .
	The discs are moving in the same direction along a straight line on a smooth horizontal surface when they collide.
	Just before the collision, disc ${\it A}$ has speed 5 ${\it U}$ and disc ${\it B}$ has speed ${\it U}$ .
	The coefficient of restitution between the two discs is $\it e$ .
11 (a)	Find the speed of ${\it B}$ after the collision, giving your answer in terms of ${\it e}$ and ${\it U}$ . [5 marks]
	Answer



	20	
11 (b)	After the collision, A moves in the opposite direction.	Do not write outside the box
	Find an inequality that $e$ must satisfy.	
	[3 marks]	
	Answer	
	/ wiene:	
		8




12	A boat is movin	g with a constant	t velocity of 8 m s	$^{ extsf{-1}}$ on a bearing of 030 $^{\circ}$
----	-----------------	-------------------	---------------------	--

A ship is moving north with a constant velocity of 5 m s<sup>-1</sup>

Initially the ship is 2000 metres east of the boat.

The diagram shows the initial positions and the velocities of the boat and the ship.




Find the minimum distance between the boat and the ship giving your answer to 3 significant figures.

[6 marks]



		Do not write outside the
		box
	Answer	
		6
	END OF CUESTIONS	
	END OF QUESTIONS	
I		







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	***************************************



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information

Do not write outside the

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqaexams.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2019 Oxford International AQA Examinations and its licensors. All rights reserved.

