

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

# INTERNATIONAL AS **MATHEMATICS**

(9660/MA01) Unit P1 - Pure Mathematics

Monday 20 May 2019

07:00 GMT

Time allowed: 1 hour 30 minutes

## **Materials**

- For this paper you must have the Oxford International AQA booklet of formulae and statistical tables (enclosed).
- · You may use a graphics calculator.

#### Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

## Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

#### Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		



# Answer all questions in the spaces provided.

1 The first three terms of a sequence are  $u_1$ ,  $u_2$  and  $u_3$ 

The nth term of the sequence is  $u_n$  where

$$u_{n+1}=u_n+7$$

The fifth term  $u_5 = 40$ 

**1** (a) (i) Find the value of  $u_1$ 

Circle your answer.

[1 mark]

5

7

12

19

**1** (a) (ii) Find the value of n for which  $u_n = 75$ 

Circle your answer.

[1 mark]

7

10

15



1	(b)	The $n$ th term of the sequence can be written in the form
•	(10)	The Will ferm of the sequence can be written in the form

$$u_n = pn + q$$

where p and q are integers.

Find the value of p and the value of q.

[2 marks]

1

Turn over for the next question

2	The polynomial $p(x)$ is given by	
	$p(x) = (x+6)(x^2 + bx + c)$	
	where $b$ and $c$ are integers.	
2 (a)	The remainder when $p(x)$ is divided by $(x-2)$ is $-8$	
	Use the Remainder Theorem to show that	
	2b+c=-5	[2 marks]
2 (b)	Given that $(x - 1)$ is a factor of $p(x)$ , use the Factor Theorem to show that	
2 (b)	Given that $(x - 1)$ is a factor of $p(x)$ , use the Factor Theorem to show that $b + c = -1$	[2 marks]
2 (b)		[2 marks]



Using parts (a) and (b), find the value of $b$ and the value of $c$ .	[2 marks]	(
b = c =		
Hence calculate the coefficient of $x$ in the expansion of $p(x)$ .	[1 mark]	
Anguar		
Allswei		
Turn over for the next question		L
	$b = \underline{\hspace{1cm}} c = \underline{\hspace{1cm}}$ Hence calculate the coefficient of $x$ in the expansion of $p(x)$ .	b =  be



3 Harry uses the quadratic formula to solve the equation

$$ax^2 + (k-6)x + c = 0$$

where a, c and k are real numbers.

Harry knows the values of a and c, but does not know the value of k.

He substitutes (k-6) and the values of a and c into the quadratic formula and correctly finds that

$$x = \frac{-(k-6) \pm \sqrt{(k-6)^2 - 64}}{16}$$

**3 (a)** Find the value of a and the value of c that Harry uses.

[2 marks]

a =	c =

3 (b)	Given that the equation has real roots, find the range of values for $k$ .		6
	Show clearly each step of your working.	[4 marks]	
	Answer		   [
	Turn over for the next question		

Turn over ▶

The diagrams below show a rectangle and a triangle.
The rectangle has length $3+2\sqrt{5}$ and area $16+7\sqrt{5}$
The triangle has sides of length $4+3\sqrt{5}$ , $4-\sqrt{5}$ , and $x$ .
The perimeter of the rectangle is equal to the perimeter of the triangle.
$3+2\sqrt{5}$ A + $3\sqrt{5}$ Not drawn to scale
Find the value of $x$ in the form $a+b\sqrt{5}$ , where $a$ and $b$ are integers.
Show clearly each step of your working.  [7 marks]



	J	
		Do not write outside the
		box
	x =	
		<u>  </u>
		7
	Turn over for the next question	


Turn over ▶

The points A(2, 7), B(16, -1), C(6, 1) and D, and the lines  $L_1, L_2$  and  $L_3$  are shown in the diagram below.

 $L_1$  passes through A, D and B.

 $L_2$  passes through A and C.

 $L_3$  passes through C and D.



5 (a) Show that the line  $L_1$  has the equation


$$4x + 7y - 57 = 0$$

[2 marks]

)	The equation of $L_2$ is $3x + 2y - 20 = 0$	
	The equation of $L_3$ is $2x - 3y - 9 = 0$	
	Show that the lines $\boldsymbol{L}_2$ and $\boldsymbol{L}_3$ are perpendicular.	[3 marks]
)	The length of the line segment $AC$ is $2\sqrt{13}$	
	Find the area of the triangle ACD.	[6 marks]
	Answer	

Turn over ►

The diagram below shows the graph of a function with equation y = f(x). The graph consists of straight line segments joining the points A(-2, 0), B(4, 3), C(6, 1) and D(10, 5).



6 (a) State the number of roots of the equation f(x) = 2.5

Give a reason for your answ	er.
-----------------------------	-----


[2 marks]

6 (b)	Describe fully the transformation that maps the graph of $y = f(x + 2) - 5$ onto the graph of
	y = f(x).

[2 marks]

6 (c) Draw the graph of the function y = f(-x) showing the coordinates of the images of A, B, C and D.

[2 marks]




Turn over for the next question



7 In the diagram below, the line *L* touches the curve *C* at the point *P*.

The equation of *L* is 3x - 2y + 12 = 0

The equation of C is  $y = 4 + \frac{7}{2}x - \frac{1}{2}x^2$ 



7 (a) Find the coordinates of the point P.

[5 marks]

_
Answer

Find $\int \left(4 + \frac{7}{2}\right)^{2}$	,			[2 n
		Answer		
The curve C	passes through th	e point (-1, 0)		
The line L pa	sses through the p	point (-4, 0)		
Find the area	। of the shaded reç	gion bounded by	$\prime$ the curve $\it C$ , the lin	e <i>L</i> and the <i>x</i> -ax



Turn over ▶

Do not write outside the box

8	(a)	Three consecutive terms in a geometric series are
		k, 250 and 25 $k$
		where $k > 0$
8	(a) (i)	Find the value of the common ratio of the series.
	( ) ( )	[2 marks]
		Answer
8	(a) (ii)	Given that 250 is the fourth term in the series, find the first term.  [2 marks]
		<b>A</b>
		Answer



8 (b)	A different geometric series has $n$ th term $u_n$ , first term 6 and common ratio	$\frac{1}{-}$ .	such that
<b>O</b> ( <b>D</b> )	The anti-order good flow flow that the $u_n$ , they term of and common ratio	່ 3 ' ໂ	Jaon mat

$$\sum_{n=1}^{15} u_n = 3^p - 3^q$$

where p and q are integers.

Find the value of $p$ and the value of $q$ .
--

[4 marks]

Turn over for the next question



9	The curve C has equation $y = 4x^{\frac{1}{3}}(x-3) + 11$	
9 (a) (	(i) Find $\frac{dy}{dx}$	
· (-, (	dx	[3 marks]
	$\frac{\mathrm{d}y}{\mathrm{d}x} = $	
	<del></del>	
9 (a) (	(ii) The curve C has one stationary point, P.	
9 (a) (	(ii) The curve <i>C</i> has one stationary point, <i>P</i> .  Find the <i>x</i> -coordinate of <i>P</i> .	[2 marka]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]
9 (a) (		[3 marks]



Determine whether <i>P</i> is a maximum or minimum point.	
Justify your answer.	[4 marks]

Turn over for the next question



Turn over ▶


10	The first four terms of the expansion of $(1 + (k + 1)x)^n$ are	
	$1 + 12x + ax^2 + 3ax^3 + \dots$	
	where $n$ is a positive integer, and $k$ and $a$ are positive constants.	
10 (a)	Show that	
,	(n-2)(k+1)=9	[4 marks]



Do not write outside the box

l0 (b)	Find the exact value of the coefficient of $x^5$	[6 marks]
	Answer END OF QUESTIONS	
	END OF QUESTIONS	







number	Write the question numbers in the left-hand margin.
	***************************************
	***************************************



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************



number	Write the question numbers in the left-hand margin.
	***************************************
	***************************************



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	·
	5



Question	Additional page, if required.
number	Write the question numbers in the left-hand margin.
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************



Do not write outside the There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the

examination paper or support materials. This booklet is published after each examination series and is available for free download from www.oxfordaqaexams.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 Oxford International AQA Examinations and its licensors. All rights reserved.





IB/M/Jun19/MA01

box