

| Please write clearly in block capitals. | | | | | | |
|---|--|------------------|---|--|--|--|
| Centre number | | Candidate number | | | | |
| Surname | | | | | | |
| Forename(s) | | | _ | | | |
| Candidate signature | | | | | | |

INTERNATIONAL AS FURTHER MATHEMATICS

(9665/FM02) Unit FPSM1 Pure Mathematics, Statistics and Mechanics

Monday 8 January 2024 07:00 GMT Time allowed: 1 hour 30 minutes

Materials

- For this paper you must have the OxfordAQA Booklet of Formulae and Statistical Tables (enclosed).
- · You may use a graphical calculator.

Instructions

• Use black ink or black ball-point pen. Pencil should only be used for drawing.

I declare this is my own work.

- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.


Information

- The marks for questions are shown in brackets.
- There are three sections to this paper.
- The maximum mark for this paper is 80. There are 40 marks for **Section A**, 20 marks for **Section B** and 20 marks for **Section C**.


20 marks for Section B and 20 marks for Section C

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.









Section A

Pure Mathematics

Answer all questions in the spaces provided.

1 A curve passes through the point (-2, 3) and satisfies the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{1}{x^2 - y + 3}$$

Use Euler's step-by-step method with a step length of 0.1 to estimate the value of y when x = -1.8

Give your answer to four decimal places.

Answer

Turn over ▶

[5 marks]



| 2 | | The matrix A is defined by $\mathbf{A} = \begin{bmatrix} 0.8 & 0.6 \\ 0.6 & -0.8 \end{bmatrix}$ | |
|---|---------|--|-------|
| | | The matrix B represents a reflection in the line $y = \left(\tan \frac{\pi}{3}\right)x$ | |
| 2 | (a) | Write down the matrix B Give each element of the matrix in exact form. | nark] |
| | | | |
| | | | |
| | | Answer | |
| 2 | (b) (i) | Find the matrix BA | |
| | | Give each element of the matrix to four decimal places. [2 m | arks] |
| | | | |
| | | | |
| | | | |
| | | Answer_ | |




| 2 (b) (ii) | | Describe fully the transformation represented by the matrix BA | | Do not writ outside the box |
|------------|--|---|-----------|-----------------------------------|
| | | | [3 marks] | |
| | | | | |
| | | | | |
| | | | | |
| | | | | 6 |
| | | | | |
| | | | | |

Turn over for the next question



3 The graph shows part of the curve y = f(x) where $f(x) = 1 - 2x + \frac{1}{2}x^3$



The equation f(x) = 0 has two positive roots α and β

It is given that $\alpha < 1$ and that $\beta > 1$

| 3 | (a) | Show that | $\frac{3}{2} < \beta$ | $<\frac{7}{4}$ |
|---|-----|-----------|-----------------------|----------------|
|---|-----|-----------|-----------------------|----------------|

[2 marks]

| 3 | (b) | Starting with the interval $\frac{3}{2} < \beta < \frac{7}{4}$ | | |
|---|-----|--|---|-----------|
| | | use linear interpolation once to show that | $\frac{209}{126} < \beta < \frac{7}{4}$ | |
| | | | | [5 marks] |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



4 The variables P and Q are believed to be related by the equation

$$Q = aP^b$$

where a and b are constants.

The table below shows some values of P and Q obtained in an experiment.

| P | 5 | 7 | 10 | 15 | 20 | 30 |
|---|-----|-----|-----|-----|-----|-----|
| Q | 3.0 | 2.6 | 1.9 | 1.5 | 1.3 | 1.0 |

4 (a) Let $X = \log_{10} P$ and $Y = \log_{10} Q$


Complete the table below, giving values to two decimal places.

[2 marks]

| X | 0.70 | 0.85 | 1.00 | | |
|---|------|------|------|------|------|
| Y | 0.48 | 0.41 | | 0.18 | 0.00 |

4 (b) Plot the values of X and Y on the grid below and draw a line of best fit.

[2 marks]



4 (c) Use your line of best fit to estimate the value of a and the value of b

| [4 | m | а | rk | S |
|----|---|---|----|----|
| LŦ | | ч | , | ٠. |

a = _____

b =

8



| 5 | | The matrix M is defined by $\mathbf{M} = \begin{bmatrix} 0.4 & 1.2 \\ 1.2 & -1.4 \end{bmatrix}$ | |
|---|-----|--|----------------|
| 5 | (a) | Find the equations of the invariant lines of the transformation represented by | M [6 marks] |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 5 | (b) | Answer Find the equation of the line of invariant points of the transformation represent | |
| | | | - • |



| Do not write outside the box | |
|------------------------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | Answer |
|-----|---|
| (c) | The transformation represented by M is a combination of two transformations: a |
| | reflection in the line $y = \frac{1}{2}x$ followed by a transformation represented by the matrix N |
| | Find the matrix N [6 marks |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Answer |



Section B

Statistics

Answer all questions in the spaces provided.

A bag contains 32 blue counters, 14 red counters and 17 white counters.

A counter is randomly selected from the bag, its colour is recorded and it is **not** replaced.

A second counter is randomly selected from the bag and its colour is recorded.

6 (a) Draw a tree diagram to represent this information.

[3 marks]



Do not write outside the box

| 6 | (b) | Find the exact probability that the first counter is blue, given that the second cowhite. | ounter is | outs |
|---|-----|---|-----------|------|
| | | Willie. | [3 marks] | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | - |
| | | Answer | | |
| | | | | |
| | | Turn over for the next question | | |
| | | Turn over for the next question | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



Do not write outside the box

| 7 | | On a test, 7% of students gain an A grade. |
|---|-----|--|
| | | A teacher selects students at random and notes whether they have gained an A grade. |
| | | The random variable N represents the number of students the teacher selects up to and including the first student who gained an A grade on the test. |
| 7 | (a) | Find the probability that the fourth student the teacher selects is the first to have gained an A grade. |
| | | Give your answer to four decimal places. [1 mark] |
| | | |
| | | |
| | | Answer |
| 7 | (b) | Find the probability that the first three students the teacher selects did not gain an A grade. |
| | | [2 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Answer |
| | | |
| | | |
| | | |
| | | |
| | | |



| 7 | (c) | Find $G_{N}(t)$, the probability generating function for N | |
|---|-----|--|-----------|
| | | Give your answer in the form $\frac{at}{1-bt}$ where a and b are positive constants. | |
| | | | [3 marks] |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Answer | |
| 7 | (d) | The random variable M is such that the probability generating function | |
| | | $G_M(t) = 0.07t + 0.93$ | |
| | | The random variables M and N are independent. | |
| | | Find $G_{M+N}(t)$, the probability generating function for $M+N$ | |
| | | Give your answer in the form $\frac{xt^2 + yt}{1 - zt}$ where x, y and z are positive constant | ants. |
| | | | [2 marks] |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Answer | |



8



| 8 | | The random variable X has a discrete uniform distribution and takes values 1, 2, 3,, n | | | |
|---|-----|--|--|--|--|
| | | It is given that $P(X > 26) = 2P(X \le 9)$ | | | |
| | | | | | |
| • | | | | | |
| 8 | (a) | Find the value of <i>n</i> [2 marks] | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | Answer | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



6

| 8 (b) | The random variable Y is independent of X and $Y \sim B(34, 0.73)$ | |
|-------|--|-----------|
| | Find the exact value of $Var(4X - 10Y + 8)$ | |
| | | [4 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Answer | |

Turn over for the next section



Section C

| | Mechanics Answer all questions in the spaces provided. | | | | | |
|---|---|--|-----------|--|--|--|
| 9 | (a) | Given that $	heta$ is an angle, use the cosine rule formula to show that $\cos \theta$ is dimensionless. | [2 marks] | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| 9 | (b) | A student is answering | a mechanics | question | using the | formula |
|---|-----|------------------------|-------------|----------|-----------|---------|
|---|-----|------------------------|-------------|----------|-----------|---------|

$$U^2 = rg\left(1 - \cos\theta\right)$$

where

- $U\,\,\mathrm{ms}^{-1}$ is a speed
- r metres is a radius
- $g \ \ \mathrm{ms}^{-2}$ is the acceleration due to gravity
- θ is an angle

| Snow that the formula is dimensionally consistent. | [3 marks] |
|--|-----------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

5

| 10 | A boat is moving in the sea. |
|--------|---|
| | The boat has constant velocity $\begin{bmatrix} 1 \\ 2 \end{bmatrix}$ m s ⁻¹ relative to the sea. |
| | The sea water has constant velocity $\begin{bmatrix} 2 \\ -1 \end{bmatrix}$ m s ⁻¹ |
| | At time $t = 0$ the boat has displacement $\begin{bmatrix} -200 \\ -60 \end{bmatrix}$ metres from a lighthouse. |
| 10 (a) | Find the resultant velocity of the boat. [1 mark] |
| | |
| | |
| | |
| | |
| | Answer |
| 10 (b) | Find the minimum distance between the boat and the lighthouse. [5 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| | Do not write |
|---------------------------------|--------------------|
| | outside the box |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Answer | 6 |
| | |
| | |
| | |
| Turn over for the next question | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |




| 11 | Two particles A and B are moving towards each other along a straight line on a smooth horizontal surface. |
|--------|--|
| | The particles collide. |
| | Particle A has mass 4 kg and particle B has mass 6 kg |
| | Before the collision particle A has speed 5 m s ⁻¹ and particle B has speed 3 m s ⁻¹ |
| | After the collision particle B has speed 1.48 m s ⁻¹ |
| | The coefficient of restitution between the two particles is $\it e$ |
| 11 (a) | Find the value of e |
| | Fully justify your answer. [5 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| - | |



Do not write outside the

| 11 (b) | Find the magnitude of the impulse exerted on A by B during the collision. [2 marks] | bo. |
|--------|---|-----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | Answer | |
| 11 (c) | Assume that the particles exert a constant force of 672 newtons on each other during the collision. | |
| | Find the time that the particles are in contact with each other. [2 marks] | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Answer | 9 |
| | END OF QUESTIONS | |







| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | |
| | |
| | 5 |
| | |
| | |
| | |
| | »»»»««»»»««»»»«««»»»««»»»««»»»««»»»««»»»««»»»««»»»««»»»«««»»»«««»»»«««»»»«««»»»«««»»»«««»»»«««»»»«««»»»«««»»»«« |
| | *************************************** |
| | |
| | |
| | |
| | *************************************** |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | *************************************** |
| | *************************************** |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|--------------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 5 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | \$11,111,111,111,111,111,111,111,111,111 |
| | 3 |
| | |
| | |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | *************************************** |
| | *************************************** |
| | *************************************** |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | *************************************** |
| | *************************************** |
| | |
| | |
| | |
| | |
| | |
| | *************************************** |
| | |
| | |
| | |



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqa.com

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and OxfordAQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2024 OxfordAQA International Examinations and its licensors. All rights reserved.





Do not write outside the