Please check the examination deta	ails belov	v before enter	ing your candidate information
Candidate surname			Other names
Pearson Edexcel International Advanced Level	Centr	e Number	Candidate Number
Tuesday 8 Jai	nua	ary 2	019
Morning (Time: 2 hours 30 minu	tes)	Paper Re	ference WMA01/01
Core Mathema Advanced Subsidiary	tics	<b>C</b> 12	
You must have: Mathematical Formulae and Sta	tistical	Tables (Blu	e) Total Marks

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## Information

- The total mark for this paper is 125.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P54944A ©2019 Pearson Education Ltd.

Find the equation of $l$ , writing your answer in the form $y = mx + c$ where $m$ are constants.	nd c
	(3

	blank
Question 1 continued	
	01
	Q1
(Total 3 marks)	
(Total 3 marks)	



2.	Given $y = 2^x$ , express each of the following in terms of y. Write each expression in its simplest form.	
	(a) $2^{2x}$	
		(1)
	a > 2x + 3	
	(b) $2^{x+3}$	(1)
	1	(1)
	(c) $\frac{1}{4^{2x-3}}$	
	4	(2)
_		

Question 2 continued		blank
Question 2 continued		
		03
		Q2
	(Total 4 marks)	



**(4)** 

## **3.** A curve has equation

$$y = \sqrt{2}x^2 - 6\sqrt{x} + 4\sqrt{2}, \qquad x > 0$$

Find the gradient of the curve at the point  $P(2, 2\sqrt{2})$ .

Write your answer in the form  $a\sqrt{2}$ , where a is a constant.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

Question 3 continued	blank
Question 3 continued	
	Q3
(Total 4 marks)	



4. A sequence is defined by

$$u_1 = k$$
, where k is a constant

$$u_{n+1} = 4u_n - 3, \ n \geqslant 1$$

(a) Find  $u_2$  and  $u_3$  in terms of k, simplifying your answers as appropriate.

(3)

Given 
$$\sum_{n=1}^{3} u_n = 18$$

(b) find *k*.

**(3)** 

Question 4 continued	blank
	Q4
(Total 6 marks)	



5. (a) Use the binomial theorem to find the first 4 terms, in ascending powers of x, of the expansion of

$$\left(1-\frac{x}{2}\right)^8$$

Give each term in its simplest form.

**(4)** 

(b) Use the answer to part (a) to find an approximate value to  $0.9^8\,$ 

Write your answer in the form  $\frac{a}{b}$  where a and b are integers.

(3)


Question 5 continued	blank
Question 5 continued	
	Q5
(Total 7 marks)	



**6.** (a) Sketch the graph of  $y = 1 + \cos x$ ,  $0 \le x \le 2\pi$ 

Show on your sketch the coordinates of the points where your graph meets the coordinate axes.

**(3)** 

(b) Use the trapezium rule, with 6 strips of equal width, to find an approximate value for

$$\int_0^{2\pi} (1 + \cos x) \, \mathrm{d}x$$



Question 6 continued	blank
	Q6
(Total 7 marks)	



Find the set of possible values for $p$ .	
This the set of possible values for $p$ .	

		Leave blank
Question 7 continued		
		Q7
	(T-4-15 1)	
	(Total 5 marks)	



**8.** Given k > 3 and

$$\int_{3}^{k} \left(2x + \frac{6}{x^2}\right) \mathrm{d}x = 10k$$

show that $k^3 - 10k^2 - 7k - 6 = 0$	



Question 8 continued		blan
		Q8
	(Total 5 marks)	



**9.** The circle C has equation

$$x^2 + y^2 + 10x - 6y + 9 = 0$$

(a) Find the coordinates of the centre of C.

**(2)** 

(b) Find the radius of *C*.

**(2)** 

The point P(-2, 7) lies on C.

(c) Find an equation of the tangent to C at the point P.

Write your answer in the form ax + by + c = 0, where a, b and c are integers.



	Leave blank
Question 9 continued	
	<b>Q9</b>
(Total 8 marks)	
(1332 5 33333)	






Figure 1 shows the design for a shop sign *ABCDA*.

The sign consists of a triangle AOD joined to a sector of a circle DOBCD with radius 1.8 m and centre O.

The points A, B and O lie on a straight line.

Given that AD = 3.9 m and angle BOD is 0.84 radians,

- (a) calculate the size of angle DAO, giving your answer in radians to 3 decimal places.
- (2)

(b) Show that, to one decimal place, the length of AO is 4.9 m.

- **(3)**
- (c) Find, in  $m^2$ , the area of the shop sign, giving your answer to one decimal place.
- (3)
- (d) Find, in m, the perimeter of the shop sign, giving your answer to one decimal place.

1	7	`	
	•	ı	
ı	J	,	

	I
uestion 10 continued	



Question 10 continued	

Question 10 continued	blank
Vacation to continuou	_
	_
	_
	-
	-
	_
	_
	-
	-
	-
	-
	_
	-
	-
	-
	-
	_
	_
	-
	-
	-
	_
	-
	-
	-
	-
	_
	-
	Q10
(Total 11 marks)	) [



11. (i) Given that x is a positive real number, solve the equation

$$\log_{x} 324 = 4$$

writing your answer as a simplified surd.

**(3)** 

Leave blank

(ii) Given that

$$\log_a(5y - 4) - \log_a(2y) = 3$$
  $y > 0.8, 0 < a < 1$ 

express y in terms of a.

**(5)** 




Question 11 continued	



Question 11 continued	
Question 11 continued	

	Leave
Question 11 continued	blank
Question 11 continued	
	Q11
(Total 8 marks)	
(1900)	$\overline{}$



12.	Karen is going to raise money for a charity.	
	She aims to cycle a <b>total</b> distance of 1000 km over a number of days.	
	On day one she cycles 25 km.	
	She increases the distance that she cycles each day by 10% of the distance cycled on the previous day, until she reaches the total distance of 1000 km.	
	She reaches the <b>total</b> distance of $1000 \mathrm{km}$ on day $N$ , where $N$ is a positive integer.	
	(a) Find the value of $N$ .	(4)
	On day one, 50 people donated money to the charity. Each day, 20 more people donated to the charity than did so on the previous day, so that 70 people donated money on day two, 90 people donated money on day three, and so on.	
	(b) Find the number of people who donated to the charity on day fifteen.	(2)
	Each day, the donation given by each person was £5	
	(c) Find the total amount of money donated by the end of day fifteen.	(3)



	L b
uestion 12 continued	



Question 12 continued	
yuestion 12 continueu	

Question 12 continued		Leave blank
	Question 12 continued	
(Total 9 marks)		Q12
	(Total 9 marks)	



13.  $f(x) = 3x^3 + 3x^2 + cx + 12$ , where c is a constant

Given that (x + 3) is a factor of f(x),

(a) show that c = -14

**(2)** 

(b) Write f(x) in the form

$$f(x) = (x+3)Q(x)$$

where Q(x) is a quadratic function.

**(2)** 

(c) Use the answer to part (b) to prove that the equation f(x) = 0 has only one real solution.

**(2)** 




Figure 2

Figure 2 shows a sketch of the curve with equation  $y = f(x), x \in \mathbb{R}$ .

On separate diagrams sketch the curve with equation

(d) (i) 
$$y = f(3x)$$

(ii) 
$$y = -f(x)$$

On each diagram show clearly the coordinates of the points where the curve crosses the coordinate axes.



estion 13 continued		



Leave blank Question 13 continued

	Leave
Question 13 continued	blank
Question 15 continued	
	Q13
(Total 10 marks)	



- **14.** In this question solutions based entirely on graphical or numerical methods are not acceptable.
  - (i) Solve, for  $-180^{\circ} \le x < 180^{\circ}$ , the equation

$$\sin(x+60^{\circ}) = -0.4$$

giving your answers, in degrees, to one decimal place.

**(4)** 

(ii) (a) Show that the equation

$$2\sin\theta\tan\theta - 3 = \cos\theta$$

can be written in the form

$$3\cos^2\theta + 3\cos\theta - 2 = 0$$

**(3)** 

(b) Hence solve, for  $0 \le \theta < 360^{\circ}$ , the equation

$$2\sin\theta\tan\theta - 3 = \cos\theta$$

showing each stage of your working and giving your answers, in degrees, to one decimal place.



	Leave
	blank
Question 14 continued	



Leave blank

uestion 14 continu	ed		

Question 14 continued		Leave blank
		Q14
	(Total 11 marks)	



Q

Figure 3

The straight line l with equation y = 5 - 3x cuts the curve C, with equation  $y = 20x - 12x^2$ , at the points P and Q, as shown in Figure 3.

(a) Use algebra to find the exact coordinates of the points P and Q.

**(5)** 

The finite region R, shown shaded in Figure 3, is bounded by the line l, the x-axis and the curve C.

(b) Use calculus to find the exact area of R.

**(6)** 



**15.** 

estion 15 continued	



Leave blank

Question 15 continued	l		

Question 15 continued	blank
	015
(Total 11 marks)	Q15






Figure 4

Figure 4 shows the design for a container in the shape of a hollow triangular prism.

The container is open at the top, which is labelled ABCD.

The sides of the container, ABFE and DCFE, are rectangles.

The ends of the container, *ADE* and *BCF*, are congruent right-angled triangles, as shown in Figure 4.

The ends of the container are vertical and the edge *EF* is horizontal.

The edges AE, DE and EF have lengths 4x metres, 3x metres and l metres respectively.

Given that the container has a capacity of 0.75 m<sup>3</sup> and is made of material of negligible thickness,

(a) show that the internal surface area of the container, Sm<sup>2</sup>, is given by

$$S = 12x^2 + \frac{7}{8x}$$
 (5)

(b) Use calculus to find the value of x, for which S is a minimum. Give your answer to 3 significant figures.

**(5)** 

(c) Justify that the value of x found in part (b) gives a minimum value for S.

**(2)** 

Using the value of x found in part (b), find to 2 decimal places,

- (d) (i) the length of the edge AD,
  - (ii) the length of the edge *CD*.

**(4)** 

Question 16 continued	



Leave blank

Question 16 cont	tinued		

uestion 16 continued	

