Please check the examination det	tails below	/ before ente	ering your candidate information
Candidate surname			Other names
Pearson Edexcel International Advanced Level	Centr	e Number	Candidate Number
Thursday 4 J	une	202	20
Afternoon (Time: 1 hour 30 min	utes)	Paper R	eference WST01/01
Mathematics			
International Advance Statistics S1	ed Sul	osidiar	y/Advanced Level
You must have: Mathematical Formulae and Sta	atistical ⁻	Tables (Blu	ue), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 6 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each guestion.

Advice

- Read each guestion carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath. Turn over ▶







1. The discrete random variable X takes the values -1, 2, 3, 4 and 7 only.

Given that

$$P(X = x) = \frac{8 - x}{k}$$
 for $x = -1, 2, 3, 4$ and 7

find the value of E(X)


(3)	

Question 1 continued		blank
		Q1
	(Total 5 marks)	
	(10th 5 min K5)	J



2. In a school canteen, students can choose from a main course of meat (M), fish (F) or vegetarian (V). They can then choose a drink of either water (W) or juice (J).

The partially completed tree diagram, where p and q are probabilities, shows the probabilities of these choices for a randomly selected student.



(a) Complete the tree diagram, giving your answers in terms of p and q where appropriate.

(2)

(b) Find an expression, in terms of p and q, for the probability that a randomly selected student chooses water to drink.

(1)

The events "choosing a vegetarian main course" and "choosing water to drink" are independent.

(c) Find a linear equation in terms of p and q.

(2)

A student who has chosen juice to drink is selected at random. The probability that they chose fish for their main course is $\frac{7}{30}$

(d) Find the value of p and the value of q.

(5)

The canteen manager claims that students who choose water to drink are most likely to choose a fish main course.

(e) State, showing your working clearly, whether or not the manager's claim is correct.

(3)



	L
uestion 2 continued	



Question 2 continued	

Question 2 continued		Leave blank
Question 2 continued		
		Q2
	(Total 13 marks)	
	(



3. The distance achieved in a long jump competition by students at a school is normally distributed with mean 3.8 metres and standard deviation 0.9 metres.

Students who achieve a distance greater than 4.3 metres receive a medal.

(a) Find the proportion of students who receive medals.

(3)

The school wishes to give a certificate of achievement or a medal to the 80% of students who achieve a distance of at least d metres.

(b) Find the value of d.

(3)

Of those who received medals, the $\frac{1}{3}$ who jump the furthest will receive gold medals.

(c) Find the shortest distance, g metres, that must be achieved to receive a gold medal.

(4)

A journalist from the local newspaper interviews a randomly selected group of 3 medal winners.

(d) Find the exact probability that there is at least one gold medal winner in the group.

1	7	1	
	1	ı	
ľ	J	,	

estion 3 continued		
estion 5 continued		



Question 3 continued	blank
Zassas Sammas	
	Q3
(Total 13 marks)	[Y



4. A group of students took some tests. A teacher is analysing the average mark for each student. Each student obtained a different average mark.

For these average marks, the lower quartile is 24, the median is 30 and the interquartile range (IQR) is 10

The three lowest average marks are 8, 10 and 15.5 and the three highest average marks are 45, 52.5 and 56

The teacher defines an outlier to be a value that is either


more than $1.5 \times IQR$ below the lower quartile or more than $1.5 \times IQR$ above the upper quartile

(a) Determine any outliers in these data.

(4)

(b) On the grid below draw a box plot for these data, indicating clearly any outliers.

(3)



(c) Use the quartiles to describe the skewness of these data. Give a reason for your answer.


(2)

Two more students also took the tests. Their average marks, which were both less than 45, are added to the data and the box plot redrawn.

The median and the upper quartile are the same but the lower quartile is now 26

(d) Redraw the box plot on the grid below.

(3)



(e) Give ranges of values within which each of these students' average marks must lie.

(2)



ion 4 continued		




Question 4 continued		


Question 4 continued	
	-
	-
	_
	-
	-
	-
	-
	-
	-
	-

Only use these grids if you need to redraw your answer for part (b) or part (d).

Copy of grid for part (b)



Copy of grid for part (d)



(Total 14 marks)





5. A large company rents shops in different parts of the country. A random sample of 10 shops was taken and the floor area, x in $10 \,\mathrm{m}^2$, and the annual rent, y in thousands of dollars, were recorded.

The data are summarised by the following statistics

$$\sum x = 900$$
 $\sum x^2 = 84818$ $\sum y = 183$ $\sum y^2 = 3434$

and the regression line of y on x has equation y = 6.066 + 0.136x

(a) Use the regression line to estimate the annual rent in dollars for a shop with a floor area of $800\,\mathrm{m}^2$

(2)

(b) Find S_{yy} and S_{xx}

(3)

(c) Find the product moment correlation coefficient between y and x.

(4)

An 11th shop is added to the sample. The floor area is $900\,\text{m}^2$ and the annual rent is $15\,000$ dollars.

(d) Use the formula $S_{xy} = \sum (x - \bar{x})(y - \bar{y})$ to show that the value of S_{xy} for the 11 shops will be the same as it was for the original 10 shops.

(2)

(e) Find the new equation of the regression line of y on x for the 11 shops.

(3)

The company is considering renting a larger shop with area of 3000 m²

(f) Comment on the suitability of using the new regression line to estimate the annual rent. Give a reason for your answer.

(1)

	Lo b
uestion 5 continued	



Question 5 continued	

Question 5 continued	Leave blank
Question 5 continued	
	Q5
(Total 15 marks)	



6. The random variable A represents the score when a spinner is spun. The probability distribution for A is given in the following table.

а	1	4	5	7
P(A=a)	0.40	0.20	0.25	0.15

(a) Show that E(A) = 3.5

(2)

(b) Find Var(A)

(3)

The random variable B represents the score on a 4-sided die. The probability distribution for B is given in the following table where k is a positive integer.

b	1	3	4	k
P(B=b)	0.25	0.25	0.25	0.25

(c) Write down the name of the probability distribution of B.

(1)

(d) Given that E(B) = E(A) state, giving a reason, the value of k.

(1)

The random variable $X \sim N(\mu, \sigma^2)$

Sam and Tim are playing a game with the spinner and the die.

They each spin the spinner once to obtain their value of A and each roll the die once to obtain their value of B.

Their value of A is taken as their value of μ and their value of B is taken as their value of σ . The person with the larger value of P(X > 3.5) is the winner.

(e) Given that Sam obtained values of a = 4 and b = 3 and Tim obtained b = 4 find, giving a reason, the probability that Tim wins.

(2)

(f) Find the largest value of P(X > 3.5) achievable in this game.

(4)

(g) Find the probability of achieving this value.

(2)



	Leave
	blank
Question 6 continued	
	1



Question 6 continued		

estion 6 continued	



Question 6 continued		blank
		06
		Q6
	(Total 15 marks) TOTAL FOR PAPER: 75 MARKS	
ENI	D TOTAL FOR TAILER: /5 WARRS	