



POLITECNICO DI MILANO

SOFTWARE ENGINEERING 2

PowerEnjoy RASD

Alessandro Caprarelli
Roberta Iero
Giorgio De Luca

874206
873513
875598

November 7, 2016

Contents

1	Introduction	3
1.1	Purpose	4
1.2	Actual system	4
1.3	Scope	4
1.4	Actors	4
1.5	Goals	4
1.6	Definition, acronyms, abbreviations	4
1.6.1	Definition	4
1.6.2	Acronyms	4
1.6.3	Abbreviations	4
1.7	Identify stakeholders	4
1.8	Reference documents	4
1.9	Document overview	4
2	Overall description	5
2.1	Product perspective	6
2.2	User characteristic	6
2.3	Constraints	6
2.3.1	Regulatory policies	6
2.3.2	Hardware policies	6
2.3.3	Interfaces to other applications	6
2.3.4	Parallel operations	6
2.4	Assumptions and dependencies	6
2.4.1	Assumptions	6
2.4.2	6
2.5	Future possible implementations	6
3	Specific requirements	7
3.1	External Interface Requirements	8
3.1.1	User interfaces	8

3.1.2	API interfaces	8
3.1.3	Hardware interfaces	8
3.1.4	Software interfaces	8
3.1.5	Communication interfaces	8
3.1.6	Memory	8
3.2	Functional requirements	8
3.2.1	G1 - The registered client can hide a car through a web/mobile application.	8
3.2.2	G2 - The Registered Client can hire a car through an SMS. . .	8
3.2.3	G3 - The Guest Client can register himself/herself into the system as Registered Client.	8
3.2.4	G4 - Registered Clients can login into the system.	8
3.2.5	G5 - The Logged Client can manage his/her sensible data. . .	8
3.2.6	G6 - The Registered Client can manage his/her requests of hiring.	8
3.2.7	G7 - Ensure the Registered Client the possibility to receive a discount on his/her last ride.	8
3.2.8	G8 - Ensure a uniform distribution of cars in the city.	8
3.2.9	G9 - Guarantee to have always a minimum number of cars in the system with enough charge to be hired.	8
3.2.10	G10 - Allow the system administrator to update and check data in the database of the system.	8
3.2.11	G11 - Guarantee a correct interoperability of the system with external services.	8
3.3	Scenario	8
3.4	UML models	8
3.4.1	Use cases	8
3.4.2	Sequence diagrams	8
3.4.3	Class diagrams	8
3.4.4	State chart diagrams	8
3.5	Non-functionals requirements	8
3.5.1	Performance requirements	8
3.5.2	Design constraints	8
3.5.3	Software system attributes	8
3.5.4	Security	8
4	Alloy	9

Chapter 1

Introduction

1.1 Purpose

1.2 Actual system

1.3 Scope

1.4 Actors

1.5 Goals

1.6 Definition, acronyms, abbreviations

1.6.1 Definition

1.6.2 Acronyms

1.6.3 Abbreviations

1.7 Identify stakeholders

1.8 Reference documents

1.9 Document overview

Chapter 2

Overall description

2.1 Prodcut perspective

2.2 User characteristic

2.3 Constraints

2.3.1 Regulatory policies

2.3.2 Hardware policies

2.3.3 Interfaces to other applications

2.3.4 Parallel operations

2.4 Assumptions and dependencies

2.4.1 Assumptions

2.4.2

2.5 Future possible implementations

Chapter 3

Specific requirements

3.1 External Interface Requirements

3.1.1 User interfaces

3.1.2 API interfaces

3.1.3 Hardware interfaces

3.1.4 Software interfaces

3.1.5 Communication interfaces

3.1.6 Memory

3.2 Functional requirements

3.2.1 G1 - The registered client can hide a car through a web/mobile application.

3.2.2 G2 - The Registered Client can hire a car through an SMS.

3.2.3 G3 - The Guest Client can register himself/herself into the system as Registered Client.

8

3.2.4 G4 - Registered Clients can login into the system.

3.2.5 G5 - The Logged Client can manage his/her sensible data

Chapter 4

Alloy