| | doc_1 | | doc_2 | | decision | id |
|-------|--|--|------------------|--|---------------|------|
| cases | authors | Alex Bihlo | | | | |
| | title | Improving physics-informed neural networks with meta-learned optimization | authors | • Alex Bihlo | | |
| | publication_date 2023-03-13 13:58:03+00:00 | | title | Improving physics-informed neural networks with meta-learned optimization | | |
| | source | SupportedSources.ARXIV | publication_date | e 2023-03-14 00:00:00 | DUPLICATES 21 | |
| | journal | None | source | SupportedSources.INTERNET_ARCHIVE | | |
| | volume | | journal | | | |
| | doi | | volume | | | |
| | urls | http://arxiv.org/pdf/2303.07127v2 http://arxiv.org/abs/2303.07127v2 http://arxiv.org/pdf/2303.07127v2 | doi | | | |
| | | | urls | • https://web.archive.org/web/20230314080808/https://arxiv.org/pdf/2303.07127v1.pdf | | S 21 |
| | id | id4984764988597369297 | id | id7264089481482878098 | | |
| | abstract | We show that the error achievable using physics-informed neural networks for solving systems of differential equations can be substantially reduced when these networks are trained using meta-learned optimization methods rather than to using fixed, hand-crafted optimizers as traditionally done. We choose a learnable optimization method based on a shallow multi-layer perceptron that is meta-trained for specific classes of differential equations. We illustrate meta-trained optimizers for several equations of practical relevance in mathematical physics, including the linear advection equation, Poisson's equation, the Kortewegde Vries equation and Burgers' equation. We also illustrate that meta-learned optimizers exhibit transfer learning abilities, in that a meta-trained optimizer on one differential equation can also be | abstract | We show that the error achievable using physics-informed neural networks for solving systems of differential equations can be substantially reduced when these networks are trained using meta-learned optimization methods rather than to using fixed, hand-crafted optimizers as traditionally done. We choose a learnable optimization method based on a shallow multi-layer perceptron that is meta-trained for specific classes of differential equations. We illustrate meta-trained optimizers for several equations of practical relevance in mathematical physics, including the linear advection equation, Poisson's equation, the Kortewegde Vries equation and Burgers' equation. We also illustrate that meta-learned optimizers exhibit transfer learning abilities, in that a meta-trained optimizer on one differential equation can also be successfully deployed on another differential equation. | | |
| | | successfully deployed on another differential equation. | versions | | | |
| | versions | | | | | |