cases

doc_1		doc_2		decision	id
authors	• S. Dumitrescu • Petru Rebeja • BeÃ¡ta LÅ‘rincz • Mihaela GÄƒman • M. Ilie • Andrei Pruteanu • Adriana Stan • Luciana Morogan • Traian Rebedea • Sebastian Ruder	**authors**	• S. Dumitrescu • Petru Rebeja • BeÃ¡ta LÅ‘rincz • Mihaela GÄƒman • Andrei-Marius Avram • M. Ilie • Andrei Pruteanu • Adriana Stan • Lorena Rosia • Cristina Iacobescu • Luciana Morogan • George-Andrei Dima • Gabriel Marchidan • Traian Rebedea • MÄƒdÄƒlina Chitez • Dani Yogatama • Sebastian Ruder • Radu Tudor Ionescu • Razvan Pascanu • Viorica Patraucean	DUPLICATES	380
title	LiRo: Benchmark and leaderboard for Romanian language tasks	**title**	LiRo: Benchmark and leaderboard for Romanian language tasks		
publication_date	None	**publication_date**	None		
source	SupportedSources.SEMANTIC_SCHOLAR	**source**	SupportedSources.SEMANTIC_SCHOLAR		
journal		**journal**			
volume		**volume**			
doi		**doi**			
urls	• https://www.semanticscholar.org/paper/6e0288f8e241a504853a580742c38c1701a40287	**urls**	• https://www.semanticscholar.org/paper/2f58780a05856661dd3f4faee7450ba278bd7e93		
id	id-471842954743836014	**id**	id-4231543455127122927		
abstract	Recent advances in NLP have been sustained by the availability of large amounts of 1 data and standardized benchmarks, which are not available for many languages. As 2 a small step towards addressing this, we propose LiRo, a platform for benchmarking 3 models on the Romanian language on nine standard tasks: text classification, 4 named entity recognition, machine translation, sentiment analysis, POS tagging, 5 dependency parsing, language modelling, question-answering, and semantic textual 6 similarity. We also include a less standard task of Romanian embeddings debiasing, 7 to address the growing concerns related to gender bias in language models. The 8 platform exposes per-task leaderboards populated with baseline results for each 9 task. In addition, we create three new datasets: one from Romanian Wikipedia 10 and two by translating the Semantic Textual Similarity (STS) benchmark and 11 the Cross-lingual Question Answering Dataset (XQuAD) into Romanian. We 12 believe LiRo will not only add to the growing body of benchmarks covering various 13 languages, but can also enable multi-lingual research by augmenting parallel 14 corpora, and hence is of interest for the wider NLP community. LiRo is available at 15 https://lirobenchmark.github.io/ 16	**abstract**	Recent advances in NLP have been sustained by the availability of large amounts of data and standardized benchmarks, which are not available for many languages. As a small step towards addressing this, we propose LiRo, a platform for benchmarking models on the Romanian language on nine standard tasks: text classification, named entity recognition, machine translation, sentiment analysis, POS tagging, dependency parsing, language modelling, question-answering, and semantic textual similarity. We also include a less standard task of Romanian embeddings debiasing, to address the growing concerns related to gender bias in language models. The platform exposes per-task leaderboards populated with baseline results for each task. In addition, we create three new datasets: one from Romanian Wikipedia and two by translating the Semantic Textual Similarity (STS) benchmark and the Cross-lingual Question Answering Dataset (XQuAD) into Romanian. We believe LiRo will not only add to the growing body of benchmarks covering various languages, but can also enable multi-lingual research by augmenting parallel corpora, and hence is of interest for the wider NLP community. LiRo is available at https://lirobenchmark.github.io/		
versions		**versions**			