

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none">Aleksandr A. MurachTetiana Zinchenko	authors	<ul style="list-style-type: none">Aleksandr A. MurachTetiana Zinchenko	DUPLICATES	186
	title	Parameter-elliptic operators on the extended Sobolev scale	title	Parameter-elliptic operators on the extended Sobolev scale		
	publication_date	2012-12-04 15:23:00+00:00	publication_date	2012-12-04 00:00:00		
	source	SupportedSources.ARXIV	source	SupportedSources.INTERNET_ARCHIVE		
	journal	Methods Funct. Anal. Topology 19 (2013), no. 1, 29-39	journal			
	volume		volume			
	doi		doi			
	urls	<ul style="list-style-type: none">http://arxiv.org/pdf/1212.0759v1http://arxiv.org/abs/1212.0759v1http://arxiv.org/pdf/1212.0759v1	urls	<ul style="list-style-type: none">https://archive.org/download/arxiv-1212.0759/1212.0759.pdf		
	id	id7678146367275786948	id	id4520334031504853618		
	abstract	Parameter--elliptic pseudodifferential operators given on a closed smooth manifold are investigated on the extended Sobolev scale. This scale consists of all Hilbert spaces that are interpolation spaces with respect to the Hilbert Sobolev scale. We prove that these operators set isomorphisms between appropriate spaces of the scale provided the parameter is modulo large enough. For solutions to the corresponding parameter--elliptic equations, we establish two-sided a priori estimates, in which the constants are independent of the parameter.	abstract	Parameter--elliptic pseudodifferential operators given on a closed smooth manifold are investigated on the extended Sobolev scale. This scale consists of all Hilbert spaces that are interpolation spaces with respect to the Hilbert Sobolev scale. We prove that these operators set isomorphisms between appropriate spaces of the scale provided the parameter is modulo large enough. For solutions to the corresponding parameter--elliptic equations, we establish two-sided a priori estimates, in which the constants are independent of the parameter.		
	versions		versions			